NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Modfificiation request to Scope update, chemical monitoring, DEW Line Long Term Monitoring (LTM) program

Richard Dwyer <richard.dwyer@nwb-oen.ca> Fri, Sep 27, 2019 at 2:40 PM
To: laura.dcosta@forces.gc.ca, alison.street@forces.gc.ca
Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>, Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt of modfificiation request to Scope update, chemical monitoring, DEW Line Long Term Monitoring (LTM) program (copy attached) for the following water licences:

- 1BR-BYR1320 PIN-4 Byron Bay
- 1BR-CAM0520 CAM-M Cambridge Bay
- 1BR-CAP1623 PIN-2 Cape Young
- 1BR-DYE1623 DYE-M Cape Dyer
- 1BR-FOD1320 FOX-3 Dewar Lakes
- 1BR-FOX1523 FOX-4 Cape Hooper
- 1BR-FRA1730 PIN-3 Lady Franklin Point
- 1BR-GLA1531 CAM-2 Gladman Point
- 1BR-HAL1533 FOX-M Hall Beach
- 1BR-JEN1323 CAM-1 Jenny Lind Island
- 1BR-LON1422 FOX-2 Longstaff Bluff
- 1BR-MAC1323 CAM-5 Mackar Inlet
- 1BR-PEL1833 CAM-4 Pelly Bay
- 1BR-QIK1320 FOX-5 Broughton Island
- 1BR-SHE1733 CAM-3 Shepherd Bay

Parties are invited to submit comments by **October 11, 2019.**

Regards,

Richard

Richard Dwyer- ᓇᑦᓱᕐᑕ ᑐᐊᐃᔪᕐ

Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅᑕᑦ ᕕᖓ
ᐅᖅᓱᖅᑐᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

170324 1BR-BYR1320 Letter to NWB-Discontinue Hg and PCB Analyses with annexes-ILAE.pdf
2062K