



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB5QIK

April 9, 2001

Ms. Eva Schulz, P.Ag.
Environmental Scientist
UMA Engineering Ltd.
2540 Kensington Road NW
Calgary, AB T2N 3S3

Re: Application Acknowledgement and Request for Distribution of the application for Fox-5,
Qikiqtarjuaq DEW Line Site

Dear Ms. Schulz:

The Nunavut Water Board acknowledges receipt on April 6, 2001 of three copies of a 3-inch binder titled "Water Use License Application for the Clean Up of the Fox-5, Broughton Island Dew Line Site. Among other things, the binder includes the following specific licence documents:

- cover letter dated March 29, 2001
- summary in both English and Inuktitut
- application form
- supplementary questionnaire
- application fee

Receipt C116808 is attached for your records.

The Nunavut Planning Commission (NPC) has determined that this application from outside of the boundaries of the North Baffin Regional Land Use Plan and as such does not require conformity review. This project is subject to screening by the Nunavut Impact Review Board (NIRB) and will be sent for their determination as to whether they require further review, or if it can be processed by the Nunavut Water Board.

I have been asked by the Board to inform you that a notice of your application is required. This notice of requirement is based on Article 13.3.14 of the Nunavut Land Claims Agreement (NLCA), which states that the Board should take "...all steps necessary by way of notice...to provide and promote public awareness [of hearings]."

Accordingly, please have the enclosed notice in both English and Inuktitut published in a two-column width format in the **Nunatsiaq News** as per enclosed "Instructions for Publication of Notice in Newspaper." The Applicant is responsible for payment of the publication.

Upon request from the public, we ask you to make available, free of charge, copies of all documents pertaining to this application. Any person who is affected by this application or concerned with it, may submit a letter of concern, which must be submitted to the Board within the period of time shown on the public notice.

As well, I would like to request that you distribute the application package directly to our attached distribution list in order to speed up the distribution process. Please send verification to our office of whom the package has been sent to. Thank you.

Please note that the confirmation of notice posting, must be submitted to our office before your application process will be completed.

Please call the undersigned at (867)360-6338 or rbecker@polarnet.ca if you have any questions.

Sincerely,

Original signed by:

Rita Becker
Licensing Administrator

Enclosure: (distribution list)

cc. Greg Cook, DIAND
Paul Smith, DIAND
Paula Pacholek, EC
Gladys Joudrey, NIRB
Chris Nichols, DSD