From:	Christopher Tickner
To:	Phyllis Beaulieu
Cc:	Brian Aglukark
Subject:	RE: 1BR-QIK0712 Amend/Renew FOX-5 - Defence Construction Canada - Qikiqtani Region
Date:	Thursday, April 18, 2013 1:51:48 PM
Attachments:	image001.png

Good afternoon Ms. Beaulieu,

Re: 1BR-QIK0712 Amend/Renew FOX-5 - Defence Construction Canada - Qikiqtani Region

Thank you for your email.

Based on the information contained in your email below and on the referenced ftp site, the Nunavut Planning Commission (NPC) has determined that the proposed project as described is located outside the boundaries of the two approved land use plans currently administered by the NPC.

No further review is required by the NPC at this time.

Please contact me should you have any questions.

Sincerely,

Christopher

Christopher Tickner MCIP, RPP
Senior Planner
Nunavut Planning Commission
P.O. Box 2101 Cambridge Bay, NU X0B 0C0
Phone: (867) 983-4634
Fax: (867) 983-4626
Website: www.nunavut.ca

From: Phyllis Beaulieu [mailto:licensing@nunavutwaterboard.org]
Sent: April-17-13 12:21 PM
To: Eva Schulz; Van Dyck, Tamara
Cc: Phyllis Beaulieu
Subject: 130417 1BR-QIK0712 Amend/Renew FOX-5 - Defence Construction Canada - Qikiqtani Region

NOTICE TO ALL PARTIES: PLEASE NOTE THE DEADLINE FOR COMMENTS ON THIS APPLICATION IS **MAY 17, 2013**

-

The Nunavut Water Board ("NWB") acknowledges receipt, on February 14, 2013, of an amendment/renewal application for a Type "B" water license for water use and waste disposal associated with activities in the Qikiqtani region of Nunavut. The application consists of the following documents:

- Cover letter dated February 14, 2013
- Application for Water Licence Amendment

- Executive Summary, English and Inuktitut
- Spill Contingency Plan and MSDS Sheets
- Landfill Monitoring Report Dated February 2013

The application can be obtained from our ftp site under PRUC with Username: public, Password: registry.
ftp://nunavutwaterboard.org/1%20PRUC/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-QIK0712%20FOX%205/1%20APPLICATION/
The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB ***within 30 days from the date of this letter.*** The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Regards,

Phyllis Beaulieu- ᕿᓚᒃ ᐳᓚᐅ

Manager of Licensing- Responsable des permis

ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓚᓂᓂᖅᓯᕐ- Maniyauvuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.NunavutWaterBoard.org

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᕋᖅᑕᖅᑐᒃ 119
ᐅᑦᓱᕐᔪᐊ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᑦᑯᑦ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email