Thu, Nov 5, 2020 at 4:20 PM



FOX-5 Qikiqtarjuaq 2018 Annual Monitoring Report for DND water licence 1BR-QIK2033

Richard Dwyer <richard.dwyer@nwb-oen.ca>

To: alison.street@forces.gc.ca

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt June 10, 2019 of FOX-5 Qikiqtarjuaq 2018 Annual Monitoring Report for DND Water Licence 1BR-QIK2033,it has been saved at the link below:

ftp://ftp.nwb-oen.ca/registry/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-QIK2033% 20FOX%205/3%20TECH/J%20MONITORING/190610%201BR-QIK1320%202018%20Monitoring%20Report/

This report is distributed for information purposes only.



NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT LOLD CLCLL 6 LL™ - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

NOS 56 84 Dayaja, Dob XOB 110 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / /ペナレĆ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / /b -tb -dc / Fax-kut: (867) 360-6369

Toll Free / Sans / Δρ56 - CD56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



🚣 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email