



Application for Water Licence Renewal

Document Date: April 2013

Application Submission Date:

04/08/2016

Month/Day/Year

P.O. BOX 119
GJOA HAVEN, NUNAVUT
XOB 1J0
TEL: (867)360-6338
FAX: (867)360-6369

kNK5 wmoEp5 vtmpq
NUNAVUT IMALIRIYIN KATIMAYIT
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT



P.O. Box 119

GJOA HAVEN, NU X0B 1J0

TEL: (867) 360-6338

FAX: (867) 360-6369

kNK5 wmoEp5 vtmp5

NUNAVUT WATER BOARD

NUNAVUT IMALIRIYIN KATIMAYIT

OFFICE DES EAUX DU NUNAVUT

APPLICATION FOR WATER LICENCE RENEWAL

EXISTING LICENCE NO: [1BR-RES0916](#)

1. LICENSEE CONTACT INFORMATION

Is the licensee the same as that referred to on the existing licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB. **A renewal will only be issued in the name of the current licensee in the absence of assignment of the licence.**

If the licensee is the same, but the name of the licensee has changed, attach a certificate of name change.

Name: [Department of Indian Affairs and Northern Development](#)

Address: [969 QIMUGJUK BUILDING, Iqaluit, NU, XOA OHO](#)

Phone: (867) 975-4501

Fax: (867) 975-4560

e-mail: David.Rochette@aandc-aadnc.gc.ca (Regional Director General); charlotte.lamontagne@aandc-aadnc.gc.ca (A/Director)

2. LICENSEE REPRESENTATIVE CONTACT INFORMATION – If different from Block 1.

Name:

Address:

Phone: _____

Fax: _____

e-mail: _____

(Attach authorization letter.)

3. NAME OF PROJECT

Is the name of the project the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the name of the project including the name of the location: Resolution Island Long Term Monitoring Project, Resolution Island (NU)

Background:

- First licence (Licence # NWBRES9803) for the Resolution Island project was issued in 1998. This was for the remediation of the former Pole Vault Line military installation on Resolution Island (NU);
- The licence was renewed in 2003 (Licence # NWBRES0308);
- The licence was renewed in 2009 for the activities associated with the long-term monitoring post remediation of the Resolution Island site (Licence # 1BR-RES0916, Motion #: 2009-05-L04);
- The licence was amended in 2010 to add provisions for a small camp (up to 10 persons) (Licence # 1BR-RES0916 – Motion #. 2010-23-L04). This licence expires June 1, 2016.

4. LOCATION OF UNDERTAKING

Is the location of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

Project Extents

NW: Latitude: (61°35'46"N) Longitude: (64°40'22"W)
 NE: Latitude: (61°36'0"N) Longitude: (64°37'48"W)
 SE: Latitude: (61°35'2"N) Longitude: (64°38'16"W)
 SW: Latitude: (61°34'46"N) Longitude: (64°39'38"W)

Camp Location(s)

Monitoring Camp:

Latitude: (61°35'48"N) Longitude: (64°38'20"W)

5. MAP

Are the locations of the main components of the undertaking the same as those considered in the existing licence?

☒ Yes ☐ No

Attach a topographical map, indicating the main components of the undertaking.

[See enclosed maps, Appendix A](#)

NTS Map Sheet No.: 025H10	Map Name: Map 1- Resolution Island Long-Term Monitoring Project	Map Scale: 1:50,000
NTS Map Sheet No.: 025H10	Map Name: Map 2 – Overall Site Plan	Map Scale: 1:12,500
NTS Map Sheet No.: 025H10	Map Name: Map 3 – Site Layout Overview	Map Scale: 1:9,000

6. NATURE OF INTEREST IN THE LAND

Is the nature of the interest in the land the same as that considered in the existing water licence?

☒ Yes ☐ No

Check any of the following that are applicable to the proposed undertaking (at least one box under the 'Surface' header must be checked).

Sub-surface

☐ Mineral Lease from Nunavut Tunngavik Incorporated (NTI)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ Mineral Lease from Indian and Northern Affairs Canada (INAC)

Date (expected date) of issuance: _____ Date of expiry: _____

Surface

☒ Crown Land Use Authorization from Indian and Northern Affairs Canada (INAC)

Date (expected date) of issuance: April 2017 Date of expiry: _____

☐ Inuit Owned Land (IOL) Authorization from Kitikmeot Inuit Association (KIA)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ IOL Authorization from Kivalliq Inuit Association (KivIA)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ IOL Authorization from Qikiqtani Inuit Association (QIA)

Date (expected date) of issuance: _____ Date of expiry: _____

☐ Commissioner's Land Use Authorization

Date (expected date) of issuance: _____ Date of expiry: _____

☐ Other _____

Date (expected date) of issuance: _____ Date of expiry: _____

Is the name of the entity(s) holding authorizations the same as that considered in the existing water licence?

☒ Yes ☐ No

If No, a licence assignment must be completed and approved by the NWB.

Name of entity(s) holding authorizations: [Department of Indian Affairs and Northern Development](#)

7. NUNAVUT PLANNING COMMISSION (NPC) DETERMINATION

Is the undertaking located in the same land use planning area as that considered in the existing licence?

☒ Yes ☐ No

Indicate the land use planning area in which the project is located.

☐ North Baffin

☐ Keewatin

☒ South Baffin

☐ Sanikiluaq

☐ Akunnig

☐ West Kitikmeot

Was a land use plan conformity determination required from NPC prior to the issuance of the existing water licence?

☐ Yes ☒ No

If Yes, indicate date issued and attach copy. _____

Does the proposed renewal change the original NPC conformity determination or the need to obtain one?

☐ Yes ☒ No

If Yes, indicate date issued (or expected) and attach a copy. _____

If No, provide written confirmation from NPC confirming that a land use plan conformity review is not required.

[Written confirmation from NPC is enclosed as Appendix B.](#)

8. NUNAVUT IMPACT REVIEW BOARD (NIRB) DETERMINATION

Was a screening determination required from NIRB prior to the issuance of the existing water licence?

☐ Yes ☒ No

If Yes, indicate date issued and attach copy. _____

Does the proposed renewal change the original NIRB screening determination or the need to obtain one?

☐ Yes ☒ No

If Yes, indicate date issued (or expected) and attach a copy.

If No, provide written confirmation from NIRB confirming that a screening determination is not required.

[The confirmation is provided in Appendix B.](#)

9. DESCRIPTION OF UNDERTAKING

Is the description of the undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

List and attach plans and drawings or project proposal.

Continuation of the long-term monitoring activities at the former Pole Vault Line military installation on Resolution Island (NU), in accordance with the plan approved by the NWB entitled "Resolution Island Monitoring Program" dated December 31, 2003. Year 10 of 25 of the Resolution Island Monitoring Program is planned to take place in the summer of 2016. Two more long-term monitoring events are to take place after the 2016 event, i.e., in the summer of 2021 (year 15 of 25) and summer of 2031 (year 25 of 25). The Long-Term Monitoring activities include soil and water sampling, visual and thermal inspection of Tier II landfill, visual inspection of Non-Hazardous landfills and maintenance of the three PCB Interceptor Barrier systems installed at the site.

The current water licence (1BR-RES0916) includes provisions for the use of a monitoring camp to accommodate the monitoring team during site visits (see Appendix A, photographs 1 to 5 and maps 3 and 5). The small camp can accommodate up to ten (10) persons. For the long-term monitoring activities planned in 2016, we do not expect to use a camp; however, no changes to the water licence is being sought to keep the option open. For the 2016 long-term monitoring activities, the plan is to use a daily charter flight based from Iqaluit. Potable water will be brought on site from Iqaluit for consumption. A small quantity of water from the Old Fresh Water Lake will be used for non-potable use and we expect this to be less than 1 m³ per day. Grey water and toilet waste will be disposed in the existing sewage lagoon. Solid waste will be removed from site for disposal in Iqaluit.

Note that a plan is currently being developed to address some deficiencies identified during the 2013 Maintenance Assessment (AECOM, 2014) and the 2014 Supplemental Maintenance Assessment (AECOM, 2015). The board has already been informed of this through annual reports. Also, the AECOM reports have been provided to the NWB as part of the 2013 and 2014 Annual Reports. At this time, we are not seeking an amendment to the water licence as this has no impact on the 2016 field work which will be conducted in accordance with the approved 2013 Resolution Island Monitoring Program. A request for an amendment to the water licence will be submitted later this year to obtain approval to conduct the work required to address those deficiencies.

References:

The previously approved monitoring plan "Resolution Island Monitoring Program" dated December 31, 2003 is available at <ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-RES0916%20BAF%205/1%20APPLICATION/2008%20Renewal/031231%201BR-RES0308%20Monitoring%20Program-ILAE.PDF>

Drawings have been submitted to the NWB as part of the 2009 Annual Report for 1BR-RES0916 available at : [ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-RES0916%20BAF%205/3%20TECH/1%20GENERAL%20\(B\)/1%20ANNUAL%20RPT/2009/100326%201BR-RES0916%20Appendix%203%20Resolution%20Island%20Final%20As-Built%20Drawings-ILAE.pdf](ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-RES0916%20BAF%205/3%20TECH/1%20GENERAL%20(B)/1%20ANNUAL%20RPT/2009/100326%201BR-RES0916%20Appendix%203%20Resolution%20Island%20Final%20As-Built%20Drawings-ILAE.pdf)

Supplemental Maintenance Assessment (AECOM 2015): [ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-RES0916%20BAF%205/3%20TECH/1%20GENERAL%20\(B\)/1%20ANNUAL%20RPT/2014/150626%201BR-RES0916%20Supplementary%20Maintenance%20Assessment%20Final%20Report-IACE.pdf](ftp://ftp.nwb-oen.ca/1%20PRUC%20PUBLIC%20REGISTRY/1%20INDUSTRIAL/1B/1BR%20-%20Remediation/1BR-RES0916%20BAF%205/3%20TECH/1%20GENERAL%20(B)/1%20ANNUAL%20RPT/2014/150626%201BR-RES0916%20Supplementary%20Maintenance%20Assessment%20Final%20Report-IACE.pdf)

Maintenance Assessment (AECOM 2014). This report was submitted as Appendix B of the 2013 Annual Report. It is available as part of this submission in Appendix D.

10. OPTIONS

Are the alternative methods and locations that were considered to carry out the project the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide a brief explanation of the alternative methods or locations that were considered to carry out the project.

This question does not apply to this project. This licence is for the long-term monitoring following the remediation of the former Pole Vault Line military installation on Resolution Island. As such, there cannot be an alternate location.

11. CLASSIFICATION OF PRIMARY UNDERTAKING

Is the primary undertaking the same as that considered in the existing water licence?

☒ Yes ☐ No

Indicate the primary classification of undertaking by checking one of the following boxes.

- | | |
|---|--|
| <input checked="" type="checkbox"/> Industrial (long-term monitoring related activities) | <input type="checkbox"/> Agricultural |
| <input type="checkbox"/> Mining and Milling (includes exploration/drilling/exploration camps) | |
| <input type="checkbox"/> Conservation | |
| <input type="checkbox"/> Municipal (includes camps/lodges) | <input type="checkbox"/> Recreational |
| <input type="checkbox"/> Power | <input type="checkbox"/> Miscellaneous (describe below): |

See Schedule II of the *Northwest Territories Waters Regulations* for Description of Undertakings.

12. WATER USE

Is the type(s) of water use(s) the same as that considered in the existing water licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the type(s) of water use(s) being applied for.

- | | |
|--|---|
| <input checked="" type="checkbox"/> To obtain water for camp/ municipal purposes | |
| <input type="checkbox"/> To obtain water for industrial purposes | <input type="checkbox"/> To divert a watercourse |
| <input type="checkbox"/> To cross a watercourse | <input type="checkbox"/> To modify the bed or bank of a watercourse |
| <input type="checkbox"/> To alter the flow of, or store water | <input type="checkbox"/> Flood control |
| <input checked="" type="checkbox"/> Other: Other (describe): Water sampling from monitoring wells. | |

13. QUANTITY OF WATER INVOLVED

Is the source of water the same as that considered in the existing licence?



Yes

☐ No

Name of water source(s): Water from monitoring wells and water from the Old Fresh Water Lake
 The location of the Old Fresh Water Lake is shown on the map on page 2 of Appendix A (Overall Site Plan) and the monitoring wells are shown the map on page 3 of Appendix A (Monitoring Wells Locations). The GPS coordinates of the Old Fresh Water Lake and monitoring wells are as follow:

Source Description	Latitude			Longitude		
	Deg °	Min '	Sec "	Deg °	Min '	Sec "
Monitoring Well (MW) 1A	61	35	48.11	64	38	39.75
MW 1B	61	35	48.37	64	38	36.92
MW 2	61	35	45.66	64	38	42.96
MW3A	61	35	43.93	64	38	48.18
MW3B	61	35	44.01	64	38	48.06
MW4	61	35	44.71	64	38	48.91
MW5A	61	35	43.47	64	38	50.54
MW5B	61	35	43.43	64	38	50.75
MW6	61	35	42.65	64	38	53.88
MW11	61	35	51.36	64	39	40.99
MW12	61	35	54.67	64	39	45.85
MW13	61	35	53.55	64	39	48.01
MW14	61	35	54.5	64	39	48.27
MW21	61	35	43.15	64	38	58.8
MW22	61	35	43.1	64	38	59.06
Old Fresh Water Lake	61	35	22.24	64	39	24.55

Is the quality of the water source and its available capacity the same as that considered in the existing licence?



Yes

☐ No

Describe the quality of the water source(s) and the available capacity(s): The nearby Old Fresh Water Lake is located approximately 3.5 km from the camp, along the road. The water from the Old Fresh Water Lake has been tested for water quality and used as a drinking source in past years. If water from the nearby Old Fresh Water Lake is to be used as a drinking water source, water samples will be taken and sent to a Canadian Association for Laboratory Accreditation (CALA) accredited laboratory for analysis prior to use for consumption. The samples will be analyzed for GCDWQ criteria.

Is the overall estimated quantity of water to be used the same as that considered in the existing licence?



Yes

☐ No

Provide the overall estimated quantity of water to be used: Less than 1 m³ per day from the Old Fresh Water Lake during camp operation (for a maximum of four (4) weeks in July and August). This is based on maximum occupancy of the camp, i.e., 10 persons.

Monitoring wells will be purged and then samples will be taken from each well (maximum of 25 Litres).

Are the quantity(s) of water to be used from each source the same as those considered in the existing licence? The quantity of water to be used for monitoring purpose (sampling from the wells) is the same. The quantity of water to be used for domestic purpose is less as we no camp will be used for the monitoring activities.



Yes



No

14. WASTE

Are the type(s) of waste(s) to be generated and/ or deposited the same as those considered in the existing licence?

☒ Yes ☐ No

Check the appropriate box(s) to indicate the types of waste(s) generated and deposited.

☒ Sewage

☒ Waste oil

☒ Solid Waste

☒ Greywater

☒ Hazardous

☐ Sludges

☐ Bulky Items/Scrap Metal

☐ Contaminated soil and/or water

☐ Animal Waste

☐ Other (describe): _____

A small amount ($< 1 \text{ m}^3/\text{day}$) of domestic solid waste may be produced; such waste will be backhauled to Iqaluit for landfill disposal. A small amount ($< 1 \text{ m}^3/\text{day}$) of greywater and toilet waste will be produced as a result of domestic cooking and hygiene activities. This water will be directed to the monitoring camp sewage lagoon (See photographs 1 & 5 and maps 3 & 5 in Appendix A).

15. QUANTITY AND QUALITY OF WASTE INVOLVED

Are the quantity(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the composition(s) of the types of wastes involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of treatment for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

Are the method(s) of disposal for the types of waste involved the same as those considered in the existing licence?

☒ Yes ☐ No

For each type of waste indicated in Block 14, describe its composition, quantity in cubic meters/day, method of treatment and method of disposal.

Type of Waste	Composition	Quantity Generated	Treatment Method	Disposal Method
Sewage (blackwater)	Human waste from toilet use	40L/day/person (Maximum of 400L/day or 0.4 m ³ /day)	No treatment	The sewage will be disposed in the sewage lagoon (see photographs 1 & 5 and maps 3 & 5 in Appendix A)
<p>Note on Camp Sewage: The maximum fluid depth in the lagoon will not exceed one metre and it has the capacity to hold sewage generation for the monitoring season. The location of the lagoon is approximately 450 m from the any water body supporting aquatic life and is downwind of the monitoring camp (based on the prevailing wind direction). After site monitoring, the lagoon will be appropriately decommissioned following all applicable regulations and guidelines for sewage lagoon decommissioning in Nunavut.</p>				
Greywater	Wastewater generated from the kitchen and bathroom sinks and showers	75L/day/person (Maximum of 750L/day or 0.75 m ³ /day)	No treatment	The greywater will be disposed in the sewage lagoon (see photographs 1 & 5 and maps 3 & 5 in Appendix A)
Solid Waste	Combustible and non-combustible non-hazardous solid waste	Small quantity	Combustible non-hazardous wastes will be incinerated on-site in an enclosed container.	All incinerator ash and non-combustible wastes generated through the course of the operation will be removed and disposed of to a licensed waste disposal facility.
Waste oil and hazardous waste	Waste oil and hazardous waste such as batteries	Small quantity	No treatment	All hazardous wastes, oil generated through the course of the operation will be removed and disposed of to a licensed waste disposal facility, in accordance to the Transportation of Dangerous Goods Act.

16. OTHER AUTHORIZATIONS

In addition to the sub-surface and surface land use authorizations provided in Block 6, are the same authorizations required as considered in the existing licence?

☒ Yes ☐ No

For each provide the following: N/A

Authorization: _____

Administering Agency: _____

Project Activity: _____

Date (expected date) of issuance: _____ Date of expiry: _____

17. PREDICTED ENVIRONMENTAL IMPACTS OF UNDERTAKING AND PROPOSED MITIGATION MEASURES

Are predicted environmental impacts of the undertaking and proposed mitigation measures the same as those considered in the existing water licence?

☒ Yes ☐ No

Describe direct, indirect, and cumulative impacts related to water and waste.

This long-term monitoring project is expected to have insignificant impact related to water and waste given the short amount of time on site, the minimal amount of water to be used and the minimal amount of sewage and greywater to be disposed on site.

18. WATER RIGHTS OF EXISTING AND OTHER WATER USERS

Are the effects of the undertaking on any known persons or property including those that hold licences for water use in precedence to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature, the same as those considered in the existing water licence?

☒ Yes ☐ No

Provide the names, addresses and nature of use for any known persons or properties that may be adversely affected by the proposed undertaking, including those that hold licences for water use in precedent to the application, domestic users, in-stream users, authorized waste depositors, owners of property, occupiers of property, and/or holders of outfitting concessions, registered trapline holders, and holders of other rights of a similar nature.

Advise the Board if compensation has been paid and/or agreement(s) for compensation have been reached with any existing or other users.

The site is located in a remote area. The nearest communities to Resolution Island are Iqaluit (approximately 310 km to the north-northwest), Kimmirut (approximately 300 km to the northwest) and Pangnirtung (approximately 510 km to the north). Inuit parties are known to hunt and fish in the area on occasion, but no permanent settlement exists on the island. The continuation of the long-term monitoring activities proposed will not adversely impact any person or property.

19. INUIT WATER RIGHTS

Are the effects of the undertaking on the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL) the same as those considered in the existing water licence?

☒ Yes ☐ No

Advise the Board of any substantial affect of the quality, quantity or flow of waters flowing through Inuit Owned Land (IOL), and advise the Board if negotiations have commenced or an agreement to pay compensation for any loss or damage has been reached with one or more Designated Inuit Organization (DIO).

The site is located on Crown Land. The undertaking does not have effects on the quality, quantity or flow of waters flowing through Inuit Owned Land.

20. CONSULTATION - Provide a summary of any consultation meetings including when the meetings were held, where and with whom. Include a list of concerns expressed and measures to address concerns.

There has not been a community consultation meeting held since the remediation was completed in 2006. A plan is currently being developed to address some deficiencies identified during the 2013 Maintenance Assessment (AECOM, 2014) and the 2014 Supplemental Maintenance Assessment (AECOM, 2015). Note that these reports have been provided to the NWB as part of the 2013 and 2014 Annual Reports. A community meeting is planned to take place next year (2017) in Iqaluit to present the final plan to the community.

21. SECURITY INFORMATION

Is the financial security assessment the same as that considered in the existing water licence?

☒ Yes ☐ No

Is the estimate of the total financial security for final reclamation the same as that considered in the existing water licence?

☒ Yes ☐ No

Provide an estimate of the total financial security for final reclamation equal to the total outstanding reclamation liability for land and water combined sufficient to cover the highest liability over the life of the undertaking. Estimates of reclamation costs must be based on the cost of having the necessary reclamation work done by a third party contractor if the operator defaults. The estimate must also include contingency factors appropriate to the particular work to be undertaken.

Where applicable, the financial security assessment should be prepared in a manner consistent with the principals respecting mine site reclamation and implementation found in the *Mine Site Reclamation Policy for Nunavut*, Indian and Northern Affairs Canada, 2002.

This question is not applicable to this project. This project is for the long-term monitoring activities required post reclamation at the former Pole Vault Line military installation on Resolution Island (NU). No financial security is required. The project is being cost-shared between the Federal Contaminated Sites Action Plan and the Department of Indian Affairs and Northern Development (85:15).

22. FINANCIAL INFORMATION

Is the statement of financial security the same as that considered in the existing water licence?

☒ Yes ☐ No

Provide an updated statement of financial security. [N/A](#)

If the applicant is a business entity please answer the questions below: [N/A](#)

Is the list of the officers of the company the same as those considered in the existing water licence?

☐ Yes ☐ No

Provide a list of the officers of the company.

Is the Certificate of Incorporation or evidence of registration of the company name the same?

☐ Yes ☐ No

Attach a copy of the Certificate of Incorporation or evidence of registration of the company name.

23. STUDIES UNDERTAKEN TO DATE

List and attach updated studies, reports, research etc.

[There is no new study, report or research for this site. All reports have been submitted to the NWB as part of previous submissions and annual reports.](#)

Provide a compliance assessment and status report including a response to any inspector's reports. The licensee must contact the NWB for licence specific direction in completing the assessment and report. [N/A – no inspector's report.](#)

If in non-compliance, a licence may not be issued until compliance is achieved. If in non-compliance, attach plans/reports for consideration. Application will not be processed if significant issues of non-compliance exist.

24. PROPOSED TIME SCHEDULE

Is the time schedule for all phases of development (construction, operations, closure and post closure) the same as that considered in the existing licence?

☒ Yes ☐ No

Indicate the proposed start and completion dates for each applicable phase of development (construction, operation, closure, and post closure).

The renewal is for the continuation of the post-reclamation long-term monitoring activities at the BAF-5 Resolution Island site. As such, only the post-closure schedule applies. Long-term monitoring activities at the site started in 2006.

Construction

Proposed Start Date: N/A
(month/year)

Proposed Completion Date: N/A
(month/year)

Operation

Proposed Start Date: N/A
(month/year)

Proposed Completion Date: N/A
(month/year)

Closure

Proposed Start Date: N/A
(month/year)

Proposed Completion Date: N/A
(month/year)

Post - Closure

~~Proposed~~ Start Date: July/2006
(month/year)

Proposed Completion Date: Sept/2031
(month/year)

For each applicable phase of development indicate which season(s) activities occur.

Construction N/A

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

Operation N/A

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

Closure N/A

☐ Winter ☐ Spring ☐ Summer ☐ Fall ☐ All season

Post - Closure

☐ Winter ☐ Spring ☒ Summer ☐ Fall ☐ All season

25. PROPOSED TERM OF LICENCE

On what date does the existing licence expire? [June 1, 2016](#)

Indicate the proposed term of the renewal (maximum of 25 years): [September 1, 2031](#)

Requested date of renewal issuance: [July 1, 2016](#)
(month/year)

Requested Expiry Date: [September 1, 2031](#)
(month/year)

[Note: there is no work planned on site between expiry date of June 1, 2016 and requested date of renewal issuance of July 1, 2016](#)

(The requested date of renewal issuance must be at least three (3) months from the date of application for a type B water licence and at least one (1) year from the date of application for a type A water licence, to allow for processing of the water licence application. These timeframes are approximate and do not account for the time to complete any pre-licensing land use planning or development impact requirements, time for the applicant to prepare and submit a water licence application in accordance with any project specific guidelines issued by the NWB, or the time for the applicant to respond to requests for additional information. See the NWB's *Guide 5: [Processing Water Licence Applications](#)* for more information)

26. ANNUAL REPORTING

Is the annual report template expected to be the same as that considered in the existing licence?

☒ Yes ☐ No

If not using the NWB's Standardized Form for Annual Reporting, provide details regarding the content of annual reports and a proposed outline or template of the annual report.

Using the NWB's Standardized Form for Annual Reporting.

27. CHECKLIST

The following must be included with the application for renewal for the water licensing process to begin.

Completed Application for Water Licence Renewal form.

☒ Yes ☐ No If no, date expected _____

Updated plans, including designs and reports (see Block 23).

☒ Yes ☐ No If no, date expected _____

[Amendment to the 2010 Spill Contingency and Emergency Plan is available in Appendix E and the 2010 Spill Contingency and Emergency Plan is available in Appendix F](#)

Updated security assessment (see Block 21). [N/A](#)

☐ Yes ☐ No If no, date expected _____

Updated financial statement (see Block 22). [N/A](#)

☐ Yes ☐ No If no, date expected _____

Compliance Assessment / Status Report (see Block 23). [N/A](#)

☐ Yes ☐ No If no, date expected _____

English Summary of Renewal Application. ([see Appendix E](#))

☒ Yes ☐ No If no, date expected _____

Inuktitut and/or Inuinnaqtun Summary of Renewal Application. ([see Appendix C](#))

☒ Yes ☐ No If no, date expected _____

Application fee of \$30.00 CDN (Payee Receiver General for Canada). [N/A](#)

☐ Yes ☐ No If no, date expected _____


Water Use Fee Deposit of \$30.00 CDN (Payee Receiver General for Canada). The actual water use fee will be calculated by the NWB based upon the amount of water authorized for use in accordance with the Regulations at the time of issuance of the licence. [N/A](#)

☐ Yes ☐ No If no, date expected _____

28. SIGNATURE

I, Charlotte Lamontagne (print name)

certify that the application requires no changes to water use or waste disposal as previously authorized and that the information given on this form is, to the best of my knowledge, correct and complete.



Signature

April 12/16
Date