



NWB Tools

**Richard Dwyer** <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

# 1BR-RBL1419 Renewal Application

**Richard Dwyer** <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

Tue, Mar 12, 2019 at 2:57 PM

To: Kelly.Hunnie@tc.gc.ca

Cc: Licensing Department <licensing@nwb-oen.ca>, Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests response to attached comments by March 26, 2019.

Regards,

Richard

Richard Dwyer-  $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$ 

Manager of Licensing - Responsable des Permis ᐃᑦᓴᑦᓴᑦ ᐅᐱᑦᓴᑦᓴᑦ<sup>ab</sup> Maniyaayuq  
Laisalinigimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ - NUNAVUT IMALIRIYIN  
KATIMAYINGI

P.O. Box 119  
Gjøa Haven, NU X0B 1J0

C.P. 119  
Gjoa Haven, NU X0B 1J0

በበና ሳይገኝ ልክ  
ፀሐይ ሳይገኝ ልክ X013 110

Uqhuqhuq, NU, XOB 110

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369  
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



190308 1BR-RBL1419 Renewal Application CIRNAC Comments-IMLE.pdf

59K