



2021-05-11 TC TO NWB - NWB SUBMISSION - TRANSPORT CANADA - RESOLUTE BAY LANDFILL - 1BR-RBL1929

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, May 13, 2021 at 4:33 PM

Draft To: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good morning,

Our consultant changed their recommendation as they believe 3 will provide enough information to confirm the aggradation model in Appendix D has been fulfilled. Should the 3 not be adequate, TC can re-evaluate in the future. Please advise if this is adequate.

Thanks,

Holly.

Holly Poklitar

(she/elle)

Regional Environmental Advisor, Environmental Programs, Prairie and Northern Region

Transport Canada / Government of Canada

holly.poklitar@tc.gc.ca / Tel: 204-688-3872 / TTY: 1-888-675-6863

Conseillère régionale en environnement, Programmes environnementaux, Région des prairies et du nord

Transports Canada / Gouvernement du Canada

holly.poklitar@tc.gc.ca / Tél. : 204-688-3872 / ATS : 1-888-675-6863

From: Assol Kubeisinova [mailto:assol.kubeisinova@nwb-oen.ca]

Sent: Tuesday, May 11, 2021 5:37 PM

To: Poklitar, Holly <holly.poklitar@tc.gc.ca>

Cc: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Subject: Re: 2021-05-11 TC TO NWB - NWB SUBMISSION - TRANSPORT CANADA - RESOLUTE BAY LANDFILL - 1BR-RBL1929

Hello Holly,

Thank-you for providing the updated version of the post-closure monitoring plan and the O&M manual.

Could you please clarify the reasons for modifying the number of thermistors?

Updates to management plans are required to be reviewed by the Board. The Board would like to remind the Licensee of Licence Part B, Item 4:

The Licensee shall, for all Plans submitted under this Licence, implement the Plan as approved by the Board in writing.

Best regards,

Assol



Assol Kubeisinova- ᐱᓕᓕᓐ ᐅᓐᓂᓐ

Technical Advisor - Conseiller technique ᐱᓕᓕᓐ ᐅᓐᓂᓐ
Piluqaqatigiliginimun Ikavugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐅᓐᓂᓐ ᐃᓕᓕᓐ ᐅᓐᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᐱᓕᓕᓐ ᐅᓐᓂᓐ
ᐅᓐᓂᓐ ᐅᓐᓂᓐ, ᐅᓐᓂᓐ X0B 1J0

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓃᓃᓃᓃ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / hvJ4f5 / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᓕᓕᓐ ᐅᓐᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Poklitar, Holly** <holly.poklitar@tc.gc.ca>

Date: Tue, May 11, 2021 at 3:05 PM

Subject: 2021-05-11 TC TO NWB - NWB SUBMISSION - TRANSPORT CANADA - RESOLUTE BAY LANDFILL - 1BR-RBL1929

To: Licensing Department <licensing@nwb-oen.ca>

Hello,

This submission is in support of Transport Canada (TC)'s Nunavut Water Board (NWB) Licence for the Resolute Bay Landfill Remediation Project (1BR-RBL1929).

TC submitted its post-closure monitoring plan, updated to include consideration of thermal monitoring, and QA/QC plan, on September 29, 2020. NWB approved the plan on October 29, 2020. Since then, our consultant has revised the plan

to install 3 thermistors rather than 5. The updated post-closure monitoring plan and O&M plan have been attached for NWB's information.

TC was not able to perform any field work in 2019-20 due to the pandemic, but is attempting to proceed with purchase and installation of thermistors along with pursuing the other field work this summer. TC will update the QA/QC plan with the laboratory letter as discussed as well. TC will let NWB know if this plan changes.

If you have any questions, please call or email.

Thanks,

Holly Poklitar

Holly Poklitar

(she/elle)

Regional Environmental Advisor, Environmental Programs, Prairie and Northern Region

Transport Canada / Government of Canada

holly.poklitar@tc.gc.ca / Tel: 204-688-3872 / TTY: 1-888-675-6863

Conseillère régionale en environnement, Programmes environnementaux, Région des prairies et du nord

Transports Canada / Gouvernement du Canada

holly.poklitar@tc.gc.ca / Tél. : 204-688-3872 / ATS : 1-888-675-6863