



---

## **REPLY Transport Canada Resolute Bay Landfill Remediation Project Post-Closure Monitoring Plan and Operations and Maintenance Manual for water licence 1BR-RBL1929**

---

**Keim, Andrew (AADNC/AANDC)** <[andrew.keim@canada.ca](mailto:andrew.keim@canada.ca)>  
To: Richard Dwyer <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

Thu, Jun 17, 2021 at 11:33 AM

Water Resources Division  
Resource Management Directorate  
Nunavut Regional Office  
P.O. Box 100

Iqaluit, NU, X0A 0H0

June 2, 2021

Richard Dwyer  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU, X0B 1J0  
E-mail: [licensing@nwb-oen.ca](mailto:licensing@nwb-oen.ca)

**Re: 1BR-RBL1929 Review of Transport Canada's comments received on June 14, 2021**

Dear Mr. Dwyer,

Thank you for the invitation to review comments, submitted by Transport Canada, for Type B Water Licence No 1BR-RBL1929.

Crown-Indigenous Relations and Northern Affairs Canada (CIRNAC) has had an opportunity to review Transport Canada's submission and have no further comment for the public record. CIRNAC looks forward to reviewing Transport Canada's next Annual Report.

If there are any questions or concerns, please contact me at (306) 501-4047 or [Andrew .Keim@canada.ca](mailto:Andrew.Keim@canada.ca).

Sincerely,

Andrew Keim,

Water Resources, Nunavut Regional Office

Crown-Indigenous Relations and Northern Affairs Canada

[Andrew.Keim@Canada.ca](mailto:Andrew.Keim@Canada.ca) / Tel : (306) 501-4047

**From:** Richard Dwyer <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

**Sent:** June 14, 2021 6:51 PM

**To:** Keim, Andrew (AADNC/AANDC) <[andrew.keim@canada.ca](mailto:andrew.keim@canada.ca)>; Forté, Sarah (AADNC/AANDC) <[sarah.forte@canada.ca](mailto:sarah.forte@canada.ca)>; Campbell, Bridget (AADNC/AANDC) <[bridget.campbell@canada.ca](mailto:bridget.campbell@canada.ca)>

**Cc:** Assol Kubeisinova <[assol.kubeisinova@nwb-oen.ca](mailto:assol.kubeisinova@nwb-oen.ca)>

**Subject:** Re: Transport Canada Resolute Bay Landfill Remediation Project Post-Closure Monitoring Plan and Operations and Maintenance Manual for water licence 1BR-RBL1929

Good afternoon,

The Nunavut Water Board requests response by June 18, 2021 whether or not licensee response addresses CIRNA comments.

Regards,

Richard



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email