

Environmental Assessment North  
Environmental Protection Operations (EPO)  
Qimugjuk Building 969  
PO Box 1870  
Iqaluit, NU X0A 0H0  
Tel: (867) 975-4631  
Fax: (867) 975-4645

20 April 2012

EC File: 4105 006 390  
NWB File: 1BR-ROS1116

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0

Via email: [licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)

**RE: 120321 1BR-ROS1116 Site specific spill plan**

Environment Canada (EC) has reviewed the above-mentioned Spill Contingency Plan submitted to the Nunavut Water Board (NWB). The following specialist advice has been provided pursuant to the *Canadian Environmental Protection Act*, Section 36(3) of the *Fisheries Act*, the *Migratory Birds Convention Act*, and the *Species at Risk Act*.

Aboriginal Affairs and Northern Development Canada (AANDC) has submitted a site-specific Spill Contingency Plan for the PIN-D, Ross Point DEW Line remediation project as a requirement of Part I, Item 1 of water license 1BR-ROS1116. Upon review of the Plan, EC has no comments at this time.

If there are any changes in the project EC should be notified as further review may be necessary. Comments previously submitted on behalf of EC regarding water license 1BR-ROS would still apply to this project. Please do not hesitate to contact the undersigned with any questions or comments with regards to the foregoing at (867) 975-4631 or by email at [Paula.C.Smith@ec.gc.ca](mailto:Paula.C.Smith@ec.gc.ca)

Yours truly,



Paula C. Smith  
Environmental Assessment Coordinator

cc: Carey Ogilvie (Head, Environmental Assessment-North, EPO, Yellowknife, NT)  
Allison Dunn (Sr. Environmental Assessment Coordinator, EPO, Iqaluit, NU)  
Ron Bujold (Environmental Assessment Officer, EPO, Yellowknife, NT)