



Water Resources Division  
Nunavut Regional Office  
Iqaluit, NU X0A 0H0

Your File: 1BR-SAR0607  
Our File/CIDM's #: \_\_\_\_\_

Sept 24, 2008

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU, X0A 1J0

**Re: 1BR-SAR0607 – CAM-F Sarcpa Lake Project – Indian and Northern  
Affairs Canada – Renewal Application (Long-Term Monitoring  
Program)**

Please be advised that Indian and Northern Affairs Canada (INAC) has completed a review of a Type "B" Water License Renewal Application for the CAM-F Sarcpa Lake Project in the Qikiqtani Region. All associated documents related to this license posted on your ftp site under 1BR-SAR0607 were included in my review (see attached Technical Review Memo).

Should you have any questions or comments, please do not hesitate to contact me at (867) 975-4738 or by email at [Culla@ainc-ianc.gc.ca](mailto:Culla@ainc-ianc.gc.ca)

Yours truly,

*Original Signed By*

Andrea Cull  
Water Management Specialist





## Technical Review Memo

**To:** Phyllis Beaulieu - Manager of Licensing, Nunavut Water Board

**From:** Andrea Cull – Water Management Specialist, Indian & Northern Affairs Canada

**Re:** **1BR-SAR0607 – CAM-F Sarcpa Lake Project – Indian and Northern Affairs Canada – Renewal Application (Long-Term Monitoring Program)**

The application was submitted to the Nunavut Water Board (NWB) on August 14, 2008 by Ms. Natalie Plato of Indian and Northern Affairs Canada. All associated documents related to this license posted on your ftp site under 1BR-SAR0607 were included in my review.

**Project:**

File #: 1BR-SAR0607  
Project: CAM-F Sarcpa Lake Project  
Location: Latitude: 68°33'0"N; Longitude: 83°19'0"W  
Purpose: Long-Term Monitoring Program  
Type: "B"

Indian and Northern Affairs Canada is applying for a Type "B" Water Licence Renewal Application to use water or deposit waste into water at the CAM-F Sarcpa Lake Project site. The main activities that will take place include long-term monitoring of the Non-Hazardous Waste Landfill, the Secure Soil Disposal Facility, and the general condition of the site.

As a result of the review INAC recommends that the Nunavut Water Board impose standard conditions suitable for this size of project and otherwise consider the following comments/recommendations in the license approval process.

**Recommendations:**

- All wastes materials resulting from the described site activities, including general and hazardous wastes and any unused petroleum products and





chemicals should be back hauled by the proponent for disposal at an approved facility or re-used as the case may be.

- The Licensee should ensure that there is no open burning of plastics, wood treated with preservatives, electrical wire, Styrofoam, asbestos or painted wood to prevent the deposition of waste materials from incomplete combustion and/or leachate from contaminated ash residues from impacting any surrounding waters.

Cc. Kevin Buck, Manager of Water Resources – Indian and Northern Affairs Canada, Nunavut Regional Office