

Appendix I

Drawings



Défense nationale



JUNE, 2004



Headquarters
Quartier général

General Notes:

1. ARCHAEOLOGICAL FEATURES LOCATED AS
PER ENVIRONMENTAL CLEAN UP STUDY OF
21 DEW LINE SITES IN CANADA, VOL. 15,
UMA 1991.

Legend:



No.	DATE	REVISION	REVISION	APPR.

DRAFT



SCALE - ECHELLE 300 150 0 300 600 900m

PROJECT - PROJECT
CAM-3 SHEPHERD BAY

DEW LINE CLEAN UP

© COPYRIGHT
HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003, AS REPRESENTED BY THE
MINISTER OF NATIONAL DEFENCE

TRADE - METIER	SITING	DATE
----------------	--------	------

SUBJECT - SUBJECT

OVERALL SITE PLAN

PRODUCTION	CONCURRENCE - ASSESSMENT
DESIGNED ETUDE ANP /RRM	DIES OFF AGENT CONCEPT
DRAWN RM /LJV	SECT HD CHIEF SECT
CHECKED VERIFITE	DIES WORK DIST CONCEPT
COORDINATION	REVERSED - REVU

DWG. NO. - DESSIN NO.
H-S123/2-9101-101

CanadaTM

National Défense
Defence nationale

Headquarters
Quartier général

General Notes:

1. ALL ELEVATIONS ARE REFERENCED TO ASSUMED ELEVATION OF 100.00m AT TBM 500.
2. ALL NON-HAZARDOUS DEBRIS WITHIN PLAIN AREA ARE TO BE PLACED IN NON-HAZARDOUS WASTE LANDFILL.
3. HORIZONTAL CONTROL REFERENCED TO BEACH AREA TEMPORARY BENCHMARKS.
4. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
5. ALL LONG RANGE RADAR (LRR) FACILITIES ARE CURRENTLY OPERATIONAL AND ARE NOT TO BE DISTURBED. SEE DWG. E-5123/2-9101-201 FOR ADDITIONAL DETAILS.
6. ARCHAEOLOGICAL FEATURES LOCATED AS PER ENVIRONMENTAL CLEAN UP STUDY OF 21 DEW LINE SITES IN CANADA, VOL. 15, UWA 1981.

Legend:

- TBM3**  **TEMPORARY BENCHMARK**
 **CONTAMINATED AREA**
 **PHOTOGRAPHIC VIEWPOINT**
 **BODY OF WATER**

No.	DATE	REVISION	REVISION	APPROL

DRAFT

uma



PROJECT - PROJECT
CAM-3 SHEPHERD BAY

DEW LINE CLEAN UP

© COPYRIGHT
HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003, AS REPRESENTED BY THE
MINISTER OF NATIONAL DEFENCE.

GRADE - METRIC SITING

OTHER


MITTING

OTHER

PROJECT LAYOUT
BEACH AREA

DESIGNED ETUDE ANP/RM	DES OFF AGENT CONCEPT	CONCURRENCE - ASSÉNTIMENT
DRAWN RN/LW	SECT HQ CHIEF SECT	
CHECKED VORPHE	DES MUR SECT CONCEPT	
COORDINATION SMS	REVIEWED - REVU	

DWG. NO. - DESSIN NO.
H-5123/2-9101-102

Canada^{III}

National Défense
Defence nationaleHeadquarters
Quartier général

Quartier général

General Notes:

1. ALL NON-HAZARDOUS DEBRIS WITHIN PLANT AREA TO BE PLACED IN NON-HAZARDOUS WASTE LANDFILL.
2. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
3. ALL LONG RANGE RADAR (LRR) FACILITIES ARE CURRENTLY OPERATIONAL AND ARE NOT TO BE DISTURBED. SEE DWG. H-5123/2/-9101-201 FOR ADDITIONAL DETAILS.
4. EXISTING ASBESTOS LANDFILL TO BE REGRADED WITH MINIMUM 0.5m OF TYPE 2 GRANULAR FILL TO MATCH SURROUNDING TERRAIN. AREA TO BE REGRADED APPROXIMATELY 500m².

Legend:



PHOTOGRAPHIC VIEWPOINT

No.	DATE	REVISION	REVISION	APPR.
-----	------	----------	----------	-------

DRAFT

uma

THE

SCALE - ECHELLE 100 50 0 100 200 300m

PROJECT -- PROJECT

CAM

CAM-3 SHEPHERD BAY

DEW LINE CLEAN UP

© COPYRIGHT

HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003, AS REPRESENTED BY THE
MINISTER OF NATIONAL DEFENCE.

TRADE - METIER

TING

DATE	2
------	---

SUBJECT - SUBJECT


SUBJECT

[illegible]PROJECT LAYOUT
BEACH ROAD

SH. 2


PRODUCTION	CONCURRENCE - ASSORTIMENT
DESIGNED ETUDE ANP /RRW	DES OFF AGENT CONCEPT
DRAWN RN /LJV	SECT HQ CHEF SECT
CHECKED VERIFIE KMS	DES MUR BEST CONCEPT
COORDINATION SMS	REVIEWED - REVU

DWG. NO. - DESSIN NO.
H-S123/2-9101-103

CanadaTM

KEY PLAN










KEY PLAN

CONTAMINATED SOIL				
AREA NAME	APPROX. AREA (m ²)	ESTIMATED IN PLACE VOLUME (m ³)	REFERENCE POINT	
			NORTHING	EASTING
TYPE A				
BEACH POL	66	18	39 981.5	49 799.8
BEACH LANDFILL	19	7	39 726.1	49 845.5
TYPE B				
BEACH POL	1355	1220	39 982.5	49 767.4
BEACH LANDFILL	25	25	39 726.1	49 845.5

FOR CONTAMINATED SOIL DETAILS SEE DWG. H-S123/2-9101-121



TEMPORARY BENCHMARKS *				
NO.	COORDINATES (m)		ELEV. (m)	DESCRIPTION
	NORTHING	EASTING		
500	40 000.000	50 000.000	100.000	NAIL — STONE RING
501	40 204.118	50 141.971	99.603	NAIL — STONE RING
502	39 864.593	49 771.416	99.568	NAIL — STONE RING
503	39 976.035	49 813.394	97.092	NAIL — STONE RING

* THE BEACH AREA IS ON A SEPARATE COORDINATE SYSTEM. IT IS NOT TIED-IN TO THE SITE SURVEY AT THE STATION AREA.

COORDINATE POINTS		
NO.	NORTHING	EASTING
641	39 772.1	49 695.9
642	39 746.1	49 677.0
643	39 758.5	49 636.9
644	39 773.3	49 629.8
645	39 792.4	49 668.9

No.	DATE	REVISION	REVISION	APPR.
DRAFT				

uma **SHH**

SCALE - ECHELLE 20 10 0 20 40 60m

PROJECT - PROJECT
CAM-3 SHEPHERD BAY
DEW LINE CLEAN UP
© COPYRIGHT
HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003 AS REPRESENTED BY THE
MINISTER OF NATURAL RESOURCES

TRADE - METIER	SITING	DATE
		2004-06


BEACH AREA
SITE PLAN

CONCURRENCE - ASSIGNMENT	
DESIGNED	DES OFF
ETUDE ANP/ARM	AGENT CONCEPT
DRAWN	SECT HD
DESIGN RNL/JV	CHEF SECT
CHECKED	DES MGR
VERIFIE	GUEST CONCEPT
COORDINATION	REVISED - REVU
SMS	

DWG. NO. - DESIGN NO.
H-5123/2-9101-106

DWG. NO. - DESSIN NO.
H-S123/2-9101-106





COORDINATE POINTS NON-HAZARDOUS WASTE LANDFILL				
NO.	NORTHING	EASTING	ELEV.	
601	10 765.7	10 305.5	43.2	
602	10 752.7	10 332.6	44.4	
603	10 716.7	10 315.3	44.4	
604	10 729.7	10 288.2	43.2	

COORDINATE POINTS NORTH DEBRIS AREA		
NO.	NORTHING	EASTING
901	11 136.6	12 372.3
902	11 129.2	12 381.9
903	11 113.4	12 384.9
904	11 105.5	12 375.9
905	11 118.3	12 349.2
906	11 125.0	12 351.1

FOR CONTAMINATED SOIL DETAILS SEE DWG. H-S123/2-9101-124

General Notes:

1. ALL ELEVATIONS ARE REFERENCED TO MEAN SEA LEVEL.
2. ALL NON-HAZARDOUS DEBRIS WITHIN PLAN AREA TO BE PLACED IN NON-HAZARDOUS WASTE LANDFILL.
3. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
4. HORIZONTAL CONTROL REFERENCED TO SURVEY CONTROL MONUMENTS.
5. VARIABLE SLOPE ON LANDFILL SURFACE PERMITTED. MINIMUM 2% - MAXIMUM 4%.
6. FOR PERMANENT SURVEY CONTROL (BENCHMARK) INSTALLATION DETAILS, SEE DWG. H-S123/2-9101-127. LOCATIONS TO BE APPROVED BY THE ENGINEER.
7. FOR MONITORING WELL INSTALLATION DETAILS, SEE DWG. H-S123/2-9101-127. EXACT LOCATIONS TO BE FIELD DETERMINED BY THE ENGINEER.

No.	DATE	REVISION	REVISION	APPR.

uma **SEE**

SCALE - ECHELLE 20 10 0 20 40 60m

PROJECT - PROJET

TRADE -- METIER	SITING	DATE
		2004-06

PRODUCTION	CONCURRENCE - ASSISTANT
DESIGNED ETUDE ANP/RRM	DES OFF AGENT CONCEPT
DRAWN RN/LJV	SECT HO
DESIGNED KMS	CHEF SECT
CHECKED VERIFE	DES MGR
COORDINATION	GEST CONCEPT
	REVIEWED - REVU

Canada^{est}

MATCH LINE:



KE

NO.	NORTHING	EASTING
551	9 821.0	9 877.4
552	9 823.4	9 890.8
553	9 815.4	9 897.3
554	9 805.1	9 900.8
555	9 792.0	9 900.5
556	9 792.1	9 880.4
557	9 807.2	9 872.3

NO.	NORTHING	EASTING
673	9 752.0	10 110.6
674	9 754.2	10 125.5
675	9 727.0	10 156.2
676	9 704.6	10 150.5
677	9 682.8	10 124.5
678	9 703.5	10 102.3
679	9 719.6	10 114.7
680	9 734.4	10 116.7

NO.	NORTHING	EASTING
658	9 843.3	9 976.4
659	9 845.9	10 001.3
660	9 792.5	10 066.5
661	9 781.6	10 074.6
662	9 771.3	10 068.1
663	9 769.9	10 054.1
664	9 779.2	10 042.7
665	9 772.6	10 021.3
666	9 778.0	10 009.5
667	9 773.5	9 978.3
668	9 778.1	9 964.4
669	9 798.6	9 948.9
670	9 798.5	9 936.6
671	9 814.2	9 935.6
672	9 824.9	9 947.1

669	9 798.6	9 948.9
670	9 798.5	9 936.6
671	9 814.2	9 935.6
672	9 824.9	9 947.1

AREA NAME	APPROX. AREA (m ²)	ESTIMATED IN PLACE VOLUME (m ³)	REFERENCE POINT	
			NORTHING	EASTING
DCC TIER II				
STATION LANDFILL	13	4	9 742.1	10 102.9

FOR CONTAMINATED SOIL DETAILS SEE DWG. H-S123/2-9101-121

NO.	COORDINATES (m)		ELEV. (m)	DESCRIPTION
	NORTHING	EASTING		
200	9 711.840	10 171.347	41.516	NAIL
307	9 840.341	10 316.602	41.308	NAIL

6. FOR MONITORING WELL INSTALLATION DETAILS SEE DWG. H-S123-2-9101-127. EXACT LOCATIONS TO BE FIELD DETERMINED BY THE ENGINEER.
7. FOR THERMISTOR INSTALLATION LOCATIONS SEE DWG. H-S123-2-9101-114.
8. FOR PERMANENT SURVEY CONTROL (BENCHMARK) INSTALLATION DETAILS, SEE DWG. H-S123-2-9101-127. LOCATIONS TO BE APPROVED BY THE ENGINEER.

Legend:

- | | | |
|---|------|--|
| □ | BM-3 | TEMPORARY BENCHMARK |
| ■ | | DCC TIER II CONTAMINATED SOIL |
| + | | TEST PIT LOCATION (1992) |
| + | | TEST PIT LOCATION (2000) |
| • | | COORDINATE POINT |
| ① | | PHOTOGRAPHIC VIEWPOINT |
| ○ | | BODY OF WATER |
| + | | PROPOSED MONITORING WELL LOCATION (3) |
| + | B | PROPOSED BACKGROUND MONITORING WELL LOCATION (1) |
| + | B | PROPOSED PERMANENT BENCHMARK LOCATION (2). (SEE NOTE B). |

DATE	REVISION	REVISION	APPR.
------	----------	----------	-------

DRAFT



CALE - ECHELLE	20	10	0	20	40	60m
----------------	----	----	---	----	----	-----

PROJECT
CAM-3 SHEPHERD BAY

DEW LINE CLEAN UP

© COPYRIGHT
HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003, AS REPRESENTED BY THE
MINISTER OF NATIONAL DEFENCE

TRADE - METIER

SUBJECT - SUBJECT

STATION AREA-SOUTH
SITE PLAN

DESIGNED STUDY ANP/RRM	DES OFF AGENT CONCEPT
RAWN ESSINE RN/LJV	SECT HD CHEF SECT
CHECKED KMS DEFERRE	DES MGR GEST CONCEPT
COORDINATION	REVIEWED - REVU

DWG. NO. - DESSIN NO.
H-S123/2-9101-109



General Notes:

1. ALL ELEVATIONS ARE REFERENCED TO MEAN SEA LEVEL.
2. ALL NON-HAZARDOUS DEBRIS WITHIN PLANT AREA TO BE PLACED IN NON-HAZARDOUS WASTE LANDFILL.
3. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
4. HORIZONTAL CONTROL REFERENCED TO SURVEY CONTROL MONUMENTS.
5. APPROXIMATE PERIMETER OF AREAS TO BE REGRADED WITH 0.75m MIN. TYPE 2 GRANULAR FILL TO MATCH SURROUNDING TERRAIN. SLOPE 3H:1V MAX.

Legend:

- | | |
|---|-------------------------------|
|  | TEMPORARY BENCHMARK |
|  | DCC TIER II CONTAMINATED SOIL |
|  | TYPE A CONTAMINATED SOIL |
|  | TEST PIT LOCATION (2000) |
|  | COORDINATE POINT |
|  | PHOTOGRAPHIC VIEWPOINT |
|  | BODY OF WATER |

40.	DATE	REVISION	REVISION	APPR.
-----	------	----------	----------	-------

DRAFT



SCALE - ECHELLE 20 10 0 20 40 60m

PROJECT - PROJCT

DEW LINE CLEAN UP

© COPYRIGHT
HER MAJESTY THE QUEEN IN RIGHT OF
CANADA 2003, AS REPRESENTED BY THE
MINISTER OF NATIONAL DEFENCE.

TRADE - METER SITING


SUBJECT - SUJET

NORTHEAST LANDFILL AREA
SITE PLAN

PRODUCTION	CONCURRENCE - ASSIGNMENT
DESIGNED ACTUATOR AMP /RRM	DES OFF ADJCT CONCEPT
ORAMANN DESIGN RN/L/V	SECT HD CH/F SECT
CHECKED KMS	DES MGR BEST CONCEPT
COORDINATION SMS	REVIEWED - ROMV

DWG. NO. = DESIGN NO.
H-5123/2-9101-110

DWG. NO. - DESSIN NO.
H-S123/2-9101-110

Canada¹⁰¹

KEY PLAN

COORDINATE POINTS
NORTHEAST LANDFILL

COORDINATE POINTS
NORTHEAST LANDFILL

CONTAMINATED SOIL				
AREA NAME	APPROX. AREA (m ²)	ESTIMATED IN PLACE VOLUME (m ³)	REFERENCE POINT	
			NORTHING	EASTING
TYPE A				
NELF-C	116	55	11 162.7	10 356.0
NELF-F	96	43	11 175.7	10 491.5
DCC TIER II				
NELF-C	32	16	11 162.7	10 356.0

FOR CONTAMINATED SOIL DETAILS SEE DWG. H-S123/2-9101-123

TEMPORARY BENCHMARKS				
NO.	COORDINATES (m)		ELEV. (m)	DESCRIPTION
	NORTHING	EASTING		
208	11 072.305	10 386.113	38.911	NAIL
414	11 104.981	10 536.900	40.119	2x2 WOODEN HUB
415	11 253.052	10 545.538	39.061	2x2 WOODEN HUB

