7217 Roper Road NW Edmonton, Alberta T6B 3J4, Canada

T: +1 (780) 438-5522 F: +1 (780) 438-0396

E: NWL-Edmonton@exova.com W: www.exova.com



Report Transmission Cover Page

Bill To: Sila Remediation Inc.

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada

Location: LSD: R3R 1E6 Attn: A Passalis P.O.:

Sampled By: A. Passalis Company: EGE

Project:

Name:

Acct code:

CAM 2/CAM 3

Gladman PT/Shepherd Bay

Control Number: A126973 Date Received: Aug 24, 2009 Date Reported: Sep 1, 2009

Lot ID: 698987

Approved

by Lot

1244418 Report Number:

Approval Status:

COD Status:

Invoice Frequency:

Contact & Affiliation	Address	Delivery Commitments		
Accounts Payable Sila Remediation Inc.	200,4495 Boul. Wilfrid-Hamel Quebec City, Quebec G1P 2J7 Phone: (418) 653-4422 Fax: (418) 653-3583 Email: n/a	On [Lot Approval and Final Test Report Approval] send (Invoice) by Post	М	
JP Pelletiere 200,4495 Boul. Wilfrid-Hamel Sila Remediation Inc. Quebec City, Quebec G1P 2J7 Phone: (418) 653-4422 Fax: (418) 653-3583 Email: jppelletier@biogenie-env.com		On [Lot Verification] send (COA, COC) by Email - Merge Reports On [Report Approval] send (Test Report) by Email - Merge Reports		
A Passalis EGE	511 Pepperloaf Cres. Winnipeg, Manitoba R3R 1E6 Phone: (204) 837-6473 Fax: (204) 837-6473 Email: apassslis@mts.net	On [Lot Verification] send (COA, COC) by Email - Merge Reports On [Report Approval] send (Test Report) by Email - Merge Reports		

Notes To Clients:

• Sample #5 Identification taken from containers.

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com



Sample Custody

Bill To: Sila Remediation Inc. Projec

Name:

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada R3R 1E6

Attn: A Passalis Sampled By: A. Passalis

Company: EGE

Project: Lot ID: **698987**

CAM 2/CAM 3
Gladman PT/Shepherd Bay

Control Number: A126973
Date Received: Aug 24, 2009
Date Reported: Sep 1, 2009

Location: Gladman PT/Shepherd Bay
LSD: Report Number: 1244418
P.O.:
Acct code:

Sample Disposal Date: October 01, 2009

s will be stored until this date unless other instructions are this form to the address or fax number on the top of this p		ease indicate other requirements below
Extend Sample Storage Until The following charges apply to extended sample storage		M/DD/YY)
Storage for an additional 30 days		er sample
Storage for an additional 60 days	•	er sample
Storage for an additional 90 days	\$ 7.50 p	er sample
Return Sample, collect, to the address below via: Greyhound DHL Purolator Other (specify)		-
	Name	
	Company	
	Address	
	Phone	
	Fax	

Signature

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com



Analytical Report

Bill To: Sila Remediation Inc. Project:

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada

R3R 1E6 LSD: Attn: A Passalis P.O.:

Sampled By: A. Passalis Company: **EGE**

Lot ID: 698987

A126973 Control Number: Date Received: Aug 24, 2009 Sep 1, 2009 Date Reported:

Report Number: 1244418

Name:

Location:

Acct code:

Reference Number Sample Date 698987-1

Gladman PT/Shepherd Bay

698987-3

698987-4

Sample Time

Aug 11, 2009 NA

Aug 13, 2009 NA

Aug 14, 2009 NA

Sample Location

Matrix

Sample Description CAM-2 / C209-3WA

CAM 2/CAM 3

Soil Soil Soil

Nominal Detection Analyte Units Results Results Results Limit **Hot Water Soluble** Hot Water Soluble mg/kg 1.0 2.3 0.2 0.1 **Metals Strong Acid Digestion** mg/kg 0.01 0.01 0.01 Mercury Strong Acid Extractable 0.03 Strong Acid Extractable <0.2 Antimony mg/kg < 0.2 <0.2 0.2 Arsenic Strong Acid Extractable mg/kg 8.0 3.0 1.3 0.2 **Barium** Strong Acid Extractable mg/kg 9 17 29 1 Beryllium Strong Acid Extractable mg/kg 0.1 0.2 0.2 0.1 Cadmium Strong Acid Extractable mg/kg 0.02 0.28 0.03 0.01 Chromium Strong Acid Extractable 3.6 9.0 8.4 0.1 mg/kg Cobalt Strong Acid Extractable mg/kg 1.1 3.0 2.7 0.1 4 8 Copper Strong Acid Extractable 4 1 mg/kg 2.6 4.4 4.0 0.1 Lead Strong Acid Extractable mg/kg Molybdenum Strong Acid Extractable mg/kg <1 <1 <1 1 Nickel Strong Acid Extractable 1.8 6.1 3.8 0.5 mg/kg Selenium Strong Acid Extractable mg/kg < 0.3 < 0.3 < 0.3 0.3 Silver Strong Acid Extractable < 0.1 0.1 <0.1 0.1 mg/kg Thallium Strong Acid Extractable mg/kg 0.09 0.08 0.10 0.05 Tin Strong Acid Extractable mg/kg 3 3 3 1 Uranium Strong Acid Extractable mg/kg < 0.5 1 0.5 0.5 Vanadium Strong Acid Extractable mg/kg 6.0 12.7 14.7 0.1 Strong Acid Extractable 6 10 Zinc mg/kg 7 1 Mono-Aromatic Hydrocarbons - Soil 26-Aug-09 26-Aug-09 26-Aug-09 **Extraction Date** Dry Weight < 0.004 < 0.004 < 0.004 0.004 Benzene mg/kg < 0.005 < 0.005 Toluene Dry Weight mg/kg 0.022 0.005 < 0.010 <0.010 < 0.010 0.010 Ethylbenzene Dry Weight mg/kg Total Xylenes (m,p,o) Dry Weight 0.02 0.03 < 0.010 0.010 mg/kg Volatile Petroleum Hydrocarbons - Soil **Extraction Date** 26-Aug-09 26-Aug-09 26-Aug-09 F1 C6-C10 Dry Weight mg/kg <4 <4 <4 4 F1 -BTEX Dry Weight <4 <4 <4 4 mg/kg **Extractable Petroleum Hydrocarbons - Soil Extraction Date** 26-Aug-09 26-Aug-09 26-Aug-09 F2c C10-C16 Dry Weight 10 31 <10 10 mg/kg F3c C16-C34 Dry Weight mg/kg <30 <30 <30 30 F4c C34-C50 Dry Weight <20 <20 <20 20 mg/kg

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com



Analytical Report

Bill To: Sila Remediation Inc. Project:

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada

R3R 1E6 LSD: A Passalis P.O.:

Attn: A Passalis
Sampled By: A. Passalis

Company: EGE

Project: Lot ID: **698987**

Control Number: A126973

Date Received: Aug 24, 2009

Date Reported: Sep 1, 2009 Report Number: 1244418

Soil

 Reference Number
 698987-1
 698987-3
 698987-4

 Sample Date
 Aug 11, 2009
 Aug 13, 2009
 Aug 14, 2009

 Sample Time
 NA
 NA
 NA

Sample Location

Matrix

Name:

Location:

Acct code:

Sample Description CAM-2 / C209-3WA CAM-3 / C309-6WB CAM-3 / C309-13WB

Soil

Nominal Detection Units Results Results Results Analyte Limit Extractable Petroleum Hydrocarbons - Soil - Continued F4HTGCc C34-C50+ Dry Weight <20 <20 <20 20 mg/kg % C50+ % <5 <5 <5 Silica Gel Cleanup Silica Gel Cleanup Done Done Done Soil % Moisture Moisture Soil % Moisture % 12.00 31.80 9.59 Polychlorinated Biphenyls - Soil Aroclor 1016 Dry Weight < 0.1 <0.1 < 0.1 0.1 mg/kg Aroclor 1221 Dry Weight < 0.1 < 0.1 < 0.1 0.1 mg/kg Aroclor 1232 Dry Weight mg/kg < 0.1 < 0.1 < 0.1 0.1 Aroclor 1242 Dry Weight mg/kg < 0.1 < 0.1 < 0.1 0.1 Aroclor 1248 Dry Weight <0.1 mg/kg < 0.1 < 0.1 0.1 Aroclor 1254 Dry Weight < 0.1 < 0.1 < 0.1 0.1 mg/kg Aroclor 1260 Dry Weight mg/kg < 0.1 < 0.1 <0.1 0.1 Aroclor 1262 Dry Weight mg/kg < 0.1 < 0.1 < 0.1 0.1 Aroclor 1268 Dry Weight mg/kg < 0.1 < 0.1 < 0.1 0.1 Total PCBs Dry Weight < 0.1 < 0.1 < 0.1 0.1 mg/kg Polychlorinated Biphenyls - Soil - Surrogate % 100 Decachlorobiphenyl Surrogate 90 80 50-150

CAM 2/CAM 3

Gladman PT/Shepherd Bay

Soil

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com



Analytical Report

Bill To: Sila Remediation Inc.

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada

R3R 1E6 LSD: Attn: A Passalis P.O.:

Company: **EGE**

Sampled By: A. Passalis

Project:

Name:

Acct code:

CAM 2/CAM 3

Location: Gladman PT/Shepherd Bay

Date Reported:

Control Number:

Date Received:

Sep 1, 2009

Aug 24, 2009

A126973

Lot ID: 698987

Report Number: 1244418

Reference Number 698987-2 Sample Date Aug 11, 2009 Sample Time NA

Water

698987-5 Aug 14, 2009

NA

Sample Location **Sample Description**

Matrix

CAM-2 / C209-4W

CAM-3 / C309-5W Water

Nominal Detection Units Results Analyte Results Results Limit **Metals Total** Calcium 167 268 0.2 Total mg/L 0.05 Iron Total mg/L 2.57 3.19 Magnesium Total mg/L 113 183 0.1 Total 0.077 0.005 Manganese mg/L 0.235 Potassium Total mg/L 13.8 21.6 0.4 Silicon Total 6.76 12.3 0.05 mg/L Sodium Total 201 385 0.4 mg/L Sulfur Total 294 mg/L 133 0.3 Aluminum Total 2.77 3.70 0.005 mg/L Antimony Total mg/L < 0.0002 < 0.0004 0.0002 Arsenic Total mg/L 0.0033 0.0036 0.0002 Barium Total mg/L 0.066 0.058 0.001 Beryllium Total 0.0002 0.0003 0.0001 mg/L **Bismuth** Total mg/L <0.0005 < 0.001 0.0005 0.15 Boron Total mg/L 0.202 0.002 Cadmium Total mg/L 0.00006 0.0002 0.00001 0.0176 0.0432 Chromium Total 0.0005 mg/L Cobalt Total 0.0014 0.0035 0.0001 mg/L Total 0.02 Copper mg/L 0.011 0.001 Lead Total mg/L 0.0028 0.002 0.0001 Lithium Total mg/L 0.042 0.308 0.001 Molybdenum Total mg/L 0.009 0.003 0.001 Nickel 0.0083 0.0005 Total mg/L 0.0312 Selenium Total 0.0007 0.001 0.0002 mg/L Silver Total mg/L 0.00005 0.00006 0.00001 Strontium Total 0.344 0.279 0.001 mg/L Thallium Total mg/L 0.00012 < 0.0001 0.00005 Total <0.002 Tin < 0.001 0.001 mg/L Titanium Total 0.116 0.175 0.0005 mg/L Uranium Total mg/L 0.0086 0.002 0.0005 Vanadium Total 0.0047 0.0066 0.0001 mg/L Zinc Total mg/L 15.3 7.16 0.001 Zirconium Total mg/L 0.004 0.009 0.001 Purgeable Hydrocarbons - Water Total Hydrocarbon (C6mg/L < 0.01 < 0.01 0.01 C10)

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com



Analytical Report

Company: EGE

Bill To: Sila Remediation Inc. Project:

Report To: EGE ID:

511 Pepperloaf Cres.

Winnipeg, MB, Canada

Attn: A Passalis Sampled By: A. Passalis

Location: LSD: R3R 1E6

> P.O.: Acct code:

CAM 2/CAM 3 Name:

Gladman PT/Shepherd Bay

Date Received: Aug 24, 2009 Date Reported: Sep 1, 2009 Report Number: 1244418

Control Number:

Lot ID: 698987

A126973

Reference Number Sample Date Sample Time Sample Location

698987-2 Aug 11, 2009

698987-5 Aug 14, 2009 NA

NA

Sample Description CAM-2 / C209-4W

CAM-3 / C309-5W

Matrix Water Water Nominal Detection Analyte Units Results Results Results Limit Extractable Hydrocarbons (C40) - Water Total C11-C40+ <0.1 <0.1 0.1 mg/L Polychlorinated Biphenyls - Water Aroclor 1016 < 0.1 <0.1 0.1 ug/L ug/L Aroclor 1221 < 0.1 < 0.1 0.1 Aroclor 1232 ug/L < 0.1 < 0.1 0.1 Aroclor 1242 ug/L <0.1 <0.1 0.1 Aroclor 1248 < 0.1 <0.1 0.1 ug/L Aroclor 1254 < 0.1 < 0.1 0.1 ug/L Aroclor 1260 < 0.1 < 0.1 0.1 ug/L Aroclor 1262 ug/L < 0.1 < 0.1 0.1 Aroclor 1268 ug/L < 0.1 < 0.1 0.1 Total PCBs < 0.1 <0.1 ug/L 0.1 Polychlorinated Biphenyls - Water - Surrogate Decachlorobiphenyl % 110 101 50-150 Surrogate



Analytical Report

Bill To: Sila Remediation Inc. Project:

Report To: EGE ID:

511 Pepperloaf Cres. Name: CAM 2/CAM 3
Winnipeg, MB, Canada Location: Gladman PT/Shepherd Bay

Winnipeg, MB, Canada Location: R3R 1E6 LSD:

Attn: A Passalis P.O.:

Sampled By: A. Passalis Acct code:

Company: EGE

Control Number: A126973
CAM 2/CAM 3
Date Received: Aug 24, 3

Date Received: Aug 24, 2009
Date Reported: Sep 1, 2009
Report Number: 1244418

Lot ID: 698987

Reference Number 698987-6
Sample Date Aug 09, 2009
Sample Time NA
Sample Location

Sample Description PIN 3 / P309-2A

Matrix Soil

		Watrix	5011			Nominal Detectio
Analyte		Units	Results	Results	Results	Limit
Hot Water Soluble						
Boron	Hot Water Soluble	mg/kg	0.4			0.1
Metals Strong Acid Dige	stion					
Mercury	Strong Acid Extractable	mg/kg	0.01			0.01
Antimony	Strong Acid Extractable	mg/kg	<0.2			0.2
Arsenic	Strong Acid Extractable	mg/kg	1.4			0.2
Barium	Strong Acid Extractable	mg/kg	65			1
Beryllium	Strong Acid Extractable	mg/kg	0.2			0.1
Cadmium	Strong Acid Extractable	mg/kg	0.03			0.01
Chromium	Strong Acid Extractable	mg/kg	8.1			0.1
Cobalt	Strong Acid Extractable	mg/kg	2.6			0.1
Copper	Strong Acid Extractable	mg/kg	10			1
Lead	Strong Acid Extractable	mg/kg	2.9			0.1
Molybdenum	Strong Acid Extractable	mg/kg	<1			1
Nickel	Strong Acid Extractable	mg/kg	11.0			0.5
Selenium	Strong Acid Extractable	mg/kg	<0.3			0.3
Silver	Strong Acid Extractable	mg/kg	<0.1			0.1
Thallium	Strong Acid Extractable	mg/kg	0.08			0.05
Tin	Strong Acid Extractable	mg/kg	3			1
Uranium	Strong Acid Extractable	mg/kg	0.6			0.5
Vanadium	Strong Acid Extractable	mg/kg	13.8			0.1
Zinc	Strong Acid Extractable	mg/kg	8			1
Mono-Aromatic Hydroca	rbons - Soil					
Extraction Date			26-Aug-09			
Benzene	Dry Weight	mg/kg	< 0.004			0.004
Toluene	Dry Weight	mg/kg	0.042			0.005
Ethylbenzene	Dry Weight	mg/kg	<0.010			0.010
Total Xylenes (m,p,o)	Dry Weight	mg/kg	0.02			0.010
Volatile Petroleum Hydro	ocarbons - Soil					
Extraction Date			26-Aug-09			
F1 C6-C10	Dry Weight	mg/kg	<4			4
F1 -BTEX	Dry Weight	mg/kg	<4			4
Extractable Petroleum H	ydrocarbons - Soil					
Extraction Date			26-Aug-09			
F2c C10-C16	Dry Weight	mg/kg	13			10
F3c C16-C34	Dry Weight	mg/kg	<30			30
F4c C34-C50	Dry Weight	mg/kg	<20			20

Analytical Report

Bill To: Sila Remediation Inc. Project:

ID:

Name: CAM 2/CAM 3

Control Number: A126973
Date Received: Aug 24, 2009

Lot ID: 698987

511 Pepperloaf Cres. Winnipeg, MB, Canada

Location: Gladman PT/Shepherd Bay

Date Reported: Sep 1, 2009

R3R 1E6 Attn: A Passalis LSD: P.O.:

Report Number: 1244418

Sampled By: A. Passalis

A. Passalis Acct code:

Company: EGE

Report To: EGE

Reference Number

698987-6

Sample Date Sample Time Aug 09, 2009 NA

Sample Location
Sample Description

PIN 3 / P309-2A

Matrix

Soil

Analyte		Units	Results	Results	Results	Nominal Detection Limit
Extractable Petroleum H	lydrocarbons - Soil - Conti	inued				LIIIII
F4HTGCc C34-C50+	Dry Weight	mg/kg	<20			20
% C50+		%	<5			
Silica Gel Cleanup						
Silica Gel Cleanup			Done			
Soil % Moisture						
Moisture	Soil % Moisture	%	7.41			
Polychlorinated Bipheny	/Is - Soil					
Aroclor 1016	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1221	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1232	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1242	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1248	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1254	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1260	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1262	Dry Weight	mg/kg	<0.1			0.1
Aroclor 1268	Dry Weight	mg/kg	<0.1			0.1
Total PCBs	Dry Weight	mg/kg	<0.1			0.1
Polychlorinated Bipheny	/Is - Soil - Surrogate					
Decachlorobiphenyl	Surrogate	%	100			50-150

Approved by:

Laurie Brown, MSc Client Services Manager

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com Page 7 of 9

Methodology and Notes

Report To: EGE

Bill To: Sila Remediation Inc. Project:

ID:

Acct code:

511 Pepperloaf Cres. Name:

Winnipeg, MB, Canada Location: R3R 1E6 LSD:

Attn: A Passalis P.O.:

Company: EGE

Sampled By: A. Passalis

Lot ID: 698987

Control Number: A126973
Date Received: Aug 24, 2009

Date Reported: Sep 1, 2009 Report Number: 1244418

Method of Analysis				
Method Name	Reference	Method	Date Analysis Started	Location
Boron in general soil	McKeague	 * Hot Water Soluble Boron - Azomethine -H Method, 4.61 	25-Aug-09	Exova Edmonton
BTEX-CCME - Soil	CCME	 * Reference Method for Canada-Wide Standard for PHC in Soil, CWS PHCS TIER 1 	25-Aug-09	Exova Calgary
BTEX-CCME - Soil	US EPA	* US EPA method, 8260B/5035	25-Aug-09	Exova Calgary
BTEX-TPH - Water	US EPA	* US EPA method, 8260B/5035	26-Aug-09	Exova Calgary
Mercury (Hot Block) in Soil	US EPA	 Determination of Hg in Sediment by Cold Vapor Atomic Absorption Spec, 245.5 	25-Aug-09	Exova Edmonton
Metals ICP-MS (Hot Block) in soil	SW-846	 * Acid Digestion of Sediments, Sludges, and Soils, EPA 3050B 	25-Aug-09	Exova Edmonton
Metals ICP-MS (Total) in water	US EPA	 Determination of Trace Elements in Waters and Wastes by ICP-MS, 200.8 	25-Aug-09	Exova Edmonton
Metals Trace (Total) in water	APHA	 * Inductively Coupled Plasma (ICP) Method, 3120 B 	25-Aug-09	Exova Edmonton
PCB - Soil	US EPA	* Biological US Method, 8082A	25-Aug-09	Exova Calgary
PCB - Water	US EPA	* Biological US Method, 8082A	27-Aug-09	Exova Calgary
TEH - Water	MMCA	 Petroleum Hydrocarbons in water, A108.0 	26-Aug-09	Exova Calgary
TEH-CCME-Soil (Shake)	CCME	 * Reference Method for Canada-Wide Standard for PHC in Soil, CWS PHCS TIER 1 	25-Aug-09	Exova Calgary

CAM 2/CAM 3

Gladman PT/Shepherd Bay

References

Alta. Env. Alberta Environment Method

APHA Standard Methods for the Examination of Water and Wastewater

CCME Canadian Council of Ministers of the Environment McKeague Manual on Soil Sampling and Methods of Analysis

SW-846 Test Methods for Evaluating Solid Waste

US EPA US Environmental Protection Agency Test Methods

Comments:

• Sample #5 Identification taken from containers.

^{*} Laboratory method(s) based on reference method

T: +1 (780) 438-5522 7217 Roper Road NW F: +1 (780) 438-0396 Edmonton, Alberta E: NWL-Edmonton@exova.com T6B 3J4, Canada W: www.exova.com

R3R 1E6



Methodology and Notes

Bill To: Sila Remediation Inc. Project:

Report To: EGE

511 Pepperloaf Cres. Winnipeg, MB, Canada

Location: LSD:

Name:

P.O.:

Acct code:

CAM 2/CAM 3 Gladman PT/Shepherd Bay

Date Reported: Sep 1, 2009

Control Number: A126973

Report Number: 1244418

Date Received: Aug 24, 2009

Lot ID: 698987

Attn: A Passalis

Sampled By: A. Passalis

Company: EGE

Please direct any inquiries regarding this report to our Client Services group. Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

7217 Roper Road NW Edmonton, Alberta T6B 3J4, Canada

T: +1 (780) 438-5522 F: +1 (780) 438-0396 E: NWL-Edmonton@exova.com W: www.exova.com



Analytical Report

Bill To: Sila Remediation Inc. Project:

Report To: EGE

511 Pepperloaf Cres.

Winnipeg, MB, Canada

Location: R3R 1E6 LSD: Attn: A Passalis P.O.:

Sampled By: A. Passalis

Company: EGE

Lot ID: 698987

Control Number: A126973 Aug 24, 2009 Date Received: Sep 1, 2009 Date Reported:

Report Number: 1244418

Petroleum Hydrocarbons in Soil

CAM 2/CAM 3

Gladman PT/Shepherd Bay

Batch Notes

- The method used complies with the Reference Method for the Canada Wide Standards for Petroleum Hydrocarbons in Soil - Tier 1, April 2001, including Addendum 1, and is accredited for use in Exova.
- 2. Modifications of the method: See Notes and Methodology for nonconformances (if applicable).
- 3. Qualifications on results: See Notes and Methodology for nonconformances (if applicable).

Name:

Acct code:

- Silica gel treatment is performed for fractions F2, F3, F4. 4.
- F1-BTEX: BTEX has been subtracted from the F1 fraction. 5.
- If analyzed, naphthalene has been subtracted from fraction F2 and selected PAHs have been subtracted from fraction 6. F3.
- 7. F4HTGC is reported when more than 5% of the total carbon envelope elutes past C₅₀.
- Exova does not routinely report Gravimetric Heavy Hydrocarbons (F4G or F4G-sg), F4HTGC through extended range high temperature GC is reported instead.
- When both F4(C₃₄-C₅₀) and F4HTGC are reported, F4HTGC is the final F4 that is to be used for interpreting the CWS.
- Quality criteria met for the batch: Data is reported in Quality Control Section of report (if requested).
 - -nC6 and nC10 response factors (RF) are within 30% of RF for toluene
 - -nC₁₀, nC₁₆ and nC₃₄ RFs are within 10% of each other
 - -nC50 RF is within 30% of the average RF for nC10+nC16+nC34
 - -linearity is within 15% for each of the calibrated carbon ranges
- 11. Batch data for analytical quality control are available on request.
- 12. Extraction and analysis holding times were met: See Notes and Methodology for nonconformances (if applicable).

Approved by:

Laurie Brown, MSc Client Services Manager