



November 16, 2009

Your file - Votre référence

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
PO Box 119
Gjoa Haven, NU X0B 1J0

Our file - Notre référence

RE: CAM-D SIMPSON LAKE WATER LICENCE (1BR-SIM0813) AMENDMENT

Dear Ms. Beaulieu:

In response to the Water Board's letter dated October 22nd, Indian and Northern Affairs Canada (INAC) would like to request an amendment to the CAM-D Simpson Lake Water License 1BR-SIM0813. Specifically, INAC would like to amend Part C #1 (location of water source), Part D #6 (type of sewage treatment), Part K #1 (location of monitoring points). This amendment is required to allow a change in the location of the camp, from the upper station to borrow area #2, and to allow for the use of a waste water treatment plant instead of sewage lagoons. Details regarding this request are attached.

In addition, INAC has also forwarded the remaining documents required under Appendix K (Supplemental Information) of the CAM-D Simpson Lake water licence application, including: Health and Safety Plan, Environmental Protection Plan, Spill Contingency Plan and Contractor Work Methodology Plan.

If you have any questions or require additional information please contact the Project Manager, Lou Spagnuolo, at (819) 997-7247 or via e-mail at lou.pagnuolo@inac.gc.ca.

Sincerely,

Natalie Plato
Director, Contaminated Sites

cc: Lou Spagnuolo

Encl: Nunavut Water Board License Amendment Application
Contractor Work Methodology Plan Nov, 09
Environmental Protection Plan Oct, 09
Spill Contingency Plan Sept, 09
Health and Safety Plan Jan, 09