



Duval River WL renewal application

Roy, Bhabesh <BRoy@gov.nu.ca>

Sun, Aug 16, 2020 at 2:59 PM

To: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>, Richard Dwyer <richard.dwyer@nwb-oen.ca>, Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Cc: "Roy, Bhabesh" <BRoy@gov.nu.ca>

Roy, Bhabesh has shared OneDrive for Business files with you. To view them, click the links below.



[1BW-DUV1214 Abandonment and Restoration Plan-Revised in August 2020.docx](#)



[120915 1BW-DUV1214 Updated Spill Contingency Plan-IMLE.pdf](#)

Hi Assol

DFO built a Small Craft Harbour. They also built the Duval river crossing for the movement of their heavy traffics. These are two different Projects.

The River Crossing was licensed and considered to decommission once the construction of the Harbour was completed. But it was not decommissioned. Hamlet took over and the Licence was transferred to Hamlet. During the last renewal, I did not submit any A&R plan because this crossing is not considered to be decommissioned soon.

However, since you questioned, I have updated the A&R Plan attached but did not touch the SCP.

The SCP does not belong to this facility and this license. The SCP was prepared for the Harbour project.

The water test results are available. I am still waiting for the recent results for 2019 and 2020.

Hopefully, I could send you within 2/3 days. I am still on duty travel.

Hope you will be OK to Publish this file next week in the FTP site.

Thanks.

Bhabesh



Duval River water chemistry.xlsx

13K