

## Hamlet of Pangnirtung Duval River Crossing Water Licence Renewal Application 1BW-DUV1520

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Aug 18, 2020 at 3:36 PM

To: Pangnirtung SAO <pang\_sao@qiniq.com>, "Roy, Bhabesh" <br/>broy@gov.nu.ca>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board ("NWB") acknowledges receipt on August 7, 2020 of renewal water licence application, for the Hamlet of Pangnirtung Duval River Crossing. This application has been assigned file number 1BW-DUV1520. Please refer to this number on future submissions. Application documents received are as follows:

- 200807 Application Renewal Water Licence
- 200807 Cover Letter
- 200807 Duval River English Summary
- 200807 Duval River Inuktitut Summary
- · 200816 Bhabesh Clarification
- 200816 Duval River water chemistry
- 200817 Abandonment and Restoration Plan-Revised in August 2020
- 200817 B20-22361 Prelim Report
- 200817 Bhabesh Clarification
- 200817 Bhabesh E-mail Duval river water testing results

Please be advised that under the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada (Nunavut Agreement) Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project governed by NuPPAA is also required to submit a project proposal document directly to the Nunavut Planning Commission (NPC or Commission) for the NPC's determination regarding the applicable land use planning requirements and/or directions regarding whether the project is subject to screening by the Nunavut Impact Review Board. In particular, please note that as established under Articles 11, 12 and 13 of the Nunavut Agreement, NuPPAA and Part 3 of the Nunavut Waters and Nunavut Surface Rights Tribunal Act, until the project has completed the applicable land use planning and assessment process required by the NPC and the NIRB, the NWB cannot issue a water licence/approval.

Deadline for comment submission is September 18, 2020.

Regards,

Richard



## Richard Dwyer- へ<sup>c</sup>んっc コ る る くっc

Manager of Licensing - Responsable des Permis < いこいと になっている。 Maniyauyuq Laisaliginigmun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT DOS ALCOS BOLZE - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0 MASSE ASU > 3 + 3 j 3 , Dag € XOB 1J0

Titigagagyia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / イペナン( / Hivayauta: (867) 360-6338 | Fax / Télécopieur / とっぱ / Fax-kut: (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Africa de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

## 2 attachments



200818 1BW-DUV1214 Water Licence Renewal Notice-OMLE.pdf

200818 1BW-DUV1520 Renewal Amendment Distribution-OMLE.pdf 423K