



Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
Operations Directorate
P.O. Box 100
IQALUIT, NU X0A 0H0

November 13, 2013

Ms. Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
GJOA HAVEN, NU X0E 1J0

Our reference:
IQALUIT-#606440

Your reference:
1BW-DUV1214/TR/F,1

Sent via email

Re: Pangnirtung Harbour Development Project – Department of Fisheries and Oceans Canada – Submission of Spill Contingency Plan – Qikqitani Region

Dear Ms. Beaulieu,

Thank you for your October 3, 2012 request for written representations on the above-referenced submission.

A Technical Review Memorandum is provided for the Board's consideration. Comments/ recommendations have been provided pursuant to the Department's mandated responsibilities under the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the *Department of Indian Affairs and Northern Development Act*.

Please do not hesitate to contact me by telephone at 867-975-4555 or email at David.Abernethy@aandc-aadnc.gc.ca to discuss this submission.

Regards,

David Abernethy
Regional Coordinator
Water Resources Division

Encl.

c.c.: Murray Ball, Manager of Water Resources

TECHNICAL REVIEW MEMORANDUM

TO	Phyllis Beaulieu Manager of Licensing Nunavut Water Board	OUR REFERENCE File #9545-2-2.1BW.DUVA IQALUIT-#606440
FROM	David Abernethy Water Resources Regional Coordinator Aboriginal Affairs and Northern Development Canada	YOUR REFERENCE 1BW-DUV1214/TR/F,1 DATE November 13, 2012
SUBJECT	Pangnirtung Harbour Development Project – Department of Fisheries and Oceans Canada – Submission of Spill Contingency Plan – Qikqitani Region	

A. PROJECT DESCRIPTION

On October 3, 2012 the Nunavut Water Board (“NWB” or “Board”) distributed the Department of Fisheries and Oceans Canada’s (“Licensee”) September 15, 2012 Spill Contingency Plan for to interested parties for review. This submission was made pursuant to Part F, Item 1 of the Licensee’s Type B water licence, No. 1BW-DUV1214. It is an update to the October 15, 2009 plan that was included in the Licensee’s November 2011 licence renewal application.

B. RESULTS OF REVIEW

On behalf of Aboriginal Affairs and Northern Development Canada (AANDC), the following comments/ recommendations are submitted for the Board’s consideration,

1. General

- AANDC are satisfied with the submitted Spill Contingency Plan. This revised plan addresses the comments included in the department’s April 16, 2012 review of the Licensee’s water licence renewal application (this application was distributed by the NWB on March 14, 2012).

Prepared by David Abernethy