



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File No.: **2BE-KIY0810**

March 19, 2008

Mr. E. Kenneth Paul
Director, North American Exploration
Newmont Canada Ltd.
1700 Lincoln Street
Denver, CO 80203 USA
Email: ken.paul@newmont.com

RE: NWB Licence No. 2BE-KIY0810

Dear Mr. Paul,

Please find attached Licence No. **2BE-KIY0810** issued to Newmont Canada Limited by the Nunavut Water Board (NWB) pursuant to its authority under Article 13 of the *Agreement between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada*. The terms and conditions of the attached Licence related to water use and waste disposal are an integral part of this approval.

If the Licensee contemplates the renewal of this Licence, it is the responsibility of the Licensee to apply to the NWB for its renewal. The past performance of the Licensee, new documentation and information, and issues raised during a public hearing, if the NWB is required to hold one, will be used to determine the terms and conditions of the Licence renewal. Note that if the Licence expires before the NWB issues a new one, then water use and waste disposal must cease, or the Licensee will be in contravention of the *Nunavut Land Claims Agreement* (NLCA) and the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (NWNSRTA). However, the expiry or cancellation of a licence does not relieve the holder from any obligations imposed by the licence. The NWB recommends that an application for the renewal of this Licence be filed at least three months prior to the Licence expiry date.

If the Licensee contemplates or requires an amendment to this licence, the NWB may decide, in the public interest, to hold a public hearing. The Licensee should submit applications for amendment as soon as possible to give the NWB sufficient time to go through the amendment process. The process and timing may vary depending on the scope of the amendment; however a minimum of 30 days is required from time of acceptance by the NWB. It is the responsibility of the Licensee to ensure that all application materials have been received and acknowledged by the Manager of Licensing.

The NWB strongly recommends that the Licensee consult the comments received from Environment Canada (EC); Government of Nunavut-Department of Environment (GN-DoE) and Indian

and Northern Affairs Canada (INAC) as interested persons on issues identified. The NWB notes that, among others, there are recommendations with respect to wildlife issues outside the jurisdiction of the NWB from EC. This information can be obtained from the NWB ftp site, **Username: public, Password: registry** at:

<ftp://nunavutwaterboard.org/2BE%20-%20EXPLORATION/2BE-KIY/Comments%20&%20Intervenors/>

Sincerely,



Thomas Kabloona
A/Chief Executive Officer

TK/df

Enclosure: Licence No. **2BE-KIY0810**

cc:	Andrew Keim	INAC
	Carson Gillis	NTI
	Earle Baddaloo	GN-DOE
	Erin Calder	NWMB
	Stephen Hartman	KivIA
	Jim Rogers	INAC
	Paul Savoie	DFO
	Peter Kusugak	INAC
	Leslie Payette	NIRB

TABLE OF CONTENTS

DECISION	1
LICENCE NO. 2BE-KIY0810.....	2
PART A: SCOPE, DEFINITIONS AND ENFORCEMENT	3
1. SCOPE	3
2. DEFINITIONS	3
3. ENFORCEMENT	5
PART B: GENERAL CONDITIONS.....	5
PART C: CONDITIONS APPLYING TO WATER USE	6
PART D: CONDITIONS APPLYING TO WASTE DISPOSAL.....	7
PART E: CONDITIONS FOR CAMPS, ACCESS INFRASTRUCTURES AND OPERATIONS	8
PART F: CONDITIONS APPLYING TO DRILLING OPERATIONS	8
PART G: CONDITIONS APPLYING TO MODIFICATIONS	9
PART H: CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING	10
PART I: CONDITIONS APPLYING TO ABANDONMENT AND RESTORATION OR TEMPORARY CLOSING	10
PART J: CONDITIONS APPLYING TO THE MONITORING PROGRAM.....	12

DECISION

LICENCE NUMBER: 2BE-KIY0810

This is the decision of the Nunavut Water Board (NWB) with respect to an application for a new Water Licence dated January 7, 2008 made by:

NEWMONT CANADA LIMITED

to allow for the use of water and disposal of waste during exploration drilling operations at the Kiyuk Lake Project located within the Kivalliq Region, Nunavut generally located at the geographical coordinates as follows:

Latitude: 60° 26'N Longitude: 100° 23'W

DECISION

After having been satisfied that the application was in conformity with the Keewatin Regional Land Use Plan Land Use Plan and exempt from the requirement for screening by the Nunavut Impact Review Board in accordance with Schedule 12.1, Paragraph (2) and (5) of the *Nunavut Land Claim Agreement* (NLCA), the NWB decided that the application could proceed through the regulatory process. In accordance with S.55.1 of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (NWNSRTA) and Article 13 of the *NLCA*, public notice of the application was given and interested persons were invited to make representations to the NWB.

After reviewing the submission of the Applicant and considering the representations made by interested persons, the NWB, having given due regard to the facts and circumstances, the merits of the submissions made to it and to the purpose, scope and intent of the *NLCA* and of the *NWNSRTA*, waived the requirement to hold a public hearing, and determined that:

**Licence Number 2BE-KIY0810 be issued subject to the terms and conditions contained therein.
(Motion #: 2007-59)**

SIGNED this 20th day of March, 2008 at Gjoa Haven, NU.



Thomas Kabloona
A/Chief Executive Officer

TK/df

LICENCE NO. 2BE-KIY0810

Pursuant to the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada*, the Nunavut Water Board, hereinafter referred to as the Board, hereby grants to

NEWMONT CANADA LIMITED

(Licensee)

of

1700 LINCOLN STREET, DENVER, CO 80203 USA

(Mailing Address)

hereinafter called the Licensee, the right to alter, divert or otherwise use water and/or dispose of waste for a period subject to restrictions and conditions contained within this Licence:

2BE-KIY0810

Licence Number

NUNAVUT 06

Water Management Area

KIYUK LAKE PROJECT

Location

WATER USE AND WASTE DISPOSAL

Purpose

MINING AND MILLING – TYPE “B”

Classification of Undertaking

70 CUBIC METRES PER DAY

Quantity of Water Not to Exceed

MARCH 19, 2008

Date of Licence

MARCH 31, 2010

Expiry Date of Licence

Dated this 19th day of March 19, 2007 at Gjoa Haven, NU.



Thomas Kabloona
A/Chief Executive Officer

PART A: SCOPE, DEFINITIONS AND ENFORCEMENT

1. Scope

This Licence allows for the use of water and the disposal of waste for an undertaking classified as Mining and Milling as per Schedule II of the *Regulations* at the Kiyuk Lake Project, located approximately 350 km North East of Arviat within the Kivalliq Region, Nunavut (within the general latitudes 60° 26' to 100° 23'N).

- a. This Licence is issued subject to the conditions contained herein with respect to the taking of water and the depositing of waste of any type in any waters or in any place under any conditions where such waste or any other waste that results from the deposits of such waste may enter any waters. Whenever new Regulations are made or existing *Regulations* are amended by the Governor in Council under the *Nunavut Waters and Nunavut Surface Rights Tribunal Act*, or other statutes imposing more stringent conditions relating to the quantity or type of waste that may be so deposited or under which any such waste may be so deposited, this Licence shall be deemed, upon promulgation of such Regulations, to be subject to such requirements; and
- b. Compliance with the terms and conditions of this Licence does not absolve the Licensee from responsibility for compliance with the requirements of all applicable Federal, Territorial and Municipal legislation.

2. Definitions

“**Act**” means the *Nunavut Waters and Nunavut Surface Rights Tribunal Act*;

“**Addendum**” means the supplemental text that is added to a full plan or report usually included at the end of the document and is not intended to require a full resubmission of the revised report.

“**Amendment**” means a change to original terms and conditions of this Licence requiring correction, addition or deletion of specific terms and conditions of the Licence; modifications inconsistent with the terms of the set terms and conditions of the Licence;

“**Appurtenant Undertaking**” means an undertaking in relation to which a use of water or a deposit of waste is permitted by a licence issued by the Board;

“**Board**” means the Nunavut Water Board established under the *Nunavut Land Claims Agreement* and the *Nunavut Waters and Nunavut Surface Rights Tribunal Act*;

“**Engineer**” means a professional engineer registered to practice in Nunavut in accordance with the Engineering, Geological and Geophysical Act (Nunavut) S.N.W.T. 1998, c.38, s.5;

“Greywater” means all liquid wastes from showers, baths, sinks, kitchens and domestic washing facilities, but does not include toilet wastes;

“ICP Scan” means the laboratory method for determining trace metals in water through Emission Spectroscopy using inductively coupled plasma (including up to approximately 32 elements depending on the laboratory performing the analysis);

“Inspector” means an Inspector designated by the Minister under Section 85 (1) of the *Act*;

“Licensee” means the holder of this Licence;

“Modification” means an alteration to a physical work that introduces a new structure or eliminates an existing structure and does not alter the purpose or function of the work, but does not include an expansion;

“Nunavut Land Claims Agreement” (NLCA) means the *“Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in right of Canada”*, including its preamble and schedules, and any amendments to that agreement made pursuant to it;

“Regulations” means the *Northwest Territories Water Regulations* sor/93-303 8th June, 1993, omitting Section 5, Water Use or Waste Deposit Without a Licence;

“Sewage” means all toilet wastes and greywater;

“Spill Contingency Plan” means a Plan developed to deal with unforeseen petroleum and hazardous materials events that may occur during the operations conducted under the Licence;

“Sump” means an excavation in impermeable soil for the purpose of catching or storing water or waste;

“Toilet Wastes” means all human excreta and associated products, but does not include greywater;

“Waste” means, as defined in S.4 of the *Act*, any substance that, by itself or in combination with other substances found in water, would have the effect of altering the quality of any water to which the substance is added to an extent that is detrimental to its use by people or by any animal, fish or plant, or any water that would have that effect because of the quantity or concentration of the substances contained in it or because it has been treated or changed, by heat or other means.

3. **Enforcement**

- a. Failure to comply with this Licence will be a violation of the *Act*, subjecting the Licensee to the enforcement measures and the penalties provided for in the *Act*;
- b. All inspection and enforcement services regarding this Licence will be provided by Inspectors appointed under the *Act*; and
- c. For the purpose of enforcing this Licence and with respect to the use of water and deposit or discharge of waste by the Licensee, Inspectors appointed under the *Act*, hold all powers, privileges and protections that are conferred upon them by the *Act* or by other applicable law.

PART B: GENERAL CONDITIONS

1. The water use fees of \$30, payable to the Receiver General for Canada, shall be sent to the Board annually in advance of any use in accordance with Section 9 of the *Regulations*.
2. The Licensee shall file an Annual Report on the appurtenant undertaking with the Board no later than March 31st of the year following the calendar year being reported which shall contain the following information:
 - a. A summary report of water use and waste disposal activities;
 - b. A list of unauthorized discharges and a summary of follow-up actions taken;
 - c. An up-to-date copy of the Spill Contingency Plan, including contact information;
 - d. A description of all progressive and or final reclamation work undertaken, including photographic records of site conditions before, during and after completion of operations;
 - e. A summary of all information requested and results of the Monitoring Program; and
 - f. Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.
3. The Licensee shall notify the NWB of any changes in operating plans or conditions associated with this project at least thirty (30) days prior to any such change.
4. The Licensee shall install flow meters or other such devices, or implement suitable methods required for the measuring of water volumes as required under Part J, Item 1.
5. The Licensee shall, for all Plans submitted under this Licence, include a proposed timetable for implementation. Plans submitted, cannot be undertaken without subsequent written Board approval and direction. The Board may alter or modify a Plan if necessary to achieve the legislative objectives and will notify the Licensee in writing

of acceptance, rejection or alteration of the Plan.

6. Every Plan to be carried out pursuant to the terms and conditions of this Licence shall become a part of this Licence, and any additional terms and conditions imposed upon approval of a Plan by the Board become part of this Licence. All terms and conditions of the Licence should be contemplated in the development of a Plan where appropriate.
7. The Licensee shall ensure a copy of this Licence is maintained at the site of operations at all times. Any communication with respect to this Licence shall be made in writing to the attention of:

(a) Manager of Licensing:

Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0
Telephone: (867) 360-6338
Fax: (867) 360-6369
Email: licensing@nunavutwaterboard.org

(b) Inspector Contact:

Water Resources Officer, INAC
Nunavut District, Nunavut Region
P.O. Box 100
Iqaluit, NU X0A 0H0
Telephone: (867) 975-4295
Fax: (867) 979-6445

8. The Licensee shall submit one paper copy and one electronic copy of all reports, studies, and plans to the Board. Reports or studies submitted to the Board by the Licensee shall include a detailed executive summary in Inuktitut.
9. The Licensee shall ensure that any document(s) or correspondence submitted by the Licensee to the Board is received and acknowledged by the Manager of Licensing.
10. This Licence is not assignable except as provided in Section 44 of the *Act*.

PART C: CONDITIONS APPLYING TO WATER USE

1. The Licensee shall obtain drill water from local water source(s), proximal to the drilling targets as outlined in the application or as otherwise approved by the Board in writing. The volume of water for the purposes of this Licence shall not exceed 70 cubic meters per day unless otherwise approved by the Board in writing.
2. Streams cannot be used as a water source unless authorized and approved by the Board in writing.

3. If the Licensee requires water in sufficient volume that the source water body may be drawn down the Licensee shall, at least thirty (30) days prior to commencement of use of water, submit to the Board for approval in writing, the following: volume required, hydrological overview of the water body, details of impacts, and proposed mitigation measures.
4. The Licensee shall equip all water intake hoses with a screen of an appropriate mesh size to ensure that fish are not entrained and shall withdraw water at a rate such that fish do not become impinged on the screen.
5. The Licensee shall not remove any material from below the ordinary high water mark of any water body unless authorized.
6. The Licensee shall not cause erosion to the banks of any body of water and shall provide necessary controls to prevent such erosion.
7. Sediment and erosion control measures shall be implemented prior to and maintained during the operation to prevent entry of sediment into water.

PART D: CONDITIONS APPLYING TO WASTE DISPOSAL

1. The Licensee shall locate areas designated for waste disposal at a minimum distance of thirty (30) metres from the ordinary high water mark of any water body such that the quality, quantity or flow of water is not impaired, unless otherwise approved by the Board in writing.
2. The Licensee shall not practice open burning or on-site land filling of domestic waste, unless otherwise approved by the Board in writing.
3. The Licensee shall provide to the Board, documented authorization from the community accepting backhauled waste prior to the backhauling of any waste.
4. The Licensee shall backhaul and dispose of all hazardous wastes, waste oil and non-combustible waste generated through the course of the operation in an approved waste disposal site.
5. The Licensee shall maintain records of all waste backhauled and records of confirmation of proper disposal of backhauled waste. These records shall be made available to an Inspector upon request.

PART E: CONDITIONS FOR CAMPS, ACCESS INFRASTRUCTURES AND OPERATIONS

1. The Licensee is not authorized to erect camp facilities.
2. The Licensee shall not erect camps or store material on the surface of frozen streams or lakes including immediate banks except what is for immediate use. Camps (if authorized) shall be located such as to minimize impacts on surface drainage.
3. All activities shall be conducted in such a way as to minimize impacts on surface drainage and the Licensee shall immediately undertake any corrective measures in the event of any impacts on surface drainage.
4. Winter lake and stream crossings, including ice bridges, shall be constructed entirely of water, ice or snow. The Licensee should minimize disturbance by locating ice bridges in an area that requires the minimum approach grading and the shortest crossing route. Stream crossings shall be removed or the ice notched prior to spring break-up.
5. With respect to access road, pad construction or other earthworks, the deposition of debris or sediment into or onto any water body is prohibited. These materials shall be disposed a distance of at least thirty (30) metres from the ordinary high water mark in such a fashion that they do not enter the water.

PART F: CONDITIONS APPLYING TO DRILLING OPERATIONS

1. The Licensee shall not conduct any land based drilling within thirty (30) metres of the ordinary high water mark of any water body, unless otherwise approved by the Board in writing.
2. The Licensee shall ensure that all drill waste, including water, chips, muds and salts (CaCl_2) in any quantity or concentration, from land-based and on-ice drilling, shall be disposed of in a properly constructed sump or an appropriate natural depression located at a distance of at least thirty (30) metres from the ordinary high water mark of any adjacent water body, where direct flow into a water body is not possible and no additional impacts are created.
3. If artesian flow is encountered, drill holes shall be immediately sealed and permanently capped to prevent induced contamination of groundwater or salinization of surface waters. The Licensee shall report all artesian flow occurrences within the Annual Report, including the location (GPS coordinates) and dates.
4. Where drilling activity has penetrated below the permafrost layer, the NWB requests that the proponent record the depth of permafrost and location of the drill hole to be included within the Annual Report.

5. Drilling additives or mud shall not be used in connection with holes drilled through lake ice unless they are re-circulated or contained such that they do not enter the water, or are demonstrated to be non-toxic.
6. For “on-ice” drilling where drill additives are not being used, return water released must be nontoxic, and not result in an increase in total suspended solids in the immediate receiving waters above the Canadian Council of Ministers for the Environment, Guidelines for the Protection of Freshwater Aquatic Life (i.e. 10mg/L for lakes with background levels under 100 mg/L, or 10% for those above 100mg/L).
7. The Licensee shall establish water quality conditions prior to and upon completion of any drilling program through lake ice.

PART G: CONDITIONS APPLYING TO MODIFICATIONS

1. The Licensee may, without written consent from the Board, carry out Modifications to the Water Supply Facilities and Waste Disposal Facilities provided that such Modifications are consistent with the terms of this Licence and the following requirements are met:
 - a. the Licensee has notified the Board in writing of such proposed Modifications at least sixty (60) days prior to beginning the Modifications;
 - b. such Modifications do not place the Licensee in contravention of the Licence or the *Act*;
 - c. the Board has not, during the sixty (60) days following notification of the proposed Modifications, informed the Licensee that review of the proposal will require more than sixty (60) days; and
 - d. the Board has not rejected the proposed Modifications.
2. Modifications for which all of the conditions referred to in Part G, Item 1 have not been met can be carried out only with written approval from the Board.
3. The Licensee shall provide as-built plans and drawings of the Modifications referred to in this Licence within ninety (90) days of completion of the Modification. These plans and drawings shall be stamped by an Engineer.

PART H: CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING

1. The Board has approved the Plan entitled “Fuel Spill Contingency Plan” dated November 2007 that was submitted as additional information with the Application.
2. The Licensee shall submit within (30) days of issuance of the Licence, an Addendum to the Plan referred to in Part H, Item 1, to address issues identified in Schedule 1.
3. The Licensee shall implement the Plan specified in Part H, Item 1, following approval by the Board in writing.
4. The Licensee shall review the Plan referred to in this Part as required by changes in operation and/or technology and modify the Plan accordingly. Revisions to the Plan are to be submitted in the form of an Addendum to be included with the Annual Report.
5. The Licensee shall ensure that any chemicals, petroleum products or wastes associated with the project do not enter water. All sumps and fuel caches shall be located at a distance of at least thirty (30) metres from the ordinary high water mark of any adjacent water body and inspected on a regular basis.
6. The Licensee shall ensure that any equipment maintenance and servicing be conducted only in designated areas and shall implement special procedures (such as the use of drip pans) to manage motor fluids and other waste and contain potential spills.
7. If during the term of this Licence, an unauthorized discharge of waste occurs, or if such a discharge is foreseeable, the Licensee shall:
 - a. Employ the Spill Contingency Plan;
 - b. Report the spill immediately to the 24-Hour Spill Line at (867) 920-8130 and to the Inspector at (867) 975-4295; and
 - c. For each spill occurrence, submit to the Inspector, no later than thirty (30) days after initially reporting the event, a detailed report that will include the amount and type of spilled product, the GPS location of the spill, and the measures taken to contain and clean up the spill site.

PART I: CONDITIONS APPLYING TO ABANDONMENT AND RESTORATION OR TEMPORARY CLOSING

1. The Board has approved the Plan entitled “Abandonment and Restoration Plan” dated November 2007 that was submitted as additional information with the Application.
2. The Licensee shall submit within (30) days of issuance of the Licence, an Addendum to the Plan referred to in Part I, Item 1, to address issues identified in Schedule 2.

3. The Licensee shall implement the Plan specified in Part I, Item 1, following approval in writing by the Board.
4. The Licensee shall review the Plan referred to in this Part as required by changes in operation and/or technology and modify the Plan accordingly. Revisions to the Plan are to be submitted in the form of an Addendum to be included with the Annual Report.
5. The Licensee shall complete all restoration work prior to the expiry of this Licence.
6. The Licensee shall carry out progressive reclamation of any components of the project no longer required for the Licensee's operations.
7. The Licensee shall backfill and restore all sumps to the pre-existing natural contours of the land.
8. The Licensee shall remove from the site infrastructures and site material, including but not limited to, all fuel caches, drums, barrels, buildings and contents, docks, water pumps and lines, material and equipment before the expiry of this Licence.
9. All roads and airstrip, if any, shall be re-graded to match natural contour to reduce erosion.
10. All culverts shall be removed and the drainage opened up to match the natural channel. Measures shall be implemented to minimize erosion and sedimentation.
11. In order to promote growth of vegetation and the needed microclimate for seed deposition, all disturbed surfaces shall be prepared by ripping, grading, or scarifying the surface to conform to the natural topography.
12. Areas that have been contaminated by hydrocarbons from normal fuel transfer procedures shall be reclaimed to meet objective as outlined in the Government of Nunavut's Environmental Guideline for Site Remediation, January 2002. The use of reclaimed soils for the purpose of back fill or general site grading may be carried out only upon consultation and approval by the Government of Nunavut, Department of Environment and an Inspector.
13. Drill holes and disturbed areas will be restored to natural conditions immediately upon completion of the drilling. The reclamation of drill holes must include the removal of any drill casing materials and the capping of holes with a permanent seal.
14. The Licensee may store drill core produced by the appurtenant undertaking in an appropriate manner and location at least thirty (30) metres above the ordinary high water mark of any adjacent water body, where any direct flow into a water body is not possible and no additional impacts are created.
15. All disturbed areas shall be contoured and stabilized upon completion of work and restored to a pre-disturbed state.

PART J: CONDITIONS APPLYING TO THE MONITORING PROGRAM

1. The Licensee shall measure and record, in cubic metres, the daily quantities of water utilized for camp, drilling and other purposes.
2. The Licensee shall provide the GPS co-ordinates (in degrees, minutes and seconds of latitude and longitude) of all locations where sources of water are utilized for all purposes.
3. The Licensee shall determine the GPS co-ordinates (in degrees, minutes and seconds of latitude and longitude) of all locations where wastes associated with camp operations and drilling operations are deposited.
4. The Licensee shall obtain representative samples of the water column below any ice where required under Part F, Item 11. Monitoring shall include but not be limited to the following:
 - Total Suspended Solids
 - pH
 - Electrical Conductivity, and
 - Total Trace Metals as determined by a standard ICP Scan (to include at a minimum, the following elements: Al, Sb, Ba, Be, Cd, Cr, Co, Cu, Fe, Pb, Li, Mn, Mo, Ni, Se, Sn, Sr, Tl, Ti, U, V, Zn), and
 - Trace Arsenic and Mercury
5. All sampling, sample preservation and analyses shall be conducted in accordance with methods prescribed in the current edition of *Standard Methods for the Examination of Water and Wastewater*, or by such other methods approved by the Board in writing.
6. All analyses shall be performed in a laboratory accredited according to ISO/IEC Standard 17025. The accreditation shall be current and in good standing.
7. Additional monitoring requirements may be requested by the Inspector.
8. The Licensee shall include in the Annual Report required under Part B, Item 2 all data, monitoring results and information required by this Part.

SCHEDULE 1 –

The Plan referred to in Part H, Item 2 shall address the recommendations of GN-DoE, INAC and EC:

DOE recommends the following:

1. A contact number was provided; however, it is unclear if this is a 24-hour number. The name, job title and 24 hour telephone number for the persons responsible for activating the contingency plan should be provided in the spill plan. This ensures the employee discovering the spill can activate a response and provides a 24 hour point of contact for the authority investigating the spill.
2. All fuel storage containers should be situated in a manner that allows easy access and removal of containers in the event of leaks or spills. Large fuel caches in excess of 20 drums should be inspected daily.
3. DOE monitors the movement of hazardous wastes, from generators, carriers to receivers of the wastes, through the use of a tracking document known as a Waste Manifest. A Waste Manifest must accompany all movements, and all parties must register with DOE by contacting Robert Eno at (867)975-7748 or reno@gov.nu.ca.
4. A spill report form should be included in the spill plan, and the applicant is recommended to utilize a newly developed spill report form in the case of spills, and to enter spill information electronically so it is legible to regulators investigating the spills. The new form can be obtained at the SPILL LINE.

EC recommends the following:

1. The proponent should be aware that any spill of fuel or hazardous materials, adjacent to or into a water body, regardless **of quantity**, should be, reported immediately to the NWT/NU 24-hour Spill Line, (867) 920-8130.
2. In the proponents Spill Contingency Plan, the Environment Canada contact number, **(867) 975 - 4639**, should be changed to the Environment Canada 24 hour on call Duty Officer at: **(867) 766 - 3737**.
3. All fuel caches should be, inspected and documented on a regular basis.

INAC recommends the following:

1. The Fuel Spill Contingency Plan's emergency contacts should include:

Peter Kusugak, Manager of Field Operations – INAC NRO
Tel. (867) 975-4295
Fax. (867) 979-6445
Email. KusugakP@inac-ainc.gc.ca

Henry Kablalik, Resource Management Officer – Kivalliq Region - INAC NRO

Tel. (867) 645-2831
Fax. (867) 645-2592
Email. KablaH@inac-ainc.gc.ca

David Ningeongan, Water Resources Officer – Kivalliq Region – INAC NRO
Tel. (867) 645-2089
Fax. (867) 645-2592
Email. NingeonganD@inac-ainc.gc.ca

2. A copy of the Nunavut Spill Report Form should be included in the Fuel Spill Contingency Plan. This form can be accessed from the Nunavut Water Board's online public registry.
3. Copies of all material safety data sheets applicable to the Kiyuk Lake Project should be included in Fuel Spill Contingency Plan.
4. Once the Proponent has determined where a fuel cache will be established in the Kiyuk Lake Project area, the Spill Contingency Plan should be revised. A schematic diagram of this fuel cache should be included in this plan. This schematic diagram should reference the fuel cache's proximity to nearby freshwater sources, base contour lines, cardinal north orientation, spill response equipment, and coordinate. An appropriate scale should be used.
5. Maps of the Kiyuk Lake Project area should be included in the Fuel Spill Contingency Plan to provide a visualization of the project area in relation to the larger Kivalliq Region.
6. According to Item 4 of the submitted Fuel Spill Contingency Plan, collapsible polyurethane berms will provide secondary containment for small fuel caches established within the project area. Detailed designed and installation information for these secondary containment systems should be included in this Plan.

SCHEDULE 2 –

The Plan referred to in Part I, Item 2 shall address the recommendations of GN-DoE:

1. To ensure proper restoration of the project site after project closure, DOE recommends sumps should only be used for inert drilling fluids, not any other materials or substances. If hydrocarbon based drill additives such as rod grease is used as proposed in the license application, DOE recommends the use of a filtration system aimed towards reduction of harmful substances to the environment.