

P.O. Box 119

GJOA HAVEN, NU XOB 1JO DOS ALCAS GOLAY

TEL: (867) 360-6338 FAX: (867) 360-6369 NUNAVUT WATER BOARD

NUNAVUT IMALIRIYIN KATIMAYINGI

# **DECISION**

LICENCE NUMBER: NWB2REP0507 - Type "B"

This is the decision of the Nunavut Water Board (NWB) with respect to an application for a Licence dated March 9, 2005 made by:

#### BHP BILLITON DIAMONDS INC.

to allow for the use of water and disposal of waste during camp operations and exploration drilling operations at the Repulse Bay exploration property located within the Kivalliq Region, Nunavut (camp located at latitude 67°29'N; longitude 93°09'W).

#### DECISION

After having been satisfied that the application was in conformity with the applicable Land Use Plan and exempt from the requirement for screening by the Nunavut Impact Review Board in accordance with Schedule 12.1, Paragraph 5 of the *Nunavut Land Claim Agreement* (NLCA), the NWB decided that the application could proceed through the regulatory process. In accordance with S.55.1 of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act (NWNSRTA)* and Article 13 of the *NLCA*, public notice of the application was given and interested persons were invited to make representations to the NWB.

After reviewing the submission of the Applicant and representations made by interested persons, the NWB, having given due regard to the facts and circumstances, the merits of the submissions made to it and to the purpose, scope and intent of the *NLCA* and of the *NWNSRTA*, decided to waive the requirement to hold a public hearing and furthermore to delegate its authority to approve the application to the Chief Administrative Officer pursuant to S. 13.7.5 of the *NLCA* and S. 49(a) of the *NWNSRTA* and determined that:

Licence Number NWB2REP0507 -Type "B" be issued subject to the terms and conditions contained therein. (Motion #: 2005-10)

SIGNED this 1st day of June, 2005 at Gjoa Haven, NU.

Philippe di Pizzo

Chief Administrative Officer

# TABLE OF CONTENTS

DECIS	SION		i
TABL	E OF	CONTENTS	ii
ĭ.	INT	RODUCTION	1
П.	GENERAL CONSIDERATIONS1		
	A. B.	Term of the Licence	1
	C. D.	Spill Contingency Planning  Abandonment and Restoration	
III.	LIC	ENCE NWB2REP0507– Type "B"	3
PART	A:	SCOPE AND DEFINITIONS	4
PART	B:	GENERAL CONDITIONS	
PART	C:	CONDITIONS APPLYING TO WATER USE	7
PART	D:	CONDITIONS APPLYING TO WASTE DISPOSAL	7
PART	E:	CONDITIONS APPLYING TO CAMP AND ACCESS INFRASTRUCTURES	
		INFRASTRUCTURES	9
PART	F:	CONDITIONS APPLYING TO DRILLING OPERATIONS	9
PART	G:	CONDITIONS APPLYING TO MODIFICATIONS	10
PART	H:	CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING	11
PART	I:	CONDITIONS APPLYING TO ABANDONMENT AND	
		RESTORATION PLANNING	11
PART	J:	CONDITIONS APPLYING TO THE MONITORING PROGRAM	12

#### I. INTRODUCTION

On March 9, 2005, an application for a water license was filed with the Nunavut Water Board by BHP Billiton Diamonds Inc. for water use and waste disposal activities during camp operations and drilling operations at the Repulse Bay exploration property located within the Kivalliq Region, Nunavut (camp located at latitude 67°29'N; longitude 93°09'W).

After having been satisfied that the application was in conformity with the applicable Land Use Plan and exempt from the requirement for screening by the Nunavut Impact Review Board in accordance with Schedule 12.1, Paragraph 5 of the *Nunavut Land Claim Agreement (NLCA)*, the NWB decided that the application could proceed through the regulatory process.

In accordance with S.55.1 of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act (NWNSRTA)* and Article 13 of the *NLCA*, public notice of the application was given and interested persons were invited to make representations to the NWB. No public concerns were expressed, and after reviewing the submission of the Applicant and representations made by interested persons, the NWB, having given due regard to the facts and circumstances, the merits of the submissions made to it and to the purpose, scope and intent of the *NLCA* and of the *NWNSRTA*, decided to waive the requirement to hold a public hearing and furthermore to delegate its authority to approve the application to the Chief Administrative Officer pursuant to S.13.7.5 of the *NLCA* and S.49(a) of the *NWNSRTA*.

#### II. GENERAL CONSIDERATIONS

#### A. Term of the Licence

In accordance with the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* S. 45, the NWB may issue a licence for a term not exceeding twenty-five years. The NWB believes that a term of approximately two years is appropriate. The licence term will allow the Licensee to properly carry out the terms and conditions of the licence and will ensure that sufficient time is given to permit the Licensee to develop, submit and implement the plans required under the licence to the satisfaction of the NWB.

#### B. Annual Report

The requirements imposed on the Licensee in this licence are for the purpose of ensuring that the NWB has an accurate annual update of water use and depositions of waste during a calendar year. This information is maintained on the public registry and is available to any interested parties upon request.

## C. Spill Contingency Planning

The Board generally requires that all Licensees prepare a comprehensive Spill Contingency Plan to establish a state of readiness to ensure a prompt and effective response to possible spills or system failure events. The site-specific spill contingency plan will assist the Licensee in

responding to emergencies such that the impacts to water in particular and the environment and public health in general are minimized. The Board approves the "BHP Billiton Spill and General Contingency Plan (2002)" as presented.

# D. Abandonment and Restoration (A&R)

To ensure that all future abandoned facilities are reclaimed in an appropriate manner, the NWB requires Licensees to submit an Abandonment and Restoration Plan. The Board requires that an Abandonment and Restoration Plan prepared in accordance with applicable sections of the "Guidelines for Abandonment and Restoration Planning for Mines in the Northwest Territories (1990)"be submitted to the NWB within six (6) months of the issuance of this License.

# LICENCE NWB2REP0507 - Type "B"

Pursuant to the Nunavut Waters and Nunavut Surface Rights Tribunal Act and the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada, the Nunavut Water Board, hereinafter referred to as the Board, hereby grants to

BHP BILLITON DIAMONDS INC.

Licensee)
2200 1111 West Coordin St. Venneywor, P.C. V6F 4M2
2300-1111 West Georgia St, Vancouver, BC V6E 4M3 Mailing Address)
I the Licensee, the right to alter, divert or otherwise use water for a period subject to onditions contained within this licence:
NWB2REP0507 - Type "B"
NUNAVUT 06 ent Area
REPULSE BAY PROJECT, KIVALLIQ REGION, NUNAVUT
WATER USE AND WASTE DISPOSAL
MINING AND MILLING – TYPE "B"  Undertaking
70 CUBIC METRES DAILY Water Not to Exceed
JUNE 1, 2005
JUNE 30, 2007
day of June, 2005 at Gjoa Haven, NU.

## PART A: SCOPE AND DEFINITIONS

## Scope

This Licence allows for the use of water and the disposal of waste for an undertaking classified as Mining and Milling at the Repulse Bay exploration property located within the Kivalliq Region, Nunavut (camp located at latitude 67°29'N; longitude 93°09'W).

- a. This License is issued subject to the conditions contained herein with respect to the taking of water and the depositing of waste of any type in any waters or in any place under any conditions where such waste or any other waste that results from the deposits of such waste may enter any waters. Whenever new Regulations are made or existing Regulations are amended by the Governor in Council under the Nunavut Waters and Nunavut Surface Rights Tribunal Act, or other statutes imposing more stringent conditions relating to the quantity or type of waste that may be so deposited or under which any such waste may be so deposited, this Licence shall be deemed, upon promulgation of such Regulations, to be subject to such requirements; and
- b. Compliance with the terms and conditions of this Licence does not absolve the Licensee from responsibility for compliance with the requirements of all applicable Federal, Territorial and Municipal legislation.

#### 2. Definitions

In this Licence: **NWB2REP0507** -Type "B"

- "Act" means the Nunavut Waters and Nunavut Surface Rights Tribunal Act,
- "Amendment" means a change to original terms and conditions of this licence requiring correction, addition or deletion of specific terms and conditions of the licence; modifications inconsistent with the terms of the set terms and conditions of the Licence;
- "Appurtenant Undertaking" means an undertaking in relation to which a use of waters or a deposit of waste is permitted by a licence issued by the Board;
- "Board" means the Nunavut Water Board established under the Nunavut Land Claims Agreement and the Nunavut Waters and Nunavut Surface Rights Tribunal Act;
- "Chief Administrative Officer" means the Executive Director of the Nunavut Water Board:
- "Greywater" means all liquid wastes from showers, baths, sinks, kitchens and domestic washing facilities, but does not include toilet wastes;

- "Inspector" means an Inspector designated by the Minister under Section 85 (1) of the Act;
- "Licensee" means the holder of this Licence
- "Nunavut Land Claims Agreement" (NLCA) means the "Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in right of Canada", including its preamble and schedules, and any amendments to that agreement made pursuant to it;
- "Sewage" means all toilet wastes and greywater;
- "Spill Contingency Plan" means a Plan developed to deal with unforeseen petroleum and chemical events that may occur during the operations conducted under the Licence;
- "Toilet Wastes" means all human excreta and associated products, but does not include greywater;
- "Waste" means, as defined in S.4 of the *Act*, any substance that, by itself or in combination with other substances found in water, would have the effect of altering the quality of any water to which the substance is added to an extent that is detrimental to its use by people or by any animal, fish or plant, or any water that would have that effect because of the quantity or concentration of the substances contained in it or because it has been treated or changed, by heat or other means;

#### 3. ENFORCEMENT

- a. Failure to comply with this Licence will be a violation of the *Act*, subjecting the Licensee to the enforcement measures and the penalties provided for in the *Act*;
- b. All inspection and enforcement services regarding this Licence will be provided by Inspectors appointed under the *Act*; and
- c. For the purpose of enforcing this Licence and with respect to the use of water and deposit or discharge of waste by the licensee, Inspectors appointed under the *Act*, hold all powers, privileges and protections that are conferred upon them by the *Act* or by other applicable law.

#### PART B: GENERAL CONDITIONS

1. The Water use fee shall be paid in accordance with the requirements of the Act.

- 2. Licensee shall file an Annual Report on the appurtenant undertaking with the Board not later than March 31st of the year following the calendar year reported which shall contain the following information:
  - i. A summary report of water use and waste disposal activities;
  - ii. A list of unauthorized discharges and a summary of follow-up actions taken;
  - iii. Revisions to the Spill Contingency Plan and Abandonment and Restoration Plan;
  - Progressive reclamation work undertaken;
  - v. All information as required by Part J, Item 5; and
  - vi. Any other details on water use or waste disposal requested by the Board by November 1 of the year being reported.
- 3. The Licensee shall notify the NWB of any changes in operating plans or conditions associated with this project at least thirty (30) days prior to any such change.
- 4. The Licensee shall install flow meters or other such devices, or implement suitable methods required for the measuring of water volumes, to be operated and maintained to the satisfaction of an Inspector.
- If the Licensee contemplates the renewal of Licence No. NWB2REP0507, it is the responsibility of the Licensee to apply to the NWB for its renewal. The past performance of the Licensee, new documentation and information, and issues raised during a public hearing, if the NWB is required to hold one, will be used to determine the terms and conditions of the Licence renewal. Note that if the Licence expires before the NWB issues a new one, then water use and waste disposal must cease, or the Licensee will be in contravention of the Nunavut Land Claims Agreement. The NWB recommends that an application for the renewal of Licence No. NWB2REP0507 be filed at least three months before the Licence expiry date.
- 6. If Licence No. NWB2REP0507 requires an amendment, a public hearing may be required. The Licensee should submit applications for amendment as soon as possible to give the NWB sufficient time to go through the amendment process. The process may vary depending on the scope of the amendment requested
- 7. The Licensee shall ensure a copy of this Licence is maintained at the site of operations at all times. Any communication with respect to this Licence shall be made in writing to the attention of:

#### (i) Chief Administrative Officer:

Executive Director Nunavut Water Board P.O. Box 119 Gjoa Haven, NU X0B 1J0 Telephone: (867) 360-6338

Fax: (867) 360-6369

## (ii) Inspector Contact:

Water Resources Officer Nunavut District, Nunavut Region P.O. Box 100 Iqaluit, NU X0A 0H0

Telephone: (867) 975-4289 Fax: (867) 979-6445

8. The Licensee shall submit one paper copy and one electronic copy of all reports, studies, and plans to the Board. Reports or studies submitted to the Board by the Licensee shall include a detailed executive summary in Inuktitut.

## PART C: CONDITIONS APPLYING TO WATER USE

- 1. The Licensee shall obtain water for domestic use from the un-named lake adjacent to the camp site, up to a maximum of 10 cubic metres per day. Water use for drilling operations shall be obtained from local lakes and adjacent water sources, up to a maximum of 60 cubic meters per day.
- 2. If the drilling requires water in sufficient volume that the source water body may be drawn down the Licensee shall, at least 30 days prior to commencement of drilling, submit to the Board for approval the following: volume required, hydrological overview of the water body, details of impacts, and proposed mitigation measures. The use of streams is not recommended as a water source.
- 3. The Licensee shall equip all water intake hoses with a screen of an appropriate mesh size to ensure that there is no entrainment of fish.
- 4. The Licensee shall ensure that the rate of water withdrawal is such that fish do not become impinged on the screen.
- The Licensee shall not remove any material from below the ordinary high water mark of any water body.
- The Licensee shall not do anything that will cause erosion to the banks of any body of water and shall provide necessary controls to prevent such erosion.
- 7. Sediment and erosion control measures shall be implemented prior to and maintained during the operation to prevent entry of sediment into water.

# PART D: CONDITIONS APPLYING TO WASTE DISPOSAL

- Areas designated for waste disposal that may impair the quality, quantity, or flow of
  water shall be located at least thirty (30) metres above the ordinary high water mark of
  any water body, unless otherwise authorized by the Board.
- 2. No open burning or on-site land filling of domestic waste is permitted.
- The Licensee shall incinerate all combustible waste, and shall ensure that all hazardous
  wastes, waste oil and non-combustible waste generated through the course of the
  operation are backhauled and disposed of in an approved waste disposal site.
- 4. The Licensee shall dispose of all sewage and greywater to the RBC ROTODISC Treatment Plant described in the application filed with the Board on March 9, 2005, unless otherwise approved by the Board.
- 5. The Licensee shall discharge treated effluent to the area described in the amendment application filed with the Nunavut Water Board on March 9, 2005 and illustrated on the BHP Billiton Repulse Bay Project site map, unless otherwise approved by the Board.
- 6. Once monthly during open water season, the Licensee shall sample and analyze flow at the point of discharge from the RBC ROTODISC and at a location where treated effluent may enter the downstream water body identified in the application for the following parameters: BOD, TSS, pH, Faecal Coliform and Oil/Grease (visual). The results shall be submitted to the NWB for review thirty (30) days following the sampling date.
- 7. The Licensee shall discharge waste in such a manner to minimize surface erosion.
- Sludge generated by the ROTODISC RBC shall be periodically collected and transported to an approved disposal facility for proper disposal, unless otherwise approved by the Board.
- 9. If the Licensee contemplates the disposal and treatment of sludge on land, it shall submit to the Board for approval at least four (4) months prior to the disposal of Sludge a proposal which shall address, but not be limited to:
  - Location of disposal area;
  - ii. Quantities and composition of sludge;
  - iii. Mitigation measures to control run-off and restrict access;
  - iv. A program for water quality monitoring;
  - v. An implementation schedule;
  - vi. An executive summary of the proposal in English and Inuktitut.

- The Licensee shall implement the proposal specified in this Part as and when approved by the Board.
- 11. If the Board does not approve the proposal referred to in this Part, the Licensee shall revise this proposal and resubmit it to the Board for approval within two (2) months of receiving notification of the Board's decision.

# PART E: CONDITIONS FOR CAMPS, ACCESS INFRASTRUCTURES AND OPERATIONS

- The Licensee shall not erect camps or store material on the surface of frozen streams or lakes except what is for immediate use. Camps shall be located such as to minimize impacts on surface drainage.
- All activities shall be conducted in such a way as to minimize impacts on surface drainage and the Licensee shall immediately undertake any corrective measures in the event of any impacts on surface drainage.
- Winter lake and stream crossings, including ice bridges, shall be constructed entirely of water, ice or snow; stream crossings shall be removed or notched prior to spring breakup.
- 4. With respect to access road, pad construction or other earthworks, the deposition of debris or sediment into any water body is prohibited. These materials shall be disposed of above the ordinary high water mark in such a fashion that they do not enter the water.

## PART F: CONDITIONS APPLYING TO DRILLING OPERATIONS

- No land-based drilling is to be done within thirty (30) metres of the high water mark of any water body.
- 2. The Licensee shall ensure that all drill cuttings and any return water and sludge that cannot be re-circulated, including CaCl in any quantity or concentration, be disposed of in a properly constructed sump or an appropriate natural depression located at least thirty (30) metres above the ordinary high water mark of any adjacent water body, such that the contents do not enter any water body, and no additional impacts are created.
- Drilling additives or mud shall not be used in connection with holes drilled through lake ice unless they are re-circulated or contained such that they do not enter the water, or are demonstrated to be non-toxic.
- 4. If artesian flow is encountered, drill holes shall be plugged and permanently sealed upon project termination.

- 5. For all on-ice drilling operations the Licensee shall follow the *Interim Guidelines for On-Ice Drilling in the NWT*. These are:
  - i. All drill cuttings shall be removed from the ice surface;
  - ii. The release of total suspended solids in the receiving environment shall be in compliance with the Guidelines for Total Suspended Solids contained in the Canadian Council of Ministers of the Environment's (CCME) Canadian Water Quality Guidelines, Chapter 3 Freshwater Aquatic Life; and
  - iii. For kimberlite targets, non-toxicity must be demonstrated; toxicity testing shall be done on the effluent from the drilling operation and the results shall be submitted to the Nunavut Water Board and/or an Inspector upon request.
- The Licensee shall establish baseline water quality conditions before drilling through lake
  ice and the results shall be submitted to the Nunavut Water Board and/or an Inspector
  upon request.

# PART G: CONDITIONS APPLYING TO MODIFICATIONS

- 1. The Licensee may, without written consent from the Board, carry out Modifications to the Water Supply Facilities and Waste Disposal Facilities provided that such Modifications are consistent with the terms of this License and the following requirements are met:
  - i. the Licensee has notified the Board in writing of such proposed Modifications at least sixty (60) days prior to beginning the Modifications;
  - ii. such Modifications do not place the Licensee in contravention of the License or the *Act*:
  - iii. the Board has not, during the sixty (60) days following notification of the proposed Modifications, informed the Licensee that review of the proposal will require more than sixty (60) days; and
  - iv. the Board has not rejected the proposed Modifications.
- 2. Modifications for which all of the conditions referred to in Part G, Item 1 have not been met can be carried out only with written approval from the Board.
- The Licensee shall provide as-built plans and drawings of the Modifications referred to in this License within ninety (90) days of completion of the Modification. These plans and drawings shall be stamped by an Engineer.

# PART H: CONDITIONS APPLYING TO SPILL CONTINGENCY PLANNING

- 1. The Licensee shall annually review the approved Spill Contingency Plan and modify the Plan as necessary to reflect changes in personnel, operations and/or technology. Any proposed modifications shall be submitted to the Board as an addendum to the original plan in accordance with Part B, Item 2(iii).
- 2. The Licensee shall ensure that any chemicals, petroleum products or wastes associated with the project do not enter water. All sumps and fuel caches shall be located a minimum of thirty (30) metres above the ordinary high water mark of any adjacent water body. The Licensee is encouraged to use some form of secondary containment.
- 3. The Licensee shall ensure that any equipment maintenance and servicing be conducted only in designated areas and shall implement special procedures (such as the use of drip pans) to manage fluids, waste and contain potential spills.
- 4. If during the term of this Licence, an unauthorized discharge of waste occurs, or if such a discharge is foreseeable, the Licensee shall:
  - i. Employ the Spill Contingency Plan;
  - ii. Report the spill immediately to the 24-Hour Spill Line at (867) 920-8130 and to the DIAND Water Resources Inspector at (867) 975-4289; and
  - iii. Submit to the DIAND Water Resources Inspector on each occurrence, a detailed report including the GPS location, no later than thirty (30) days after initially reporting the event.

## PART I: CONDITIONS APPLYING TO ABANDONMENT AND RESTORATION

- 1. The Licensee shall submit to the Board for approval, within six (6) months of the issuance of this license, an Abandonment and Restoration Plan prepared in accordance with applicable sections of the "Guidelines for Abandonment and Restoration Planning for Mines in the Northwest Territories (1990)".
- 2. If not approved by the Board, the plan referred to in Part I, Item 1 shall be revised and resubmitted within thirty (30) days of receiving notification of the Board's decision.
- 3. The Licensee shall annually review any approved Abandonment and Restoration Plan and modify the Plan as necessary to reflect changes in personnel, operations and/or technology. Any proposed modifications shall be submitted to the Board as an addendum to the original Plan in accordance with Part B, Item 2(iii).
- The Licensee shall complete the restoration work within the time schedule specified in the approved Plan, or as subsequently revised and approved by the Board.

- The Licensee shall endeavor to carry out progressive reclamation for any components of the project no longer required for the Licensee's operations.
- The Licensee shall backfill and restore, to the satisfaction of an Inspector, all camp and drilling waste disposal sumps to the pre-existing contours of the land prior to the expiry of this License.
- All disturbed areas shall be stabilized and re-vegetated as required, upon completion of work, and restored to a pre-disturbed state.

# PART J: CONDITIONS APPLYING TO THE MONITORING PROGRAM

- The Licensee shall, at a minimum, adhere to the following "Monitoring Program"
  - The Licensee shall measure and record in cubic metres the daily quantities of water utilized for camp operations and drilling operations, for all purposes;
  - The Licensee shall determine the GPS co-ordinates (in degrees, minutes and seconds of latitude and longitude) of all locations where sources of water are utilized for all purposes;
  - iii. The Licensee shall determine the GPS co-ordinates (in degrees, minutes and seconds of latitude and longitude) of all locations where wastes associated with camp operations and drilling operations are deposited; and
  - iv. The Licensee shall collect samples monthly of the effluent discharged from the RBC sewage treatment system, and analyze these samples for the following parameters:

BOD Faecal Coliforms pH Conductivity

Total Suspended Solids Ammonia Nitrogen
Nitrate-Nitrite Oil and Grease (visual)

Total Phenols Sulphate
Sodium Potassium
Magnesium Calcium

Total Arsenic Total Cadmium
Total Copper Total Chromium
Total Iron Total Lead
Total Mercury Total Nickel

Total Zinc

Additional sampling and analysis may be requested by an Inspector.

- 3. The Licensee shall include all of the data and information required by the "Monitoring Program" in the Licensee's Annual Report, as required per Part B, Item 2.
- 4. Modifications to the Monitoring Program may be made only upon written approval of the Chief Administrative Officer.