



NWB Tools

Megan Porter <megan.porter@nwb-oen.ca>

Fwd: 2014 Water License Inspection on 3BC-GLF1111 Expired : 31/12/11

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
To: Megan Porter <megan.porter@nwb-oen.ca>

Tue, Sep 30, 2014 at 9:07 AM

Action, AANDC response to inspection



Phyllis Beaulieu- Δαττ Δαττ

Manager of Licensing- Responsable des Permis

ᐃᑭᓕᓂᔪ ᓕᐃᓕᓕᓂᓄᓐᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐃᒪᓕᓂᑦ ᑲᑎᒪᑦᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqarvia 119
Uqhuqtunq, NU, X013 110

Tel / Téléphone / ᐅᑦᓴᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᐅᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᐅᑦᓴᐅᑦᐅᑦᓴᐅᑦ / Akiittuuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(e)s pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Andrew Keim** <Andrew.Keim@aandc-aadnc.gc.ca>

Date: Mon, Sep 29, 2014 at 11:40 AM

Subject: RE: 2014 Water License Inspection on 3BC-GLF1111 Expired : 31/12/11

To: "Dewing, Keith" <Keith.Dewing@nrcan-rncan.gc.ca>

Cc: "Beaulieu, Phyllis" <licensing@nunavutwaterboard.org>

Mr. Dewing,

Please ensure this report is filed with the Nunavut Water Board.

The Manager of Licensing is Phyllis Beaulieu, her coordinates are : [licensing@nunavutwaterboard](mailto:licensing@nunavutwaterboard.ca)

I will review the coordinates as noted in your report. If it turns out the site has not yet been inspected a return visit will be scheduled. Until then the license will remain open until it can be cleared via a further inspection.

Thank you for filing the required report within the time frame as required.

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca

Phone: (867) 975-4289

Fax: (867) 979-6445

B.B (867) 222- 6488

>>> "Dewing, Keith" <Keith.Dewing@NRCan-RNCan.gc.ca> 9/29/2014 12:51 PM >>>


Dear Mr Keim,

Please find attached our reporting form for 3BC-GLF1111.

The location was near the head of Glacier Fiord, southern Axel Heiberg Island (78.6027N, 81.8370W; see photo attached).

The photos in the Inspection Report appear to be from Expedition Fiord area on west-central Axel Heiberg (based on the salt).

The Glacier Fiord camp was occupied from 04 July to 20 July 2011. There were five people at site. Water use was approximately 20 litres per day for drinking, dishes and washing. Waste water and sewage were disposed in a sump and buried. Solid waste was removed by aircraft.



Keith Dewing

Research Scientist / Chercheur Scientifique

Geological Survey of Canada / Commission géologique du Canada

3303 - 33 Street N.W. Calgary, AB, Canada T2L 2A7

☎ (403) 292-7135 📠 (403) 292-4961 ✉ kdewing@NRCan.gc.ca

Natural Resources Canada, Government of Canada / Ressources naturelles Canada, Gouvernement du Canada

From: Andrew Keim [mailto:Andrew.Keim@aandc-aadnc.gc.ca]

Sent: September-02-14 09:19

To: Dewing, Keith

Cc: Allain, Erik; AANDC; Phyllis Beaulieu

Subject: 2014 Water License Inspection on 3BC-GLF1111 Expired : 31/12/11

Keith Dewing

Geological Survey of Canada

3303 33rd ST NW

Calgary, AB T2L 2A7

Mr. Dewing,

Please find enclosed a Water License Inspection Report and enclosed 30 day compliance order.

Please review the document and submit the required Annual report to the Nunavut Water Board within 30 days.

Upon acceptance of the submission an application for closure of this license may be made to the Board.

Failure to comply may result in further enforcement action as prescribed in the Act.

If you have any questions or concerns please do not hesitate to contact the undersigned at your earliest convenience.

Andrew Keim

Water Resources Officer

Field Operations Unit

Aboriginal Affairs and Northern Development Canada

Nunavut Regional Office

P.O. Box 100

Iqaluit, Nunavut X0A 0H0

Andrew.Keim@aandc-aadnc.gc.ca

Phone: (867) 975-4289

Fax: (867) 979-6445

B.B (867) 222- 6488