



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140822 1WLC-IIA----- Application for Approval Without Licence Rejected-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Aug 22, 2014 at 11:04 AM

To: Michel Boulianne <mboulianne@sintra.ca>

On August 12, 2014 the Nunavut Water Board received an application for Approval Without a Licence for the IIAIP Iqaluit Airport Project. This application has been rejected by the Nunavut Water Board and replaced with a Type B application. This file is now closed.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᕐᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ Maniayuyug Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐᕐ 119
ᕐᕐᕐᕐᕐᕐ X0B 1J0

Titigaqiaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᕐᕐᕐᕐᕐᕐᕐᕐ / Akittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

