



Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140506 1BR-LTU1013 Receipt of Renewal Application-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
To: "Molinski, Michael" <Michael.Molinski@tc.gc.ca>
Cc: Karen Kharatyan <karen.kharatyan@nwb-oen.ca>

Tue, May 6, 2014 at 1:48 PM

The Nunavut Water Board acknowledged receipt, on April 25, 2014 of an application for renewal for the Landfarm Treatment Facility in Iqaluit. Currently the file is undergoing an internal review prior to our 30 day comment period. You will be notified of any deficiencies prior to distribution.
Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᕐᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ- Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐᕐ 119
ᕐᕐᕐᕐᕐᕐ, ᕐᕐᕐᕐ X0B 1J0

Titigaqavvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email