



Transport
Canada

Transports
Canada

3rd Floor-344 Edmonton Street
Winnipeg, Manitoba
R3C 0P6

March 8, 2012

Our File #: 7184-90-42

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0

Dear Phyllis Beaulieu

Re: Annual Report Iqaluit Airport Landfarm Water License #1BR-LTU1013

Transport Canada (TC) is pleased to submit the required annual report for the above landfarm at the Iqaluit Airport License #1BR-LTU1013.

As per the previous communication on March 14, 2011 (attached), TC has completed the updated QA/QC Plan and obtained the required accredited laboratory approval as per Part J, item 10 of the license.

TC is providing one (1) paper hard copy and one (1) electronic version of the report that contains the following documents:

- 1) Annual report form (electronic version);
- 2) Accredited Lab letter approving QA/QC Plan;
- 3) Lab Scope of Accreditation Document;
- 4) Revised QA/QC Plan, and;
- 5) Biogenie Final Report of Land Treatment Maintenance Activities, February 2012.

If you wish to discuss the above in more detail, please contact me at (204) 984-0440.

Sincerely,

Mike Molinski
Environment Officer
Prairie and Northern Region
Environmental Affairs, Programs

Encl.

Canada



Transport
Canada

Transports
Canada

3rd Floor-344 Edmonton Street
Winnipeg, Manitoba
R3C 0P6

March 14, 2011

Our File #: 7184-90-42

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0

Dear Phyllis Beaulieu

Re: Annual Report Iqaluit Airport Landfarm Water License Number 1BR-LTU1013

As discussed, Transport Canada (TC) was unable to hire a qualified contractor in 2010 to complete the required maintenance and sampling program specified in the above water license. The contract was sent out for tender; however, all proposals submitted to TC did not pass the technical evaluation. Therefore, no work was completed for the 2010 maintenance schedule.

TC is anticipating hiring a qualified contractor to complete the required maintenance in early 2011. Once TC has selected a contractor, the laboratory (accredited) approved QA/QC plan will be submitted to the Nunavut Water Board for review as required under the above water license Part J, Item 10.

If you wish to discuss the above in more detail, please contact me at (204) 984-0440.

Sincerely,

Mike Molinski
Environment Officer
Prairie and Northern Region
Environmental Affairs, Programs

Cc Karén Kharatyan

Canada