DIAMONDEX RESOURCES LTD.

SPILL CONTINGENCY PLAN

1.0 INTRODUCTION

1.1 PURPOSE OF PLAN

The purpose of this Spill Contingency Plan is to provide a plan of action for all spills of hazardous materials that may occur on any exploration property. This plan defines the responsibilities of key personnel and outlines procedures to effectively and efficiently contain and recover spills of hazardous materials.

Petroleum products and hazardous materials that will be considered in this Spill Contingency Plan include:

- diesel fuel
- hydraulic oil
- lubricating oil
- gasoline
- Jet "B" fuel
- antifreeze
- propane

1.2 DIAMONDEX RESOURCES LTD. ENVIRONMENTAL POLICY

It is the policy of Diamondex Resources Ltd. to comply with all existing laws and regulations to help ensure the protection of the environment. Diamondex Resources Ltd. cooperates with other groups committed to protecting the environment and ensures that employees, government, and the public is informed on the procedures followed to help protect the environment.

2.0 SITE DESCRIPTION

2.1 GENERAL SITE DESCRIPTION:

This spill contingency plan is to be implemented at all field camps established for mineral exploration.

2.2 PETROLEUM STORAGE AND TRANSPORT

Currently 206 litre fuel drums are stored at a distance greater than 100 metres from the normal high water mark of any water body.

All fuel and oil are transported to the various exploration properties by plane.

2.3 CHEMICAL STORAGE AND TRANSPORT


Any required chemicals are transported to site by plane.

2.4 GREYWATER AND SEWAGE

Greywater will be discharged into sumps or natural depressions away from water bodies.

3.0 RESPONSE ORGANIZATION

The following is a flow chart to illustrate the sequence of events in the event of a hazardous material spill occurring at any of the Diamondex exploration properties.



3.1 SPILL RESPONSE TEAM

David Clarke will be the On-Scene Coordinator for the Diamondex exploration properties. David Clarke will appoint and train appropriate personnel to make up the Diamondex Spill Response Team for the various Diamondex exploration properties. The key personnel that make up the Diamondex Spill Response Team are as follows:

On-Scene Coordinator David Clarke

Site Personnel Will generally vary from 3 to 14 people throughout the year

Project Manager David Clarke

The responsibilities of the On-Scene Coordinator are as follows:

- 1. Assume complete authority over the spill scene and coordinate all personnel involved.
- 2. Evaluate spill situation and develop overall plan of action.
- 3. Activate the spill contingency plan
- 4. Immediately report the spill to the NWT 24-Hour Spill Report Line (867) 920-8130, regulatory agencies, and Diamondex management
- 5. Obtain additional manpower, equipment, and material if not available on site for spill response.

The responsibilities of the Project Manager are as follows:

- 1. Provide regulatory agencies and Diamondex management with information regarding the status of the clean up activities.
- Act as a spokesperson on behalf of Diamondex with regulatory agencies as well as the public and media.
- 3. Prepare and submit a report on the spill incident to regulatory agencies within 30 days of the event.

3.2 ADDITIONAL CONTACTS

Table 1 - Emergency Contacts

CONTACT	TELEPHONE NUMBER
DIAND – Land Use Inspector, Kugluktuk	(867) 982-4306
Diamondex – Randy C. Turner, President	(604) 988-1159 (home)
Diamondex – David B. Clarke, VP, Exploration	(604) 739-8506 (home)
Environment Canada	(867) 669-4700, Fax (867) 873-8185
Air Tindi	(867) 669-8212
Great Slave Helicopters	(867) 873-2081
Yellowknife Fire Department	(867) 873-2222

Table 1 - Emergency Contacts, continued

CONTACT	TELEPHONE NUMBER
Kugluktuk RCMP	(867) 982-4111
Stanton Regional Hospital – Yellowknife	(867) 920-4111
Project Geologist	Information to be supplied per individual field
	program
Discovery Mining Services	(867) 920-4600
Diamondex Office, Vancouver	(604) 687-6644

4.0 REPORTING PROCEDURE

The On Scene Coordinator must be notified immediately of any spill either by phone, radio, or in person.

The following is the spill reporting procedure:

- 1. Report immediately to the 24-Hour Spill Report Line Phone (867) 920-8130, Fax (867) 873-6924
- 2. Fill out the NWT Spill Report Form NWT1752/0202.

5.0 ACTION PLANS

5.1 INITIAL ACTION

The instructions to be followed by the first person on the spill scene are as follows:

- 1. Always be alert and consider your safety first.
- 2. If possible, identify the material that has been spilled.
- 3. Assess the hazard of people in the vicinity of the spill.
- 4. If possible, safely try to stop the flow of material to minimize potential for environmental impacts.
- 5. Immediately report the spill to the On Scene Coordinator.
- 6. Resume any effective action to contain, mitigate, or terminate the flow of the spilled material.

The following pages include specific instructions to be followed in the response to various types of spills including diesel fuel, hydraulic oil, lubricating oil, gasoline, aviation fuel (Jet "B"), antifreeze, and propane.