

## Annual Report – Nunavut Water Board (License 3BC-AMD1212)

Operations occurring under the Nunavut Water License B (3BC-AMD1212) issued to Dr. Gordon Osinski on behalf of the University of Western Ontario lasted from July 6-13, 2012. During this time approximately 15 Litres/day of water for domestic camp use was collected from the small unnamed stream north of the camp location via a plastic bucket. A small sump (50 cm diameter, 30 cm deep) was dug for disposal of greywater (5 L/day) approximately 5 metres from the kitchen tent and approximately 150 metres from the high water mark in the area (approx. GPS coordinates: 79° 4'31.32"N, 90°12'15.46"W). A latrine pit (1 m diameter, 1 m deep) was dug approximately 50 metres from the kitchen tent and 100 metres from the high water mark in the area (approx. GPS coordinates: 79° 4'30.57"N, 90°12'20.31"W). All paper wastes were collected, flown out and disposed of at the PCSP facility in Resolute.

No unauthorized discharges occurred.

Upon completion of the operations all equipment and supplies were removed from the site and both the sump and the latrine pit were backfilled with native material and shaped to the pre-existing natural contours of the land.



Left: The kitchen tent with the small sump in the foreground.

Right: The bathroom tent with the latrine pit only slightly visible behind to the right.