



NWB Tools

Ida Porter &lt;ida.porter@nwb-oen.ca&gt;

## Fwd: Fw: Meliadine Gold - Pre-development Type B WL application

1 message

Phyllis Beaulieu &lt;phyllis.beaulieu@nwb-oen.ca&gt;

Sat, Jul 11, 2015 at 3:32 PM

To: Robin Ikkutisluk &lt;robin.ikkutisluk@nwb-oen.ca&gt;, Ida Porter &lt;ida.porter@nwb-oen.ca&gt;

Save to Central Admin 150706 8BC-MEL--- Request to Golder Addnl Information-OKKE



### Phyllis Beaulieu- ᐱᕐᕐᕐ ᕐᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ Muriyauyuq Luisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUTIMALIRIYIN KATIMAYINGI

[www.nwb-oen.ca](http://www.nwb-oen.ca)

P.O. Box 119

C.P. 119

ᐱᕐᕐᕐᕐᕐᕐ 119

Tittigagaqvia 119

Cijoa Haven, NU, X0B 1J0

Cijoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐ, ᕐᕐᕐᕐ X0B 1J0

Uqhuqhauq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᕐᕐᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: Karén Kharatyan &lt;karen.kharatyan@nwb-oen.ca&gt;

Date: Mon, Jul 6, 2015 at 4:05 PM

Subject: Re: Fw: Meliadine Gold - Pre-development Type B WL application

To:

Cc: Dionne Filiatrault &lt;dionne\_filiatrault@golder.com&gt;, Jennifer\_Range@golder.com, Phyllis Beaulieu

&lt;phyllis.beaulieu@nwb-oen.ca&gt;

Hi Dionne,

One quick question: Looking at the page 41 of the Main Supporting document the highlighted in bold documents were supposed to be included within the application package. The same information is provided by Cover letter and by Concordance Assessment.

Because the Main Supporting document includes sections regarding Environmental Management and Protection, Roads, Borrow Pits and Quarries Management, Spill Contingency Planning it gave a wrong impression that your intention is to submit those plans subsequently. However, from my understanding those Plans should have been included within the Application?

The Licensing department is just in receipt of Application form with Cover letter, Main Application Supporting document that includes a Closure and Reclamation Strategy and Security Estimate, Concordance Assessment and the Spill Contingency Plan that you did send separately. The following plans are missing from the application package:

- Environmental Management and Protection Plan,
- Roads Management Plan, and
- Borrow Pits and Quarries Management Plan.

Once this information is received the NWB will send the application for public review/comments.

**Technical Advisor - Conseiller Technique**

[illegible]

[www.nwb-nen.nl](http://www.nwb-nen.nl)

Մեծագործ 119  
(Հիմադրել է Ռ. ՆՈՒ 189)

**AVIS DE CONFIDENTIALITÉ** Ce message, et toute(s) pièce(s) jointe(s) est (sont) confidentiel(s) et est (sont) exclusif(s) de destination(s) ci-dessus. Toute autre personne n'est pas destinataire de ce message et ne doit pas en divulguer le contenu à d'autres personnes. Si vous n'êtes pas le destinataire de ce message, vous devez informer immédiatement le correspondant et détruire ce message et toutes copies de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce journal / Thank you for thinking of the environment before printing this journal

2/4

version of any work product may not be relied upon.

Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation.

Please consider the environment before printing this email.

---

**From:** Range, Jennifer  
**Sent:** Friday, June 26, 2015 8:57 AM  
**To:** Filiatrault, Dionne  
**Subject:** FW: Meliadine Gold - Pre-development Type B WL application

**From:** Karén Kharatyan [<mailto:karen.kharatyan@nwb-oen.ca>]  
**Sent:** Thursday, June 25, 2015 2:56 PM  
**To:** Range, Jennifer  
**Cc:** Stephane Robert; David Hohnstein; Phyllis Beaulieu  
**Subject:** Meliadine Gold - Pre-development Type B WL application

Hi Jennifer,

A couple of quick questions regarding the Meliadine Gold Pre-development Type B WL application:

1. A small discrepancy of proposed scope is noticed between the Application Block 9 (Description of Undertaking): Project Executive Summary (pg. i) and Main Document s. 3.3 Mine Site Infrastructure (pg. 25) regarding the installation of new portal, and conveyor ramp to the underground mine.

According to Executive Summary this installation is not included within the proposed scope, however, this is not indicated in the Application or Main Document.

2. Main Document's s. 5.4. Spill Contingency Plan states that *Agnico Eagle proposes to use the approved Spill Contingency Plan which exists for current Meliadine operation, to minimize duplication and streamline emergency response in facilitation of effective communication in the event of a spill.*

The "Meliadine Gold Project Spill Contingency Plan Meliadine Camp Site, Meliadine Exploration Sites, All Weather Road, Discovery Camp Site" version February 2014 is the SCP that was submitted for Meliadine exploration / advanced exploration licences and approved by the Board. If this the Plan referred in the Main Document, and while this Plan could globally be applicable for the proposed activities as well, however, the Plan should still be updated to include the proposed project specific information.

Your clarifications will be appreciated.  
Regards,



### Technical Advisor - Conseiller Technique

ՀՀ ԿՈՆՍՏԱՆԴՆՍՊՈԼԻՍ ԲԵՐԻՆ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
ᓄᓇᓂᓪ ᐃᓕᓂᓪᓂᓪ ᑲᓂᓕᓂᓪ - NUNAVUT IMALIRIYIN KATMAYINGI  
[www.nwb-nen.ca](http://www.nwb-nen.ca)

P.O. Box 119  
Cape Haven, NL, X0B 1J0

Cija Haven (Nunavut), X013 110

005544 119  
P173, 225 XOH 170

Титановая 119  
Легенбург, NJ, 0813 100

Tel / Téléphone : 781-360-6338 / Hivayaula: (867) 360-6338 Fax / Télécopieur : 781-360-6369 / Fax-hiv: (867) 360-6369  
Toll Free / Sans Frais : 1-855-521-3745 / Akiittuk : 1-855-521-3745

**WARNING:** This communication, including any attachments contains confidential information intended only for the addressee(s) listed above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tous les pièces jointes, est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il n'a pas le droit d'accéder au contenu de ce message, de le divulguer, de le copier ou de le reproduire. Si le destinataire ne peut lire le message, il est prié de le signaler au service informatique de la compagnie. Si vous n'êtes pas le destinataire prévu, veuillez en informer l'expéditeur pour qu'il puisse vous le transmettre. Merci de votre coopération.

 Merci de penser à l'environnement avant d'imprimer ce message / Thank you for thinking of the environment before printing this email