



NWB Tools

Megan Porter <megan.porter@nwb-oen.ca>

RE: 140520 8BC-MRY1314 Request Review and Comments Amendment Renewal-OMLE

Brian Aglukark <aglukark@nunavut.ca>

Fri, Jul 25, 2014 at 12:40 PM

To: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, Erik Madsen <erik.madsen@baffinland.com>, Jim Millard <jim.millard@baffinland.com>, "Jennifer St. Paul Butler" <jennifer.stpaulbutler@baffinland.com>, Sean Joseph <sean.joseph@nwb-oen.ca>, David Hohnstein <david.hohnstein@nwb-oen.ca>, Megan Porter <megan.porter@nwb-oen.ca>

Cc: Stanley Anablak <sanablak@nunavut.ca>, sehaloak@nunavut.ca

Good afternoon,

The Nunavut Planning Commission (NPC) reviewed the attached renewal/amendment application and has determined that it does not change the scope of the originally reviewed project to an extent that would warrant a further review by the NPC at this time.

I have attached the terms agreed to as part of the applicable conformity determination which must form part of any authorisation or permit issued for this project proposal.

Please ensure that any change in the scope of the project is forwarded to our office for further review.

I have copied Nunavut Impact Review Board with this email for their information.

Please contact me should you have any questions.

Mutna,

Brian Aglukark

From: Phyllis Beaulieu [mailto:phyllis.beaulieu@nwb-oen.ca]

Sent: May-20-14 4:20 PM

To: Erik Madsen; Jim Millard; Jennifer St. Paul Butler; Sean Joseph; David Hohnstein; Megan Porter

Subject: 140520 8BC-MRY1314 Request Review and Comments Amendment Renewal-OMLE

NOTICE TO ALL PARTIES

DEADLINE FOR COMMENTS: JUNE 20, 2014

The Nunavut Water Board ("NWB") acknowledges receipt, on May 14, 2014, of a renewal/amendment application for a Type "B" water license for water use and waste disposal associated with activities in the Qikiqtani region of Nunavut. The application consists of the following documents:

- Cover letter dated May 14, 2014
- English and Inuktitut Summaries
- General Water Licence Application
- NPC correspondence to AANDC on Amending LUP to include New Transportation Corridor
- Project Description and Scope
- Knight Piesold Hydrological Assessment of Phillips Creek and km 32 Lake Watersheds
- Drawings ERP Layout and details Polishing Waste Stabilization Pond
- Financial Information
- Amended A&R Strategy and Security Estimate
-

The application can be obtained from our ftp site under PRUC with Username: **public**, Password: **registry**.

<ftp://nunavutwaterboard.org/1%20PRUC/8%20MISCELLANEOUS/8B/8BC%20-%20Construction/8BC-MRY1314/1%20APPLICATION/2014%20Amend%20Renew/>

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB

that the project proposal is in fact exempt from screening.







To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB **within 30 days from the date of this letter.** The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,



6 attachments

-  **Aug 13 2013 Proposed Transportation Corridor Conditional Conformity Letter.pdf**
264K
-  **July 9 2013 Completed Conformity Questionnaire.pdf**
2723K
-  **DFO NU 07 0050 BIMC ERPP APR 14 CLDCS.pdf**
120K
-  **DFO NU 07 0050 BIMC ERPP APR 14 AMDCS.pdf**
402K
-  **NPC Ltr to Ministers NBRLUP Amendment recommendation BIMC ERPP Apr 14 2014.pdf**
164K
-  **The Preamble NBRLUP Amendment BIMC ERP Transportation Corridor.pdf**
737K