



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-BRP---- Pre-hearing Conference Decision

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, May 29, 2018 at 5:00 PM

To: Matthew Pickard <mpickard@sabinagoldsilver.com>, Merle Keefe <mkeefe@sabinagoldsilver.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Back River Project <distro-2am-brp@nwb-oen.ca>

Good afternoon,

Please see attached pre-hearing conference decision for 2AM-BRP----

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}} \supset \triangleleft \Delta \mathcal{L}^{\mathcal{G}}$

Manager of Licensing - Responsable des Permis ᐃᓄᕋᑦᑐᒃᔭ ᕇᐱᖅᐳᒃᓂᑦᐸᕈᕐᐸ Maniyaauyuq
Laisaliniginmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᑦᑎ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገና ፊት ልኪ
የፊት ጥንቃቄ ዓላማ X013 110

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



180529 2AM-BRP---- PHC Decision-OEDE.pdf
1166K