

GOOSE PROJECT

SEPTEMBER 2024 MONTHLY REPORT

In compliance with:
Water Licence 2AM-BRP1831 (Amendment No.1)

Prepared by:
RainCoast Environmental Services Ltd.

Submitted to:
Nunavut Water Board (NWB)

B2GOLD BACK RIVER CORP.

Suite 3400, Park Place, 666 Burrard Street
Vancouver, British Columbia, Canada, V6C 2X8
Telephone: +1 604 681 8371

www.b2gold.com

EXECUTIVE SUMMARY – ENGLISH

This report presents B2Gold Back River Corp.'s (B2Gold Nunavut's) September 2024 Monthly Monitoring Report for Water Licence 2AM-BRP1831 (Amendment No.1), also referred to as the Licence, issued by the Nunavut Water Board (NWB).

As set out in Part I, Item 18 of the Licence, B2Gold Nunavut is required to submit to the Board, within thirty (30) days following the month being reported, a Monthly Report. This report shall include:

- ◆ All data and information required by Part I and generated by the Monitoring Program in the Tables of Schedule I of the Licence;
- ◆ An assessment of data to identify areas of non-compliance with regulated Discharge parameters referred to in Part D and Part F of the Licence; and
- ◆ Documentation of conditions during spring freshet, major rain events, and periods of sustained precipitation including flow measurements, photographs, and notes.

AULAPKAIYINI NAITTUQ – INUINNAQTUN

Una uniudjut pidjutigiyaat B2Gold Back River Corp.'s (B2Gold Nunavut's) Apitilirvia 2024 Tatqighiutini Munaridjutikkut Uniudjutit haffumunga Imakkut Laisia 2AM-BRP1831 (Ihuaqhaqtauyuq No.1), taiyauvaktuqlu Laisimik, tuniyauyuq hapkunanga Nunavunmi Imaliqiyit Katimayiinin (NWB).

Iliuraqtauhimajumi uvani Ilangani I, Item 18 uumani Laisimi, B2Gold Nunavut pitqujauhijajuq tuniluni Katimajiinnun, iluani thirtyni (30) ublunik talvannga tatqirhiutimi unniutidjutimi, uuminnga Tatqiqhiutimi Unniudjutimik. Una taiguagakhaq ilaliutiyukhaq:

- ◆ Tamaita naunaipkutit hivunihijutilu aturiaqaqtut Ilagiyaani I-mi hanayauhimayulu Munarinigagut Havaamit naunaipkutini Naunaipkut I-mi Laisiuyuup;
- ◆ Ihivgiugutit naunaiyautinik naunaiyagiangani humi maliktaungit maligagaqtut Iqainikkut kiklikhait titiraqhimayut uvani Ilangani D uvalu Ilangani F haffumani Laisimi; unalu
- ◆ Titiraqlugit qanuginiit upingaami mahaktiligaangat, nipalliopiaqnikkut, uvalu nipalukpalaqnikkut ilaayut kuuknikkut aktilaangit, piksat, uvalu titiraqhimayut.

RÉSUMÉ EXCÉUTIF – FRANÇAIS

Ce rapport présente le Rapport Mensuel de Suivi de B2Gold Back River Corp. (B2Gold Nunavut) de septembre 2024 pour le Permis de l'Eau 2AM-BRP1831 (Amendement No.1) aussi appelé (le Permis) délivré par la Nunavut Water Board (NWB).

Comme indiqué dans la Partie I, Article 18 du Permis, B2Gold Nunavut a l'obligation de soumettre au Conseil dans les trente (30) jours suivant le mois concerné, un Rapport Mensuel. Ce rapport devra contenir:

- ◆ Toutes les données et informations requises par la Partie I et générées par le Programme de Suivi dans les tableaux de l'Annexe I du Permis;
- ◆ Une évaluation des données pour identifier les zones de non-conformité avec les paramètres de Décharge réglementés mentionnés dans la Partie D et la Partie F du Permis ; et
- ◆ Une documentation des conditions pendant la crue printanière, les événements de pluie majeure, et les périodes de précipitations soutenues, y compris des mesures de débit, des photographies et des notes.

TABLE OF CONTENTS

EXECUTIVE SUMMARY – ENGLISH	I
ᑕᐱᑦ ᑲᑲᑲᑲᑲᑲ – ᐱᑲᑲᑲᑲᑲ	II
AULAPKAIYINI NAITTUQ – INUINNAQTUN	III
RÉSUMÉ EXCÉUTIF – FRANÇAIS	IV
ACRONYMS AND ABBREVIATIONS	VI
1. INTRODUCTION	1
2. REGULATORY REQUIREMENTS AND STATUS	3
2.1 PART I, Item 5	3
2.2 PART I, Item 8	3
2.3 PART I, Item 9	5
2.4 PART I, Item 20	5
3. SCHEDULE I REQUIREMENTS	6
3.1 BRP-S General Seeps	6
3.2 BRP-17 Goose Property Sewage Treatment Plant	6
3.3 BRP-24 Goose Lake Intake	7
3.4 BRP-42 MLA Greywater	7

LIST OF TABLES

Table 2-1	Volumes of Water Obtained from Approved Sources this Month	4
Table 2-2	Estimated Volumes of Greywater Released this Month	4
Table 2-3	Quantity of Waste Rock Placed and Stored this Month	5
Table 3-1	Water Quality Data for BRP-17 Compared to Effluent Quality Limits	6

LIST OF FIGURES

Figure 1	Goose Project Overview	2
----------	------------------------	---

LIST OF APPENDICES

Appendix A	Water Quality Analytical Results
------------	----------------------------------

ACRONYMS AND ABBREVIATIONS

B2Gold Nunavut	B2Gold Back River Corporation
the Licence	Water Licence 2AM-BRP1831 (Amendment No. 1)
MLA	Marine Laydown Area
The Goose Mine	Refers to the mining operation being developed within the Goose Claims Group, and includes the open pits, the underground mine, and the on-site infrastructure such as the WRSAs, tailings storage facilities, power infrastructure, and process plant
The Goose Project	Encompasses the Goose Claims Group, Goose Mine, the WIR and the MLA
STP	Sewage Treatment Plant
WIR	Winter Ice Road
WRSA	Waste Rock Storage Area

1. INTRODUCTION

The Goose Mine is a gold mine located within the western Kitikmeot Region of southwestern Nunavut. It is situated approximately 400 km southwest of Cambridge Bay, 95 km southeast of the southern end of Bathurst Inlet (Kingaok), and 520 km northeast of Yellowknife, Northwest Territories, as illustrated in Figure 1. The Mine is located predominantly within the Queen Maud Gulf Watershed.

This report to the Nunavut Water Board was prepared to satisfy the requirements for a Monthly Monitoring Report for September 2024 for B2Gold Back River Corp.'s (B2Gold Nunavut's) Goose Project in accordance with Part I, Item 18 of Water Licence 2AM-BRP1831 (Amendment No.1), also referred to as the Licence.

As required by Part I, Items 16 and 17, all analyses were performed in an accredited laboratory according to ISO/IEC Standard 17025 and conducted as described in the most recent edition of "*Standard Methods for the Examination of Water and Wastewater*" or by other such methods approved by an Analyst.




Figure 1 Goose Project Overview

2. REGULATORY REQUIREMENTS AND STATUS

2.1 PART I, Item 5

The Licensee shall, at least sixty (60) days prior to a change in Project Phase (Construction, Operations Stages), submit to the Board a written notification of the intent to change Project phase as per Part B, Item 9. Notifications may be provided separately or in accordance with the monthly monitoring report as per Part I, Item 18.

Compliance Status:

No change in Project Phase will occur over the next 60 days.

2.2 PART I, Item 8

The Licensee shall measure and record the following on a Monthly basis in cubic metres or as otherwise stated:

- a. The volume of fresh Water obtained from Big Lake;
- b. The volume of fresh Water obtained from Goose Lake;
- c. The volume of fresh Water obtained from MLA Pond S1, Pond S2, Lake 3, and Lake 4;
- d. The volume of fresh Water obtained from Llama Lake, Umwelt Lake, and other Water bodies approved by the Board for dewatering;
- e. The volume of fresh Water obtained from each Water source for the Interconnection Winter Ice Road and Winter Ice Road Service/Emergency Camps;
- f. The volume of Reclaim Water obtained from the Primary Water Pond, Tailings Storage Facility and/or Tailings Facilities for process Water at the process plant or alternative treatment system;
- g. The estimated volume of Greywater and Sewage released to the environment and/or to the Tailings Storage Facility and Tailings Facilities;
- h. The volume of sludge removed from the STP and the location and method of disposal;
- i. The volume of Effluent discharged from Landfarms, Fuel Tank Farms, and Fuel Storage Facilities;
- j. The estimated volume of Contact Water, WRSA Effluent, Ore Stockpile Effluent, or other Effluent/Water streams pumped into the Primary Water Pond, Tailings Storage Facility, Tailings Facilities, and/or transferred between ponds or facilities; and
- k. The volume of Effluent discharged at the Final Discharge Point.

Compliance Status:

The following is to comply with Part I, Item 8(a, b, c, d, e, f, g, h, i, j, and k). The volumes of water obtained from Big Lake, Goose Lake, MLA Pond S1, MLA Pond S2, MLA Lake 3, MLA Lake 4, Llama Lake,

Umwelt lake, and other water bodies are provided in Table 2-1. The MLA used seawater withdrawn from Bathurst Inlet. Goose Claims Group water use is undertaken under Water Licence 2BE-GOO2028.

Table 2-1 Volumes of Water Obtained from Approved Sources this Month

Sources	Volume Used (m ³)
Big Lake	0
Goose Lake	3,391.7
MLA Pond S1	0
MLA Pond S2	0
MLA Lake 3	0
MLA Lake 4	0
Llama Lake	0
Umwelt Lake	0
Other water bodies approved for dewatering	0

No water was obtained for the Winter Ice Road (WIR) or service/emergency camps this month.

No reclaim water was obtained from these facilities for process Water at the process plant or alternative treatment system this month. These facilities have not yet been commissioned.

Approximately 3,210 m³ of treated effluent was released from the Goose Sewage Treatment Plan (STP) to the tundra this month. Estimated volumes of greywater released this month are presented in Table 2-2. Goose Exploration Camp greywater discharge is undertaken under Water Licence 2BE-GOO2028.

Table 2-2 Estimated Volumes of Greywater Released this Month

Location	Volume (m ³)	Destination
MLA	408	Tundra
MLA Forward Camp	0	N/A
Goose Forward Camp	0	N/A

Notes:

Greywater discharge at the MLA was estimated as 80% of water desalinated. For dates where the volume of water desalinated was not available, volumes of desalinated water were estimated as the average per capita volume of water desalinated based on available data for the rest of that month and this was multiplied by the number of people occupying the MLA Accommodations Complex each day. Greywater estimated as 100% of freshwater supplied to the MLA Forward Camp and the Goose Forward Camp.

The volume of compressed, dewatered sludge removed from the Goose STP is estimated to be less than 30 m³ this month.

No effluent was discharged from Landfarms, Fuel Tank Farms or Fuel Storage Facilities this month.

The Primary Water Pond, Tailings Storage Facility, and Tailings Facilities have not yet been constructed.

No effluent was discharged at the Final Discharge Point this month. Per Part F, Item 16 of the Licence, an Effluent Discharge Plan will be submitted to the Board at least 120 days prior to discharge of Effluent subject to Part F, Item 21 of the Licence.

2.3 PART I, Item 9

The Licensee shall measure and record the following on a Monthly basis in tonnes:

- a. Quantity of Waste placed within the Landfill(s) and Landfarm(s);
- b. Quantity of Waste Rock placed into, and total stored at, each Waste Storage Area and other locations approved by the Board;
- c. Dry tonnes of tailings placed into, and stored at, the Tailings Storage Facility and Tailings Facilities; and
- d. Quantity of ore stockpiled and ore processed through the processing plant.

Compliance Status:

The following is to comply with Part I, Item 9(a, b, c, and d). Non-hazardous wastes identified as being suitable for landfilling on site per the Project's Landfill and Waste Management Plan were sent to the Echo Pit Waste Rock Storage Area (WRSA) landfill. Loads to the Echo Pit WRSA landfill were inadvertently not tracked in 2024 and are estimated as 20 m³ per day (~608 m³/month). No material was placed in either the Goose (BRP-51) or MLA (BRP-44) landfarm this month; these facilities are not yet commissioned.

The quantity of waste rock placed and stored at each WRSA and other locations approved by the Board are presented in Table 2-3.

Table 2-3 Quantity of Waste Rock Placed and Stored this Month

Location	Volume this Month (tonnes)	Cumulative Volume (tonnes)
Echo Pit WRSA	404,760	1,694,066
Echo NAG Stockpile	69,859	115,379

No tailings were placed into and stored at the Tailings Storage Facility and Tailings Facilities this month; these facilities have not yet been constructed.

A total of 301 tonnes of low grade ore was stockpiled this month.

2.4 PART I, Item 20

No additional monitoring has been imposed by the Inspector this month.

3. SCHEDULE I REQUIREMENTS

The following is to comply with Part 1, Item 4, which requires the Licensee to undertake the Monitoring Program provided in Table 1 and Table 2 of Schedule I.

A summary of monitoring activities completed this month to fulfill the requirements outlined in the Tables of Schedule I of the Licence is provided below. Non-compliances are identified where applicable.

There was one seep observed this month, no site runoff was observed. The MLA used seawater from Bathurst Inlet and greywater from the MLA was discharged to the tundra. The Goose STP was in use, with treated sewage effluent released to the tundra. Freshwater was withdrawn under this Licence from Goose Lake. Goose Claims Group water use and waste discharge is undertaken under Water Licence 2BE-GOO2028.

3.1 BRP-S General Seeps

One seep was observed this month (BRP-S-01), which is located on the northeast side of the quarry. A water quality sample was collected on September 30; results are provided in Appendix A. Flow was discontinuous and due to its small size (< 10 cm wide) and very low rate of flow, the discharge was too small to be measured or quantified.

3.2 BRP-17 Goose Property Sewage Treatment Plant

The Goose Property STP discharges treated effluent to land in a manner to allow further over land treatment of the effluent prior to entering the freshwater receiving environment. The volume of treated sewage effluent discharged to the tundra this month is reported in Section 2.2.

Water quality data collected downslope of the treated effluent discharge point and immediately prior to entry of effluent into the freshwater receiving environment at BRP-17 are provided in Table 3-1 for parameters with effluent quality limits. The full set of analytical results is provided in Appendix A. The sample collected September 2 indicated a slight exceedance of the ammonia effluent quality limit and total coliform concentrations that were higher than the effluent quality limit for fecal coliforms. Adjustments were subsequently made to the STP treatment process and sampling on September 16 indicated these issues had been corrected, although pH was slightly below the effluent quality limit. After further adjustments, the subsequent sampling event indicated all parameters were within effluent quality limits.

Table 3-1 Water Quality Data for BRP-17 Compared to Effluent Quality Limits

Parameter	Unit	Effluent Quality Limit		02-Sep-2024	16-Sep-2024	22-Sep-2024
		Maximum Average Concentration	Maximum Concentration of Any Grab Sample			
Biochemical oxygen demand (BOD)	mg/L	30	-	4.4	<2	<2

Parameter	Unit	Effluent Quality Limit		02-Sep-2024	16-Sep-2024	22-Sep-2024
		Maximum Average Concentration	Maximum Concentration of Any Grab Sample			
Total Suspended Solids	mg/L	35	-	8.5	1.9	1.3
Fecal Coliform*	CFU/100 mL	1,000	-	3,130	345	172
Ammonia	mg/L	4	8	9.6	1.8	1.9
Phosphorus	mg/L	4	8	0.085	0.0041	0.0046
Total Oil and Grease	mg/L	No visible sheen	-	<2	<2	<2
pH	pH units	6 - 9.5	-	6.44	5.79	6.1

Notes:

Shaded cells indicate values were outside of effluent quality limits.

*Effluent quality limit is for fecal coliforms (CFU/100 mL), data are for total coliforms (MPN/100 mL) and are a conservative comparison to the effluent quality limit.

3.3 BRP-24 Goose Lake Intake

The total volume withdrawn from Goose Lake under this Licence this month is reported in Section 2.2.

3.4 BRP-42 MLA Greywater

The volume of greywater discharged at the MLA is reported in Section 2.2. No water was available for sampling at the sampling location downstream of the discharge point (BRP-42), likely due to the limited volume of discharge.

APPENDIX A WATER QUALITY ANALYTICAL RESULTS

Table A-1 Water Quality Data for General Seeps

Date	Lowest Detection Limit	Unit	30-Sep-2024
Time			16:30:00
Station			BRP-S-01
Lab Job Number			C479172
Sample ID			CXA047
Parameter			
Alkalinity (PP as CaCO ₃)	0.5	mg/L	<u>0.5</u>
Alkalinity (Total as CaCO ₃)	0.5	mg/L	70.8
Aluminum (Al)-Dissolved	0.0005	mg/L	0.0333
Aluminum (Al)-Total	0.0025	mg/L	0.104
Ammonia (N)-Total	0.13	mg/L	27
Antimony (Sb)-Dissolved	0.00002	mg/L	0.00388
Antimony (Sb)-Total	0.00002	mg/L	0.0041
Arsenic (As)-Dissolved	0.00002	mg/L	0.00501
Arsenic (As)-Total	0.00002	mg/L	0.0069
Barium (Ba)-Dissolved	0.00002	mg/L	0.037
Barium (Ba)-Total	0.00005	mg/L	0.0404
Beryllium (Be)-Dissolved	0.00001	mg/L	<u>0.00005</u>
Beryllium (Be)-Total	0.00001	mg/L	<u>0.00005</u>
Bicarbonate (HCO ₃)	0.5	mg/L	86.3
Bismuth (Bi)-Dissolved	0.000005	mg/L	<u>0.000025</u>
Bismuth (Bi)-Total	0.00001	mg/L	<u>0.000025</u>
Boron (B)-Dissolved	0.01	mg/L	0.12
Boron (B)-Total	0.01	mg/L	0.12
Cadmium (Cd)-Dissolved	0.000005	mg/L	0.000107
Cadmium (Cd)-Total	0.000005	mg/L	0.000142
Calcium (Ca)-Dissolved	0.25	mg/L	111
Calcium (Ca)-Total	0.25	mg/L	111
Carbonate (CO ₃)	0.5	mg/L	<u>0.5</u>
Chloride (Cl)-Dissolved	0.5	mg/L	70
Chromium (Cr)-Dissolved	0.0001	mg/L	0.00105
Chromium (Cr)-Total	0.0001	mg/L	0.00139
Cobalt (Co)-Dissolved	0.000005	mg/L	0.0187
Cobalt (Co)-Total	0.00001	mg/L	0.0187
Conductivity	1	µS/cm	1420
Copper (Cu)-Dissolved	0.00005	mg/L	0.0211
Copper (Cu)-Total	0.0001	mg/L	0.0245
Cyanide (CN)-Free	0.002	mg/L	0.12
Cyanide (CN)-Strong Acid Dissoc.	0.0005	mg/L	0.147
Cyanide (CN)-Weak Acid Dissoc.	0.0005	mg/L	0.112
Field Temperature	-	deg. C	4.9

Date	Lowest Detection Limit	Unit	30-Sep-2024
Time			16:30:00
Station			BRP-S-01
Lab Job Number			C479172
Sample ID			CXA047
Parameter			
Fluoride (F)	0.01	mg/L	0.178
Hardness (CaCO ₃)-Dissolved	0.5	mg/L	547
Hardness (CaCO ₃)-Total	0.5	mg/L	547
Hydroxide (OH)	0.5	mg/L	<u>0.5</u>
Iron (Fe)-Dissolved	0.001	mg/L	0.0753
Iron (Fe)-Total	0.005	mg/L	0.271
Lead (Pb)-Dissolved	0.000005	mg/L	0.000159
Lead (Pb)-Total	0.00002	mg/L	0.00101
Lithium (Li)-Dissolved	0.0005	mg/L	0.0288
Lithium (Li)-Total	0.0005	mg/L	0.0292
Magnesium (Mg)-Dissolved	0.05	mg/L	65.4
Magnesium (Mg)-Total	0.25	mg/L	65.7
Manganese (Mn)-Dissolved	0.00005	mg/L	0.876
Manganese (Mn)-Total	0.0001	mg/L	0.899
Mercury (Hg)-Dissolved	0.0000019	mg/L	<u>0.0000019</u>
Mercury (Hg)-Total	0.0000019	mg/L	<u>0.0000019</u>
Molybdenum (Mo)-Dissolved	0.00005	mg/L	0.0111
Molybdenum (Mo)-Total	0.00005	mg/L	0.011
Nickel (Ni)-Dissolved	0.00002	mg/L	0.136
Nickel (Ni)-Total	0.0001	mg/L	0.136
Nitrate (as N)	1.2	mg/L	71
Nitrate (NO ₃)-Dissolved	5.3	mg/L	310
Nitrate plus Nitrite (N)	1.2	mg/L	72
Nitrite (as N)	0.01	mg/L	1.4
Nitrite (NO ₂)-Dissolved	0.033	mg/L	4.5
Nitrogen (N)-Total	2	mg/L	110
Organic Carbon (C)-Dissolved	0.2	mg/L	8.3
Organic Carbon (C)-Total	0.2	mg/L	7.1
pH	-	pH units	6.79
pH-Field	-	pH	7.17
Phosphorus (P)-Total	0.001	mg/L	<u>0.01</u>
Phosphorus(P)-Dissolved	0.002	mg/L	<u>0.01</u>
Potassium (K)-Dissolved	0.05	mg/L	23
Potassium (K)-Total	0.25	mg/L	23.1
Selenium (Se)-Dissolved	0.00004	mg/L	0.00335
Selenium (Se)-Total	0.00004	mg/L	0.0032

Date	Lowest Detection Limit	Unit	30-Sep-2024
Time			16:30:00
Station			BRP-S-01
Lab Job Number			C479172
Sample ID			CXA047
Parameter			
Silicon (Si)-Dissolved	0.05	mg/L	3.5
Silicon (Si)-Total	0.05	mg/L	3.59
Silver (Ag)-Dissolved	0.000005	mg/L	0.000085
Silver (Ag)-Total	0.00001	mg/L	0.000094
Sodium (Na)-Dissolved	0.05	mg/L	20.1
Sodium (Na)-Total	0.25	mg/L	20.3
Strontium (Sr)-Dissolved	0.00005	mg/L	0.516
Strontium (Sr)-Total	0.00005	mg/L	0.507
Sulphate (SO ₄)-Dissolved	2.5	mg/L	250
Sulphur (S)-Dissolved	3	mg/L	93
Sulphur (S)-Total	3	mg/L	91
Thallium (Tl)-Dissolved	0.000002	mg/L	0.000068
Thallium (Tl)-Total	0.000002	mg/L	0.000071
Thorium (Th)-Dissolved	0.00005	mg/L	<u>0.00025</u>
Thorium (Th)-Total	0.00005	mg/L	<u>0.00025</u>
Tin (Sn)-Dissolved	0.0002	mg/L	<u>0.001</u>
Tin (Sn)-Total	0.0002	mg/L	<u>0.001</u>
Titanium (Ti)-Dissolved	0.0005	mg/L	<u>0.0025</u>
Titanium (Ti)-Total	0.002	mg/L	0.0029
Total Dissolved Solids	10	mg/L	880
Total Kjeldahl Nitrogen (Calc)	2	mg/L	42
Total Suspended Solids	1	mg/L	5.1
Turbidity	0.1	NTU	8.9
Un-Ionized Ammonia	0.0005	mg/L	0.049
Uranium (U)-Dissolved	0.000002	mg/L	0.00346
Uranium (U)-Total	0.000005	mg/L	0.00343
Vanadium (V)-Dissolved	0.0002	mg/L	<u>0.001</u>
Vanadium (V)-Total	0.0002	mg/L	<u>0.001</u>
Zinc (Zn)-Dissolved	0.0001	mg/L	0.0299
Zinc (Zn)-Total	0.0005	mg/L	0.0324
Zirconium (Zr)-Dissolved	0.0001	mg/L	<u>0.0005</u>
Zirconium (Zr)-Total	0.0001	mg/L	<u>0.0005</u>

Note:

Underlined values were equal to or below the detection limit; values are shown as the detection limit.

Table A-2 Water Quality Data for Goose Property Sewage Treatment Plant

Date	Lowest Detection Limit	Unit	02-Sep-2024	16-Sep-2024	22-Sep-2024
Time			07:05:00	07:15:00	16:30:00
Station			BRP-17	BRP-17	BRP-17
Lab Job Number			C468915	C473812	C476874
Sample ID			CUQ787	CVT036	CWM379
Parameter					
Alkalinity (PP as CaCO ₃)	0.5	mg/L	<u>0.5</u>	<u>0.5</u>	<u>0.5</u>
Alkalinity (Total as CaCO ₃)	0.5	mg/L	16.2	7.85	7.31
Ammonia (N)-Total	0.005	mg/L	9.6	1.8	1.9
Bicarbonate (HCO ₃)	0.5	mg/L	19.8	9.58	8.92
Biochemical oxygen demand [BOD]	2	mg/L	4.4	2	2
Carbonate (CO ₃)	0.5	mg/L	<u>0.5</u>	<u>0.5</u>	<u>0.5</u>
Chloride (Cl)-Dissolved	0.5	mg/L	60	11	14
Conductivity	1	µS/cm	555	174	189
Field Temperature	-	deg. C	8	5.5	5.4
Fluoride (F)	0.01	mg/L	0.058	0.03	0.032
Hydroxide (OH)	0.5	mg/L	<u>0.5</u>	<u>0.5</u>	<u>0.5</u>
Nitrate (as N)	0.002	mg/L	11	2.8	2.8
Nitrate (NO ₃)-Dissolved	0.0089	mg/L	57	13	12
Nitrate plus Nitrite (N)	0.0022	mg/L	12	2.9	3.1
Nitrite (as N)	0.001	mg/L	1	0.13	0.34
Nitrite (NO ₂)-Dissolved	0.0033	mg/L	3.3	0.44	1.1
Nitrogen (N)-Total	0.2	mg/L	23	5.3	5.9
Organic Carbon (C)-Dissolved	0.2	mg/L	25	6.3	5.4
Organic Carbon (C)-Total	0.2	mg/L	26	5.1	4.8
Oxidation-reduction potential [ORP]	-	mV		105	148
pH	-	pH Units	6.44	5.79	6.1
pH-Field	-	pH	6.22	6.42	6.81
Phosphorus (P)-Total	0.001	mg/L	0.085	0.0041	0.0046
Total Coliforms	1	MPN/100mL	3,130	345	172
Sulphate (SO ₄)-Dissolved	0.5	mg/L	110	39	50
Total Dissolved Solids	10	mg/L	330	110	110
Total Kjeldahl Nitrogen (Calc)	0.2	mg/L	9.1	2.2	2.8
Total Oil and Grease	2	mg/L	<u>2</u>	<u>2</u>	<u>2</u>
Total Suspended Solids	1	mg/L	8.5	1.9	1.3
Turbidity	0.1	NTU	8.1	1	1.5
Un-Ionized Ammonia	0.0005	mg/L	0.0025	0.00063	0.0016

Note:

Underlined values were equal to or below the detection limit; values are shown as the detection limit.