

|                                                                                   |                                                                                   |                                                                                                    |             |                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------|-------------------|
|  |  | <b>TECHNICAL NOTE</b><br><b>Design Report: Patch 7 CWP 4 and Sump 6A</b>                           |             |                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b> | <b>Date:</b>      |
|                                                                                   |                                                                                   |                                                                                                    | R1          | December 19, 2025 |

**Title of document:**      **Design Report: Patch 7 Contact Water Pond 4 (CWP 4) and Sump 6A**

**Client:**                      Agnico Eagle Mines Limited

**Project:**                    Hope Bay Block 4 and 5 (6212-E-132-004 & 6212-E-132-005)

*Prepared by:*              Anh-Long Nguyen, Eng.  
#NAPEG: L2716

---

*Prepared by:*              Hafeez Baba, Eng.  
#NAPEG: L3167

---

*Reviewed by:*              René Laviolette, Eng.  
#NAPEG: L3861

---

*Approved by:*              René Laviolette, Eng.  
#NAPEG: L3861

---

|                                                                                   |                                                                                   |                                                                                                          |                       |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                       |                                       |
|                                                                                   |                                                                                   | <b>Design Report: Patch 7 CWP 4 and Sump 6A</b>                                                          |                       |                                       |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br><br>R1 | <b>Date:</b><br><br>December 19, 2025 |

## Notice to Reader

This report has been prepared and the work referred to in this report has been undertaken by AtkinsRéalis Canada Inc. (AtkinsRéalis), for the exclusive use of [Agnico-Eagle Limited](#), who has been party to the development of the scope of work and understands its limitations. The methodology, findings, conclusions and recommendations in this report are based solely upon the scope of work and subject to the time and budgetary considerations described in the proposal and/or contract pursuant to which this report was issued. Any use, reliance on, or decision made by a third party based on this report is the sole responsibility of such third party. AtkinsRéalis accepts no liability or responsibility for any damages that may be suffered or incurred by any third party as a result of the use of, reliance on, or any decision made based on this report.

The findings, conclusions and recommendations in this report (i) have been developed in a manner consistent with the level of skill normally exercised by professionals currently practicing under similar conditions in the area, and (ii) reflect AtkinsRéalis' best judgment based on information available at the time of preparation of this report. No other warranties, either expressed or implied, are made with respect to the professional services provided to [Agnico-Eagle Limited](#) or the findings, conclusions and recommendations contained in this report. The findings and conclusions contained in this report are valid only as of the date of this report and may be based, in part, upon information provided by others. If any of the information is inaccurate, new information is discovered or project parameters change, modifications to this report may be necessary.

This report must be read as a whole, as sections taken out of context may be misleading. If discrepancies occur between the preliminary (draft) and final version of this report, it is the final version that takes precedence. Nothing in this report is intended to constitute or provide a legal opinion.

The contents of this report are confidential and proprietary. Other than by [Agnico-Eagle Limited](#), copying or distribution of this report or use of or reliance on the information contained herein, in whole or in part, is not permitted without the express written permission of [Agnico-Eagle Limited](#) and AtkinsRéalis.

|                                                                                   |                                                                                   |                                                                                                          |             |                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------|-------------------|
|  |  | <b>TECHNICAL NOTE</b><br><b>Design Report: Patch 7 CWP 4 and Sump 6A</b>                                 |             |                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b> | <b>Date:</b>      |
|                                                                                   |                                                                                   |                                                                                                          | R1          | December 19, 2025 |

## List of Revisions

| #  | Prep.   | Rev. | App. | Date         | Pages | Remarks                    |
|----|---------|------|------|--------------|-------|----------------------------|
| RA | ALN, HB | RL   | RL   | Oct. 15, '25 |       | Issued for internal review |
| RB | ALN, HB | RL   | RL   | Oct. 28, '25 |       | Issued for client comment  |
| R0 | ALN, HB | RL   | RL   | Nov. 24, '25 |       | Issued for design          |
| R1 | ALN, HB | RL   | RL   | Dec. 19, '25 | All   | Issued for design          |

|                                                                                   |                                                                                   |                                                                                                          |                    |                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                    |                                   |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                    |                                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.:</b><br>R1 | <b>Date:</b><br>December 19, 2025 |

## Table of contents

|                             |                                                     |          |
|-----------------------------|-----------------------------------------------------|----------|
| <b>1.</b>                   | <b>Introduction .....</b>                           | <b>1</b> |
| <b>2.</b>                   | <b>Design Concept .....</b>                         | <b>2</b> |
| <b>3.</b>                   | <b>System Design .....</b>                          | <b>4</b> |
| 3.1                         | Design Criteria .....                               | 4        |
| 3.2                         | Design.....                                         | 5        |
| 3.2.1                       | Pond Excavation .....                               | 5        |
| 3.2.2                       | Liner System.....                                   | 5        |
| 3.2.3                       | Diversion Berms .....                               | 5        |
| 3.2.4                       | Thermal Cap .....                                   | 5        |
| 3.2.5                       | Thermistors .....                                   | 6        |
| 3.3                         | Survey Data .....                                   | 6        |
| 3.4                         | Foundation Conditions .....                         | 6        |
| <b>4.</b>                   | <b>Construction Methodology .....</b>               | <b>7</b> |
| 4.1                         | Construction Materials .....                        | 7        |
| 4.2                         | Quality Control .....                               | 7        |
| 4.3                         | Construction Equipment .....                        | 8        |
| 4.4                         | Construction Schedule and Sequence .....            | 8        |
| <b>5.</b>                   | <b>Operational and Closure Considerations .....</b> | <b>9</b> |
| <b>6.</b>                   | <b>References .....</b>                             | <b>9</b> |
| <b>Appendix A: Drawings</b> |                                                     |          |

## List of Tables

|                                               |   |
|-----------------------------------------------|---|
| Table 4-1: List of Earthworks Materials ..... | 7 |
| Table 4-2: List of Tests for Earthworks.....  | 8 |

## List of Figures

|                               |   |
|-------------------------------|---|
| Figure 2-1: Patch 7 Area..... | 3 |
|-------------------------------|---|

|                                                                                                   |                                                                                                   |                                                                                                          |             |                   |
|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------|-------------------|
| AtkinsRéalis<br> | <br>AGNICO EAGLE | <b>TECHNICAL NOTE</b><br>Design Report: Patch 7 CWP 4 and Sump 6A                                        |             |                   |
|                                                                                                   |                                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b> | <b>Date:</b>      |
|                                                                                                   |                                                                                                   |                                                                                                          | R1          | December 19, 2025 |

## 1. Introduction



The **Hope Bay property** is in the Kitikmeot region of Nunavut, Canada, approximately 685 km northeast of Yellowknife and 125 km southwest of Cambridge Bay. The property spans 191,342 hectares and includes portions of the Hope Bay and Elu greenstone belts. The 80-km-long Hope Bay greenstone belt hosts three main gold deposits: Doris, Madrid, and Boston.

Agnico Eagle Mines Limited (Agnico Eagle) acquired the Hope Bay property in February 2021. The project has significant infrastructure, including underground mine development at the Doris and Boston deposits, a processing plant, airstrips, a port, and an all-weather road

network.

The site development involves new civil constructions such as pad ore storage, diversion berms, roads and others. Contact water from freshet, rain and underground mining dewatering is handled by storing water in sumps, ponds and pits which are then pumped to a treatment plant for re-use and discharge to the environment.

Part of the project involves the development of the Patch 7 deposit. The following design report provides a technical description of the main sump and pond used to manage the contact water in this area.

|                                                                                   |                                                                                   |                                                                                                          |                       |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                       |                                       |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                       |                                       |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br><br>R1 | <b>Date:</b><br><br>December 19, 2025 |

## 2. Design Concept

Figure 2-1 presents an overview of the Patch 7 area. The main water management infrastructure at Patch 7 is the following:

- **Contact water pond 4 (CWP 4):** Pond used to collect contact water runoff from the ore stockpile pad and the waste rock storage facility (WRSF). Water stored in this pond is then pumped to the Quarry D Contact Water Pond 3 (CWP 3) located near the Madrid deposit.
- **Sump 6A:** Sump used to collect contact water the infrastructure pad. Water collected in this sump is then transferred to CWP 4.

The drawings for CWP 4 and Sump 6A can be found in Appendix A of this report.

The main design features of CWP4 are the following:

- The pond will be excavated within the overburden and will be lined with a geomembrane. The liner will be covered with a crushed rock bedding material.
- A diversion berm will be built to the north of the ore stockpile pad to divert non-contact water away from CWP 4.
- Another diversion berm will be built to the south of the WRSF to direct contact water from this area to the CWP 4.
- Considering there is a natural stream running located east of the CWP 4, downstream of it, a thermal cap will be built along its eastern edge to ensure freeze back of the overburden.

The main design features of Sump 6A are the following:

- The sump will be excavated within the overburden and will be lined with a geomembrane. The liner will be covered with a crushed rock bedding material.
- A culvert pumping sump will be installed at the low point of Sump 6A. A submersible pump will be installed in the culvert sump to pump the water to CWP 4.

|                                                                                                       |                                                                                   |                                                                                                                               |                              |                                              |
|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------|----------------------------------------------|
| <p>AtkinsRéalis</p>  |  | <p><b>TECHNICAL NOTE</b></p> <p>Design Report: Patch 7 CWP 4 and Sump 6A</p>                                                  |                              |                                              |
|                                                                                                       |                                                                                   | <p><b>Document No.:</b></p> <p>Agnico Eagle Mines no.: 6212-695-132-REP-001<br/>         ATRL Ref.: 704148-3000-41ER-0001</p> | <p><b>Rev.</b></p> <p>R1</p> | <p><b>Date:</b></p> <p>December 19, 2025</p> |
|                                                                                                       |                                                                                   |                                                                                                                               |                              |                                              |




Figure 2-1: Patch 7 Area

|                                                                                   |                                                                                   |                                                                                                          |                       |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                       |                                       |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                       |                                       |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br><br>R1 | <b>Date:</b><br><br>December 19, 2025 |

## 3. System Design

### 3.1 Design Criteria

The following design criteria are based on the general design criteria developed for this project (AtkinsRéalis 2025).

The design criteria for CWP 4 are as follows:

- Pond capacity to contain contact water from a 100-year, 24 hr rain event (57.2 mm) and an average year (2.33 yr) 30-day snowmelt (190.0 mm)
- Additional volume to store: volume from Sump 6A
- Runoff coefficient: 1
- Catchment area draining to pond: 207,000 m<sup>2</sup>
- Time to drain pond down: 30 days
- Volume to manage: approx. 55 000 m<sup>3</sup>
- Freeboard: minimum 1.0 m
- Dead storage: 0.5 m
- Liner: geomembrane liner system along the western edge of the pond
- Pond designed for temporary storage of water and is not designed as a permanent holding pond

The design criteria for Sump 6A are as follows:

- Pond capacity to contain contact water from a 100-year, 24 hr rain event (57.2 mm) and an average year (2.33 yr) 30-day snowmelt (190.0 mm)
- Runoff coefficient: 1
- Catchment area draining to pond: 13 000 m<sup>2</sup>
- Time to drain pond down: 2 days
- Volume to manage: approx. 3 300 m<sup>3</sup>
- Freeboard: minimum 0.5 m
- Dead storage: 0.5 m
- Liner: geomembrane liner system along the eastern edge of the sump
- Sump designed for temporary storage of water and is designed to be maintained dry

|                                                                                   |                                                                                   |                                                                                                          |                   |                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                   |                                   |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                   |                                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br>R1 | <b>Date:</b><br>December 19, 2025 |

## 3.2 Design

The following section provides an overview of the design of CWP 4 and Sump 6A. Further details can be found in the drawings in **Appendix A**.

### 3.2.1 Pond Excavation

CWP 4 and Sump 6A will be excavated in overburden using a 3H:1V slope to ensure its stability. The CWP 4 Pond and Sump 6A sizes are approximately as:

- CWP 4: Length: 200 m x Width: 80 m x Depth 1 to 5 m approximately
- Sump 6A: Length: 100 m x Width: 20 m x Depth 2 to 3 m approximately

The base of the pond or sump will have a layer of Run of Quarry material placed over non-woven geotextile to promote drainage toward the designated pumping sump.

### 3.2.2 Liner System

A geomembrane liner system will be installed along the side of the pond or sump that naturally drains toward the adjacent stream, ensuring that no contact water migrates into the stream.

The liner system for CWP 4 and Sump 6A will consist of the following layers (bottom to top):

- Membrane bedding material consisting of non-potential acid generating (NPAG) crushed stone 0-25 mm diameter, 100 minimum thickness, compacted to 95% S.P.M.D (Standard Proctor Maximum Dry Density)
- Non-woven geotextile
- High density polyethylene (HDPE) resin membrane liner with inhibitors added to base plastic to resist deterioration by ultra-violet and heat exposure, 1.5 mm thickness
- Non-woven geotextile
- Liner protection bedding material consisting of non-potential acid generating (NPAG) crushed stone 0-25 mm diameter, 100 minimum thickness, compacted to 95% S.P.M.D. (Standard Proctor Maximum Density)

### 3.2.3 Diversion Berms

The diversion berms will consist of an earthwork structure with a HDPE geomembrane liner anchored into the overburden.

### 3.2.4 Thermal Cap

Thermal cap are earthwork structures consisting of a rock cover of 1.0 m minimum thickness built directly on the overburden, with a general slope of 4H:1V. A geotextile liner is placed between the overburden and rock cover layer.

|                                                                                   |                                                                                   |                                                                                                          |                       |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                       |                                       |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                       |                                       |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br><br>R1 | <b>Date:</b><br><br>December 19, 2025 |

### 3.2.5 Thermistors

To ensure that the overburden is frozen to the east of the CWP 4, a thermistor string will be installed along its eastern edge. The size of thermistor string will be defined during the detailed engineering phase of the facility. The focus would be to monitor the thermal regime and any changes to it through the overburden soil profile.

## 3.3 Survey Data

The design of these water management infrastructures is based on topographic contour maps produced from aerial LiDAR survey taking in September 2024 and as built drawings of Patch 7 as of June 2025 supplied by Agnico Eagle.

## 3.4 Foundation Conditions

The project site is in a continuous permafrost that has been estimated to extend to depths more than 500 m, with an active layer of about 1 m to 2 m.

Based on the review of satellite imagery and survey topography data of the area, the CWP 4 Pond is located on a relatively flat tundra area, near the east edge of a generally trending North-South parallel trending ridges of rock outcrop range. It appears as drainage basin towards the Patch Lake shores. The general slope trend is towards north-east, and the predominant ground elevation in the CWP4 Pond area is about 32 m.

The project geotechnical database comprises of a series of geotechnical drilling campaigns, many mine exploration drill holes, and numerous geological and geotechnical studies commissioned during various phases of this project. The project geomorphology is described as typical coastal lowland with numerous lakes and ponds separated by glacial landforms. These geological features run parallel to the geological intrusions of diabase dykes and sills. The shape of the drainage basins is generally long and narrow and is predominantly orientated along the north-south axis. Lakes are usually present along the bottom of those elongated valleys.

Surface conditions are either rock outcrop or tundra or surface runoff and water features and lakes. Patterned ground, usually consisting of surface drainage rills, mask the underlying soils. Small, frost-heaved clay-silt polygons are very common. Tundra is typically shallow to deep overburden over bedrock.

Bedrock contour maps have been developed for the project site based on outcrop mapping and large database of drill holes (mine exploration and geotechnical). Bedrock depth is about 20 m in the CWP4 pond area. The bedrock is mainly comprised of mafic metavolcanic (mainly meta-basalts) and meta-sedimentary rocks that are bound by Archean granite intrusives and gneisses.

The overburden soils are mostly of marine origin and include clay, silt and some sand. The overburden soils are typically ice rich and thaw sensitive.

Further detailed geotechnical investigation specific to the CWP4 pond area is on-going.

|                                                                                   |                                                                                   |                                                                                                          |                       |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                       |                                       |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                       |                                       |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br><br>R1 | <b>Date:</b><br><br>December 19, 2025 |

## 4. Construction Methodology

### 4.1 Construction Materials

The most common material available at the site is the Run of Quarry (ROQ). The low permeable till is almost absent at the site; therefore, HDPE geomembrane is used as liner for the ponds, sumps and surface runoff diversion berms.

All geosynthetic materials and liner construction shall be in accordance with the requirements developed by the Geosynthetic Research Institute (GRI).

Natural sand or sand and gravel borrows are also not available at the site, therefore, crushed rock is used as transition and bedding materials.

To protect the liner from crushed stone damages non-woven geotextile, install on one or both sides of the liner is used, depending on the use of bedding layer.

All materials used for earthworks are natural and from local excavations, free from acid generation/metal leaching potential (i.e. non-PAG). Materials selection, placement, compaction and quality control requirements are as per project's earthworks specifications.

A summary description of the earthwork's materials (SRK 2022) is presented in the following Table 4-1.

**Table 4-1: List of Earthworks Materials**

| Type                | Description                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------|
| ROQ                 | Run-off-Quarry Material, (Ø 0-600 mm); minimum thickness 900 mm; compacted to method specification (specified roller passes) |
| Transition Material | Crushed stone (Ø 0-200 mm); minimum thickness 300 mm; compacted to method specification (specified roller passes)            |
| Bedding Material    | Crushed stone (Ø 0-25 mm); minimum thickness 100 mm; compacted to 95% Standard Proctor Maximum Dry Density (S.P.M.D).        |
| Surfacing Material  | Crushed stone (Ø 0-38 mm); minimum thickness 100 mm; compacted to method specification (specified roller passes)             |
| Geotextile          | Needle punched Non-woven Geotextile Fabric                                                                                   |
| Geomembrane         | High Density Polyethylene liner, 1.5 mm thickness (60 mil)                                                                   |

### 4.2 Quality Control

The project's earthworks construction Quality Control and Assurance Program (QA/QC) testing standard procedures listed in Table 4-2 shall be followed.

|                                                                                   |                                                                                   |                                                                                                          |                   |                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                   |                                   |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                   |                                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br>R1 | <b>Date:</b><br>December 19, 2025 |

**Table 4-2: List of Tests for Earthworks**

| Test Standard | Details                                                               |
|---------------|-----------------------------------------------------------------------|
| ASTM D2487    | Classification of Soils for Engineering Purposes                      |
| ASTM D2216    | Water (Moisture) Content in Soil and Rock                             |
| ASTM C136     | Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates |
| ASTM D854     | Specific Gravity of Soils                                             |
| ASTM D698     | Laboratory Compaction Characteristics of Soil Using Standard Effort   |
| ASTM D2922    | ASTM D2922 Density of Soil in Place by Nuclear Methods                |

## 4.3 Construction Equipment

The following construction equipment will be used in the construction of CWP 4 and Sump 6A:

- CAT 374 Excavator
- John Deere 470 Excavator or similar sized equipment
- CAT 340 Excavator with Eccentric Ripper
- CAT 745 Rock Trucks or similar sized equipment
- John Deere 46T Rock Trucks
- CAT D8 Dozer
- CAT 14H Grader
- CAT CS66B Packer
- Sandvik D800 Drill (only if drill and blast is required to remove overburden)

## 4.4 Construction Schedule and Sequence

The construction of CWP 4 and Sump 6A are planned to be completed by Q4 2026. The planned construction sequence is as follows:

1. Overburden will be ripped and removed from the area utilizing excavators, rock trucks, and bulldozers.
2. After the overburden is removed, bedding material will be hauled and placed. The bedding material will be graded, and a labour crew will follow behind to install the geotextile.
3. A separate liner crew will install and fuse the HDPE liner.
4. After the liner has been installed, the protection material will be carefully installed on top of the liner with smaller equipment.

|                                                                                   |                                                                                   |                                                                                                          |                   |                                   |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------|
|  |  | <b>TECHNICAL NOTE</b>                                                                                    |                   |                                   |
|                                                                                   |                                                                                   | Design Report: Patch 7 CWP 4 and Sump 6A                                                                 |                   |                                   |
|                                                                                   |                                                                                   | <b>Document No.:</b><br>Agnico Eagle Mines no.: 6212-695-132-REP-001<br>ATRL Ref.: 704148-3000-41ER-0001 | <b>Rev.</b><br>R1 | <b>Date:</b><br>December 19, 2025 |

## 5. Operational and Closure Considerations

The principal operational considerations for the CWP 4 and Sump 6A shall include as a minimum the following:

- Monitoring of operational water levels, and
- Monitoring of temperature profile within the foundation influence depth at CWP4 at a critical and strategic location during operation to ensure design assumptions are met to verify the stability and functioning of the pond.

Closure activities for CWP 4 and Sump 6A will be carried out in accordance with the Interim Closure and Reclamation Plan.


## 6. References


|                   |                                                                                                                                                                                |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AtkinsRéalis 2025 | General Design Criteria for Water Management MPEI Infrastructure, 6212-695-132-DGC-001, revision RC, 2025-09-22.                                                               |
| SRK 2022          | Technical Specifications Earthworks and Geotechnical Engineering Hope Bay Project, Nunavut Canada Revision I – Issue for Construction. Prepared for Agnico Eagle Mines Limited |

# APPENDIX A. DRAWINGS


## Drawing List

| Drawing No.            | Revision | Title                                                                                           |
|------------------------|----------|-------------------------------------------------------------------------------------------------|
| 62-PAT-695-230-000-001 | RE       | 230 – General Earth Works<br>Contact Water Pond – CWP 4<br>Patch 7 Layout<br>General Plan View  |
| 62-PAT-695-230-000-002 | RE       | 230 – General Earth Works62-PAT-695<br>Contact Water Pond – CWP 4<br>Patch 7 Layout<br>Profiles |
| 62-PAT-695-230-000-003 | RE       | 230 – General Earth Works<br>Contact Water Pond – CWP 4<br>Patch 7 Layout<br>Details            |
| 62-PAT-695-230-000-004 | RD       | 230 – General Earth Works<br>Sump 6A<br>Patch 7 Layout<br>General Plan View                     |
| 62-PAT-695-230-000-005 | RD       | 230 – General Earth Works<br>Sump 6A<br>Patch 7 Layout<br>Profiles                              |
| 62-PAT-695-230-000-006 | RD       | 230 – General Earth Works<br>Sump 6A<br>Patch 7 Layout<br>Details                               |






SECTION  
SCALE: 1:500



SECTION  
SCALE: 1:500

A  
(695-230-001)



SECTION  
SCALE: 1:500

B  
(695-230-002)

PLAN GLE  
KEY PLAN



455, René-Lévesque Blvd West  
Montreal (Quebec) H2Z 1Z3  
Phone : 514 393-1000

Project # : 704148  
DWG# : 704148-3000-41DP03-0049\_PE

NOTES GÉNÉRALES / GENERAL NOTES

POUR COMMENTAIRES  
FOR COMMENTS  
DATE : 2025-12-18  
AGNICO EAGLE

NE PAS UTILISER  
POUR CONSTRUCTION  
NOT FOR CONSTRUCTION  
DATE : 2025-12-18  
AGNICO EAGLE

L'INFORMATION CONTENUE EST LA PROPRIÉTÉ DE AGNICO EAGLE LEE ET DOIT ÊTRE RÉSERVÉE. SANS AUTORISATION ÉCRITE, PERSONNEL, TOUTE REPRODUCTION OU COPIE À TITRE D'EXEMPLE, EST INTERDITE. L'INFORMATION EST FOURNIE SANS GARANTIE. (C) AGNICO EAGLE LEE

NO INFORMATION HEREIN IS THE PROPERTY OF AGNICO EAGLE LEE, AND MUST BE RETAINED WITHIN AGNICO EAGLE LEE'S SOLE POSSESSION. ANY REPRODUCTION OR COPIING FOR ANY PURPOSE IS PROHIBITED. (C) AGNICO EAGLE LEE

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|---------------|-------|
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |



| REV. | DATE       | DESCRIPTION     | PAR/BY | VER. | CLIENT |
|------|------------|-----------------|--------|------|--------|
| RE   | 2025-12-18 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RD   | 2025-11-18 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RC   | 2025-10-23 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RD   | 2025-09-18 | FOR COMMENTS    | R.M.   | R.L. | M.G.   |
| RA   | 2025-09-16 | INTERNAL REVIEW | R.M.   | R.L. | M.G.   |

REVISIONS

TITRE / TITLE  
AGNICO EAGLE - HOPE BAY DIVISION  
695 - WATER MANAG.  
230 - GENERAL EARTH WORKS  
CONTACT WATER POND - CWP4  
PATCH7 LAYOUT  
PROFILES

DESSIN PAR  
DRAWN BY B.P. BISHAL PAUDEL, E.I.T.

DATE  
2025-12-18

REVU PAR  
REVIEWED BY ALN/ANH-LONG NGUYEN, P.ENG

DATE  
2025-12-18

VÉRIFIÉ PAR  
VERIFIED BY R.L. RENÉ LAVIOLETTE, P.ENG.

DATE  
2025-12-18

ÉCHELLE  
SCALE AS SHOWN

DATE  
2025-12-18

NO. DESSIN  
DRAWING NO. 62-PAT-695-230-000-002

| NO. PROJET<br>PROJECT NO. | REVISION | FEUILLE / SHEET |
|---------------------------|----------|-----------------|
| 6212/704148               | RE       | 1 / 1           |

H

G

F

E


D

C


B

A


AE-CART-ARCH D




TYPICAL CROSS SECTION FOR SUMP WITH LINER  
SCALE: NONE



TYPICAL SECTION FOR SUMP WITH ROQ FILL  
SCALE: NONE



DETAIL OF SECTION FOR A SUBMERSIBLE PUMP  
SCALE: NONE



TYPICAL SLOPE THERMAL PROTECTION DETAIL  
SCALE: NONE

| DESCRIPTION |                     |                                                                                                            |
|-------------|---------------------|------------------------------------------------------------------------------------------------------------|
| ①           | TRANSITION MATERIAL | NPAG CRUSHED STONE FOUNDATION (00-200 mm ) MIN. THICKNESS 300 mm AND COMPACTED TO METHOD SPEC.             |
| ②           | MEMBRANE BEDDING    | NPAG CRUSHED STONE FOUNDATION (00-25 mm ) MIN. THICKNESS 100 mm AND COMPACTED TO 95% S.P.M.D.D (ASTM D698) |
| ③           | GEOTEXTILE          | NEEDLE PUNCHED NONWOVEN, SHORT STAPLE POLYPROPYLENE FIBER, TENSILE STRENGTH MINIMUM 650 N                  |
| ④           | HDPE MEMBRANE       | HIGH DENSITY POLYETHYLENE RESIN MEMBRANE (HDPE), 1.5 mm THICKNESS (60 MILS)                                |
| ⑤           | ROQ FILL            | NPAG CRUSHED STONE FOUNDATION (00-600mm), MIN. THICKNESS 900mm, COMPACTED TO METHOD SPEC.                  |

| TRANSITION MATERIAL PARTICLE SIZE DISTRIBUTION LIMITS |           |
|-------------------------------------------------------|-----------|
| PARTICLE SIZE (mm)                                    | % PASSING |
| 200                                                   | 100       |
| 100                                                   | 60-100    |
| 50                                                    | 40-70     |
| 20                                                    | 20-50     |
| 10                                                    | 0-30      |
| 5                                                     | 0-10      |

| BEDDING MATERIAL PARTICLE SIZE DISTRIBUTION LIMITS |           |
|----------------------------------------------------|-----------|
| PARTICLE SIZE (mm)                                 | % PASSING |
| 25.0                                               | 100       |
| 20.0                                               | 90-100    |
| 12.5                                               | 50-100    |
| 10.0                                               | 30-100    |
| 5.0                                                | 10-80     |
| 0.63                                               | 2-35      |
| 0.08                                               | 1-15      |

PLAN CLE  
KEY PLAN



455, René-Lévesque Blvd West  
Montreal (Québec) H2Z 1Z3  
Phone: 514-393-1000  
Project # : 704148  
DWG#: 704148-3000-41DP03-0067\_PD

NOTES GÉNÉRALES / GENERAL NOTES

POUR COMMENTAIRES  
FOR COMMENTS  
AGNICO EAGLE  
DATE : 2025-12-18

NE PAS UTILISER  
POUR CONSTRUCTION  
NOT FOR CONSTRUCTION  
AGNICO EAGLE  
DATE : 2025-12-18

INFORMATION D'CONTENTIE EST LA PROPRIÉTÉ DE AGNICO EAGLE LTD ET DOIT ÊTRE RETENUE PAR ROMANIE. SANS AUTORISATION ÉCRITE, PASSEZ, SUIVEZ, TRANSMETTEZ, COPIEZ À AUTRE ET/OU TOUTE REPRODUCTION, RÉPÉTITION, ÉCRITURE, SONT INTERDITES. © AGNICO EAGLE LTD.  
THE INFORMATION HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MUST BE RETURNED UPON REQUEST WITHOUT PERMISSION. ALL OTHERS TRANSMISSIONS, COPIES AND ANY USE, COPY, REUSE OR REPRODUCTION ARE PROHIBITED. © AGNICO EAGLE LTD.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG           |
|---------------|-----------------|
| RD 2025-12-18 | FOR COMMENTS    |
| RC 2025-11-18 | FOR COMMENTS    |
| RB 2025-10-23 | FOR COMMENTS    |
| RA 2025-09-16 | INTERNAL REVIEW |
| REV. DATE     | DESCRIPTION     |



| REV. | DATE       | DESCRIPTION     | PAR/BY | VER. | CLIENT |
|------|------------|-----------------|--------|------|--------|
| RD   | 2025-12-18 | FOR COMMENTS    | A.L.N. | R.L. | M.G.   |
| RC   | 2025-11-18 | FOR COMMENTS    | A.L.N. | R.L. | M.G.   |
| RB   | 2025-10-23 | FOR COMMENTS    | R.M.   | R.L. | M.G.   |
| RA   | 2025-09-16 | INTERNAL REVIEW | R.M.   | R.L. | M.G.   |

REVISIONS

TITRE / TITLE  
AGNICO EAGLE - HOPE BAY DIVISION  
695 - WATER MANAG.  
230 - GENERAL EARTH WORKS  
CONTACT WATER POND - CWP4  
PATCH7 LAYOUT  
DETAILS

|                            |                              |                    |
|----------------------------|------------------------------|--------------------|
| DESSINÉ PAR<br>DRAWN BY    | B.P. BISHAL PAUDEL, E.I.T.   | DATE<br>2025-12-18 |
| REVU PAR<br>REVIEWED BY    | A.L.N ANH-LONG NGUYEN, P.ENG | 2025-12-18         |
| VÉRIFIÉ PAR<br>VERIFIED BY | R.L. RENE LAVIOLETTE, P.ENG. | 2025-12-18         |
| ÉCHELLE<br>SCALE           | AS SHOWN                     | DATE<br>2025-12-18 |

NO. DESSIN  
DRAWING NO. 62-PAT-695-230-000-003

| NO. PROJET<br>PROJECT NO. | REVISION | FEUILLE / SHEET |
|---------------------------|----------|-----------------|
| 6212/704148               | RD       | 1 / 1           |



PLAN CLE  
KEY PLAN

**AtkinsRéalis**

455, René-Lévesque Blvd West  
Montréal (Québec) H2Z 1Z3  
Phone: 514 385-1000

Project # : 704148  
DWG#: 704148-3000-41DP03-0068\_PD

**NOTES GÉNÉRALES / GENERAL NOTES**

1. CONTOURS, ELEVATIONS, COORDINATES AND DIMENSIONS ARE IN METERS UNLESS NOTED OTHERWISE.
2. COORDINATE SYSTEM IS UTM NAD83 ZONE 13.

--- EXISTING TOP OF SLOPE  
--- EXISTING BOTTOM OF SLOPE  
--- PROPOSED TOP OF SLOPE  
--- PROPOSED BOTTOM OF SLOPE  
+00.000 EXISTING GROUND LEVEL  
00.00 PROPOSED GROUND LEVEL

**POUR COMMENTAIRES  
FOR COMMENTS**  
AGNICO EAGLE DATE : 2025-12-08

**NE PAS UTILISER  
POUR CONSTRUCTION  
NOT FOR CONSTRUCTION**  
AGNICO EAGLE DATE : 2025-11-08

L'INFORMATION CONTENUE EST LA PROPRIÉTÉ DE AGNICO EAGLE LTD. ET DOIT ÊTRE RETENUE SANS ATTRIBUTION FORNE. AGNICO EAGLE LTD. GARANTIT LA PRÉCISION DE L'INFORMATION FOURNIE. AGNICO EAGLE LTD. ASSUME LA RESPONSABILITÉ DE L'INFORMATION FOURNIE. AGNICO EAGLE LTD. ASSUME LA RESPONSABILITÉ DE L'INFORMATION FOURNIE. AGNICO EAGLE LTD. ASSUME LA RESPONSABILITÉ DE L'INFORMATION FOURNIE.

THE INFORMATION HERE ON IS THE PROPERTY OF AGNICO EAGLE LTD. AND MUST BE RETAINED WITHOUT WRITTEN PERMISSION. AGNICO EAGLE LTD. WARRANTS THE ACCURACY OF THE INFORMATION PROVIDED. AGNICO EAGLE LTD. ASSUMES THE RESPONSIBILITY OF THE INFORMATION PROVIDED. AGNICO EAGLE LTD. ASSUMES THE RESPONSIBILITY OF THE INFORMATION PROVIDED.

| DESSINS EN REFERENCE / REFERENCE DRAWINGS |       |
|-------------------------------------------|-------|
| TITRE / TITLE                             | # DWG |
| ---                                       | ---   |
| ---                                       | ---   |
| ---                                       | ---   |
| ---                                       | ---   |
| ---                                       | ---   |

**AGNICO EAGLE**

| REV. | DATE       | DESCRIPTION     | PAR/REV. | VER. | CLIENT |
|------|------------|-----------------|----------|------|--------|
| RD   | 2025-12-08 | FOR COMMENTS    | ALN.     | R.L. | M.G.   |
| RC   | 2025-11-18 | FOR COMMENTS    | ALN.     | R.L. | M.G.   |
| RB   | 2025-10-23 | FOR COMMENTS    | ALN.     | R.L. | M.G.   |
| RA   | 2025-10-20 | INTERNAL REVIEW | ALN.     | R.L. | M.G.   |

**REVISIONS**

TITRE / TITLE  
AGNICO EAGLE - HOPE BAY DIVISION  
695 - WATER MANAG.  
230 - GENERAL EARTH WORKS  
SUMP 6A  
PATCH7 LAYOUT  
GENERAL PLAN VIEW

| DESSINÉ PAR<br>DRAWN BY  | DATE       |
|--------------------------|------------|
| BP BISHAL PAUDEL, E.I.T. | 2025-12-08 |




| REVU PAR<br>REVIEWED BY     | DATE       |
|-----------------------------|------------|
| ALN ANH-LONG NGUYEN, P.ENG. | 2025-12-08 |

| VERIFIÉ PAR<br>VERIFIED BY | DATE       |
|----------------------------|------------|
| RL RENÉ LAVIOLETTE, P.ENG. | 2025-12-08 |

| ÉCHELLE<br>SCALE | DATE       |
|------------------|------------|
| 1:250            | 2025-12-08 |

NO. DESSIN  
DRAWING NO. 62-PAT-695-230-000-004

| NO. PROJET<br>PROJECT NO. | REVISION | FEUILLE / SHEET |
|---------------------------|----------|-----------------|
| 6212/704148               | RD       | 1 / 1           |



PLAN GLE  
KEY PLAN



455, René-Lévesque Blvd West  
Montreal (Quebec) H2Z 1Z3  
Phone : 514 393-1000  
Project # : 704148  
DWG#: 704148-3000-41DP03-0068\_PD

NOTES GÉNÉRALES / GENERAL NOTES

POUR COMMENTAIRES  
FOR COMMENTS  
DATE : 2025-12-08  
AGNICO EAGLE

NE PAS UTILISER  
POUR CONSTRUCTION  
NOT FOR CONSTRUCTION  
DATE : 2025-12-08  
AGNICO EAGLE

INFORMATION D'AVANCEMENT EST LA PROPRIÉTÉ DE AGNICO EAGLE LITE ET DOIT ÊTRE RETENUE SUR DEMANDE. SANS AUTORISATION ÉCRITE, PRÉVENIR: TOUT TRANSMISSION DE COPIES À AUTRE ET TOUT ÉVALUATION AVEC DES COPIES POUR L'AVANCEMENT DE TRAVAIL. SONT INTERDITES. © AGNICO EAGLE LITE.

THE INFORMATION HEREIN IS THE PROPERTY OF AGNICO EAGLE LITE, AND MUST BE RETAINED UPON REQUEST, WITHOUT WRITTEN PERMISSION, ANY COPYING, TRANSMISSION, TO OTHERS AND ANY USE EXCEPT THAT FOR WHICH IT IS LOANED ARE PROHIBITED. © AGNICO EAGLE LITE.

DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS

| TITRE / TITLE | # DWG |
|---------------|-------|
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |
| ---           | ---   |



| REV. | DATE       | DESCRIPTION     | PAR/ÉV. | VER. | CLIENT |
|------|------------|-----------------|---------|------|--------|
| RD   | 2025-12-08 | FOR COMMENTS    | AL.N.   | R.L. | M.G.   |
| RC   | 2025-11-18 | FOR COMMENTS    | AL.N.   | R.L. | M.G.   |
| RB   | 2025-10-23 | FOR COMMENTS    | AL.N.   | R.L. | M.G.   |
| RA   | 2025-10-20 | INTERNAL REVIEW | R.L.    | R.L. | M.G.   |

REVISIONS

TITRE / TITLE  
AGNICO EAGLE - HOPE BAY DIVISION  
695 - WATER MANAG.  
230 - GENERAL EARTH WORKS  
SUMP 6A  
PATCH7 LAYOUT  
PROFILES

DESSIN PAR  
DRAWN BY B.P. BISHAL PAUDEL, E.I.T. DATE 2025-12-08

REVU PAR  
REVIEWED BY AL.NANH-LONG NGUYEN, P.ENG. 2025-12-08


VERIFIÉ PAR  
VERIFIED BY R.L. RENE LAVIOLETTE, P.ENG. 2025-12-08

ÉCHELLE  
SCALE AS SHOWN DATE 2025-12-08


NO. DESSIN  
DRAWING NO. 62-PAT-695-230-000-005

NO. PROJET  
PROJECT NO. 6212/704148

REVISION FEUILLE / SHEET  
RD 1 / 1



*SUMP LINER ANCHOR TYPICAL CROSS SECTION*  
SCALE: NONE



*SUMP WITH ROQ FILL*  
SCALE: NONE

| DESCRIPTION |                     |                                                                                                            |
|-------------|---------------------|------------------------------------------------------------------------------------------------------------|
| ①           | TRANSITION MATERIAL | NPAG CRUSHED STONE FOUNDATION (Ø0-200 mm ) MIN. THICKNESS 300 mm AND COMPACTED TO METHOD SPEC.             |
| ②           | MEMBRANE BEDDING    | NPAG CRUSHED STONE FOUNDATION (Ø0-25 mm ) MIN. THICKNESS 100 mm AND COMPACTED TO 95% S.P.M.D.D (ASTM D698) |
| ③           | GEOTEXTILE          | NEEDLE PUNCHED NONWOVEN, SHORT STAPLE POLYPROPYLENE FIBER, TENSILE STRENGTH MINIMUM 650 N                  |
| ④           | HDPE MEMBRANE       | HIGH DENSITY POLYETHYLENE RESIN MEMBRANE (HDPE), 1.5 mm THICKNESS (60 MILS)                                |
| ⑤           | ROQ FILL            | NPAG CRUSHED STONE FOUNDATION (Ø0-600mm), MIN. THICKNESS 900mm, COMPACTED TO METHOD SPEC.                  |

| TRANSITION MATERIAL PARTICLE SIZE DISTRIBUTION LIMITS |           |  |
|-------------------------------------------------------|-----------|--|
| PARTICLE SIZE (mm)                                    | % PASSING |  |
| 200                                                   | 100       |  |
| 100                                                   | 60-100    |  |
| 50                                                    | 40-70     |  |
| 20                                                    | 20-50     |  |
| 10                                                    | 0-30      |  |
| 5                                                     | 0-10      |  |

| BEDDING MATERIAL PARTICLE SIZE DISTRIBUTION LIMITS |           |  |
|----------------------------------------------------|-----------|--|
| PARTICLE SIZE (mm)                                 | % PASSING |  |
| 25.0                                               | 100       |  |
| 20.0                                               | 90-100    |  |
| 12.5                                               | 50-100    |  |
| 10.0                                               | 30-100    |  |
| 5.0                                                | 10-80     |  |
| 0.63                                               | 2-35      |  |
| 0.08                                               | 1-15      |  |

PLAN CLÉ  
KEY PLAN

**AtkinsRéalis**

455, René-Lévesque Blvd West  
Montreal (Quebec) H2Z 1Z3  
Phone : 514 393-1000  
Project # : 704148  
DWG#: 704148-3000-41DP03-0070\_PD

NOTES GÉNÉRALES / GENERAL NOTES

**POUR COMMENTAIRES  
FOR COMMENTS**  
DATE : 2025-12-08  
**NE PAS UTILISER  
POUR CONSTRUCTION  
NOT FOR CONSTRUCTION**  
DATE : 2025-12-08

L'INFORMATION QU'IL Y A DANS CE DOCUMENT EST LA PROPRIÉTÉ DE AGNICO EAGLE LTD ET NE DOIT ÊTRE RETENUE, REPRODUITE, NI COMMUNIQUÉE À AUTRUI SANS LA PERMISSEION ÉCRITE D'AGNICO EAGLE LTD.  
THE INFORMATION HEREIN IS THE PROPERTY OF AGNICO EAGLE LTD. AND MUST BE RETURNED UPON REQUEST WITHOUT WRITTEN PERMISSION. NO COPIES, REPRODUCTIONS, OR DISSEMINATIONS ARE TO BE MADE WITHOUT WRITTEN PERMISSION.  
(C) AGNICO EAGLE LTD.

| DESSINS EN RÉFÉRENCE / REFERENCE DRAWINGS |     |     |
|-------------------------------------------|-----|-----|
| TITRE / TITLE                             | #   | DWG |
| ---                                       | --- | --- |
| ---                                       | --- | --- |
| ---                                       | --- | --- |
| ---                                       | --- | --- |
| ---                                       | --- | --- |

**AGNICO EAGLE**

| REV. | DATE       | DESCRIPTION     | PAR/BY | VER. | CLIENT |
|------|------------|-----------------|--------|------|--------|
| RD   | 2025-12-08 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RC   | 2025-11-18 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RB   | 2025-10-23 | FOR COMMENTS    | ALN    | R.L. | M.G.   |
| RA   | 2025-10-20 | INTERNAL REVIEW | R.M.   | R.L. | M.G.   |


REVISIONS

TITRE / TITLE  
AGNICO EAGLE - HOPE BAY DIVISION  
695 - WATER MANAG.  
230 - GENERAL EARTH WORKS  
SUMP 6A  
PATCH7 LAYOUT  
DETAILS


|                            |                             |                    |
|----------------------------|-----------------------------|--------------------|
| DESSINE PAR<br>DRAWN BY    | BP BISHAL PAUDEL, E.I.T.    | DATE<br>2025-12-08 |
| REVU PAR<br>REVIEWED BY    | ALN ANH-LONG NGUYEN, P.ENG. | 2025-12-08         |
| VÉRIFIÉ PAR<br>VERIFIED BY | RL RENE LAVIOLETTE, P.ENG.  | 2025-12-08         |
| ÉCHELLE<br>SCALE           | AS SHOWN                    | DATE<br>2025-12-08 |

NO. DESIN  
DRAWING NO. 62-PAT-695-230-000-006

| NO. PROJET<br>PROJECT NO. | REVISION | FEUILLE / SHIT |
|---------------------------|----------|----------------|
| 6212/704148               | RD       | 1 / 1          |



*DETAIL OF SECTION FOR A SUBMERSIBLE PUMP*  
SCALE: NONE



*TYPICAL SLOPE THERMAL PROTECTION DETAIL*  
SCALE: NONE

