



AGNICO EAGLE

HOPE BAY MINE

Hazardous Waste Management Plan

**JANUARY 2026
VERSION 8**

Revisions

Revision #	Date	Section	Changes Summary	Author
1	September 2009	Original	Approved Plan under 2AM-DOH0713, 2BE-HOP0712, 2BB-BOS0712	HBML
2	September 2011	Throughout	General Revision	HBML
3	March 2012	Throughout	General Revision (Approved Plan under 2AM-DOH1323, 2BE-HOP1222, 2BB-BOS1217)	HBML
4	September 2016	Throughout	Update to TMAC as current licensee for the Hope Bay region, conversion to TMAC modularized management plan format, changes to reflect Doris Operations phase and the amended Doris Project.	TMAC
5	November 2017		Update of roles and responsibilities section. Revision to methods of managing Wastewater Treatment Plant sludge. Updates to licence number references and conformity tables in all modules. Addition of Module D: Madrid North and Madrid South as per licence 2BB-MAE1727.	TMAC
6	March 2019	Table 4.1 and Throughout	Update to clarify that contaminated soils under this plan will not be disposed of in TIA and updated throughout to consider the recently issued Amended Type "A" Water Licence 2AM-DOH1335 (Amendment No. 2) for the Doris-Madrid Project and a new Type "A" Water Licence No. 2AM-BOS1835 for the Boston Project	Agnico Eagle
7	March 2020	Table 1.2 Table 1.3 Table 4.1	Updated Table 1.2 to reference Hope Bay Aircraft De-icing Management Plan. Updated Table 1.3 Roles and Responsibilities. Updated Table 4.1 to clarify management of glycol contaminated snow/water from Aircraft De-icing Facility	Agnico Eagle
8	January 2026	Throughout	Changes within this version of the plan represent minor clarifications. Additions are marked in the right-hand margin as follows:  v8	Agnico Eagle
		Table 4.1	Provided more detail for the storage area of waste material.	
		Table 4.1	Included option to press sludge into sludge cake and updated possible disposal methods.	

Table of Contents

Revisions	ii
Tables	iv
Glossary	v
1 Introduction	1
1.1 Objectives	1
1.2 Relevant Legislation and Guidance	2
1.3 Related Documents	3
1.4 Plan Management and Execution	3
2 Waste Management Principles.....	5
3 Waste Management at Hope Bay.....	6
3.1 Waste Management Facility.....	6
3.2 Storage and Handling	6
3.3 Off-Site Shipment	8
3.4 Training.....	8
4 Hazardous Waste Streams	10
5 Record Keeping and Reporting.....	14
5.1 Inspections and Audits	14
5.2 Monitoring.....	15
5.2.1 Waste Oil and Waste Fuel Sampling.....	15
5.2.2 Bottom Ash Characterisation.....	15
6 References.....	16
Module A: Doris	18
Module B: Windy.....	21
Module C: Madrid (Exploration and Operation)	24
Module D: Boston (Exploration and Operation)	27

Tables

Table 1.1. Regulations and Guidelines Pertinent to the Hazardous Waste Management Plan	2
Table 1.2. Documents Related to the Hazardous Waste Management Plan	3
Table 1.3. Roles and Responsibilities	4
Table 4.1. Hazardous Waste Stream, Handling, Storage and Disposal Methods	10

Glossary

Term	Definition
3Rs	Reduce, Reuse, and Recycle.
Agnico Eagle	Agnico Eagle Mines Limited
CEPA	Canadian Environmental Protection Agency
DGR	Dangerous Good Regulations
EIHWRMR	Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations
GN-DOE	Government of Nunavut – Department of Environment
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
MSDS	Material Safety Data Sheet
NWB	Nunavut Water Board
PCB	Polychlorinated Biphenyls
PPE	Personal Protective Equipment
SDS	Safety Data Sheet
SOP	Standard Operating Procedure
TDG	Transportation of Dangerous Goods
The Mine	Hope Bay Mine
The Plan	Hazardous Waste Management Plan
TIA	Tailings Impoundment Area
TCLP	Toxicity Characteristic Leaching Procedure
WHMIS	Workplace Hazardous Material Information System

1 Introduction

This *Hazardous Waste Management Plan* (the Plan) has been prepared by Agnico Eagle Mines Limited (Agnico Eagle) in accordance with the water licences and project permits held by Agnico Eagle. This Plan is intended primarily for use by Agnico Eagle and its contractors to ensure that best practices with regard to the collection, handling, segregation, storage, transport and disposal of all hazardous wastes are followed in order to minimize risk to the site workforce, surrounding communities and environment, and ensure that the conditions of water licenses, project permits and applicable legislation are met.

This Plan is structured in a manner such that one document pertaining to management and disposal of hazardous waste is approved and implemented across all Agnico Eagle Hope Bay project sites, while still addressing site- and licence-specific needs. The main document outlines Agnico Eagle's approach to hazardous waste management as it pertains to all Agnico Eagle Hope Bay developments. Appended modules provide details for each site and associated water licence. In the event of a new water licence, or existing licence amendment, only the specific modules pertaining to that licence and site will need to be revised. This is intended for consistency and efficiency across operations and for compliance management.

1.1 Objectives

The main objective of this Plan is to ensure hazardous waste is handled in a safe, efficient and environmentally-compliant manner. Consistent with Agnico Eagle's intent to be a responsible operator, these objectives are described as follows:

- Compliance with all applicable legislation and regulations pertaining to the management of hazardous waste;
- Compliance with Project Certificate and Water Licence requirements;
- Reduction of public health risk;
- Protection of the personnel handling and transporting hazardous waste;
- Protection of surface and ground water;
- Protection of land;
- Protection of local flora and fauna; and
- Conservation of resources.

The *Hazardous Waste Management Plan* has been developed to ensure that these factors are built into the Agnico Eagle operational approach at the Hope Bay Mine (the Mine). It discusses the importance of waste management and reduction of specific waste streams to ensure these objectives are met.

1.2 Relevant Legislation and Guidance

Table 1.1 provides a summary of federal and territorial regulations governing this Plan and associated guidelines.

Table 1.1. Regulations and Guidelines Pertinent to the Hazardous Waste Management Plan

Regulation	Year	Governing Body	Relevance
<i>Canadian Environmental Protection Act</i>	1999	Canadian Environmental Protection Agency (CEPA)	<ul style="list-style-type: none"> • Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations (EIHWRMR) • Polychlorinated Biphenyls (PCB) Waste Export Regulations • Interprovincial Movement of Hazardous Waste Regulations
<i>Transportation of Dangerous Goods Act and Regulations</i>	1992	Transport Canada	Requirements around the transportation of dangerous goods (TDG).
International Air Transport Association Dangerous Good Regulations (DGR)		International Air Transport Association (IATA)	Safe transport of dangerous goods by air
International Maritime Dangerous Goods (IMDG) Code	2016 and as revised	International Maritime Organization	Safe transport of dangerous goods or hazardous materials by sea
<i>Nunavut Waters and Nunavut Surface Rights Tribunal Act</i>	2002 and as amended	Nunavut Water Board (NWB)	Deposit of wastes in Nunavut waters
Canada Explosives Regulations	2013	Natural Resources Canada	Disposal of explosives-contaminated wastes
National Fire Code	2015	Canadian Commission on Building and Fire Codes	Requirements for safe storage of flammable and combustible materials.
Workplace Hazardous Material Information System (WHMIS) Regulations	2015	Health Canada	Hazardous Goods classification and labelling.
Guideline	Year	Issued By	Relevance
Environmental Guideline for the General Management of Hazardous Waste	2010	Government of Nunavut – Department of Environment (GN-DOE)	Describes general requirements for storage, transportation and disposal of hazardous wastes
Environmental Guideline for Industrial Waste Discharges into Municipal Solid Waste and Sewage Treatment Facilities	2011	GN-DOE	Document outlines discharge criteria for process effluent and residuals for disposal into a landfill
Environmental Guideline for Used Oil and Waste Fuel	2012	GN-DOE	Describes proper handling, storage and disposal procedures for used oils and waste fuels
Environmental Guideline for Waste Antifreeze	2011	GN-DOE	Describes proper handling, storage and disposal procedures for waste antifreeze
Environmental Guideline for Waste Batteries	2011	GN-DOE	Describes proper handling, storage and disposal procedures for waste batteries

Regulation	Year	Governing Body	Relevance
Environmental Guideline for Waste Solvents	2011	GN-DOE	Describes proper handling, storage and disposal procedures for waste solvents
Environmental Guideline for Biomedical and Pharmaceutical Waste	2014	GN-DOE	Describes proper handling, storage and disposal procedures for biomedical and biohazardous wastes
Environmental Guideline for Mercury-Containing Products and Waste Mercury	2010	GN-DOE	Describes proper handling, storage and disposal procedures for mercury-containing products, including fluorescent lamp tubes
Environmental Guideline for the Burning and Incineration of Solid Waste	2012	GN-DOE	Describes proper handling, storage and disposal of bottom ash generated by process of incineration.
Guideline for the Management of Waste Lead and Lead Paint	2014	GN-DOE	Describes proper containment, removal, storage, transportation and disposal of waste lead and lead paint.

1.3 Related Documents

The documents listed in Table 1.2 are expected to be referenced and utilized in conjunction with the *Hazardous Waste Management Plan*.

Table 1.2. Documents Related to the Hazardous Waste Management Plan

Document Title	Relevance
Incinerator and Composter Waste Management Plan	Management of incinerator, composter, and bottom ash disposal
Domestic Wastewater Treatment Management Plan	Management of treated domestic wastewater effluent residual
Hydrocarbon Contaminated Waste Management Plan	Management of light hydrocarbon contaminated water, snow and soil
Non-Hazardous Waste Management Plan	Describes proper handling, storage and disposal procedures for non-hazardous wastes
Air Quality Management Plan	Management and monitoring of dust and air-borne emissions
Spill Contingency Plan	Spill response procedures to minimize spill effects
Aircraft De-icing Management Plan	Management of glycol contaminated snow/sump water from aircraft de-icing facilities

1.4 Plan Management and Execution

The Plan is reviewed annually and updated as necessary. Personnel responsible for implementing and updating the Plan are identified in Table 1.3.

Table 1.3. Roles and Responsibilities

Role	Responsibility
General Manager	<ul style="list-style-type: none"> • Review, update and approve this Plan; and • Provide the necessary resources to implement this Plan.
Environmental Superintendent	<ul style="list-style-type: none"> • Review, update and approve this management plan; • Conduct routine facility and record keeping audits; • Ensure waste management facility has required supplies and resources; and • Identify corrective actions as necessary and follow-up to verify actions have been completed.
Departmental Superintendents and Supervisors	<ul style="list-style-type: none"> • Ensure waste segregation and labelling is conducted by departmental employees and contractors as outlined in this management plan.
Waste Management Personnel	<ul style="list-style-type: none"> • Implement this management plan; • Participate in review and update of this Plan as required; • Ensure all required shipping documents are completed; • Maintain record of all completed shipments and required documentation; • Ensure disposal records are received and filed; • Ensure waste generation and volumes are tracked; • Ensure waste is packaged as per the TDG, IATA, and IMDG regulations; • Assist all Agnico Eagle employees and contractors with obtaining appropriate storage containers and packaging for wastes encountered in each work area; and • Implement corrective actions as necessary.
Warehouse Superintendent	<ul style="list-style-type: none"> • Ensure all required shipping documents are completed.

2 Waste Management Principles

Agnico Eagle has adopted the 3R's of waste management: Reduce, Reuse and Recycle. The objective of these activities is to divert as much material as possible from becoming waste (hazardous or otherwise) and therefore reduce the total volume of wastes requiring handling, storage, transportation and disposal.

Reduce:

- Purchase only the required amounts of materials and buying in bulk when the opportunity is available.
- Employ inventory control methods in an attempt to ensure that quantities of materials are completely utilized.
- Establish maintenance schedules that are consistent with the equipment manufacturers' suggested replacement.
- Maintain and protect materials to prevent damage and breakage.
- Substitute less hazardous chemicals where practical.
- Select products that provide the maximum "life-of-material".
- Utilize oil/water separators onsite to reduce the amount of contaminated water requiring shipment off site.
- Test to ensure items are "spent" (i.e., batteries) prior to removing from service.

Reuse:

- If appropriate, collect and return materials to the system (i.e., equipment, operations, etc.) following maintenance and repair.
- Make use of waste oil burners for facility heating, where practical and available.
- If appropriate, filter and/or use additives to replenish lost properties of material in order to extend its useful life.
- Reuse storage containers where appropriate (e.g., cleaned fuel drums used for the collection of other wastes; oil and lube totes used for waste oil collection).

Recycle:

- Commercial companies will be used to the extent practical to recycle appropriate materials on a fee-for-service basis.
- Explore waste management options that allow for the recycling of a material or product instead of disposal.

3 Waste Management at Hope Bay

3.1 Waste Management Facility

All wastes are segregated at the source to ensure hazardous waste streams are handled separately from non-hazardous waste streams. Hazardous wastes generated from activities at the Mine are collected and transported to centralized waste management facilities to be properly packaged and temporarily stored until the waste is prepared for shipment to a designated waste transfer station. When transporting waste on site to the waste management facility, personnel will ensure containers are not leaking and are secured to minimize the potential for spills.

The waste management facilities accommodate the following activities:

- Centralized areas to receive all waste generated onsite and a sorting yard for waste drop off.
- Waste management facilities are equipped with all the appropriate personal protective equipment (PPE) and will be worn by all personnel handling the hazardous waste streams generated onsite.
- The waste management facilities are equipped with emergency response equipment (i.e., spill kit, appropriate type of fire extinguisher, etc.).
- Sorting and consolidation of various compatible waste streams to reduce waste volume and disposal costs.
- Classification, re-packaging and labelling as per WHMIS, TDG, IATA and IMDG regulations as applicable.
- Seacan containers and lined containment designated for temporary waste storage, and which can provide secondary containment to prevent spills or leaks from entering the environment.
- Weigh scale for transportation and waste volume tracking.
- Waste tracking, inventory and backhaul information management.
- Waste management facilities have specialized equipment available for handling specific waste streams, including fluorescent bulb crusher, aerosol can puncture system and oil filter crusher.

3.2 Storage and Handling

Despite the adoption and implementation of the 3R's of waste management, Agnico Eagle will produce hazardous wastes that require appropriate management, storage, transportation and disposal. The transport of hazardous waste requires that Agnico Eagle be registered as a Hazardous Waste Generator with the GN-DOE.

Although Agnico Eagle does not consider the onsite storage of hazardous waste an acceptable long term waste management solution, there are certain waste streams that cannot be transported on aircraft for backhauls and must be stored for transport during the barge season. For this reason, Agnico Eagle will be registered as a Hazardous Waste Storage Facility with the GN-DOE.

The waste management facility and the hazardous wastes within the facility are stored according to the following:

- Hazardous waste is stored in its original containers where possible or in appropriately sized containers made of compatible materials (such as steel or plastic containers, UN mega bags, plastic totes, etc.) for each specific waste (as identified in the Material Safety Data Sheet [MSDS]/ Safety Data Sheet [SDS]).
- Small quantities of compatible hazardous waste are consolidated into larger containers (such as drums, totes).
- Containers are placed so that each container can be inspected for signs of leaks or deterioration.
- All hazardous wastes are stored in a location that provides safety for site personnel, protection of the environment and prevents damage from weathering and from physical damage.
- All waste containers and packages are properly labeled according to the appropriate WHMIS, MSDS/SDS and/or relevant transport regulations (TDG, IATA, IMDG).
- Incompatible chemical wastes are not packaged or stored together based on the WHMIS and/or the MSDS/SDS for each chemical.
- The container is the primary containment for the majority of all liquid or solid hazardous wastes generated on site. Containers will be placed in secondary containment (e.g., a lined facility or larger container) as necessary.
- If the container is also the package for shipment, it will have the appropriate waste label affixed to it.
- Efforts are made not to contaminate the outside of the container during filling. Containers and packages with visible signs of external contamination will be cleaned or will not be used in the storage or transport of hazardous wastes.
- Personnel ensure that:
 - Container and package lids are secured tightly at all times and boxes are taped shut.
 - Leaking or deteriorated containers are removed as soon as practical and the contents transferred to a sound container, or the container repackaged inside another container if transfer of waste is not possible.
 - Approved containers and packages are used that are structurally capable of withstanding the aggregate weight of all contents within the package.
 - All containers are packaged as per relevant regulations to minimize risk or release during transport.
- A record is maintained of the type and amount of waste in storage.

3.3 Off-Site Shipment

Hope Bay is a remote location and therefore Agnico Eagle faces logistical challenges when shipping waste off site for disposal. Waste may be shipped offsite to a registered waste disposal facility utilizing aircraft backhauls throughout the year or backhauled on a sealift barge during the summer months. All hazardous wastes awaiting backhaul are stored onsite in a manner that prevents release to the environment.

All hazardous waste is transported off site for recycling or disposal at licenced facilities, and must be packaged, labelled and transported according to the specific requirements of the following (dependent on mode of transportation):

- Nunavut Environmental Guideline for General Management of Hazardous Waste;
- Transportation of Dangerous Goods Regulations;
- International Air Transportation Association;
- International Maritime Dangerous Goods Regulations; and
- Interprovincial Movement of Hazardous Wastes Regulations.

In addition, specific requirements of the receiving jurisdiction must also be followed.

Personnel who prepare or offer for transport, hazardous waste for disposal must be certified in TDG. Only personnel trained, certified and competent in the regulations for shipment of hazardous waste on an aircraft or barge (IATA/IMDG) can complete designated shipping documents.

Waste transported via aircraft is shipped south and delivered to a licenced Hazardous Waste Receiver or Transfer Facility. Once received, the waste is consolidated and shipped to various end receivers (facilities) for recycling, treatment or disposal depending on the specific waste stream. The Hazardous Waste Receiver provides a “Certificate of Disposal” to Agnico Eagle to certify that all waste was handled according to territorial and federal laws.

The Government of Nunavut Department of Sustainable Development, Environmental Protection Service monitors movement of hazardous waste from the generator to final disposal with the use of IATA, IMDG, Project Shipping Manifests, and Federal Interprovincial Movements of Hazardous Waste Manifest forms.

Federal Manifest forms must accompany all hazardous waste in transit regardless of the means of transport, and copies of the forms must be distributed to the waste generator, waste carriers and waste disposal companies as indicated on the carbon copy forms.

3.4 Training

Personnel working in the waste management facility are provided hands on training under direct supervision of qualified staff in the proper handling, packaging, labelling and storage of hazardous wastes

generated onsite. This ensures that all personnel are aware of the regulations, safety requirements, Standard Operating Procedures (SOPs) and personal protective equipment required when handling hazardous waste, packaging wastes and preparing wastes for shipment.

Waste management personnel also receive certified training in the following, as applicable:

- Workplace Hazardous Material Information System (WHMIS);
- Transportation of Dangerous Goods (TDG);
- International Maritime Dangerous Goods (IMDG); and
- International Air Transport Association (IATA).

All personnel working at the Agnico Eagle Hope Bay site are provided WHMIS training and information regarding proper waste segregation practices during initial site orientation. Containers are set up throughout camp buildings to collect hazardous materials, such as batteries and aerosol cans. Personnel who conduct tasks that produce hazardous wastes also receive specific training in proper disposal methods required for that waste. Waste management personnel provide guidance and packaging materials to other employees and contractors to ensure that proper sorting and labeling of waste occurs prior to receipt at the waste management facility.

4 Hazardous Waste Streams

The *Transportation of Dangerous Goods Act* governs the classification of hazardous materials. Copies of MSDS/SDS sheets are available onsite in areas where these materials are stored.

Hazardous waste streams that are anticipated to be encountered during the Hope Bay Project are identified in Table 4.1 below. Details regarding handling, storage and disposal methods are also discussed in this table. TDG, IATA, and IMDG packaging, labelling and shipping requirements will be applied to all hazardous waste containers. Product MSDS/SDS sheets will be used to determine these classifications.

Empty product containers or contaminated materials considered hazardous waste will be subject to the same storage and transport requirements as hazardous wastes.

Table 4.1. Hazardous Waste Stream, Handling, Storage and Disposal Methods

v8

Hazardous Waste Category	Waste Material	Handling Methods	Storage Area	Disposal Methods
Petroleum, Oils, Lubricants	Waste Fuels (Gasoline, Diesel, Jet A, Jet B)	<ul style="list-style-type: none"> Consolidated into appropriate containers Re-used as a fuel source where possible 	Appropriate plastic or steel containers stored on concrete containment pad with sump at Waste Management facility	<ul style="list-style-type: none"> Re-use as fuel source where possible Transported off site to a licensed recycling/disposal facility
	Waste oils, filters, rags, absorbent pads	<ul style="list-style-type: none"> Placed in clearly labeled containers Consolidated into steel or plastic containers, totes or UN mega bags by Waste Management personnel Drained filters are crushed and placed in steel or plastic containers 	Stored within sea cans or on concrete containment pad with sump at Waste Management facility	<ul style="list-style-type: none"> Waste oil is used in waste oil burner furnaces onsite Transported off site to a licensed recycling/disposal facility Residual material from waste oil burner transported off site to a licensed recycling/disposal facility
	Glycol (Antifreeze)	<ul style="list-style-type: none"> Consolidated into steel or plastic containers or totes 	Stored on concrete containment pad with sump at Waste Management facility	<ul style="list-style-type: none"> Transported off site to a licensed recycling/disposal facility Empty containers may be reused, disposed of in the site landfill (if emptied fully) or transported off site to a licensed recycling/disposal facility

Hazardous Waste Category	Waste Material	Handling Methods	Storage Area	Disposal Methods
	Glycol contaminated snow/sump water from De-Icing Facilities	<ul style="list-style-type: none"> • Snow removed from surface of de-icing facility with heavy equipment • Water removed from sump with vacuum truck 	Transported to Tailings Impoundment Area (TIA)	<ul style="list-style-type: none"> • Disposal into TIA • Discharged at least 300m away from any dams and as far from shoreline as practical • Maximum disposal volume in TIA of 30m³ per 6 months • Record product details, disposal volume, location of discharge and date
	Solvents (alcohol or petroleum based)	Consolidated into steel or plastic containers or totes	Stored within on concrete containment pad with sump at Waste Management facility	<ul style="list-style-type: none"> • Transported off site to a licensed recycling/disposal facility • Empty containers also transported off site to a licensed recycling/disposal facility
	Contaminated Soil/gravel /snow/water	Materials which are not remediated as per the <i>Hydrocarbon Contaminated Material Management Plan</i> , will be placed into impermeable containers (e.g., steel or plastic container or UN approved mega bag with impermeable liner)	Containers may be stored temporarily within sea cans or on concrete containment pad with sump at Waste Management facility	Materials which do not meet Landfarm discharge criteria will be transported off site to a licensed disposal facility or stored onsite to be backfilled underground in the permafrost zone (for soils and gravel/rock only).
Explosives	Pre-Packaged Explosives Containers (Ammonium Nitrate containing products)	Plastic bag (inner container) placed in UN approved mega bag	Plastic bags stored within locked sea cans located at Waste Management facility	Plastic bags transported off site to a licensed disposal facility or if approved by the Inspector of Mines, backfilled underground with other ammonium nitrate contaminated waste
		Cardboard box (outer container) burnt in burn pan	Cardboard stored in burn pan and burnt as soon as practicable	Disposal of bottom ash from burn pan described below

Hazardous Waste Category	Waste Material	Handling Methods	Storage Area	Disposal Methods
Chemical Wastes and Chemical Packaging	Consumable Chemicals and Packaging (e.g., Process Plant chemicals, Wastewater Treatment Plant chemicals)	<ul style="list-style-type: none"> Compatible waste chemicals consolidated into steel or plastic containers, totes or UN mega bags Plastic packaging will be consolidated with compatible waste packaging and stored in steel or plastic containers or UN mega bags Wood, cardboard or paper packaging with no residual chemical burnt in burn pan 	<ul style="list-style-type: none"> Waste chemicals and plastic packaging stored within sea cans or on concrete containment pad with sump at Waste Management facility Wood, cardboard and paper packaging stored at burn pan and burnt as soon as practicable 	<ul style="list-style-type: none"> Waste chemicals and plastic packaging transported off site to a licensed recycling/disposal facility Disposal of bottom ash from burn pan described below
	Lead and waste with residual lead (e.g., Assay lab crucibles)	Placed into steel or plastic containers	Stored in seacan containers at Waste Management Facility	Transported off site to a licensed disposal facility
Other Hazardous Materials	Compressed Gas Cylinders	Hazardous empty gas cylinders are secured upright in wooden crates	Stored in seacan containers	Transported off site to a licensed disposal facility
	Batteries	Stored in labeled disposal bins/boxes at the source; then transferred to UN rated containers	Stored in UN rated containers located in secondary containment at Waste Management Facility	Transported off site to a licensed recycling/disposal facility
	Fluorescent tubes	Tubes crushed in site fluorescent tube crusher and placed in steel or plastic containers	Stored in seacan containers at Waste Management Facility	Transported off site to a licensed recycling/disposal facility
	Other mercury containing devices (e.g., thermometers, thermostats, switches/relays)	Placed in sealed metal or plastic containers with suitable absorbent packing material	Stored in seacan containers at Waste Management Facility	Transported off site to a licensed recycling/disposal facility
	Penetrable/ Sharps Biomedical Waste (e.g., needles, syringes, scalpels, razor blades)	Dedicated puncture proof sharps containers with non-removable lids once closed, marked 'Sharps' located in each camp washroom and in Medic's exam room. Containers collected by Waste Management personnel and consolidated into steel or plastic containers	Stored at Waste Management Facility	Transported off site to approved facility for incineration

Hazardous Waste Category	Waste Material	Handling Methods	Storage Area	Disposal Methods
	Sewage Treatment Plant Sludge	Sludge from Sewage Treatment Plant removed with vacuum truck and transported to the TIA or will be pressed into a solid sludge cake which may be incinerated or disposed into the TIA	Sludge from Sewage Treatment Plant is not stored onsite	Sludge is pumped from the vacuum truck directly below a spigot discharging tailings. Sludge is buried beneath the tailings solids in the TIA or pressed into a solid sludge cake which may be incinerated or disposed of into the TIA.
	Aerosol cans	<ul style="list-style-type: none"> Segregated at source into labelled pails and then consolidated at Waste Management facility Aerosol cans are punctured, contents drained into containers and then crushed. Crushed cans are stored in separate containers or poly-lined mega bags for shipment Liquid contents collected from crushed cans is consolidated in steel containers Bear spray, mono and expanding foam products and spray glue cannot be punctured. These cans are segregated from other aerosols for shipment offsite 	Stored in seacan containers at Waste Management facility	<ul style="list-style-type: none"> Once punctured, aerosol cans may be considered as non-hazardous waste and disposed of in the landfill (dependent on original contents of the can) Aerosol cans that cannot be disposed of in the landfill will be transported off site to a licensed disposal facility Residual liquid from puncturing the can is transported off site to a licensed recycling/disposal facility
	Incinerator and Burn Pan Bottom Ash	Placed in steel containers	Stored within sea cans or on concrete containment pad with sump at Waste Management Facility	<ul style="list-style-type: none"> Bottom ash that meets appropriate criteria will be disposed of in landfill Bottom ash that does not meet appropriate criteria will be transported off site to a licensed disposal facility
	Electronic waste, Printer cartridges, Toner	<ul style="list-style-type: none"> Transported to Waste Management facility and consolidated with other electronic wastes Printer cartridges and toner stored in steel or plastic containers or UN mega bags Other electronic waste is stored in wooden crates 	Stored in seacan containers at Waste Management Facility	Transported off site to a licensed recycling/disposal facility

5 Record Keeping and Reporting

Agnico Eagle maintains an accurate record of all hazardous waste materials generated on site and all materials transported off site. At minimum, these records include:

- MSDS/SDS sheets for all chemicals handled by personnel to ensure safe handling procedures are followed.
- An inventory of the materials received by, and stored at, the Waste Management facility including:
 - Type and quantity of waste;
 - Type of container used to store the waste; and
 - Location of stored material within the facility.
- An inventory of materials that have been removed from the facility for disposal including:
 - Date of removal; and
 - Type and quantity of waste removed.
- Shipping manifests as required as per the Interprovincial Movement of Hazardous Waste, TDG, IATA and IMDG regulations.
- “Certificates of Disposal” from the receiver confirming final disposal or recycling of the waste.
- Records of facility inspections and corrective actions implemented.

Information is reported as required under the various regulations, and a summary of waste disposed of is prepared annually. Records are maintained on file at the Waste Management facility for 5 years and are made available to an Inspector upon request.

5.1 Inspections and Audits

Inspections of the facility and yard are performed routinely to ensure good housekeeping and proper storage is in effect. Waste management personnel ensure all materials stored meet the compliance standards required for storage of hazardous waste on site.

Internal waste audits are conducted periodically to ensure proper sorting and labelling is conducted by all personnel on site. Waste tracking records are also reviewed to ensure accuracy and complete documentation is maintained.

5.2 Monitoring

5.2.1 Waste Oil and Waste Fuel Sampling

A representative composite sample of waste oil and waste fuel used in waste oil burners on site will be collected annually and submitted for analysis at an accredited laboratory. Samples are compared to the criteria outlined in the Toxicity Characteristic Leaching Procedure (TCLP; USEPA 1992).

5.2.2 Bottom Ash Characterisation

Bottom ash samples from the incinerator and burn pan ash are collected monthly and submitted to an accredited laboratory for analysis. Sample results are compared to the Federal and Provincial Waste Regulations Class II Landfill Disposal criteria and the Northwest Territories Schedules III and Schedule IV Standards for Solid Waste for Landfill criteria.

6 References

Canadian Environmental Protection Agency. (1999). *Canadian Environmental Protection Act*. Government of Canada. Includes: Export and Import of Hazardous Waste and Hazardous Recyclable Material Regulations (EIHWRMR), Polychlorinated Biphenyls (PCB) Waste Export Regulations, Interprovincial Movement of Hazardous Waste Regulations.

Transport Canada. (1992). *Transportation of Dangerous Goods Act and Regulations*. Government of Canada.

International Air Transport Association. (n.d.). *Dangerous Goods Regulations (DGR)*. International Air Transport Association.

International Maritime Organization. (2016). *International Maritime Dangerous Goods (IMDG) Code* (as revised). International Maritime Organization.

Nunavut Water Board. (2002). *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (as amended). Government of Canada.

Natural Resources Canada. (2013). *Canada Explosives Regulations*. Government of Canada.

Canadian Commission on Building and Fire Codes. (2015). *National Fire Code of Canada*. National Research Council Canada.

Health Canada. (2015). *Workplace Hazardous Materials Information System (WHMIS) Regulations*. Government of Canada.

United States Environmental Protection Agency. (1992). *Toxicity Characteristic Leaching Procedure (TCLP)*. USEPA.

Government of Nunavut, Department of Environment. (2010). *Environmental Guideline for the General Management of Hazardous Waste*. GN-DOE.

Government of Nunavut, Department of Environment. (2011). *Environmental Guideline for Industrial Waste Discharges into Municipal Solid Waste and Sewage Treatment Facilities*. GN-DOE.

Government of Nunavut, Department of Environment. (2012). *Environmental Guideline for Used Oil and Waste Fuel*. GN-DOE.

Government of Nunavut, Department of Environment. (2011). *Environmental Guideline for Waste Antifreeze*. GN-DOE.

Government of Nunavut, Department of Environment. (2011). *Environmental Guideline for Waste Batteries*. GN-DOE.

Government of Nunavut, Department of Environment. (2011). *Environmental Guideline for Waste Solvents*. GN-DOE.

Government of Nunavut, Department of Environment. (2014). *Environmental Guideline for Biomedical and Pharmaceutical Waste*. GN-DOE.

Government of Nunavut, Department of Environment. (2010). *Environmental Guideline for Mercury-Containing Products and Waste Mercury*. GN-DOE.

Government of Nunavut, Department of Environment. (2012). *Environmental Guideline for the Burning and Incineration of Solid Waste*. GN-DOE.

Government of Nunavut, Department of Environment. (2014). *Guideline for the Management of Waste Lead and Lead Paint*. GN-DOE.

Module A: Doris

Conformity Table

Licence	Part	Item	Topic	Report Section
2AM-DOH1335	D	3	The Licensee shall implement preventive and mitigation measures to prevent any chemicals, fuel or Wastes associated with the undertaking from entering an.	Sections 3.1 and 3.2
	F	1	The Licensee shall implement the following waste management plans as approved by the Board: Hope Bay Project Hazardous Waste Management Plan.	This Plan
	F	10	The Licensee shall backhaul and dispose of all hazardous Wastes, and non-combustible Waste generated through the course of the operation at a licensed Waste disposal site in accordance with the Hazardous Waste Management Plan.	Table 4.1
	F	11	The Licensee shall maintain records of all Waste backhauled and records of confirmation of proper disposal of backhauled Waste. These records shall be made available to an Inspector upon request.	Section 5
	F	23	The Licensee shall prevent any chemicals, petroleum products, fuel or wastes associated with the Undertaking from entering any waterbody.	Sections 3.1 and 3.2
	H	3	The Licensee shall prevent any chemicals, petroleum products or unauthorized Wastes associated with the Project from entering Water.	Sections 3.1 and 3.2
	H	4	The Licensee shall provide secondary containment for fuel and chemical storage as required by applicable standards and acceptable industry practice.	Section 3.1

A1 Introduction

The Type A Water Licence No. 2AM-DOH1335 issued to Agnico Eagle by the NWB requires the implementation of a *Hazardous Waste Management Plan* in accordance with Part F. The Plan has been prepared and is being submitted by Agnico Eagle to address this requirement, and also includes the plan for managing hazardous waste produced across the Hope Bay belt.

The 2AM-DOH1335 Licence area includes the Doris Camp and the necessary infrastructure to support surface exploration, underground mining and development activities, and ore processing.

A2 Waste Management Facility

Hazardous waste generated during Doris project activities are collected, managed and disposed of as described in the main document of this Plan. Hazardous waste is consolidated, sorted and stored at the Roberts Bay Waste Management Facility prior to disposal.

A3 Site Hazardous Wastes

Hazardous waste produced in support of the Doris project are managed as described in the main document of this plan.

Module B: Windy

Conformity Table

Licence	Part	Item	Topic	Report Section
2BE-HOP2232	D	5	The Licensee shall provide to the Board, documented authorization from the receiving community, prior to the backhauling of any non-hazardous Waste for disposal at that community.	Section 5
	D	6	The Licensee shall backhaul and dispose of all hazardous Wastes, Waste oil and non-combustible Waste generated through the course of the operation at a licensed Waste disposal site.	This Plan

B1 Introduction

The Type B Water Licence No. 2BE-HOP2232 issued to Agnico Eagle by the NWB requires that all hazardous waste, waste oil and non-combustible waste generated through the course of operation be backhauled and disposed of at an approved waste disposal site. The *Hazardous Waste Management Plan* has been prepared by Agnico Eagle to address this requirement, and also includes the plan for managing hazardous waste produced across the Hope Bay belt.

The 2BE-HOP2232 Licence area includes Old Windy Camp and exploration activities within the Regional Exploration area.

Old Windy Camp has undergone closure and reclamation. A New Windy Camp is permitted under the current water licence, but has not yet been constructed.

B2 Waste Management Facility

There is no waste management facility located at Windy Camp at this time.

B3 Site Hazardous Wastes

Waste produced in support of the Regional Exploration surface drilling program or generated during water management and licence compliance activities executed under this licence is managed as part of the Doris-Madrid waste stream.

Module C: Madrid (Exploration and Operation)

Conformity Table

Licence	Part	Item	Topic	Report Section
2BB-MAE1727 (Exploration)	E	19	The Licensee shall ensure that all hazardous wastes generated through the course of the operation are backhauled and disposed of at an approved waste disposal site or as otherwise approved by the Board.	This Plan
	D	20	The Licensee shall maintain records of all waste backhauled and records of confirmation of proper disposal of backhauled waste. These records shall be made available to an Inspector upon request.	Section 5.1
2AM-DOH1335 (Operations)	D	3	The Licensee shall implement preventive and mitigation measures to prevent any chemicals, fuel or Wastes associated with the undertaking from entering an.	3.1 and 3.2
	F	1	The Licensee shall implement the following waste management plans as approved by the Board: ...Hope Bay Project Hazardous Waste Management Plan, Hope Bay Project.	This Plan
	F	10	The Licensee shall backhaul and dispose of all hazardous Wastes, and non-combustible Waste generated through the course of the operation at a licensed Waste disposal site in accordance with the Hazardous Waste Management Plan.	Table 4.1
	F	11	The Licensee shall maintain records of all Waste backhauled and records of confirmation of proper disposal of backhauled Waste. These records shall be made available to an Inspector upon request.	Section 5
	F	23	The Licensee shall prevent any chemicals, petroleum products, fuel or wastes associated with the Undertaking from entering any waterbody.	Sections 3.1 and 3.2
	H	3	The Licensee shall prevent any chemicals, petroleum products or unauthorized Wastes associated with the Project from entering Water.	Sections 3.1 and 3.2
	H	4	The Licensee shall provide secondary containment for fuel and chemical storage as required by applicable standards and acceptable industry practice.	Section 3.1

C1 Introduction

The Type B Water Licence No. 2BB-MAE1727 issued to Agnico Eagle by the NWB requires that all hazardous waste generated through the course of operations be backhauled and disposed of at an approved waste disposal site during exploration. The 2BB-MAE1727 Licence area includes the Madrid site.

The Type A Water Licence No. 2AM-DOH1335 issued to Agnico Eagle by the NWB requires the implementation of a *Hazardous Waste Management Plan* in accordance with Part F. The Plan has been prepared by Agnico Eagle to address this requirement, and also includes the plan for managing hazardous waste produced across the Hope Bay belt.

The 2AM-DOH1335 Licence area includes the Doris and Madrid and the necessary infrastructure to support surface exploration, surface and underground mining and development activities, and ore processing.

C2 Waste Management Facility

There is no waste management facility located at Madrid at this time. Hazardous waste generated during project activities are collected, managed and disposed of as described in the main document of this Plan. Hazardous waste is consolidated, sorted and stored at the Roberts Bay Waste Management Facility prior to disposal.

C3 Site Hazardous Wastes

Hazardous waste generated in support of exploration and operation activities, generated during water management and licence compliance activities, or produced during construction of planned infrastructure under this licence is managed as part of the Doris waste stream, and will be transported to the Doris Camp and managed as outlined in the main document of this Plan at the Roberts Bay Waste Management Facility.

Module D: Boston (Exploration and Operation)

Conformity Table

Licence	Part	Item	Topic	Report Section
2BB-BOS1727	D	4	The Licensee shall backhaul and dispose of all hazardous wastes generated through the course of the operation at an approved waste disposal site or as otherwise approved by the Board in writing.	This Plan
	D	5	The Licensee shall maintain records of all waste backhauled and records of confirmation of proper disposal of backhauled waste. These records shall be made available to an Inspector upon request.	Section 5.1
2AM-BOS1835	D	3	The Licensee shall implement preventive and mitigation measures to prevent any chemicals, fuel or Wastes associated with the undertaking from entering an.	Sections 3.1 and 3.2
	F	1	The Licensee shall implement the following waste management plans as approved by the Board: ...Hope Bay Project Hazardous Waste Management Plan.	This Plan
	F	11	The Licensee shall backhaul and dispose of all hazardous Wastes, and non-combustible Waste generated through the course of the operation at a licensed Waste disposal site in accordance with the Hazardous Waste Management Plan.	Table 4.1
	F	12	The Licensee shall maintain records of all Waste backhauled and records of confirmation of proper disposal of backhauled Waste. These records shall be made available to an Inspector upon request.	Section 5
	F	21	The Licensee shall prevent any chemicals, petroleum products, fuel or wastes associated with the Undertaking from entering any waterbody.	Sections 3.1 and 3.2
	H	3	The Licensee shall prevent any chemicals, petroleum products or unauthorized Wastes associated with the Project from entering Water.	Sections 3.1 and 3.2
	H	4	The Licensee shall provide secondary containment for fuel and chemical storage as required by applicable standards and acceptable industry practice.	Section 3.1

D1 Introduction

The Type B Water Licence No. 2BB-BOS1727 issued to Agnico Eagle by the NWB requires that all hazardous waste generated through the course of operations be backhauled and disposed of at an approved waste disposal site. The Plan has been prepared by Agnico Eagle to address this requirement, and also includes the plan for managing hazardous waste produced across the Hope Bay belt.

The 2BB-BOS1727 Licence area includes Boston Camp which currently supports surface exploration activities.

The Type A Water Licence No. 2AM-BOS1835 issued to Agnico Eagle by the NWB requires the implementation of a *Hazardous Waste Management Plan* in accordance with Part F. The Plan has been prepared and is being submitted by Agnico Eagle to address this requirement, and also includes the plan for managing hazardous waste produced across the Hope Bay belt.

D2 Waste Management Facility

There is no waste management facility located at Boston Camp at this time.

D3 Site Hazardous Wastes

Hazardous waste generated in support of exploration activities, generated during water management and licence compliance activities, or produced during construction of planned infrastructure under this licence is managed as part of the Doris waste stream, and will be transported to the Doris Camp and managed as outlined in the main document of this Plan at the Roberts Bay Waste Management Facility.