



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

2AM-BOS and 2AM-DOH1323 Completeness Check

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
Cc: Oliver Curran <oliver.curran@tmacresources.com>
Bcc: licensing@nwb-oen.ca

Tue, Feb 6, 2018 at 2:01 PM

Dear Parties:

The NWB would like to advise interested parties that the deadline for submissions regarding completeness review of 2AM-BOS---- and 2AM-DOH1323 Type "A" Water Licence applications will not be changed as INAC did withdraw its original request for extension. Submissions from interested parties are expected on or by February 14, 2018.

Regards,



Karén Kharatyan, Ph. D- ԵՂՁ ԵՏՈՂՁ

[illegible]

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐱᓚᓕᓂᓴᑦ ᓐᓚᓚᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
၂၀၁၆ ခုနှစ်၊ ဇူလိုင်လ ၁၀ ရက်နေ့

Titigaqavua 119
Uqhuqtuuq, NU, X013 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq : 1-855-521-3745

WARNING: This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(e)s pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email