

2AM-DOH1335 2026 Water Licence Amendment Commitments

2026 WLA Commitment Number	Party	2026 WLA TC ID	Subject	Commitments (as of 17-Jul-26)	Commitment Timeline
WLA-01	CIRNAC	CIRNAC-TRC-8	Water Management Plan	Agnico Eagle will update the Water Management Plan to incorporate applicable updates reflecting the Water Licence Amendment, as shown in Table 1 to response to CIRNAC-TRC-8.	60 days from Minister approval of WL Amendment
WLA-02	CIRNAC	CIRNAC-TRC-23	Interim Closure and Reclamation Plan	Agnico Eagle will update Section 7 of the Interim Closure and Reclamation Plan to reflect the agreed upon global security number.	60 days from Minister approval of WL Amendment
WLA-03	ECCC	ECCC-TRC-02	Aquatic Effects Monitoring Plan	Agnico Eagle will update Table 3-1 of the AEMP to include hydrological monitoring stations at Roberts Lake and Patch Lake. Agnico Eagle will evaluate the addition of an AEMP monitoring station in the southern portion of Patch Lake to monitor for indirect impacts due to proximity with Patch 7 activities.	60 days from Minister approval of WL Amendment
WLA-04	ECCC	ECCC-TRC-03	Aquatic Effects Monitoring Plan	Agnico Eagle will review and evaluate any new FEQG and CCME guidelines for inclusion with the AEMP. Where the updated guidelines are not adopted, rationale will be provided.	60 days from Minister approval of WL Amendment
WLA-05	ECCC	ECCC-TRC-05	Monitoring Station Locations	Agnico Eagle will provide a sample station figure depicting monitoring stations in relation to relevant infrastructure with the 2026 annual report.	March 31, 2027
WLA-06	ECCC	ECCC-TRC-06	Incineration and Composter Waste Management Plan	Agnico Eagle will update Section D1.2 of the Incineration and Composter Waste Management Plan to reflect current practices at Boston (i.e., use of burn pan and incineration).	March 31, 2027
WLA-07	ECCC	ECCC-TRC-07	Emergency Response and Crisis Management Plan	Agnico Eagle will update Section 3.2 of the Plan to reflect the following text: <i>A level Two Emergency has the following characteristics:</i> • Can be handled by employees who respond with help from their managers or fellow employees who have been called in before normal operations can resume; and • IC will alert Manager on Duty to Activate the Emergency Management Team. Generally, will require a site wide shutdown until the situation is under control. <i>Notification: General Manager same day as event & Corporate office shall be notified in the normal reporting.</i>	60 days from Minister approval of WL Amendment
WLA-08	ECCC	ECCC-TRC-08	Spill Contingency Plan	Agnico Eagle will update the citation for the Emergency Response Guidebook to the 2024 version in the Spill Contingency Plan.	60 days from Minister approval of WL Amendment
WLA-09	ECCC	ECCC-TRC-10	Hydrocarbon Contaminated Material Management Plan	Agnico Eagle will add within Section 7 of the Hydrocarbon Contaminated Material Management Plan, the following sentence: <i>Some alternative remediation options could include biopiles, low-temperature thermal desorption, soil vapour extraction, and soil amendments.</i>	March 31, 2027
WLA-10	DFO	DFO-TRC-01	Aquatic Effects Monitoring Plan	Agnico Eagle will update the AEMP to include action levels (Low, Medium, and High) for water quantity thresholds for waterbodies where water withdrawals are proposed for the Operational Update (Patch, Windy, Doris).	60 days from Minister approval of WL Amendment
WLA-11	DFO	DFO-TRC-04	Blast Vibration Monitoring Report	Agnico Eagle will provide a Blast Monitoring Report as an appendix to the full annual report. The report will be in accordance with NIRB Project Certificate No.003 Condition 29, and NIRB Project Certificate No.009 Condition 14. Confirm compliance with the Guidelines for the Use of Explosives In or Near Canadian Waters (Wright and Hopky, 1998) as modified by DFO for use in the North, and adhere to guidance provided in Monitoring Explosive Based Winter Seismic Exploration in Waterbodies (Cott and Hanna, 2005), specifically adherence to the lower instantaneous pressure change threshold of 50 kPa. The first Blast Monitoring Report will be provided with the 2026 Annual Report, and will continue annually thereafter.	March 31, 2027
WLA-12	Agnico Eagle	Not applicable	Water Licence Framework	Agnico Eagle will provide a mark-up of the Draft Water Licence prior to the Final Hearing for review.	July 31, 2026
WLA-13	CIRNAC	CIRNAC-TRC-14d,e CIRNAC-TRC-23b	Transition to Dry-stack Tailings Deposition	in progress between Agnico Eagle and CIRNAC	August 6, 2026
WLA-14	CIRNAC	CIRNAC-TRC-15a-d	Transition to Dry-stack Tailings Deposition	At least 60 days prior to transitioning to dry stack tailings or any other tailings management strategies, Agnico Eagle will submit a fugitive dust modelling report.	60 days prior to transitioning to dry stack tailings
WLA-15	CIRNAC	CIRNAC-TRC-14a CIRNAC-TRC-23a,c	Tailings Closure Statement Update	Agnico Eagle will add a statement for inclusion to the Interim Closure and Reclamation Plan of the conceptual closure concept of the dry-stack facility.	August 6, 2026
WLA-16	CIRNAC	CIRNAC-TRC-20	Water and Load Balance Summary	Agnico Eagle will provide a water and load balance results for slurry only deposition with comparison of results to the already provided model (Appendix 4-F).	August 6, 2026
WLA-17	DFO	DFO-TRC-02	Proximal Sources	Should a proximal source be used, Agnico Eagle will include within the annual report the location of the proximal sources, lake volumes of these sources, confirmation of adherence to DFO guidelines for water withdrawal (i.e., intake screens, under ice, and flow thresholds), and reporting of the monthly and annual volumes.	Annually, March 31
WLA-18	DFO	DFO-TRC-03	Freshwater Withdrawal Monitoring	Agnico Eagle will install continuous monitoring stations on Patch and Windy lakes in coordination with water withdrawal activities and will be evaluated through updates to the AEMP.	March 31, 2027
WLA-19	CIRNAC	CIRNAC-TRC-06	Prediction Of Climate Trends	Agnico Eagle will consider climate change in closure related studies.	As applicable through the ICRP