



ልዩ ምርጫ ለሰላም ማረጋገጥ
 ወደ ምርጫ ምዝገባ ማስገባት
 የሚችል ምርጫ ምዝገባ

ለመርሲያኛነት ጋራ ለሆነው ወጭ
 ለመርሲያኛነት ለሆነው ወጭ:

1. በኅዳር 18, 2015 ልጅ ሆኖ ለጥያቄው ተቀባይነት ሰጥቶታል።
2. በኅዳር 8, 2015 ልጅ ሆኖ ለጥያቄው ተቀባይነት ሰጥቶታል።
3. በኅዳር 8, 2015 ልጅ ሆኖ ለጥያቄው ተቀባይነት ሰጥቶታል።
4. በኅዳር 15, 2015 ልጅ ሆኖ ለጥያቄው ተቀባይነት ሰጥቶታል።

3. $\Delta \cup C^{\text{qb}} \triangleright^{\text{qb}} \Gamma^{\text{b}} \text{ } \varphi \Gamma^{\text{q}} \triangleright^{\text{q}} \sigma^{\text{qb}}$
 a) $\triangleleft^{\text{qb}} \rho^{\text{b}} C \triangleright^{\text{c}} \neg$

INAC TC6: Tailings Impoundment Area Storage Capacity

The Proponent has provided adequate information to explain management processes and water treatment plans intended to proactively identify problems and install mitigative measures.

They have also provided a satisfactory explanation of the contingency plans in place in the event that effluent does not meet discharge criteria.

ልዑቅ ጋሪቶች TC6: ካልተሰጠ ልዩ ልዩ ልዩ
 ልዩ ልዩ ጋሪቶች ልዩ ልዩ ልዩ

[illegible][illegible]

INAC Submission: Dec 8, 2015	ᐅᐃᑦᑲᐃᑦ ᐃᑦᑲᑦᑲᑦ: ᐅᐃᑦᑲᑦ 8, 2015
TMAC Response: Dec 21, 2015	ᐅᐃᑦᑲᑦ ᐅᐃᑦᑲᑦ: ᐅᐃᑦᑲᑦ 21, 2015

3. $\Delta \cup C^{\text{qb}} \triangleright^{\text{qb}} \Gamma^{\text{b}} \text{ } ^\circ \rho \Gamma^{\text{q}} \triangleleft^{\text{q}} \sigma^{\text{qb}}$
 a) $\triangleleft^{\text{qb}} \rho^{\text{b}} C \triangleright^{\text{c}}$

INAC TC7: Waste Rock for Construction Use

The Proponent has provided a satisfactory explanation of the basis for criteria selection to determine whether diabase can be used for construction outside the containment area.

$\Delta \sigma \tau \rho \lambda \gamma \delta^{\epsilon} b^{\delta} d^{\epsilon} \text{ TC7: } \triangleright \zeta^{\epsilon} b^{\epsilon} \triangleleft^{\epsilon} c d^{\epsilon}$
 $\triangleleft \gamma^{\epsilon} c \triangleright \zeta^{\epsilon} h^{\epsilon} \text{ } h \sigma^{\epsilon} \text{ } j^{\epsilon}$

[illegible]

INAC Submission: Dec 8, 2015	ᐅᐃᑦᑲᐃᑦ ᐃᑦᑲᑦᑲᑦ: ᐅᐃᑦ 8, 2015
TMAC Response: Dec 21, 2015	ᐅᐃᑦᑲᑦ ᐃᑦᑲᑦᑲᑦ: ᐅᐃᑦ 21, 2015



3. Technical Review

a) Resolved

INAC TC9: Filtering Capability of the Interim Dyke

The Proponent has provided a satisfactory level of detail on how they will undertake the placement of layers on the upstream face while the Tailings Impoundment Area is in operation.

3. Δαααααααααα αααααααααα

a) αααααααααα

Δαααααααααα TC9:

αααααααααααααααααα

αααααααααααααααααα

αααααααααα αααααααααα αααααααααααααααααα
αααααααααα αααααα αααααααααα
αααααααααααααααααα αααααααααα
αααααααααααααααααα αααααααααααααααααα
αααααααααααααααααα.

INAC Submission: Dec 8, 2015

Δαααααααααα αααααααααα: ααααα 8, 2015

TMAC Response: Dec 21, 2015

ααααα αααααααααα: ααααα 21, 2015



3. Technical Review

a) Resolved

INAC TC10: Permafrost Maintenance of Thermal Rock Pads After Closure

The Proponent has provided a satisfactory explanation of measures that will be implemented to ensure that water will not pond against the edges of the thermal rock fill pads after closure.

3. Δᓃᑦᑲᓄᓐᓂᓐ ᑲᓐᓂᓐ ᑲᓐᓂᓐ

a) ᑲᓐᓂᓐᓂᓐᓂᓐ

Δᓄᑦᑲᓄᓐᓂᓐᓂᓐ TC10:

ᑲᓐᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ
ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ
ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ

ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ
ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ
ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ
ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ

INAC Submission: Dec 8, 2015

Δᓄᑦᑲᓄᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ: ᓂᓐᓂᓐ 8, 2015

TMAC Response: Dec 21, 2015

ᓂᓐᓂᓐᓂᓐ ᓂᓐᓂᓐᓂᓐ: ᓂᓐᓂᓐ 21, 2015

3. $\Delta \cup C^{\text{qb}} \triangleright^{\text{qb}} \Gamma^{\text{b}} \text{ qf} \Gamma^{\text{q}} \triangleleft^{\text{q}} \sigma^{\text{qb}}$
 a) $\triangleleft^{\text{qb}} \rho^{\text{b}} C \triangleright^{\text{c}}$

Δοτνλρδ^ςβ^δδ^ς TC12: Ρδ_ω^ςΓ^β
 ኃ^ς፲^ςβ^ςΔσ^ς

[illegible]13

3. Technical Review

a) Resolved

INAC TC13: Water Treatment

The Proponent has provided adequate information to explain management processes and water treatment plans intended to proactively identify problems and install mitigative measures.

They have also provided a satisfactory explanation of the contingency plans in place in the event that effluent does not meet discharge criteria.

3. $\Delta \cup C^{\text{qb}} \triangleright^{\text{qb}} \Gamma^{\text{b}} \text{ qf} \Gamma^{\text{q}} \triangleleft^{\text{q}} \sigma^{\text{qb}}$
 a) $\triangleleft^{\text{qb}} \rho^{\text{b}} C \triangleright^{\text{c}}$

Δοκλῶν⁵ b⁶ d⁷ TC13: ΔL▷⁸
 ኃጊፒ⁹ ኃፍC▷¹⁰ ሆፊ

ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ
 ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ
 ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ
 ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ
 ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ
 ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ ᐃᑲᑦᑦᑦᑦ

[illegible]

INAC Submission: Dec 8, 2015	ᐅᐃᑦᑲᐅᑦ ᐅᐃᑦᑲᐅᑦ: ᐅᐃᑦᑲᐅᑦ 8, 2015
TMAC Response: Dec 21, 2015	ᐅᐃᑦᑲᐅᑦ ᐅᐃᑦᑲᐅᑦ: ᐅᐃᑦᑲᐅᑦ 21, 2015

3. Δ⊂^cb▷^b⌈^b ρΓ^cρΔ^cσ^b

b) ⌈^c Δ^bρ^b⌈▷^bΛΔ^c

[illegible]

- [illegible]

ልዎርቢንጋኖቲክ ስርዓቶች ስለሚገኙት
 ነገሮች ለሚከተሉት ምክር ቤቶች ለሚገኙት
 ነገሮች ለሚከተሉት ምክር ቤቶች ለሚገኙት

INAC Submission: Dec 8, 2015	ᐅᓄᑦᕆᔨᑦ ᑐᓂᑦᑕᐅᖃᑐᑦ: ቡᑦᕈᕐ 8, 2015
TMAC Response: Dec 21, 2015	ቢᒪᑦᑦ ᓱᐅᑕᐅᖃᑐᑦ: ቡᑦᕈᕐ 21, 2015
Next:	ᐋᑲᑦᓱᖃᑐᖃᑦ:



3. Technical Review

b) Outstanding

INAC TC4: Water Quality Predictions – Input for Exposed Tailings Beaches

*Awaiting further information to be
provided by the Proponent at the
NWB Technical Meeting.*

3. Δᓃᑦᑲᓄᓐᓂᓐ ᑭᓄᑦᑲᓄᓐ

b) ᓂᑦ ᓄᓐᓂᓐᓂᓐᓂᓐ

Δᓄᑦᑲᓄᓐᓂᓐᓂᓐ TC4: Δᓂᓄᓐ
ᓂᓄᓂᓐᓂᓐᓂᓐ ᓄᓂᓄᓐᓂᓐᓂᓐ –
ᓂᓄᓂᓐᓂᓐ ᓂᓄᓐᓂᓐᓂᓐ
ᓂᓄᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐ

Δᓄᓄᓂᓐᓂᓐᓂᓐ ᓂᓄ ᓄᓂᓄᓐᓂᓐ
ᓂᓄᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐ
ᓄᓄᓄᓐᓂᓐ Δᓂᓄᓐᓂᓐᓂᓐ
ᓂᓄᓄᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐᓂᓐ.

INAC Submission: Dec 8, 2015	ᓄᓄᓂᓐᓂᓐᓂᓐ ᓂᓄᓂᓐᓂᓐᓂᓐ: ᓂᓄᓂᓐ 8, 2015
TMAC Response: Dec 21, 2015	ᓂᓄᓂᓐᓂᓐ ᓄᓄᓂᓐᓂᓐᓂᓐ: ᓂᓄᓂᓐ 21, 2015
Next:	ᓄᓄᓂᓐᓂᓐ:



3. Technical Review b) Outstanding

INAC TC11: Tailings Management Strategies

The Tailings Management Plan should be revised to include the use of environmentally suitable chemical dust suppressants.

3. Δαααααααααα αααααααααα b) αααααααααααααααα

Δαααααααααα TC11:

αααααααααααααααα

αααααααααα αααααααααα

αααααααααααααααα αααααααααα

αααααααααα αααααααααααααααα

αααααααααααααααα αααααααααααααααα

αααααααααα αααααααααα

αααααααααα.

INAC Submission: Dec 8, 2015	Δαααααααααα αααααααααα: ααααα 8, 2015
TMAC Response: Dec 21, 2015	ααααα αααααααααα: ααααα 21, 2015
Next:	αααααααααα:



4. Completeness Review

a) Resolved

INAC IR1: Water Quality

The Proponent has provided satisfactory detail on the methodology and rationale on how the improved water predictions can be verified if on-site water quality monitoring laboratory is not required.

4. ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ

a) ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ IR1: ΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ

INAC Submission: Sept 18,
2015

TMAC Response: Oct 8, 2015

ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ:
ΔΔΔΔΔΔ 18, 2015

ΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔΔΔ 8, 2015



4. Completeness Review

a) Resolved

INAC IR2, IR3 & IR4: Water Quality

The Proponent indicated that the document requested was incorrectly referenced in the application and had been replaced with a document that had already been included in the application.

4. ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ

a) ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ IR2, IR3 & IR4: ΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ

INAC Submission: Sept 18,
2015

TMAC Response: Oct 8, 2015

ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ:
ΔΔΔΔΔΔΔΔΔΔ, 2015

ΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔΔΔΔΔΔΔ, 2015



4. Completeness Review

a) Resolved

INAC IR5: Water Quality

The Proponent indicated which document in the application contained the study describing the groundwater inflow predictions to the mine, including inflows from Doris Lake and groundwater.

4. ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ

a) ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ IR5: ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ

INAC Submission: Sept 18,
2015

TMAC Response: Oct 8, 2015

ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ:
ΔΔΔΔΔ 18, 2015

ΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔΔ 8, 2015

4. $\Delta \supset \Delta^c \dot{\supset}^a L^a \dot{\downarrow}^c$
 $\text{f} \rho \Gamma \text{f} \rho \triangleleft^{\text{f}b} C \triangleright \sigma^a \downarrow$
 a) $\triangleleft^{\text{f}b} \rho^b C \triangleright \text{f}^c$

[illegible][illegible]

Δοτῶν Ἰωάννης ὁ Πρωτομάρτυς:
 Ἰούλιος 18, 2015

Παύλος ὁ Ἀποστόλος:
 Ἀπρίλιος 8, 2015



4. Completeness Review

a) Resolved

INAC IR7: Water Management and Treatment

The Proponent has provided a satisfactory analysis of variable hydrological conditions.

4. ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ

a) ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ IR7: ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ.

INAC Submission: Sept 18, 2015

TMAC Response: Oct 8, 2015

ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ:
ΔΔΔΔΔ 18, 2015

ΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔΔ 8, 2015

4. $\Delta \supset \Delta^c \dot{\cup} L^c \dot{\cup} J^c$
 $\varphi \rho \Gamma \varphi \triangleright \triangleleft^{\varphi b} C \triangleright \sigma^{\varphi} L$
 a) $\triangleleft^{\varphi b} \rho^b C \triangleright \varphi^c$

Δοτ^αλ^αν^ας^α IR8: Δ^αλ^ας^α

◀▶^αλ^ας^α ◀^αλ^ας^α ▶^αλ^ας^α

[illegible]23



4. Completeness Review

a) Resolved

INAC IR15: Interim Closure and Reclamation Plan

The stated percentages for reclaiming the Overburden Dump are acceptable for this level of design (conceptual).

Detailed design for closure should include contour plans and an assessment that considers grain size of the surface soils, slope length and runoff velocity, to refine the overall percentage of slope that requires erosion protection.

4. ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ

a) ΔΔΔΔΔΔΔΔΔΔ

ΔΔΔΔΔΔΔΔΔΔ IR15: ΔΔΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔ ΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ

ΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ (ΔΔΔ ΔΔΔΔΔΔ
ΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔ ΔΔΔΔΔΔΔ
ΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔ
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ.

INAC Submission: Sept 18, 2015	ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔ 18, 2015
TMAC Response: Oct 8, 2015	ΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔ 8, 2015
INAC Response: Dec 8, 2015	ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔ 8, 2015
TMAC Response: Dec 21, 2015	ΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ: ΔΔΔΔ 21, 2015

4. $\Delta \supset \Delta^c \dot{\supset}^a L^a \dot{\downarrow}^c$
 $\text{P} \Gamma \text{P} \triangleleft^b C \triangleright \sigma^a L$
 b) $\text{P} \triangleleft^b \text{P}^b C \triangleright \neg L \triangleleft^c$

Δοτλρδβδ^c IR10: δδδ^c Δδδσ
Δδδδ^c δδδδσ^c

[illegible]26

4. $\Delta \rightarrow \Delta^c \bar{q}^c L^c q$
 $\nu_p \Gamma \nu_p \triangleleft^{qb} C \triangleright \sigma^{\mu\nu}$
 b) $\rho_C \triangleleft^{qb} \rho_b C \triangleright \gamma_\mu \triangleleft^c$

[illegible]

ሲሆን ጋራው ደጋፊነት ሲሰጥ ለሀገራችን ለሕገመንግሥታችን
 ለሕዝቧ ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ
 ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ
 ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ ለሀገራዊ ጥቅማቷ

[illegible]

INAC Submission: Sept 18, 2015	Δοτνλጋኞቅድ: ሰባሊ 18, 2015
TMAC Response: Oct 8, 2015	ባሊቅድ ምድረጋኞ: ልኳ 8, 2015
INAC Response: Dec 8, 2015	Δοτνλጋኞቅድ ምድረጋኞ: ባሰሊ 8, 2015
TMAC Response: Dec 21, 2015	ባሊቅድ ምድረጋኞ: ባሰሊ 21, 2015
Next:	ላሰኞጋኞ:



4. $\Delta \rightarrow \Delta^c \bar{q} L^q j_c$
 $\nu_P \Gamma \nu_P \triangleleft^{qb} C \triangleright \sigma^q L$
 b) $\rho_C \triangleleft^{qb} \rho_b C \triangleright \gamma n \triangleleft c^c$

[illegible]

ለኒብርኃ ልጅ ሥራዊረኛ ጎርባረሽ፣
 ድምፅሥራዊ ሥራዊረኛ ደጋፊ ልዩ ሥራዊረኛ
 ሲሆን ልጁ ሥራዊረኛ;
 ሥራዊረኛ ደጋፊ ሥራዊረኛ ደጋፊ
 ሥራዊረኛ.

- ዕጋዊ ምጋጋና ርዕሰ ጉዳዮችና ሌሎች ማረጋገጫ ማድረግ
 ካላቸው ምጋጋና ርዕሰ ጉዳዮች መካከል ለጋራ
 ጥያቄዎች መሰረዝና ለጋራ ጥያቄዎች መሰረዝ
 ማድረግና ለጋራ ጥያቄዎች መሰረዝ ማድረግ
 ማድረግና ለጋራ ጥያቄዎች መሰረዝ ማድረግ

INAC Submission: Sept 18, 2015	ᐃᑳᓕᓚᔨᑐᖅᑲᑦᑭᑦ: ᓵᑎᐱᓚ 18, 2015
TMAC Response: Oct 8, 2015	ᑎᒪᑲᑯᑦ ᑭᑳᓗᑭᑦᑐᑦ: ᐋᑲᑭᑦ 8, 2015
INAC Response: Dec 8, 2015	ᐃᑳᓕᓚᔨᑐᖅᑲᑦᑭᑦ ᑭᑳᓗᑭᑦᑐᑦ: ᑎᓵᐱᓚ 8, 2015
TMAC Response: Dec 21, 2015	ᑎᒪᑲᑯᑦ ᑭᑳᓗᑭᑦᑐᑦ: ᑎᓵᐱᓚ 21, 2015
Next:	ᐋᓴᑭᑦᑐᖅ:

4. $\Delta \supset \Delta^c \dot{\supset}^a L^a \dot{\downarrow}^c$
 $\text{ናዋርናዋር} \triangleleft^{\text{ናባ}} \triangleright \sigma^a \downarrow$
 b) $\downarrow^c \triangleleft^{\text{ናባ}} \rho^b \triangleright \downarrow \downarrow \triangleleft^c$

፲፩ ስርዓት ጋኅ ነፃነት IR14: አልናንካልን ክርሰታችሁ
 ብለው ይናገሩ

ካልናኑካልናኑርጋር ልረጋገጥናል።
 የሚረጋገጥናል። ለሚረጋገጥናል
 ጋራጋራጋራጋራ ልረጋገጥናል
 ከሚረጋገጥናል ለሚረጋገጥናል
 ካልናኑካልናኑርጋር ልረጋገጥናል።

ካዲጋፕርፓ^{ናብ}^{ናብ}ገረጽ.

INAC Submission: Sept 18, 2015	Δοτνλጋኞፊፊ፡ ሰባሊ 18, 2015
TMAC Response: Oct 8, 2015	ባሊፊ፡ ምረጋፊጋ፡ ልጋ፡ 8, 2015
INAC Response: Dec 8, 2015	Δοτνλጋኞፊፊ ምረጋፊጋ፡ ባሊሊ 8, 2015
TMAC Response: Dec 21, 2015	ባሊፊ፡ ምረጋፊጋ፡ ባሊሊ 21, 2015
Next:	ላሰፊጋ፡



4. Completeness Review

b) Outstanding

INAC IR16: Madrid Advanced Exploration Project

Decision to include the scope of the Madrid Advanced Exploration Project in the Doris North Gold Mine's type A Water Licence requires a decision by the Nunavut Impact Review Board and the Nunavut Water Board.

4. ΔαΔ^εΰ^εΛ^εΰ^ε

ϣ^εΓ^ερ^εΔ^εϣ^εCD^εσ^εΛ^ε

b) ϣ^ε ϣ^ε Δ^εϣ^ερ^εCD^εΛ^εΔ^εε^ε

Δ^εδ^εε^ερ^εΔ^εϣ^εε^εδ^ε IR16: Λ^εΔ^εε^ε

Δ^εΛ^εϣ^εσ^εΔ^εϣ^εΔ^εε^εΰ^ε Λ^εε^εΔ^εε^εϣ^ε

Δ^ερ^εΛ^εε^εϣ^ερ^εCD^εσ^εΛ^ε
Δ^εε^εΔ^ερ^εCD^εε^εΔ^εϣ^εΛ^εε^εΛ^εΔ^εε^ε
Δ^εΛ^εϣ^εσ^εΔ^εϣ^εΔ^εε^εΰ^ε Λ^εε^εε^εΔ^εε^εϣ^ε Δ^εε^ε
Δ^εΔ^εε^εε^εσ^ε ΰ^εΔ^εΓ^ε Δ^εΛ^εϣ^εσ^εΔ^εϣ^εΔ^εε^ε
ϣ^εε^εδ^εε^εΔ^εε^εσ^εε^εδ^ε A Δ^εΛ^εε^εΰ^ε Λ^εε^εε^εΔ^ερ^εΓ^ε
Δ^ερ^εΛ^εε^εΔ^εε^εε^ερ^εε^εΓ^εε^ε ε^εΔ^εε^ερ^εε^εσ^εε^ε Δ^εε^εΔ^ε
ε^εΔ^εε^ερ^εε^ε ε^ερ^εε^εΔ^εε^εσ^εε^ε Δ^εε^εΔ^ε
ε^εΔ^εε^ερ^εε^ε ε^ερ^εε^εΔ^εε^εσ^εε^ε.

INAC Submission: Sept 18, 2015	Δ ^ε δ ^ε ε ^ε ρ ^ε Δ ^ε ϣ ^ε ε ^ε δ ^ε : ϣ ^ε ρ ^ε Λ ^ε ε ^ε 18, 2015
TMAC Response: Oct 8, 2015	ρ ^ε Λ ^ε ε ^ε δ ^ε ϣ ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε : Δ ^ε ε ^ε ΰ ^ε < 8, 2015
INAC Response: Dec 8, 2015	Δ ^ε δ ^ε ε ^ε ρ ^ε Δ ^ε ϣ ^ε ε ^ε δ ^ε ϣ ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε : ϣ ^ε ρ ^ε Λ ^ε ε ^ε 8, 2015
TMAC Response: Dec 21, 2015	ρ ^ε Λ ^ε ε ^ε δ ^ε ϣ ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε Δ ^ε ε ^ε : ϣ ^ε ρ ^ε Λ ^ε ε ^ε 21, 2015
Next:	Δ ^ε ε ^ε ρ ^ε ε ^ε Δ ^ε ε ^ε :

5. Reclamation Cost Estimate

Major Assumptions

- 18 month period of interim care and maintenance (ICM).
- Site closure will take 3 years.
- TMAC Quantities assumed to be correct.
- All equipment, personnel and camp facilities will need to be provided for ICM and closure activities.
- 5 years water management activities after completion of closure activities.
- 10 years post closure monitoring.
- 20% contingency.

5. $\Gamma^b \Delta \Gamma^b \Delta \sigma^a$
 $\Gamma^b \Delta \Gamma^b \Delta \sigma^a$

[illegible]

- [illegible]



5. Reclamation Cost Estimate (continued)

- Direct Costs
\$20.8M (\$19.7M - Proponent Estimate)
- Indirect Costs
\$27.0M (\$9.2M – Proponent Estimate)
- Total Costs
\$47.8M (\$28.9M – Proponent Estimate)

Major Differences:

- ICM costs
- Mobilization / demobilization costs
- Post closure monitoring and maintenance costs

5. ԿՆԼԼԳԻԳԻԸՏՊՆԾԸ ՎՐՊՆ ԴԻԿԻԸՏՊՆԸ (ԵՎԴԳԵԵ)

ԸՆԳՊՆԸ ՎՐՊՆ ՎՐՊՐԸ:

\$20.8M (\$19,7M - Proponent Estimate)

ԸՆԳՊՆԸ ՎՐՊՊՐԸՆԸ ՎՐՊՐԸ:

\$27.0M (\$9.2M – Proponent Estimate)

ԾԳԵԾԴՈԼՆԾԻԵԿԸ:

- ՀԳԵՐԸՊՆՊՏԳԵ ՎԼԼՆ
ԼՐԼՏԳՂԸ ՎՐՊՐԸ
- ՄՐԳԳՏԳՂԸ / ՄՐԳԳԻՐՏԳՏԳՂԸ
ՎՐՊՐԸ
- ԼՆԵԾԴԼԸԳԵՀԸ
ՋԾԸՈԳԻԳԻԸՏՊՆ ՎԼԼՆ
ԼՐԼՏԳՂԸ ՎՐՊՐԸ

6. Δ_Γ↪Δ_Π

ልወርሲኃኖብሮ ልኃኃሥኃኃ ልወ
 ልኖቦብሮ ልኖቦብሮ ልኖቦብሮ
 ልኖቦብሮ ልኖቦብሮ ልኖቦብሮ
 ልኖቦብሮ ልኖቦብሮ ልኖቦብሮ
 ልኖቦብሮ ልኖቦብሮ ልኖቦብሮ

- $\exists \sigma \in \Sigma^{\omega}$ such that
for all $n \in \mathbb{N}$,
 $\sigma_n = 0$ if and only if
 $\sigma_{n+1} = 1$

34

Koana
Thank you
ᑭᐅᑦᑎᐅ
Merci

