

# Hope Bay Burn Pan Log Sheet

Date	Time	Total % of Burn Pan Volume*	% Plywood	% Cardboard and Paper	% Other Clean Wood	Technician Name	Signature
May 5/2013	9:40	50%	5%	5%	90%	Hyle Rourke	Hyle Rourke
May 5/2013	11:05	50%			100% case boxes	Hyle Rourke	Hyle Rourke
"	1:50	25%			100% case boxes	Hyle Rourke	Hyle Rourke
"	2:02	35%	20%		80%	Hyle Rourke	Hyle Rourke
"	2:38	35%	10%		90%	Hyle Rourke	Hyle Rourke
"	2:58	45%			100% case boxes	Hyle Rourke	Hyle Rourke
"	4:12	30%			100% case boxes	Hyle Rourke	Hyle Rourke
"	4:39	50%			100% case boxes	Hyle Rourke	Hyle Rourke
"	5:40	25%			100% case boxes	Hyle Rourke	Hyle Rourke
"	6:00	50%			100% case boxes	Hyle Rourke	Hyle Rourke

- \*Assure burn pan is NO MORE than 50% full before beginning burn

- A technician must be present at ALL TIMES during a burn

By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated

[illegible]

- By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated



# Hope Bay Burn Pan Log Sheet

Date	Time	Total % of Burn Pan Volume*	% Plywood	% Cardboard and Paper	% Other Clean Wood	Technician Name	Signature
May 11/2012	9:00	50%		5%	95%	Johnny A Kyle R	[Signature]
" "	4:00	50%		0	100%	Johnny A	[Signature]
" "	4:30	50%		0	100%	Johnny A	[Signature]
" "	4:45	50%		0	100%	Johnny A	[Signature]
" "	5:07	50%		0	100%	Johnny A	[Signature]
" "	5:40	50%		0	100%	Johnny A	[Signature]

- \*Assure burn pan is NO MORE than 50% full before beginning burn
- A technician must be present at ALL TIMES during a burn

By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated

# Hope Bay Burn Pan Log Sheet

Date	Time	Total % of Burn Pan Volume*	% Plywood	% Cardboard and Paper	% Other Clean Wood <i>Core Boxes</i>	Technician Name	Signature
May 12, 2012	9:50	50%			Core 13015 100%	Eyle R Johnny A	<i>[Signature]</i>
11	11:11	25%			Core 13015 100%	Eyle R Johnny A	<i>[Signature]</i>
11	11:31	50%			Core 13015 100%	Eyle R Johnny A	<i>[Signature]</i>
11	11:47	50%			Core 13015 100%	Eyle R Johnny A	<i>[Signature]</i>
11	1:45	20%			Core 13015 100%	Eyle R	<i>[Signature]</i>
11	<del>1:45</del>	<del>20%</del>			<del>Core 13015</del>		
11	2:12	50%	20%		80%	Eyle R	<i>[Signature]</i>
1	2:40	50%	80%		20%	Eyle R	<i>[Signature]</i>
11	4:10	20%	10%		90%	Eyle R	<i>[Signature]</i>
11	4:26	40%			100% Core 13015	Eyle R	<i>[Signature]</i>
	4:58	50%			100% Core 13015	Eyle R	<i>[Signature]</i>

- \*Assure burn pan is NO MORE than 50% full before beginning burn
- A technician must be present at ALL TIMES during a burn

By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated



# Hope Bay Burn Pan Log Sheet

Date	Time	Total % of Burn Pan Volume*	% Plywood	% Cardboard and Paper	% Other Clean Wood	Technician Name	Signature
May 13	9:49	50%		5%	95%	Hydr	[Signature]
May 13	10:48	50%	20%		80%	Hydr	[Signature]
" "	1:45	50%			100%	Hydr	[Signature]
" "	2:10	50%			100%	Hydr	[Signature]
" "	4:10	50%			100%	Hydr	[Signature]
" "	4:35	50%			100%	Hydr	[Signature]
" "	4:55	50%			100%	Hydr	[Signature]

- \*Assure burn pan is NO MORE than 50% full before beginning burn

- A technician must be present at ALL TIMES during a burn

By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated



Hope Bay Burn Pan Log Sheet

[illegible]

- \*Assure burn pan is NO MORE than 50% full before beginning burn
- A technician must be present at ALL TIMES during a burn

By signing this form and initiating a burn, the technician certifies that s/he is confident that inappropriate items are not contained in the burn pan when the burn is initiated







# Hope Bay Burn Pan Log Sheet

[illegible]

- Assure burn pan is NO MORE than 50% full before beginning burn
  - A technician must be present at ALL TIMES during a burn
- ONLY untreated lumber and plywood, cardboard, and paper products
- Inspect prior to each burn for non-authorized materials and after for assurance

