


\\ssk-svr0.ssk.na.srk.ad\Saskatoon\Projects\01\_SITES\Hope Bay\020\_Site-Wide\_Data\GIS\Maps\Figure Maps\1CT022.001\_2014\_Support\1CT022.001\_annual\_seep\_maps\_2014.mxd



**Legend**

**2014 Seepage**

- Sampled
- Not Sampled

**Previous Surveys**

- 2013 Seepage
- 2012 Seepage
- 2011 Seepage
- 2010 Seepage

|                       |             |           |              |
|-----------------------|-------------|-----------|--------------|
|                       | pH 6.0 to 7 | pH 7 to 8 | pH 8 to 9.02 |
| EC ≤ 500 μS/cm        |             |           |              |
| 500μS/cm<EC<2000μS/cm |             |           |              |
| EC>2000μS/cm          |             |           |              |

Job No: 1CT022.001  
Filename: 1CT022.001\_annual\_seep\_maps\_2014

2014 Seepage Monitoring

Hope Bay Gold Project

Seep Survey Locations  
Tail Lake Road


Date:  
November 2014

Approved:  
-

Figure:  
**5**



\\ssk-svr0.ssk.na.srk.ad\Saskatoon\Projects\01\_SITE\Hope Bay\020\_Site-Wide\_Data\GIS\Maps\Figure Maps\1CT022.001\_2014\_Support\1CT022.001\_annual\_seep\_maps\_2014.mxd



**Legend**

**2014 Seepage**

- Sampled
- Not Sampled

**Previous Surveys**

- 2013 Seepage
- 2012 Seepage
- 2011 Seepage
- 2010 Seepage

|                       | pH 6.0 to 7 | pH 7 to 8 | pH 8 to 9.02 |
|-----------------------|-------------|-----------|--------------|
| EC ≤ 500 μS/cm        |             |           |              |
| 500μS/cm<EC<2000μS/cm |             |           |              |
| EC>2000μS/cm          |             |           |              |



Hope Bay Gold Project

Seep Survey Locations  
Doris Windy Road

Job No: 1CT022.001  
Filename: 1CT022.001\_annual\_seep\_maps\_2014

2014 Seepage Monitoring

|                        |                |                     |
|------------------------|----------------|---------------------|
| Date:<br>November 2014 | Approved:<br>- | Figure:<br><b>6</b> |
|------------------------|----------------|---------------------|



\\ssk-svr0.ssk.na.srk.ad\Saskatoon\Projects\01\_SITEST\Hope Bay\020\_Site-Wide\_Data\GIS\Maps\Figure Maps\1CT022.001\_2014\_Support\1CT022.001\_annual\_seep\_maps\_2014.mxd



**Legend**

**2014 Seepage**

- Sampled
- Not Sampled

**Previous Surveys**

- 2013 Seepage
- 2012 Seepage
- 2011 Seepage
- 2010 Seepage

|                       |             |           |              |
|-----------------------|-------------|-----------|--------------|
|                       | pH 6.0 to 7 | pH 7 to 8 | pH 8 to 9.02 |
| EC ≤ 500 μS/cm        |             |           |              |
| 500μS/cm<EC<2000μS/cm |             |           |              |
| EC>2000μS/cm          |             |           |              |



Hope Bay Gold Project

Seep Survey Locations  
Doris Windy Road

Job No: 1CT022.001  
Filename: 1CT022.001\_annual\_seep\_maps\_2014

2014 Seepage Monitoring

|                        |                |                     |
|------------------------|----------------|---------------------|
| Date:<br>November 2014 | Approved:<br>- | Figure:<br><b>7</b> |
|------------------------|----------------|---------------------|