




2AM-DOH1335 – Naartok East Crown Pillar Recovery at Madrid North – Proposed Site-Specific Geochemical Criteria for use of Non-Mineralized Waste Rock for Construction

Wed, Sep 18, 2019 at 3:13 PM

Richard



NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

Titigaqvia 119
Uqhuqhuq, NU, X013 110

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



[Quoted text hidden]

3 attachments

 **190910 2AM-DOH1335 NE_CPR KIA Comments-IMLE.pdf**
362K

 190911 2AM-DOH1335 NE_CPR ECCC Comments-IMLE.pdf
141K

 190912 2AM-DOH1335 NE_CPR CIRNA Comments-IMLE.pdf
314K