



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-DOH1335 Modification Sump 3

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Mar 5, 2019 at 4:31 PM

To: Oliver Curran <oliver.curran@tmacresources.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Doris North <distro-2am-doh@nwb-oen.ca>, Richard Dwyer <richard.dwyer@nwb-oen.ca>

Good afternoon.

Please see attached for Notice of Modification – Development of ‘Sump 3’ at Doris; Type “A” Water Licence 2AM-DOH1335. Hope Bay Phase 2 Project. TMAC Resources Inc.

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}} \supset \triangleleft \Delta \mathcal{L}^{\mathcal{G}}$ [illegible]

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gloa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၈၈၄ နေ့ အဖို့
၁၈၄ နေ့ အဖို့ X013 110

Titigaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐱᑦᐸᐸᐸ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᐸᐸᐸ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᑦᐸᐸᐸ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



190306 2AM-DOH1335 Sump3 Modification-ODDE.pdf

176K