



NWB Tools

Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

---

## Spill Contingency Plan and the Emergency Response Plan 2AM-DOH1335

---

John Roesch &lt;JRoesch@lands.kitia.ca&gt;

Fri, Jul 29, 2022 at 2:43 PM

To: Richard Dwyer &lt;richard.dwyer@nwb-oen.ca&gt;

Hello Richard, the KIA requests an extension to the submission of comments to the Spill Contingency Plan and the Emergency Response Plan. I have been inspecting both the Hope Bay Project and Back River Project these past two weeks and will be attending the Inuit Environmental Advisory Committee meeting next week at Hope Bay. Also I have not yet received all our consultant's reviews yet.

I request that submission date be moved to August 12, 2022.

Thank you.

John

John Roesch, P.Eng.

Senior Hope Bay Project Officer

Kitikmeot Inuit Association Dept. of Lands

PO BOX 360

Kugluktuk, NU

X0B0E0 CANADA

Ph: 867.982.3310 ext: 231

Fx: 867.982.3311

[JRoesch@lands.kitia.ca](mailto:JRoesch@lands.kitia.ca)

[www.kitia.ca](http://www.kitia.ca)

---

**From:** Richard Dwyer <[richard.dwyer@nwb-oen.ca](mailto:richard.dwyer@nwb-oen.ca)>

**Sent:** June 30, 2022 4:55 PM

**To:** Jennifer Range <[jennifer.range@agnicoeagle.com](mailto:jennifer.range@agnicoeagle.com)>; Manon Turmel <[manon.turmel@agnicoeagle.com](mailto:manon.turmel@agnicoeagle.com)>; Nancy Duquet Harvey <[nancy.harvey@agnicoeagle.com](mailto:nancy.harvey@agnicoeagle.com)>

[Quoted text hidden]

[Quoted text hidden]

--

8/2/22, 8:26 AM

Nunavut Water Board Mail - Spill Contingency Plan and the Emergency Response Plan 2AM-DOH1335

[Quoted text hidden]