EMERGENCY RESPONSE PLAN

Hope Bay Mining Ltd.
Care & Maintenance
October 2012







Prepared by: HSLP Department



Document No: Version No: Issue Date:

Page No:

HB-HSLP-ERP 2.6 FEB. 2010

Page 2 of 61

Revision Table

Document	Rev	Date	Originator	Details of change
HB-HSLP-ERP	0.0	February 1, 2010	D. Power	Original
HB-HSLP-ERP	1.1	February 10, 2010	D. Power	Telephone numbers corrections – Page 6 Appendix B -Doris Camp Evacuation routes – new map – Page 40 Appendix D – new Spill response Matrix – Page 43
HB-HSLP-ERP	1.2	February 23, 2010	D. Power	Replaced B-camp with D-Wing Bear Matrix updated – Page 21 Appendix B – Doris Camp updated – Page 39 Corrections made to Doris Airstrip Coordinates – Page 7 Revision Table added to Document – Page 45
HB-HSLP-ERP	1.3	April 1, 2010	D. Power	Bear Matrix updated – Page 22 TOC – Revised Doris Camp Evacuation Map – Page 41
HB-HSLP-ERP	1.4	May 5, 2010	D. Power	Added Rapid Response Matrix – Page 35 Added Air Medical Evacuation Procedure – Page 46
HB-HSLP-ERP	1.5	June 1, 2010	D. Power	Updated Air Medical Evacuation Procedure - Page 46
HB-HSLP-ERP	1.6	June 24, 2010	D. Power	Updated telephone contacts
HB-HSLP-ERP	1.7	August 13, 2010	D. Power	Sections 2.2, 3.1,3.2, 4.1,4.3, Boston Camp telephone numbers –Page 7/ Updated Rapid Response Matrix – Page 35/ added Boston Camp Layout Page 45 & Boston Camp Evacuation Routes Page 46
HB-HSLP-ERP	1.8	February 1, 2011	D. Power	Annual review / Emergency communications/Types of Alarms – Page 11/ Sprinkler systems Page 12 /Assembly Points – Page 26 / Appendix B / D-Wing Assembly Layout Page 43 /Added Mine Dry Evacuation Page 45 /Added Admin Emergency Evacuation Page 46
HB-HSLP-ERP	1.9	February 18, 2011	A. Holzapfel & D. Power	Updated telephone contacts/ spill response – page 18/Added Appendix I and J - wildlife response SOPs
HB-HSLP-ERP	2.0	May 18, 2011	D. Power	Telephone number Corrections – Page 6 3.1 Areas with alarms systems Boston Camp Fire Evacuation Map – Page 48
HB-HSLP-ERP	2.1		D. Power	Telephone number corrections – Page 6; Reference to Underground Emergency Response Plan – Page 9 & 34 Change Site Manager to General Manager or his designate; Making Code 1 call – Page 11; Rapid Response System – Pages 36 to 41
HB-HSLP-ERP	2.2	October 6, 2011	D. Power	Telephone number corrections – Page 6; Radio channels P.8; Duties & Responsibilities P.15; Reference to Spill Response Plan revision P.19; Fire Arms handlers P.22 & 32; Section 7 Responsibilities; Rapid Response System P36 to 41.
HB-HSLP-ERP	2.3	October 6, 2011	D. Power	Emergency Telephone numbers - updated
HB-HSLP-ERP	2.4	February 26, 2012	D. Power	Annual Review / Appendix H Air Medical Evacuation updated
HB-HSLP-ERP	2.5	July 23, 2012	D. Power	Telephone number corrections – Page 6; Radio Channel update; sections 3.1 and 3.5; Rapid Response & Air Medical Evacuation; removed reference to Underground Emergencies
HB-HSLP-ERP	2.6	October 1, 2012	D. Power	Revised for Care & Maintenance

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 3 of 61

INDEX

EXI	ERNAL EME	RGENCY TELEPHONE NUMBE	KS		6
DO	RIS CAMP KI	EY TELEPHONE NUMBERS:			7
Нор	e Bay Radio	Channels			8
Нор	oe Bay Site Co	oordinates			8
1	EMERGEN	CY RESPONSE PLAN INTRODU	CTION		9
2	EMERGEN	CY PLAN PROCEDURES FOR A	LL SUPERVISO	PRS	- 10
Sup	ervisor on Du	ıty			- 10
Prin	nary Respons	ibilities			- 10
3	Emergency	Communication / types of alar	ms		- 11
3.1	Work areas w	vith alarm system:			- 11
3.2	Work areas w	vith no alarm system:			-11
3.3	Air Horns:				- 12
3.4	Fire Alarm Dr	ills:			- 12
3.5	Sprinkler Sys	tems:			- 12
4	Emergency	Response			- 13
4.1	General Leve	els of Emergencies:			-13
Ger	neral Emerge	ncy Response Flow sheet			- 14
4.2	Duties and R	esponsibilities during an Emer	gency:		- 15
4.3	Serious Injury	and /or Illness (Yellow or Red St	atus):		- 16
4.4	Uncontrollable	e Fire Emergency (Yellow or Red	Status):		- 17
4.5	Environmenta	al Emergency: Spills (Yellow or Re	ed Status):		- 18
4.6	Aircraft Emer	gency (Green, Yellow or Red Stat	us):		- 19
4.7	Person falling	through ice (Green, Yellow or Re	ed Status):		- 20
4.8	Wildlife Enco	unter (Yellow or Red Status):			- 21
4.9	Workplace Vi	olence (Yellow or Red Status):			- 23
4.10) Personnel U	Inaccounted or Missing (Yellow or	Red Status):		- 23
Mis	sing Person (s	s) Declared - Level 3 High (Red)			- 24
4.1	1 Watercraft E	mergencies			- 25
4.12	2 Other Emerg	gencies:			- 25
5.0	ASSEMBLY	POINTS			- 26
	Author:	HSLP Department	To Be Reviewed:	April 2013	
	Approved by:	Dave Power	Print Date:	February 2010	



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 4 of 61

5.1 Assembly Points (General):	26
5.2 Hope Bay Evacuation Assembly Points:	26
6.0 WSCC (Prevention Services) Notification	27
7.0 RESPONSIBILITIES	28
7.1 Senior Manager Responsibilities:	28
7.2 First Responder:	29
7.3 Immediate Supervisor of the area:	29
7.4 FIRST AID ATTENDANT:	30
7.5 Emergency Response Group (ERG):	30
7.6 ESR Department:	31
7.7 Authorized fire arm handler:	31
7.8 Helicopter Company /Pilot:	31
8.0 EMERGENCY RESPONSE TO REMOTE WORK AREAS	33
APPENDIX A - Tips using a fire extinguisher	34
APPENDIX B – Doris Camp	35
APPENDIX C - SPILL RESPONSE - FIRST RESPONDER	37
APPENDIX D - Air Medical Evacuation	38
APPENDIX E - Bear Notification and Response (May 2010)	45
APPENDIX F - Emergency Bear Response and Deterrence (Nov 2010)	54
5.1 General Notifications	54
5.2 Green Bear Alert	55
5.3 Yellow Bear Alert	55
5.4 Red Bear Alert	55
5.5 Code 1 Emergency	56

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 5 of 61

HB-HSLP-ERP

EMERGENCY RESPONSE PLAN

Hope Bay Mining Ltd.

Care & Maintenance

Role	Responsibilities
Senior Site Manager	 Referred to Senior Manager in this Document. Point of Contact in all emergency situations. It will be their responsibility once notified of an emergency to actively manage and coordinate the Emergency Response Plan.
First Aid Attendant	 This role is filled by the HSLP Department and responsible for care of the sick and injured.
Emergency Response Group (ERG).	Due to limited man power resources at site it may be necessary to utilize as many personnel to assist with an emergency as required. All personnel must remain within their training parameters and not take any unnecessary risk.
	 ERG is made up of HSLP /First Aid Attendant, Newmont Management personal and any other person who is capable under direct supervision of HSLP /First Aid Attendant and /or Senior Manager with providing assistance in an emergency situation.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 6 of 61

HB-HSLP-ERP

EXTERNAL EMERGENCY TELEPHONE NUMBERS

Workers' Safety and Compensation Commission	
WSCC Accident Reporting Line (24 hours)	1-800-661-0792
WSCC Chief Mines Inspector (Prevention Services)	867-669-4412
WSCC General line (Yellowknife)	867-920-3888
WSCC General Line (Iqaluit)	867-979-8500
Hospital and Clinic	
Stanton Hospital (Emergency)	867-669-4100
Stanton 24 hour hot line	867-669-4115
Stanton Hospital (General Inquires)	867-669-4111
Cambridge Bay Health Center	867-983-4500
Cambridge Bay Health Center (Fax)	867-983-4509
RCMP & Coroner Offices	
RCMP Cambridge Bay	867-983-0123 /867-983-1111
RCMP Yellowknife	867-669-1111
RCMP Iqaluit	867-979-0123 /867-979-1111
Nunavut Coroner's Office	867-975-7292 /867-222-0393
Yellowknife Coroner's Office	867-920-8713
Airlines	
Adlair (Cambridge Bay)	867-983-2569 or 867-983-2247
Air Tindi	867-669-8218 - Ext 8292
Summit Air	867-669-9789 /Ext 221
Arctic Sunwest	867-873-4464
Great Slave Helicopters	867-873-2081
Aqsaqniq Airways (Taloyoak)	867-561-5300
Northern Mines	
Rio-Tinto Diavik Diamond Mine	867 669 6500
BHP Billiton Ekati Diamond Mine	867-880-2154 /867-445-1578
DeBeers Snap Lake Diamond Mine	867-766-7300 or 867-767-8536
Sabina Gold & Silver	778-372-2740
Contact WSCC Prevention Services to help coordinate additional resources	1-800-661-0792 or 867-669- 4412

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

HB-HSLP-ERP 2.6

FEB. 2010

Page No:

Page 7 of 61

DORIS CAMP KEY TELEPHONE NUMBERS:

TO BE UPDATED

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010 Page 8 of 61

Page No:

Hope Bay Radio Channels

CH	Label	Purpose	Location	Notes
1	EMERGENCY	Emergency Alerts and Notifications	Position 1	Broadcasted to All Radios
2	SECURITY	Site Security	Position 2	Monitored by Security
3	AVIATION	Doris Airstrip	Position 3	- 000000000000000000000000000000000000
4	TRAFFIC	Busses	Position 4	Busses Only
5	SITE SERVICES	Nuna Site Services	Position 5	Used by regular traffic, but not Nuna Hual Trucks
6	HSLP	HSLP Department and Medic	Position 6	Monitored by Medic
7	ESR	ESR Department	Position 7	
8	GENERAL	Facility Management & Kit Catering / Barges	Position 8	
9	CONSTRUCTION	Nuna Construction	Position 9	
10	10 SURFACE	Surface Supervisor / Notifications	Zone 1 CP Surface / Position 10	Broadcasted to All Zone 1 Surface Radios
11	11 SURFACE	Special Projects	Zone 1 CP Surface / Position 11	
12	12 SURFACE	Open	Zone 1 CP Surface / Position 12	
13	13 SURFACE	Reagent Pad / BBE Warehouse	Zone 1 CP Surface / Position 13	
14	14 SURFACE	Open	Zone 1 CP Surface / Position 14	
15	15 SURFACE	Open	Zone 1 CP Surface / Position 15	
16	BROADCAST	Broadcast to all Underground Radios	Position 16	Broadcasted to All Site Radios
43	43 EXPLORATION	HeliShack	Zone 4 CP Exploration / Position 13	Helishack and Helicopters

Hope Bay Site Coordinates

Coordinates		
Doris Camp	LAT 68 08 20 / LONG 106 36 35	
Doris Air Land Strip	LAT 68 09 50 / LONG 106 36 52	
Doris Ice Strip	LAT 68 07 31 / LONG 106 35 07	
Rob Bay	LAT 68 10 51 / LONG 106 37 20	
Boston Camp	LAT 67 39 41 / LONG 106 23 04	
Windy Camp	LAT 68 03 44 / LONG 106 36 50	

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 9 of 61

HB-HSLP-ERP

1 EMERGENCY RESPONSE PLAN INTRODUCTION

Prompt, effective and organized Emergency Response reduces the consequences and severity of Accidental losses, Emergencies and Disasters. This Emergency Response Plan provides all employees and contractors with written guidelines to be followed in the event of any type of surface emergency at the Hope Bay site during care and maintenance.

The Hope Bay Emergency Response Plan will be reviewed at least once per calendar year and revised as required.

Definition of an Emergency: An uncontrollable fire, serious injury, aircraft accident, or any unusual occurrence that endangers life, property or environment.

The types of activities that occur on the property clearly indicate that there is reasonable potential for the following types of emergency situations:

- Events that threaten to cause loss of life, permanently disabling injuries, or damage to the environment, property or equipment are to be treated as emergencies.
- Events that cause loss of life or major damage to the environment, property or equipment, are to be treated as Disasters.

In all emergency and/or disasters situations the first priority is, always, the protection and rescue of people.

Every Employee including Contractor Employee's is responsible to become fully familiar with their role in the Emergency Response Plan and to actively participate in the training and preparation drills.

The Department Heads and all contractors will ensure that well identified and current procedures are provided and maintained for their area of responsibility.

Emergency equipment will be provided and maintained, as required by acceptable industry standards, and every Employee will receive Emergency Procedures training at the start of seasonal work period.

Each First Line Supervisor will ensure that the Employees in his/her area of responsibility are fully familiar with the current Emergency Procedures and standards for that area.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 10 of 61

HB-HSLP-ERP

Page No:

2 EMERGENCY PLAN PROCEDURES FOR ALL SUPERVISORS

All supervisors at site are responsible to be completely familiar with their duties in response to the initiation of the Emergency Plan. Each supervisor will ensure that employees in his/her area are fully familiar with current Emergency Procedures and Standards for that area.

Supervisor on Duty

Upon notice of a possible emergency situation, the supervisor will determine if an emergency exists and put into effect emergency plan procedures for his/her areas of responsibility.

At the scene of any emergency, the area supervisor shall assume control of the emergency, until such time he/she turns over control to more appropriate Company Officials.

Primary Responsibilities

- Take prompt action to control the emergency situation.
- Withdraw all personnel from the danger areas to designated assembly points.
- Ensure uninvolved personnel remain out of the danger area and report to assembly points.
- Record the names of all personnel affected by the emergency situation.
- Establish the identity of personnel that may be missing and the last known location. Report the status of all personnel to the senior management personnel at site.
- Identify possible hazards in the area.
- Identify electrical supply where its presence may cause danger to victims or emergency responders.
- Maintain communication with senior management at site. Inform and update the group at site of any changes in conditions regarding the nature and magnitude of the emergency situation.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 11 of 61

HB-HSLP-ERP

3 EMERGENCY COMMUNICATION / TYPES OF ALARMS

3.1 Work areas with alarm system:

At the Doris Camp the emergency warning signal is the standard audible fire alarm buzzer, and flashing strobe lights.

These alarms can be activated manually at Fire Alarm Stations located strategically throughout the complex. All personnel must familiarize themselves with these areas.

The audible /visual alarm system at Doris Camp is connected to an alarm monitoring system which activates the alarm whenever the sprinkler system is activated or there is excessive heat or smoke detected in the area.

Personnel detecting an audible/visual alarm in the Doris Camp are to stop all activities immediately and follow the appropriate emergency procedures for their area.

3.2 Work areas with no alarm system:

In work areas where there is no alarm system, radio communication tied into the Hope Bay radio frequency becomes the **primary mode** for emergency warning and announcement at site. Channel one (1) is the emergency channel for all of Hope Bay. This channel is reserved for Emergency Incident Reporting for the Management and/ or High Priority Communications.

Radio Ch 1 (Hope Bay) -	"Code 1, Code 1, Code 1"
-------------------------	--------------------------

All supervisors, HSLP, ESR, and senior management will be responsible for carrying a radio at all times while on site.

Important: The ERG (Emergency Response Group) is made up of HSLP /First Aid Attendant, Newmont Management personal and any other person who is capable under direct supervision of HSLP /First Aid Attendant with providing assistance in an emergency situation.

All employees will monitor Channel one, (using the scan feature), to stay appraised of any incident and listen for updates, but are not to transmit on channel one (1) unless of a Priority Message relating to the emergency.

Effective radio communication must be kept brief and to the point. Long radio dialogue will be ineffective and may cause confusion. Describe the emergency in brief details.

It is important to <u>always</u> announce your specific location to prevent confusion between one area and another. Example; "Code1, Code1, Code1", Windy Camp – John Smith reporting a vehicle fire on road approaching the Windy Camp, need assistance immediately." Repeat the call every 15 seconds until you receive a reply and confirm help is on the way.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 12 of 61

HB-HSLP-ERP

Page No:

Personnel not directly involved in the emergency <u>must</u> refrain from using the radio. <u>This is mandatory</u>.

Telephone communication will only be used for emergency reporting in the event the radio system is not working or an individual has no access to radio equipment. Refer to Pages 6-7 for Emergency Telephone Index and radio channels.

The First Aid Attendant working in a remote work area where there is no access to an immediate telephone must carry a radio & satellite phone at all times.

3.3 Air Horns:

In remote work areas an air horn can be an effective way in notifying workers of an emergency who do not have radio communication and /or spread over a large area. Or, in the event of radio or telephone communication failure at site, air horns can be utilized to notify personnel of an emergency.

The signal for emergency warning using an air horn:

1 Horn Blast = Fire

2 Horn Blast = Wildlife Danger

3 Horn Blast = Code1, Code1, Code1

3.4 Fire Alarm Drills:

Fire alarm drills will be conducted of the main camp complex at least once during the seasonal period. These drills must cover all shift crew rotations. Fire alarms drills will be coordinated by the HSLP Department. A record of all Fire alarm drills must be kept on file in the HSLP office.

3.5 Sprinkler Systems:

A **fire sprinkler system** is an active fire protection measure, consisting of a water supply system, providing adequate pressure and flow rate to a water distribution piping system, where fire sprinklers are connected.

Fire Sprinkler Systems for Hope Bay			
Locations Comments			
Boston Camp	No Sprinkler protection		
Doris Camp	Full sprinkler protection		
Administration Bldg.	No Sprinkler protection		
Mine Dry	No Sprinkler protection		
Arctic corridor	No Sprinkler protection		

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 13 of 61

4 EMERGENCY RESPONSE

4.1 General Levels of Emergencies:

HBML incident reporting policy requires that all levels of emergencies is reported to the area supervisor, Senior Manager at site, or his/her designate & HSLP Representative. The urgency shall depend on the severity of the situation.

EMERGENCY RESPONSE LEVELS

Level 1 - "Low": Green

A "Low Level" emergency is an on-site or off-site emergency. It can be controlled by area personnel from the affected area.

Level 2 - "Medium": Yellow

A "Medium Level" emergency cannot be handled by the personnel of the affected area. The Emergency Response Group (ERG) is required. It does not exceed the resources of the site.

Level 3 - "High": Red


A "High Level" emergency is one which exceeds the resources available at the scene of the emergency and outside help, such as, government, industry and or corporate, is required.

- CODE 1 EMERGENCY CALL -

Radio Ch 1 (Hope Bay) - "Code 1, Code 1, Code 1"

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010

GENERAL EMERGENCY RESPONSE FLOW SHEET





Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010

HB-HSLP-ERP

Page 15 of 61

4.2 DUTIES AND RESPONSIBILITIES DURING AN EMERGENCY:

ALL PERSONNEL AT HOPE BAY (Including Contractors)

BE SURE..... You know location of the nearest Emergency exits from your workplace.

You know the location of the Designated Assembly Point for your area.

You know the location of nearby emergency equipment and that you are familiar with proper use of the equipment.

You know the Emergency Plan & evacuation routes and initiation procedures for your area.

You regularly discuss Emergency Evacuation Procedures with your supervisor and fellow workers.

STAY CALM

- Know the location of all the emergency exits in the camp and your work area, particularly the nearest one to you.
- When the alarm for the evacuation of your area is sounded and/or the notification is given by your supervisor, immediately stop what you are doing and go, in an orderly manner, to the designated Assembly Point. Under no circumstance will employees attempt to go to a more distant area by circulating through a building/area that is being evacuated.
- If you are a Fire Warden or most senior employee, you should be in charge of the headcount of personnel present, find out the physical location of the absent personnel in the area where they normally work, and notify your supervisor/Emergency Response Group (ERG) about the evacuations.
- ALL the alarms and instructions MUST be obeyed and considered.
- When you leave your dorm room or work site, CLOSE ALL DOORS AND WINDOWS.
 Use your good judgment and if you have enough time, close valves, shut off equipment, computers, office equipment and lights; safeguard confidential information by locking desks and file cabinets.
- If your office door automatically locks, TAKE YOUR KEY WITH YOU.
- If you are the last person to leave the area, check that all work areas are vacated of personnel, provided that circumstances and time allow you to do so.
- The personnel that work in critical areas of the site, such as the generator building, must perform any emergency shutdown procedures established for these areas.
- Use your good judgment to determine whether there is enough time to disconnect
 equipment without endangering yourself and the others. In case of doubt, choose your
 own safety first and get out.
- WALK, DON'T RUN. In an emergency, move fast in an orderly manner, but don't run. Remain in control, do not panic.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 16 of 61

- Avoid smoke-filled environments. If a space that is full of smoke is the only exit route, crawl or escape through a window.
- Don't talk, unless it is absolutely necessary so you may hear any warning or audible dangers.
- Go to the Assembly Point assigned to you, being careful of possible traffic and other dangers. Make sure that you establish contact with your supervisor (or the designated person) as soon as possible. After you reach the assembly area, stay there until you are given further instructions.
- If you are not in your customary work area, report to the supervisor of the area where you are, giving him/her also the name of your supervisor. Do not try to return to your customary work area if he doesn't ask you to do so.
- Those people who know of lost personnel should immediately inform the ERG or their supervisor about this.
- The work groups whose supervisor is not present in the assembly area must report to the most senior employee available or a member of the ERG.
- Do not re-enter the evacuated area or return to the scene of emergency to look for or offer aid, unless requested by the Emergency Response Group (ERG).

4.3 Serious Injury and /or Illness (Yellow or Red Status):

1. The first person to witness an accident should assist the injured person, if possible, remove any hazards, taking into consideration the responders OWN safety.

DO NOT ENDANGER YOURSELF OR OTHERS when attempting to deal with an **EMERGENCY.** Get help and return to the scene to give what support you can until the First Aid Attendant arrives.

<u>FOR ALL SERIOUS INJURIES</u> ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.

- Stay calm
- Give your name
- Location you are calling from
- Location of casualty
- Nature of injuries or what happened
- Confirm the First Aid Attendant is directly contacted about the emergency.

The Senior Manager or their designate will decide the need for additional personnel to provide assistance to the emergency. This will be completed through consultation with the **FIRST AID ATTENDANT**.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 17 of 61

This group may include, but not limited to the following:

- Members of the Emergency Response Group (ERG)
- A person with knowledge of the area to guide the First Aid Attendant to the scene.
- Qualified person to operate mobile equipment or aircraft to transport the First Aid Attendant and response personnel to the scene and transport the patient back to the camp.
- Additional personnel as required

MINOR INJURIES

- Telephone or call the First Aid Attendant on the Radio. It is not necessary to announce the Emergency (CODE 1) Call on the Radio if the injury is considered non-life threatening, minor in nature.
- Give your name
- Location you are calling from
- Location of casualty
- Nature of injuries or what happened
- Confirm you are bringing the person to the first aid station or you require the First Aid Attendant to come to the location.

Refer to Air Medical Evacuation HB-HSLP-SOP-013 for Air Medevac Guidelines - Appendix D

4.4 Uncontrollable Fire Emergency (Yellow or Red Status):

A Person Who Discovers a Fire:

1. Small fires that can be safely extinguished should be put out. At all times keep an exit at your back for safe retreat. Notify the supervisor in charge of the area or department so the incident can be properly investigated and to ensure no further danger exists.

"Refer to Appendix A for Tips on extinguishing a fire"

IF YOU ARE UNABLE TO PUT THE FIRE OUT, ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.

- 2. Warn occupants in the immediate vicinity of the fire.
- 3. Get confirmation the Senior Manager (or his designate) has received the emergency call.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010

HB-HSLP-ERP

Page 18 of 61

- 4. Give the following information:
- Your full name
- Your location
- The location of the fire
- Confirm your designated assembly point
- 5. Proceed immediately to the nearest exit and go to your designated assembly point.
- 6. Ensure all doors are closed, but not locked as you leave the building, as it will help to limit the spreading of the fire.
- 7. Do not stop for personal belongings.
- 8. Do not re-enter an area or building until an Emergency is declared over by the Senior Manager (or his designate).

The immediate supervisor of the area affected will ensure all personnel are evacuated and accounted for at the assembly point.

The Senior Manager or their designate will contact the following people immediately of the Emergency:

- Emergency Response Group (ERG)
- Supervisor of affected area
- Additional personnel as required

4.5 Environmental Emergency: Spills (Yellow or Red Status):

To minimize the extent of adverse environmental impacts resulting from a large unanticipated discharge or spill, the following steps will be taken by the first responder at the scene:

- 1. Assess the site
 - a. Identify the spilled material
 - b. Estimate the size of the leak
 - c. Assess the safety of the area
 - d. Attend to injured personnel if applicable and safe
- 2. Stop flow if safe to do so
 - a. Wear appropriate PPE
 - b. Approach the spill from upwind
 - c. Trace source of material

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No: Page 19 of 61

- 3. Contain spilled material if safe to do so
 - a. Construct temporary berms if possible
 - b. Construct temporary containment ditch if possible
 - c. Place absorbent materials from the spill kit in the spill flow path

FOR ALL SERIOUS SPILLS ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.

- 4. Report the Spill to ESR, the Senior Manager (or their designate), and HSLP Department.
- 5. Secure the area
- 6. Remain at scene until assistance arrives

Refer APPENDIX C for First Responder Matrix.

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Emergency Response Group (ERG)
- ESR Department
- Supervisor of affected area
- Additional personnel as required

Refer to Hope Bay Spill Contingency Plan (Ref# SRK-1CH008.050.MDP_ML_20110802) for detailed response information (Separate Document).

4.6 Aircraft Emergency (Green, Yellow or Red Status):

The first person to become aware of an aircraft emergency by witnessing an event or receiving information will immediately **ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.**

- 1. Give the following information
- Your full name
- Your location
- The location of aircraft accident or information about the aircraft emergency.
- Number of injured if known
- 2. Get confirmation the Senior Manager (or their designate) has been notified of the emergency.
- 3. If possible, remove any hazards, taking into consideration the responders OWN safety. **DO NOT ENDANGER YOURSELF OR OTHERS** when attempting to deal with aircraft wreckage. Provide what support you can until help arrives.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 20 of 61

HB-HSLP-ERP

4. Small fires that can be safely extinguished should be put out. At all times keep an exit at your back for safe retreat. Do not put yourself at risk if the fire is too large to fight or there is risk of explosion.

"Refer to Appendix A for Tips on extinguishing a fire"

5. Once the Emergency Response Group (ERG) arrives report to your supervisor unless your assistance is required.

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Emergency Response Group (ERG)
- Additional personnel as required

4.7 Person falling through ice (Green, Yellow or Red Status):

Any person who falls through the ice, immediate rescue is critical for survivability.

The first person at the scene will **ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.**

- 1. Give the following information
- Your full name
- Your location
- The location of the person fallen through the ice
- 2. Get confirmation the Senior Manager (or their designate) and HSLP Department has been notified of the emergency.
- 3. If possible, throw a line or some other material to the person in the water they can hold onto and be pulled onto the ice. However, **DO NOT ENDANGER YOURSELF OR OTHERS** when attempting to rescue someone who has fallen through the ice.
- 4. Provide what support you can until help arrives.
- 5. If the person can be rescued from the frigid water before the Emergency Response Group (ERG) arrives, keep the person warm in a heated shelter or vehicle; remove wet clothes as this will continue to chill the person, lowering the core body temperature. Monitor the persons breathing and administer CPR (if trained) should the person stop breathing and no pulse can be detected. Continue CPR until the person is revived or you can hand over to another trained person or a trained member of the ERG.
- 6. Once the Emergency Response Group (ERG) arrives report to your supervisor unless your assistance is required.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 21 of 61

HB-HSLP-ERP

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Emergency Response Group (ERG)
- Supervisor of affected area
- Additional personnel as required

4.8 Wildlife Encounter (Yellow or Red Status):

All wildlife encounters threatening the life of any person or the potential to threaten the life of any person must be reported immediately.

<u>FOR ALL SERIOUS WILDLIFE ENCOUNTERS</u> ACTIVATE THE EMERGENCY (CODE 1) CALL ON THE RADIO.

- 1. Give the following information
- Your full name
- Your location
- The location of the Wildlife and in relation to your position
- 2. Get confirmation the Senior Manager (or their designate) has been notified of the emergency.
- 3. Seek shelter indoors or in an enclosed vehicle and prepare your deterrent measures (spray, bangers, air horn).
- 4. Use the deterrent measures if required.

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Authorized Fire Arm handlers. Minimum of two must respond
- Wildlife responders (additional personnel trained to respond but may not be authorized to use firearms). Provide assistance making sure all personnel is evacuated to a safe area; announce travel direction and location of wildlife over radio; provide assistance with helicopter pilot in wildlife recognizance.
- Helicopter Company (Pilot) if on site and required
- Supervisor of affected area
- Additional personnel as required

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 22 of 61

Bear Response

June 28, 2009

Announce bear sightings as "Bear Alert" on Channel 1

General Sighting

If the bear is more than 1 km away:

- Report Location, Direction, Distance Away and Number of Bears
- Monitor the bear and notify if contact with people is possible
- Helicopters be prepared to relocate field personnel if needed

Green Bear Sighting

If the bear is 500 m to 1 km away:

- Report Location, Direction, Distance Away and Number of Bears
- Monitor the bear and provide updates
- Field crews be prepared to be removed by helicopter

Yellow Bear Sighting

If the Bear is 250 m to 500 m away:

- Report Location, Direction, Distance Away and Number of Bears
- Helicopters to respond, Wildlife Response members to respond
- All personnel in area seek shelter indoors and
- All personnel stay indoors until the all clear is given.

Red Bear Sighting

If the Bear is within 250 m:

- Sound Air Horn with 2 Long Blasts
- Armed Bear Response Team responds
- Helicopter response and push procedure
- All personnel Stay Indoors until All Clear is Given

Refer to Bear Notification and Response (APPENDIX E) and Emergency Bear Response and Deterrence Procedure (APPENDIX F) for more information

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No: Page 23 of 61

4.9 Workplace Violence (Yellow or Red Status):

Any person encountering a violent situation where their safety is compromised will call for HELP immediately.

<u>FOR ALL SERIOUS VIOLENT ENCOUNTERS</u> ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.

- 1. Stay calm
- 2. Try and separate yourself from the person
- 3. Request Immediate Assistance.
- 4. Provide the following information
- Your full name
- Brief description of the event
- Your location
- 5. Get confirmation the Senior Manager (or their designate) has been notified of the emergency.
- 6. Do not provoke the situation by engaging in argumentative dialogue

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Supervisor of affected area
- Additional personnel as required

4.10 Personnel Unaccounted or Missing (Yellow or Red Status):

Any person exceeding arrivals times back to camp as indicated on Journey Plans or Flight Plans and initial attempts to contact the missing person by radio, and/or satellite phone or physical inspection (if possible) fails to locate the person, the department or company supervisor will report the overdue person to Senior Manager or their designate.

First Notice Potential Missing-Level 1 low (Green)

Criteria:

- 1. Missed pre-assigned radio / sat phone or SPOT check in with supervisor or designate
- 2. Communication Lost Personnel cannot be raised via radio or sat phone by supervisor or designate
- 3. Personnel cannot be located readily

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 24 of 61

HB-HSLP-ERP

Page No:

Action First Notice Phase:

- 1. Supervisor will continue to try to raise personnel on the radio or sat phone
- 2. Site management will conduct investigation to determine the whereabouts of the potential missing person (MP). (search the immediate camp and probable areas)
- 3. Notification to all departments to check their immediate area's for the potential MP
- 4. Supervisor will try to establish the personnel's Last Know Position (LKP) or Point Last Seen, (PLS)

Second Notice Potential Missing Person – Level 2 Moderate (Yellow)

Criteria:

- 1. All First Notice actions have been unsuccessful in establishing communications with suspected MP
- 2. All First Notice Actions locating suspected MP in their base camp, LKP / PLS or in proximity of their base camp have been unsuccessful

Action Second Notice Phase:

- 1. Site Management and Supervisor continue to investigate and attempt to locate the potential MP
- 2. Additional personnel are assembled and begin preparation for potential search and determine the level of "Urgency / Emergency" " (Weather, visibility, etc.)

Missing Person (s) Declared - Level 3 High (Red)

Personnel are confirmed to be missing or unaccounted for.

Criteria:

- 1. All First & Second Notice actions have been unsuccessful in establishing communications with suspected MP
- 2. All First & Second Notice Actions locating suspected MP in their base camp, LKP / PLS or in proximity of the base camp have been unsuccessful

Action Missing Person Notice Phase:

- 1. Senior Manger & ERG determines need for external resources to provide assistance.
- 2. ERG determines the level of "Urgency / Emergency" (Weather, visibility, etc.)
- 3. Personnel Situation Assessment made and responses determined

The Senior Manager or their designate will contact the following people immediately as part of the initial Search & Rescue:

- Emergency Response Group (ERG)
- Additional internal /external resources and personnel as required

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 25 of 61

HB-HSLP-ERP

4.11 Watercraft Emergencies

If a boat capsizes or there is an emergency while operating a watercraft, **ACTIVATE THE EMERGENY (CODE 1) CALL ON THE RADIO.**

- Don't Panic
- Use self-saving techniques, such as, H.E.L.P. (draw knees up to chest)
- Provide position location, number of people requiring rescue and brief condition of persons in water (i.e., responsive or unresponsive).
- If no response can be established on the radio, activate 'call for help' on the SPOT messenger
- If possible, try and upright the boat. Climb on top of the boat to reduce exposure time to cold water.
- Stay with the boat if the shoreline is inaccessible or more than a couple meters away. Cold exposure may prevent you from being able to pull yourself up and out of the water.

The Senior Manager or their designate will contact the following people immediately being notified of the Emergency:

- Emergency Response Group (ERG)
- Helicopter Company if at site
- Additional personnel as required

Refer to HB-HSLP-SOP-002-04 Watercraft - Handling and Operation

4.12 Other Emergencies:

For all other emergencies, the following people will be notified immediately

- Emergency Response Group (ERG)
- Supervisor of affected area
- Additional personnel as required

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 26 of 61

HB-HSLP-ERP

Page No:

5.0 ASSEMBLY POINTS

5.1 Assembly Points (General):

The Assembly Points are designed to provide an immediate safe area (refuge point) used by personnel during an evacuation due to an emergency.

Assembly Points – General:

- A minimum of 15 meters distance from the affected facility.
- Signs posted to identify assembly areas.
- Vehicles should be removed from access routes in and out of the affected area to allow easy passage of emergency vehicles.

Once checked in and accounted for at the assembly point, all personnel are to remain there under the direction of their immediate supervisor until released by the Senior Manager.

5.2 Hope Bay Evacuation Assembly Points:

DORIS CAMP	
DORIS MAIN CAMP- A Wing	EMERGENCY EXIT ON SOUTH SIDE
DORIS MAIN CAMP - B Wing	EMERGENCY EXIT ON SOUTH SIDE
DORIS MAIN CAMP - C Wing	EMERGENCY EXIT ON SOUTH SIDE
DORIS MAIN CAMP - Recreation Wing	EMERGENCY EXIT NORTH SIDE
DORIS MAIN CAMP - Kitchen	EMERGENCY EXIT / RECEIVING DOCK NORTH SIDE
DORIS MAIN CAMP - Admin Wing	EXIT NORTH SIDE
DORIS MAIN CAMP - Mine Dry / Security/Medic Office	EXIT NORTH SIDE

5.3 Remote Work Areas:

When developing work plans, THAs and safe work procedures, the supervisor must include evacuation assembly points for remote work areas.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 27 of 61

HB-HSLP-ERP

Page No:

6.0 WSCC (PREVENTION SERVICES) NOTIFICATION

The Senior Manager or his designate will notify WSCC **IMMEDIATELY** when responding to the following:

- An Accident that has caused Serious Injury to an Employee
- An Accident that has caused Loss of Life

WSCC (Prevention Services) 867-920-3888 OR (24 HRS 1-800-661-0792)

Where loss of life has occurred, the Senior Manager or his designate will also notify the Royal Canadian Mounted Police and Nunavut Coroner. *Refer to External Emergency Phone Numbers* (page. 6)

The Senior Manager or his designate will take steps to ensure the scene of these types of accidents remain undisturbed until they are fully investigated.

The Senior Manager or his designate will verbally notify WSCC (Mines Inspector) **WITHIN 24 HOURS** when responding to the following:

- Any outbreak of fire
- Premature or unexpected explosion
- Asphyxiation effecting a partial or total loss of physical control
- Inflammable gas in mine workings
- Unexpected and non-controlled subsidence or caving of mine workings;
- Explosion or fire related to operation of air compressor, air receiver, compressed air line, or steam boiler;
- Breakdown of main ventilation system;
- Major damage to any vehicle.

Subsequent to verbal notification, written notification will be provided within 72 HOURS.

Should an outbreak of fire occur, which **ENDANGERS THE HEALTH OR SAFETY** of employees or serious injury or death occurs; the Senior Manager or his designate shall notify WSCC (Prevention Services) **IMMEDIATELY.**

Refer to the N.W.T. Mine Safety Regulations section 16 for further reference.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 28 of 61

HB-HSLP-ERP

Page No:

7.0 RESPONSIBILITIES

To ensure an effective Emergency Management Plan consistent with reporting, planning and execution of emergency services, **KEY STAKEHOLDERS** have a responsibility to manage and actively participate in the system.

7.1 Senior Manager Responsibilities:

The Senior Manager (or their designate) will be the **Point of Contact** in all emergency situations. It will be their responsibility once notified of an emergency to actively manage and coordinate the Emergency Response Plan.

- 1. Ensure Emergency and support personnel are notified and assembled.
- 2. Coordinate plans to approach the emergency in an effective and safe manner to effectively mitigate the loss potential. To ensure the emergency response is consistent with SOPs, and specific site Response Plans, (examples, Medevac procedures, weather-outage protocols and Spill Response Plan).
- 3. If required, request for outside assistance to help provide support and additional equipment.
- 4. Ensure notes and timelines are kept of the emergency.
- 5. As part of regulatory requirements, make a verbal report of an incident or accident to the appropriate person or group (example: Prevention Services, RCMP, Nunavut Coroner's Office, or Fire Marshal's Office).
- 6. Ensure all regulatory reports are submitted in the required time frames.
- 7. Ensure debriefing meetings are held after the emergency is over to critique response effectiveness and establish any learning outcomes.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



EMERGENCY RESPONSE PLAN

Document No: Version No: Issue Date:

Page No:

FEB. 2010

HB-HSLP-ERP

Page 29 of 61

2.6

7.2 First Responder:

The First Responder has a critical role in reporting an emergency in a calm, clear and concise manner. If making a report over the radio, keep conversion brief and to the point to prevent any confusion to the Emergency Response Group (ERG).

The first Responder,

- 1. Access the situation
- 2. Report the emergency on Channel 1 using the radio emergency call sign "Code 1, Code 1, Code 1". (Refer to page 11 for more details announcing a CODE 1 call)
- 3. Confirms the Senior Manager (or his designate) has received the emergency call.
- 4. Provides support at the emergency scene without ENDANGERING THEMSELVES or **OTHERS** until HELP arrives.
- 5. Participate in debriefing meetings.

7.3 Immediate Supervisor of the area:

- 1. Take prompt action to control the emergency situation.
- 2. Withdraw all personnel from the danger areas to designated assembly points.
- 3. Ensure uninvolved personnel remain out of the danger area and report to the assembly points.
- 4. Record the names of all personnel affected by the emergency situation.
- 5. Establish the identity of personnel that may be missing and the last known location. Report the status of all personnel to the Senior Manager and any rescue personnel.
- 6. Identify possible sources of hazards in the area and report to the Emergency Response Group.
- 7. Identify electrical supply where its presence may cause danger to victims or emergency responders.
- 8. Maintain communication with the Emergency Response Group (ERG). Inform and update of any changes in conditions regarding the nature and magnitude of the emergency situation until help arrives.
- 9. Participate in debriefing meetings.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



EMERGENCY RESPONSE PLAN

Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010

HB-HSLP-ERP

Page 30 of 61

7.4 FIRST AID ATTENDANT:

- 1. Attend all CODE 1 calls.
- 2. Liaise with members of the Emergency Response Group and direct personnel providing assistance.
- 3. Have emergency equipment ready to respond in an emergency call, including the site Ambulance.
- 4. Provide emergency medical treatment to all sick or injured personnel at site.
- 5. Coordinate air medical evacuation (Air Medevac) procedures.
- 6. Consult with the Emergency Response Group preferential consideration for ground and Air Medevac.
- 7. Provide updates to Emergency Response Group of the status of all injured workers.
- 8. Participate in debriefing meetings.

7.5 Emergency Response Group (ERG):

The ERG is a group of management personnel & additional manpower resources as required by the nature of the emergency who are responsible for responding to actual emergencies, (e.g. SAR, fighting small fires, containing a release within the affected site, etc.). All personnel will be required to:

- 1. Participate in training as schedule.
- 2. Respond immediately to an Emergency once notified.
- 3. Remain within their training parameters and limitations, and not take unnecessary risk.
- 4. Follow the direction of a Team Leader (HSLP or Senior Manager).
- 5. Participate in debriefing meetings.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

FEB. 2010

HB-HSLP-ERP

Page 31 of 61

7.6 ESR Department:

- 1. Have emergency spill equipment in a ready state to respond.
- 2. Provide to the Emergency Response Group guidance to spill response as outlined in the Hope Bay Spill contingency Plan (Ref# SRK-1CH008.050.MDP_ML_20110802).
- 3. Ensure all written environmental regulatory reports are submitted in the required time frames.
- 4. Participate in debriefing meetings.

7.7 Authorized fire arm handler:

- 1. A Person authorized by the Senior Manager.
- 2. Be prepared to respond immediately once notified of a Wildlife Emergency. Identify yourself over channel 16 as a qualified firearm handler and your availability to respond.
- 3. Minimum of two fire arm handlers to respond with two firearms (one loaded with deterrents and one loaded with live rounds as backup)
- 4. Must have a valid PAL (Possession Acquisition License).
- 5. Completed Wildlife Responder Training.
- 6. Must use safe firearm handling at all time.
- 7. Be registered with Newmont's Fire Arms Business License to handle a Company Firearm.
- 8. The first course of action will be to use deterrent measures (rubber bullets and bangers) to deter the Wildlife from returning to the camp and /or work site.
- 9. Must receive authorization from the Senior Manager or his designate to shoot and kill any animal unless his /her life is immediately being threatened.

7.8 Helicopter Company /Pilot:

When helicopters are operating at site, they can provide support in many emergency situations, including but not limited to:

- Medical Emergencies
- Spill Emergencies
- Fire Emergencies (Wild Land /Tundra)

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No: Page 32 of 61

- Persons fallen through ice
- Aircraft Emergencies
- Missing personnel
- 1. Provide support to the Emergency Response Group.
- 2. Advise ERG of availability of a Bambi Bucket at site for firefighting applications.
- 3. Operate within legal flying periods as dictated by Transport Canada and Company Procedures.
- 4. Not take any unnecessary risk while operating the helicopter in an emergency.
- 5. Train ERG in helicopter safety and techniques for stretcher handling, emergency equipment stowage and handling, and communication between the pilot and emergency responders.
- 6. Participate in debriefing meetings.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No: Page 33 of 61

8.0 EMERGENCY RESPONSE TO REMOTE WORK AREAS

It is important once a call is made of an emergency at a remote work location for a well planned and coordinated effort utilizing personnel and resources at site. This includes but not limited to the following:

Personnel:

- HSLP Representatives / First Aid Attendant
- ESR Personnel
- Management Personnel
- Supervision
- Contractor Personnel
- Consideration for external personnel

Equipment:

- Ambulance
- Tucker all terrain vehicle (Qualified Operators listed on ERT Board –Doris Camp Hallway)
- Rimpull
- Pickup trucks
- Helicopter (when on site)
- Fixed wing aircraft (when on site)
- Snowmobiles (last resort)
- Consideration for external resources

Key considerations which must be given when responding are:

- Maintain contact with the remote site by radio or telephone. Provide guidance and support.
- Notification of key individuals (Senior Manager, Medic, HSLP, ESR, etc.)
- Assembly of emergency response gear & personnel including GPS specialists
- Proper briefing for response personnel and leaders
- Prepare communication equipment (radio, satellite phone, GPS & spot messenger)
- Log keeping of times and events
- Coordinating logistics for emergency aircraft operations (airstrip preparation, fuel, sufficient ramp personnel, etc.)
- Coordinate getting qualified Tucker or Rimpull Operator if this equipment is being utilized.
- Notification of key stakeholders off site
- Debriefings once emergency is declared over

For more detailed information regarding Remote Emergency Response, refer to HB-HSLP-SOP-013.00 Air Medical Evacuation – **Appendix D**

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

HB-HSLP-ERP 2.6 FEB. 2010

Page 34 of 61

APPENDIX A - TIPS USING A FIRE EXTINGUISHER

- While accessing a fire extinguisher CALL for help. If an alarm pull station is close by activate it.
- Always approach a fire from the upwind direction (with wind at your back).
- Stand 2 3 meters from a fire when attempting to extinguish it (3-4 meters if dealing with flammable liquids).
- Locate an escape route before attempting to extinguish fire.
- Keep your back to your escape route.
- Hold the fire extinguisher in an upright position.
- Remove pin.
- Stay as low as you can when approaching the fire.
- Squeeze lever together with carrying handle.
- Direct discharge at the base of flames.
- Sweep flames off burning surface, moving discharge nozzle from side to side and from the leading edge of the flames to the rear.
- Stop applying the extinguishing agent when the flames go out. You'll need the residual powder to extinguish the fire again if the fuel re-ignites off a hot surface. Slowly back away. Never turn your back on an extinguished fire, it may re-ignite.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 35 of 61

APPENDIX B - DORIS CAMP

DORIS CAMP - (Photo) - September 2012



-NEXT PAGE-

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010




Document No: Version No:

HB-HSLP-ERP 2.6

Issue Date:

Page No:

FEB. 2010 Page 36 of 61





Document No: Version No: HB-HSLP-ERP


Issue Date:

FEB. 2010

Page No:

Page 37 of 61

APPENDIX C - SPILL RESPONSE - FIRST RESPONDER





Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 38 of 61

HB-HSLP-ERP

APPENDIX D - AIR MEDICAL EVACUATION

1. PURPOSE

Clearly define the steps for Medical Evacuation of sick or injured personnel from Hope Bay to achieve optimal patient care & recovery.

2. SCOPE

This document will describe the responsibilities of the Emergency Response Group (ERG). This document will also define the types of Medevacs, the criteria for using available aircraft at site for a Medevac, key contact phone numbers, Medevac Options, and procedure to assist First Aid Attendants & Management with the steps involved.

3. **DEFINITION**

Air Medevac	Air Medical Evacuation, often termed "AIR MEDEVAC" or medevac, is the timely and efficient movement and en route care provided by medical personnel to sick or injured personnel being evacuated from the scene of an accident or remote area to Medical or Health Centre using medically equipped aircraft.
ERP	Emergency Response Plan
ERT	Emergency Response Team
ALS	Advanced Life Support
BLS	Basic Life Support
AFA	Advance First Aid
TBD	To Be Determined
High Risk Work	Being particularly subject to potential danger or hazard (Example: Helicopter slinging, heavy equipment operation and remote work operations)
Load & Go	A situation where an employee is critically injured or ill and would not survive or would have a diminished prognosis if surgical or advanced medical intervention was delayed.
Flight Weather Outage	When the ceiling is less than 700 feet this may suspend air travel into Hope Bay & is at the discretion of the pilot and flight control. Low ceilings do not suspend departures from Hope Bay unless weather &/or visibility becomes severely compromised. This also is at the discretion of the pilots and flight control.
Med-flight (Beech King Air)	Presently, the acceptable <u>minimum</u> ceiling clearance for approach to the Doris air strip is 740 feet (ASL) and 2 miles visibility.
Medical Control	Air Medevac Nurse /Paramedic, Medical facility or doctor

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 39 of 61

HB-HSLP-ERP

4.

RESPONSIBILITY

Title or Position	Key Responsibilities
First Aid Attendant	The First Aid Attendant on site is responsible for all patient care for medical or traumatic emergencies. The First Aid Attendant in consultation with the Senior Manager or their designate will decide the preferred Medevac option. The First Aid Attendant or a designated person will make the initial call to Air Medevac Service Provider.
Responsible for the overall management of any em their area & the safety of personnel under their cha as person in charge until the Emergency Response takes charge as outlined in the Emergency Respon (ERP)	
Senior Manager	In charge of the overall management of an emergency & assumes the role of Point of Contact in all emergency situations as per the Emergency Response Plan (ERP) The Senior Manager in consultation with the First Aid
	Attendant determines whether the entire Emergency Response Group is to be activated and what roles are required if any.
Logistics	This role will be assigned by the Senior Manager. Responsible for all communications acting as dispatch & communications officer during any emergency incident. Provides logistical support with any Emergency Air Medevac from the site.

Air Medical Evacuation, (Air Medevac)

5.1 Emergency Air Medical Evacuation

Emergency Air Medevacs are required when a patient's status is Red or Yellow, (Critical or Serious Condition).

All Emergency Air Medevacs will transport to Stanton Hospital, Yellowknife unless instructed otherwise by a Medical Control. (*Refer to diagram #1 for primary Medevac options*)

5.2 Criteria for Using Site Aircraft (When on site)

"Load & Go" - If the First Aid Attendant deems the patient is a "Load & Go", where Rapid Surgical or Advanced Medical intervention is needed as soon as possible for patient survivability, site aircraft (helicopter, fixed wing) may be considered for immediate Air Medical Evacuation utilizing the site First Aid Attendant and members of the ERG, as medical flight team. This will result in suspension of all high risk work until the First Aid Attendant returns to site. (refer to diagram #2)

Air Medevac Service Providers unable to respond – If for logistical reasons Air Medevac Service Providers are not able to respond, site aircraft may be considered in this circumstance utilizing the site First Aid Attendant and members of the ERG, as

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 40 of 61

Medical flight team. This will result in suspension of all high risk work until the Medic returns to site. *(refer to diagram #2)*

Air Medical Services

If an Emergency Air Medevac is required the First Aid Attendant will contact the Nursing Station in Cambridge Bay. If this service is unavailable the Medic will contact Stanton Regional Medical Travel as a second option. *(refer to appendix 1 for telephone numbers)*

The First Aid Attendant will contact Stanton Medical Control @ 1 867 669 4100 to relay patient information & status to the attending Physician.

5.3 Non-Emergency Air Medical Evacuation

When an Air Medevac is required, the First Aid Attendant will contact Stanton Medical Control @ 1 867 669 4100 to relay patient information & status to the attending Physician.

Non-Emergency Air Medical Evacuation for Offsite Medical Evaluation

5.4 In the event an employee needs additional offsite non-Emergency Medical Care or services they will be transported via regular scheduled commercial air service off site. (refer to diagram #2)

Non-Medical Escort

In the event that an employee is in need of offsite Medical Evaluation or services and does <u>not</u> require a flight medical practitioner's care, but in need of some assistance, the employee may be sent with the permission of the First Aid Attendant and employees Supervisor, under the care of a designate person.

(Example: During regular flight service to Hope Bay the employee may be sent with assistance from a fellow employee or supervisor on the return flight to Yellowknife or Cambridge Bay. The employee may need assistance due to trouble walking from a minor injury, but requires off site Medical Evaluation)

5.5 Unescorted

In the event that an employee is in need of offsite Medical Evaluation or Services and does <u>not</u> require a flight medical practitioner's care or the assistance of a non-medical escort, the employee may be sent with the permission of the First Aid Attendant and the employees Supervisor.

(Example: During regular flight service to Hope Bay the employee may be sent on the return flight to Yellowknife or Cambridge Bay).

Cambridge Health Centre may be an option for Medical Evaluation or services, but this is at the discretion of the First Aid Attendant

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: HB-HSLP-ERP

2.6


Version No: Issue Date:

FEB. 2010

Page No:

Page 41 of 61

6.0 AIR MEDICAL EVACUATION OPTIONS



(Diagram #1)

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010




Document No: Version No: HB-HSLP-ERP

Version No: Issue Date:

Page No:

FEB. 2010 Page 42 of 61

Medivac Options



(Diagram #2)

Carriers are contacted for

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

HB-HSLP-ERP 2.6 FEB. 2010

Page 43 of 61

7.0 LOGISTICS

7.1 Logistic Duties

Once informed by the First Aid Attendant, the Senior Manager will contact the Air Medevac Service Provider and provide all logistical information. This includes, but is not limited to strip coordinates, weather reports, fuel availability, air radio frequencies and runway dimensions.

If an aircraft onsite is being considered for Medevac, the Senior Manager will assign someone to coordinate with the flight crew all necessary flight preparations, including aircraft setup to accommodate stretcher for patient, medical equipment and First Aid Attendant and assistant.

Site Services personnel will check the condition of the airstrip; prepare the runway lights and standby for departing or arriving aircraft.

The arriving Medevac flight Team will be met by a person appointed by the Senior Manager and transported with their gear to the First Aid Attendant and his /her patient.

Once the patient has been handed off to the Medevac Flight Team and is on the aircraft, the Senior Manager will stand by for the pilots ETA to Yellowknife or Cambridge Bay, and will relay the information to the appropriate agencies, First Aid Attendant and Senior Manager or his designate.

7.2 Emergency Response Group (ERG):

The Emergency Response Group (ERG) will provide support to the First Aid Attendant in the event of serious injury or illness emergencies.

Respond immediately to an Emergency once notified.

Provide assistance to the First Aid Attendant with their duties

Remain within their training parameters and limitations, and not take **unnecessary risk**.

Follow the direction of the First Aid Attendant.

Assist with patient transport by driving the site Ambulance.

Accompany the First Aid Attendant on any Medical Evacuation flight if required.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 44 of 61

8.0 APPENDIX

Appendix 1 Air Medevac Service Providers in order of priority to be contacted

1	Cambridge Bay Health Center Cambridge Bay Health Center - Fax Aqsaqniq Airways	867 983 4500 extension 2122 867 983 4509 867-561-5300
2	Stanton Hospital (Emergency Dept.) Stanton 24 hour Medevac Hot Line Stanton Hospital (General Inquires)	867 669 4100 867 669 4115 867 669 4111
	otamon nospital (deficial inquires)	007 003 4111

Appendix 2 Alternate Air Strips in order of priority to travel to in the event that Doris Airstrip is in a FWO (flight weather outage).

1	Cambridge Bay Airport	867 983 2434	69°6'23.10"N / 105°7'21.29"W
2	Tahara	780 644 9158 (site) 780 644 9120 or 9119	65 °59'50.83"N / 111 °28'30.59"W
3	Diavik Mine	T 867-766-5426 /867-669-6500 F 867-766-5454	64°29'48.13"N / 110°17'43.83"W
4	Ekati	T 867-880-2154 or 867-445- 1578	64 °44'2.74"N / 110 °35'23.54"W

Appendix 3 Air Strip Coordinates

DORIS STRIP - Permanent Gravel Strip

Latitude 68⁰ – 09' – 50" Longitude 106⁰ – 36' – 51" Specs: 3100' x 75'

BOSTON AIRSTRIP - Permanent Gravel Strip

Latitude 67⁰ - 39' - 41" Longitude 106⁰ - 23' - 04" Length: 1300' x 66'

CAVEAT:

A. This document is to be used as a general guideline. Due to the many variables involved in medical emergencies and in the logistics of implementing this plan it is unrealistic to expect that these options will be adhered too at all times. The decisions made during any such emergency will be made with the patients' best interest in mind while also taking into account all the logistical challenges.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 45 of 61

HB-HSLP-ERP

APPENDIX E - BEAR NOTIFICATION AND RESPONSE (MAY 2010)

1. PURPOSE

To clearly define the site alert levels and notifications when a bear (or other predatory animal) is at risk of injury or incident to personnel, the animal, property or process, and ensure that appropriate responses are initiated that protects human life and maintains the best animal welfare measures possible.

This document will identify General Notification and Alert Levels, responses to those Notifications & Alert levels (on-going monitoring, avoidance and/or deterrence measures), site personnel's responsibilities and responses, and best animal care practices within those responses, all of which must adhere to the Newmont Global Health, Safety & Loss Prevention standards, Environment and Social Responsibility standards and the relevant regulatory requirements.

For the purpose of this procedure, "wildlife" is taken to mean animals other than bears that may represent a danger to workers i.e.; wolverine, aggressive wolf, etc..

2. SCOPE

This procedure applies to all Hope Bay staff, contractors and visitors.

3. **DEFINITIONS**

TERM	DEFINITION
Encounter	To unexpectedly meet or to come upon a Bear/Wildlife
General Notification of Bears/Wildlife	Bear or Wildlife sighted >1 km, (>1000 meters) of human activity, property or processes.
Green Bear – Wildlife Alert	Bear or Wildlife sighted <1 km, (<1000 meters, >500m) of human activity, property or processes.
Yellow Bear – Wildlife Alert	Bear or Wildlife sighted <500 meters of human activity, property or processes where an encounter, near miss, incident or injury to person or animal may be possible and where preventative actions must be taken if the animal demonstrates abnormal behaviour or the animals trajectory is destined for human activity, property or processes.
Red Bear - Wildlife/Alert	Bear or Wildlife sighted <250 meters of human activity, property or process, where the animal demonstrates abnormal behaviour, an encounter / near miss, incident or injury to person or animal may be imminent if the animal maintains its trajectory.

Auth	nor:	HSLP Department	To Be Reviewed:	April 2013
Аррі	roved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 46 of 61

HB-HSLP-ERP

Page No:

Wildlife Emergency Response	Bear or potentially dangerous wildlife in close proximity to human activity, person, property or process, demonstrating abnormal behaviour or where incident or injury to person or animal is imminent or has already occurred
Normal Behaviour	Natural feeding, grazing & behaviour which demonstrates no interest towards personnel, property or process.
Abnormal Behaviour	Behaviour where the animal displays interest or fixation on personnel, property or process. Descriptions and examples of abnormal bear behaviour are described in the site orientation Bear Safety Training. Generally a bear that is not afraid of humans is a habituated bear and potentially dangerous as it associates people with food reward.
Avoidance / Distancing	Avoidance and Distancing measures are HBML's first action in response to Bear/Wildlife Alerts. This will involve moving or relocating personnel, processes or property, which have the potential to result in an encounter, near miss, incident or injury to personnel, the animal (s), property or processes. Animals on the Hope Bay belt have the right of way, and space must be given to animals to passively move out of potential work areas when there is no risk to worker safety. Unnecessary deterrence or interference with animals is not permitted
Deterrence Measures	Deterrence Measures are HBML's second action or response to wildlife alerts, where Avoidance / Distancing measures have failed or are not possible. Personal deterrence measures can include noise and repellent sprays and have been described in the site orientation Bear Safety Training. Deterrence measures undertaken by the WRT can include helicopter deterrence in an emergency, firearm-launched noise deterrents, or lethal intervention with firearms in protection of human life. See section 9.0 below.
Wildlife Harassment	Purposely seeking out to disturb, annoy, interfere, interact with or an intentional action or behaviour towards an animal, which has the potential to or causes injury or incident to the animal as a result of the actions or behaviours.
Trajectory	Direction and speed in which the animal is moving

4. RESPONSIBILITY

WRT

Title or Position	Key Responsibilities
AII Employees	 Adhere to the procedures outlined in this document Manage food, food wastes, other attractants appropriately at worksites NEVER leave food out for any animal Do not engage in activities that constitute animal harassment If you carry a radio, monitor channel one by having the radio set to "scan" at all times. If a Bear/Wildlife is sighted, quickly assess the situation determining the Level of Alert or Emergency,

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010

Wildlife Response Team



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 47 of 61

	Fallendha Natitianian Alastas Farance Call a Lancat of V
	 Follow the Notification, Alert or Emergency Call out procedures if warranted, (call code 1 x 3 if situation is an emergency), or if non-emergency issue a radio broadcast with the following information: Your name
	 Your location
	 The type of animal/animals involved
	 The Level of Alert as per this SOP (General
	Sighting/Green/Yellow/Red/Code 1)
	 Behavior of the animal/animals
	 The location/trajectory of the animal/animals
	 Nearest personnel, property or process
	 The best route to be used to approach the location
	 Depending on the level of Alert or Emergency, all workers should get
	inside or remain inside a structure until the hazard has passed, (if the
	hazard is in your area or as directed by a supervisor or management)
	 A bear/wildlife alert is NOT AN OPPORTUNITY FOR WILDLIFE VIEWING
	Field workers should be prepared for removal from their work area
	Fill out the appropriate wildlife sighting documentation or provide
	information to the WRT and/or the Environmental Department as needed
	 Ensure all workers have knowledge of this SOP
	 Verify field crew positions when a notification or alert is issued, and
	confirm bear trajectory
	 Ensure that the appropriate responders and site management have been
	notified as per the Alert Level
	 If safe to do so, and if a trained wildlife responder, be prepared to assist
Supervisor	with monitoring or avoidance and distancing measures if warranted until
Supervisor	the appropriate personnel arrive.
	Supervise for the general safety of employees, including directing
	employees to remain inside structures.
	Control access to affected area if warranted, including informing work crew to not present to an error where a deterrorse effort may be accurring.
	 to not proceed to an area where a deterrence effort may be occurring Complete the appropriate wildlife sightings documentation, deterrence log
	entries or Incident Investigation or provide information to the WRT and/or
	the Environmental Department as needed
	Ensure all employees receive basic Bear Safety Training.
	 Ensure Wildlife Response Team members receive the necessary Bear
Gonoral	Response training, and that the names of the WRT are posted for the
General	current rotational roster
Manager or	Ensure that all responders are familiar with the operation of site deterrents
Designate	& that a firearm and appropriate deterrents are available for emergency
_ 00.gto	response.
	• Ensure debriefings are undertaken post-incident to evaluate deficiencies in
	procedures or responses.
	Wildlife responders are personnel who have received the necessary Bear
Wildlife	Responder and other wildlife training who are responsible for site wildlife
Wildlife	management issues. This should include helicopter pilots involved in
Response	deterrence efforts by air.
Team (WRT)	Some members of the WRT possess Personal Acquisition Licenses, (PAL)
1 5 am (WMT1)	& may exercise lethal wildlife deterrence if warranted Note: in the event
	of an emergency situation where life is at risk and no personnel in
-	the area holds a PAL, the manager may give authorization for use of

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 48 of 61

	a firearm to an individual deemed competent to handle a firearm to prevent loss of life.
	 Ensure the appropriate records and/or information is conveyed to the Environmental Department
Logistics/	 Arrange helicopter response in an emergency to deter wildlife &/or transportation for wildlife responders to observe or implement the
Helicopter	appropriate response measures.
Coordinator	 Provide logistical support for avoidance measures or emergency field crew removal.
Helicopter	Provide support in monitoring and deterrence efforts as instructed by site
Pilot	management or the WRT
HSLP	 Provide the necessary training & on-going support to ensure safety of site personnel with respect to wildlife attraction prevention and interaction Audit program for effectiveness in delivery and management of SOP
ESR	 Provide the necessary research, documentation and recommendations for managing wildlife on site in accordance with provincial/territorial law, and ensure deterrent actions taken protect the welfare of wildlife.
	 Maintain a log of all human-bear/wildlife incidents and deterrence efforts for regulatory reporting.

5. BEAR/WILDLIFE NOTIFICATION AND COMMUNICATIONS

All Bear/Wildlife notifications, alerts and updates will be broadcast on radio Channel One. All site radios are to be programmed to scan channel one at all times. All Bear/Wildlife broadcasts will identify the animals and include:

- 1. Location
- 2. Behaviour
- 3. Trajectory
- 4. Nearest personnel, property or process to the sighted animal(s)

Bear/Wildlife Alerts that require immediate notification to all workers at an affected worksite is performed by issuing **TWO LONG BLASTS** on an air horn. This should be followed up with radio communication as above.

Access to the specific affected area should be restricted for yellow bear and higher alerts by communicating with all parties likely to be in transit to the location. Other selected radio channels may be used to confirm the alert has been conveyed and received.

The General Manager (or his designate) or immediate supervisor of the affected area may give instructions to stop work and proceed to safety, remain indoors or prepare for field evacuation.

All notifications and alerts issued should be acknowledged back across Channel One to confirm to the issuer that the notification or alert has been heard, and to clarify any further details. Further clarification communications should be conducted over a non-emergency channel, unless the alert status is Yellow or higher.

For a situation that has been downgraded or resolved, HSLP, ESR or Site Management

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



EMERGENCY RESPONSE PLAN

Document No: Version No: Issue Date:

HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 49 of 61

will issue a radio communication to allow workers in the affected area to resume unrestricted activity.

6. BEAR/WILDLIFE NOTIFICATION - SIGHTING AND ALERT LEVELS

Keep in mind that the alert status, despite specific distances described in this section, may vary depending on bear behaviour, exposure of field crews without shelter, and potential response time for WRT deployment or helicopter deployment for removal of workers from a worksite. The distances are a quideline only, and alerts and responses should err on the side of prevention and caution. Bears/Wildlife can cover a lot or ground quickly, and the safety of site personnel is the first priority. Each situation will be assessed on a single event basis.

6.1 General Sighting of Bears/Wildlife

Bear or Wildlife sighted >1 km, (>1000 meters) of human activity, property or processes are defined as "General Sightings". (A kilometer is approximately the length of the active airstrip at Doris North, or about 11 CFL football fields in length).

A general notice will be broadcast as per the communications guideline, Section 5.0

Workers on the ground or helicopters in the vicinity to monitor animal's trajectory noninvasively. Follow-up notifications to be issued if the sighting changes to an Alert status. This may be dependent on worker locations and exposure, particularly field crews.

Wildlife Sighting Cards are to be completed and forwarded to the Environmental Department.

6.2 Green Bear/Wildlife Alert

Bear or Wildlife sighted <1 km, (<1000 meters, >500m) of human activity, property or processes.

A Green Bear notification will be broadcast as per the communications guideline, Section 5.0

Workers on the ground or helicopters in the vicinity are to safely monitor animal's trajectory non-invasively; follow-up notifications to be issued if the sighting changes to a higher Alert status. Workers in the affected area should be prepared for escalation to a yellow alert status by having a safe area in the immediate vicinity to proceed to without delay.

A Wildlife Sighting Card is to be completed and forwarded to the Environmental Department.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010

HB-HSLP-ERP

Page 50 of 61

6.3 Yellow Bear/Wildlife Alert

Bear or Wildlife sighted <500 meters of human activity, property or processes where an encounter, near miss, incident or injury to person or animal may be possible and where preventative actions must be taken if the animal demonstrates abnormal behaviour or the animals trajectory is destined for human activity, property or processes;

A yellow bear alert will be issued over CHANNEL ONE.

First actions are Avoidance / **Distancing** measures by moving personnel, property or process out of proximity of the animal &/or its predicated trajectory. Preparation of personnel deterrents should take place.

The WRT should prepare for mobilization for deterrence and monitoring. Refer to the SOP for Emergency Bear Response and Deterrence.

6.3.1 Avoidance

Avoidance may be achieved by planning work to avoid known wildlife inhabitancies, populations or areas when possible.

(i.e. when the Arctic Char are running, we may want to plan not to sample or work in known grizzly fishing areas / or if Musk Ox may gather to calve in known areas, we may plan to avoid activities in those areas during calving)

6.3.2 Distancing

Distancing may be achieved by separating or actively evacuating personnel, processes or property from wildlife to reduce the risk of incident or injury to personnel or animal. Further, to leave an animal that is displaying "normal behaviour" sufficient space to not habituate the animal to our personnel, processes or property by unnecessarily initiating discouraging or deterrent measures. This includes helicopter movement in proximity to bears or wildlife by maintaining proper distance that does not affect the animals.

The General Manager (or his designate) or immediate supervisor of the area affected will assess the need for evacuation or work cessation and provide those instructions clearly to staff in the affected area.

Second actions if Avoidance or Distancing are not possible is preparation for wildlife deterrence.

This will include preparation of personal deterrents and possible mobilization of helicopters and the WRT for deterrence response. A trained Wildlife Responder should be on board the helicopter where possible. Refer to <u>SOP for Emergency Bear Response and Deterrence</u> for further information and instructions.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 51 of 61

Follow-up general notifications are to be issued on Channel One when the Alert is downgraded, changes to a higher level or the situation is resolved.

Depending on the outcome of the yellow bear alert, a Wildlife Sighting, Deterrence Log entry or Incident Report will be generated.

6.4 Red Bear Wildlife/Alert

Bear or Wildlife sighted <250 meters of human activity, property or process, where the animal demonstrates abnormal behaviour, an encounter / near miss, incident or injury to person or animal may be imminent if the animal maintains its trajectory. Wildlife Deterrence must be initiated immediately by trained wildlife responders.

A red bear alert will be issued over Channel One, and immediate notification to all workers at the affected worksite is performed by issuing TWO LONG BLASTS on an air horn. It is every employee's responsibility to ensure a clear alert is issued if danger is imminent to themselves or their co-workers.

Trained wildlife responders will be mobilized via ground and/or air as needed to deter the bear using non-lethal deterrents as a first option. The wildlife response must include preparations for lethal intervention if threat to life is imminent.

Workers in the affected area are to proceed immediately to safe zone inside a structure and remain there until the situation is resolved or is downgraded.

Follow-up notifications are to be issued on Channel One when the Alert is downgraded or the situation is resolved.

Depending on the outcome of the red bear alert, either a Deterrence Log entry or Incident Report will be generated.

6.5 Code 1 Emergency

Bears or Wildlife in close proximity to human activity, person, property or process, demonstrating abnormal behaviour or where incident or injury to person or animal is imminent or has already occurred.

Emergency response is activated as per section 4.8 of the HBML Emergency Response Plan.

"Code 1, Code 1, Code 1" is to be issued clearly across radio Channel One (1)

Code 1 wildlife emergencies require an Incident Investigation and report.

7. WILDLIFE SIGHTING, INTERACTION RECORDS AND INCIDENT REPORTING

Proper recordkeeping is critical to effectively managing wildlife issues before they arise and if they begin to escalate.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 52 of 61

Wildlife Sighting Cards are available outside the dining room and Deterrence Log entries and Incident investigations and reports are to be completed by the appropriate supervisor.

ESR must maintain a record of all sightings, alerts and deterrence actions for regulatory reporting purposes.

8. GENERAL WILDLIFE MANAGEMENT

9.1 Wildlife Harassment

An employee whom is found to be responsible for harassment of an animal is subject to disciplinary actions up to and including dismissal. Refer to the HSLP Disciplinary Management SOP.

4.1 Identification of Animals

Utilizing cameras with telephoto lenses to identify animals marking and appearances is a highly desirable and non-invasive means to track resident or problematic animals.

4.2 Food Waste and Wildlife Attractants Management

All work areas are to be kept free of potential attractants, especially food waste. Refer to the <u>SOP for Food Waste and Wildlife Attractant Storage and Disposal</u>.

All workers are responsible for ensuring their areas are maintained in a manner that prevents the attraction of wildlife.

9. WILDLIFE DETERRENCE MEASURES

When a yellow bear or higher alert occurs, deterrent actions may be warranted. Prior to implementing any deterrence measures ensure the bear has a clear avenue of escape, and all workers have vacated the area.

No firearms should be discharged in a work area until all work personnel are removed or are safely inside structures and accounted for.

All workers are to remain inside structures, or not enter the affected area until a standdown from the situation has been broadcast.

7.1 Noise Deterrents

Affected personnel or Wildlife Responders may use noise deterrents such as air horns, vehicle horns, bear bangers or screamers to attempt to discourage the animal from the area. Utilize noise deterrents in a manner that does not drive the bear toward you or towards other workers. Firearm-launched noise deterrents may also be used and warning shots may be fired by those responders qualified and authorized for firearms handling.

Animals will become accustomed to noise deterrents over time, so this may not be effective for a bear habituated to human activities and sounds.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 53 of 61

7.2 Physical Contact /Explosive non-Lethal Deterrents

Rubber slugs or bean bag projectiles may be used for direct contact in discouraging a bear. Only qualified and licensed firearms handlers that are trained in Wildlife Response and authorized on site are permitted to use these types of deterrents.

Discharge of a firearm may only occur when all site workers in the area of the deterrence effort are inside structures or have been removed from the area.

7.3 Helicopter Deterrence

It is illegal to harass wildlife with aircraft, however for safety reasons it is sometimes necessary to employ a helicopter to "push" a bear from a work area. This method of deterrence should be used as a final resort.

At least one member of the Wildlife Response Team should, if possible be on board, to assist the pilot in spotting the animal and monitoring the deterrence. The pilot is responsible for his aircraft and the safety of the people on board. He is the final authority with regards to safety.

The pilot, in the absence of a member of the Wildlife Response Team, must log details of the incident on the Deterrence Log sheet and communicate this information to ESR.

Unnecessary driving or running of an animal maybe classed as harassment and may result in disciplinary measures, including dismissal.

Refer to the <u>SOP for Emergency Bear Response and Deterrence</u> for detailed instructions regarding helicopter deterrence procedures.

ASSOCIATED DOCUMENTS

HBML Emergency Response Plan – section 4.8

Wildlife Monitoring and Mitigation Plan

SOP - Food Waste and Wildlife Attractant Management

SOP - Emergency Bear Response and Deterrence

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010 Page 54 of 61

HB-HSLP-ERP

APPENDIX F - EMERGENCY BEAR RESPONSE AND DETERRENCE (NOV 2010)

1. PURPOSE

This document outlines specific procedures to be followed by site management and the site Wildlife Response Team for monitoring wildlife notifications and initiating emergency responses to bear alerts to ensure appropriate responses that are protective of human life and maintain the best wildlife welfare measures possible. This SOP will elaborate on Sec.4.8 of the site Emergency Response Plan for Wildlife Emergencies.

2. SCOPE

This procedure applies to the responses of site management and the Hope Bay Wildlife Response Team (WRT) in the response to bear (or other potentially dangerous animals) notifications and alerts.

3. Definitions

None

4. Responsibility

Title or Position	Key Responsibilities		
Wildlife Response Team Members	 Undertake training in Bear Safety and Bear Deterrence techniques Respond to bear alert emergencies on the ground and in the air as required to ensure the protection of workers and welfare of wildlife Operate in teams to ensure co-worker safety Demonstrate leadership at the Hope Bay site in proper wildlife management procedures and behaviours 		
Site Management	 Provide direction and deploy emergency response resources in a timely manner when bear alerts are issued Manage the site to ensure facilities and procedures exist for proper management of wildlife attractants. 		
Security	 Secure storage and emergency disbursement of site firearms to trained, registered and authorized Wildlife Response Team members Maintenance and inventory of appropriate firearm-launched bear deterrents 		

5. RESPONSE TO BEAR NOTIFICATIONS AND ALERTS

5.1 General Notifications

Monitor on-going radio communications for escalation in bear proximity and alert status.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 55 of 61

5.2 Green Bear Alert

Monitor on-going radio communications for escalation in bear proximity and alert status.

5.3 Yellow Bear Alert

The WRT should prepare for mobilization for monitoring and deterrence when a yellow alert is issued.

Wildlife Response Team members should call in to site management to confirm their ability to respond to an alert.

Security should proceed to their area to provision a firearm if needed and the site Physician's Assistant should be on alert and monitor alert updates.

Site Management (the General Manager or designate on duty) will communicate with members of the Wildlife Response Team and helicopter logistics to allocate resources on the ground or in the air, and will notify the Security Officer if a firearm is to be disbursed.

A WRT member that is licensed and authorized to use firearms must proceed to Security, and any available WRT member with a vehicle or access to a vehicle (if a vehicle is needed), should proceed immediately to the Security area to pick up and deliver the authorized firearms handler to the area of concern or the helicopter pad:

- At Doris Camp, proceed to the back of camp to the door immediately opposite the security area
- At Boston Camp, proceed to the main camp door, but back in near the entrance area to provide a quick departure

Helicopter coordinator and pilots will prepare for a rapid deployment of the WRT in to the field, emergency pick-up of field crews, or a bear deterrence using the helicopter, While it is desirable to have on board a member of the WRT, time constraints may not permit this and the pilot should be prepared to perform a deterrence on their own based on the procedures in Section 6.0 of this document.

Additional WRT members will provide support in the form of monitoring on the ground or by air as needed. Members should proceed in teams as directed by site management and be armed with the standard bear deterrent kits.

Updates of the situation will be broadcast if the situation or areas affected changes, if the alert status changes, or when the hazard no longer exists and work may return to normal

5.4 Red Bear Alert

The WRT will prepare immediately for mobilization for lethal intervention for protection of human life when a red bear alert is issued.

Security and an authorized firearms handler should proceed immediately to the Security area. A WRT member with a vehicle or access to the vehicle (if needed) will proceed pick up the firearms handler at the Security area pick-up locations noted above for delivery to the area of concern or the helicopter pad.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6 FEB. 2010

Page No:

Page 56 of 61

Site Physician's Assistant and ERT team should also be on standby in the unlikely event of a response to a bear/wildlife attack

5.5 Code 1 Emergency

When a Code 1 Emergency is issued that involves wildlife, the Wildlife Response Team should be prepared to respond (with the site Emergency Response Team on standby), and be prepared to use lethal measures against animal as needed. Follow preparation steps as above for Red Bear Alerts.

Refer to the HBML Emergency Response Plan for instructions on responding to a Code 1 Emergency.

6 Alerts during the overnight shift

Alerts during the night shift should be issued as they are during the day. The alert should be issued over Channel One, and an acknowledgment should be issued by site management determining a course of action i.e.: on-going monitoring, avoidance, deterrence or emergency deployment of the WRT and/or ERT.

7 WILDLIFE DETERRENCE MEASURES

When a Yellow Bear or higher alert is issued, deterrence actions may be warranted. Prior to implementing any deterrence measures ensure the bear has a clear avenue of escape, and all workers have vacated the area.

No firearms should be discharged in a work area until all work personnel are removed or are safely inside structures. Be especially aware of restricted areas within the camp layout or at laydown areas.

All workers are to remain inside structures, or not enter the affected area until a stand-down from the situation has been broadcast.

7.4 Noise Deterrents

Wildlife Responders may use noise deterrents such as air horns, vehicle horns, bear bangers or screamers to attempt to discourage the animal from the area. Utilize noise deterrents in a manner that does not drive the bear toward you or towards work or accommodation areas. Warning shots may be fired by those responders qualified and authorized for firearms handling.

Animals will become accustomed to noise deterrents over time, so this may not be effective for a bear habituated to human activities and sounds.

7.5 Physical Contact /Explosive non-Lethal Deterrents

Rubber slugs or bean bag projectiles may be used for direct contact in discouraging a bear. Fire arm launched noise deterrents may also be used. Only qualified and licensed firearms handlers that are trained in Wildlife Response and authorized on site are permitted to use these types of deterrents. Discharge of a firearm may only occur when all site workers in the area of the deterrence effort are inside structures or have been removed from the area.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

2.6 FEB. 2010

HB-HSLP-ERP

Page No:

Page 57 of 61

7.6 Helicopter Deterrence

It is illegal to harass wildlife with aircraft, however for safety reasons it is sometimes necessary to employ a helicopter to "push" a bear from a work area. This method of deterrence is to be considered as a last resort.

At least one member of the Wildlife Response Team should, if possible be on board, to assist the pilot in spotting the animal and monitoring the deterrence. The pilot is responsible for his aircraft and the safety of the people on board. He is the final authority with regards to safety.

The pilot, in the absence of a member of the Wildlife Response Team, should communicate with site management or a member of the WRT for guidance and to provide updates during the deterrence. The pilot must log details of the incident on the Wildlife Deterrence Log and communicate this information to site management and ESR once he returns to camp.

To stress the bear as little as possible, the pilot must keep the helicopter well back from the bear. The minimum distance between the helicopter and the bear is 100 meters back and 30 meters up.

The pilot should only get close enough to get the bear to move, not fly over it. A bear moving at a fast walk can cover a lot of ground quickly and efficiently. There is no need to have the bear running; a running bear may become overheated and injure itself.

The pilot must keep the bear in visual contact. However the pilot is to take the helicopter to a higher altitude rather than get closer than the minimum distances.

The pilot must keep the helicopter between the bear and the site to prevent pushing the bear into camp.

Unnecessary driving or running of an animal maybe classed as harassment and may result in disciplinary measures, including dismissal.

Once the Wildlife Response Team member is satisfied that the bear is moving away, he will direct the pilot to stop pursuing the bear even if they are within the 10min / 3km zone. He will direct the pilot to take the helicopter up to an altitude where they can continue to monitor the bear to ensure that it is not returning. If there is no member of the WRT aboard the helicopter, the pilot must exercise good judgement in adhering to this procedure and confer with site management and/or the WRT member on the ground via radio on the appropriate course of action.

Once satisfied that the bear presents no further risk, the helicopter will return to camp. The location the bear has been left must be conveyed over Channel One (1) so that any new hazard to field crews or work areas that may develop must be re-assessed

A full account of the occurrence is to be reported to ESR for entry into the Wildlife Incident Tracking Register through the completion of an Incident Report.

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010




Document No: Version No: Issue Date:

2.6 FEB. 2010 Page 58 of 61

HB-HSLP-ERP

Page No:

Pushing a Bear Using a Helicopter



DO NOT push a bear for more than ten minutes or 3 km (2.2 miles).

7.1 Transporting Firearms in a Helicopter

If the occasion arises where a firearm is required to be transported by helicopter to an area of the project for deterrence (i.e.: remote drill site), the weapon must be un-loaded, and be transported securely inside the gun case.

Discharge of a firearm from a helicopter is prohibited unless there is a dire need for the protection of human life.

1. ASSOCIATED DOCUMENTS

HBML Emergency Response Plan

Wildlife Monitoring and Mitigation Plan

SOP - Food Waste and Wildlife Attractant Management

SOP - Bear Notification and Response

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

HB-HSLP-ERP 2.6 FEB. 2010

Page 59 of 61

ERP REVIEW

This procedure will be reviewed on an annual basis and will be conducted as per the month specified in the document control section of this document.

Or anytime a functional or practical change is made to the radio communications system or standards.

Approval

Version	Date	Description	Author	Approved	Signature
Original	Ovininal Fab 1/0010 Hope	Hope Bay	HSLP	J. White	Electronically
Original	Feb 1/2010	ERP	Department	J. Wille	Approved
1.9	Feb 20/2011	Hope Bay	HSLP	Gary	Electronically
1.9	Feb 20/2011	ERP	Department	Sundquist	Approved
2.2	Oct 6/2011	Hope Bay	HSLP Gary		Electronically
		ERP	Department	Sundquist	Approved
2.5	July	Hope Bay	HSLP	Dave Power	Electronically
	23/2011	ERP	Department	Dave Power	Approved
2.6	Oct 1/2012	Hope Bay	HSLP	Dave Power	Electronically
		ERP	Department	Dave Power	Approved

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date:

Page No:

2.6 FEB. 2010

HB-HSLP-ERP

Page 60 of 61

Blank Page

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010



Document No: Version No: Issue Date: HB-HSLP-ERP 2.6

Page No:

FEB. 2010 Page 61 of 61

HOPE BAY <u>EMERGENCY RESPONSE PLAN</u>

REVIEW AND ACKNOWLEDGEMENT

By signing off on this form, you acknowledge that you have reviewed, understand and accept the terms of this Plan.

First Name (Print)	Last Name (Print)	Company	Position	Date	Signature	HBML Representative

Author:	HSLP Department	To Be Reviewed:	April 2013
Approved by:	Dave Power	Print Date:	February 2010