Kiggavik Project
Final Environmental Impact Statement

Tier 3 Technical Appendix 5D:
Groundwater Flow Model

September 2014

History of Revisions

Revision Number	Date	Details of Revisions
01	December 2011	Initial release Draft Environmental Impact Statement (DEIS)
02	September 2014	FINAL Environmental Impact Statement

Table of Contents

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page i

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Table of Contents

List of Tables

List of Figures

Attachments

1 Introduction

1.1 Overview

The Kiggavik Project is a proposed uranium ore mining and milling operation located in the Kivalliq region of Nunavut approximately 80 km west of the community of Baker Lake.

This document is a Technical Appendix to Volume 5, Aquatic Environment, of the Kiggavik Environment Impact Statement (EIS). The methodology used to develop the groundwater flow models is presented in this Technical Appendix, as well as the results of model calibration and simulation of pre-mining conditions. Two scenarios are presented; a scenario representative of the current permafrost conditions followed by a no-permafrost scenario simulating an extreme climate change that would result in a complete loss of permafrost.

1.2 Purpose and Scope

Two three-dimensional regional groundwater flow models of the Kiggavik Project area were developed in support of the Kiggavik EIS. These flow models encompass a large area, including the Kiggavik and Sissons sites, considering as far as practical natural boundary conditions with limited artificial control of the calculated flow regime.

The models were developed using background information on geology, permafrost, hydrogeology and field investigations presented in the following document:

- Technical Appendix 5B - Geology and Hydrogeology Baseline

The ultimate goal of the groundwater flow modelling is to provide a predictive tool for future applications, such as inflow predictions towards future mining works and long-term flow predictions through decommissioning activities. The models, as presented in this Technical Appendix, have to be considered a "living tool" subject to improvements of both the conceptual and numerical parts. Immediate applications of the models are found in the following document

- Technical Appendix 5E - Prediction of Water Inflows to Kiggavik Project Mines
- Technical Appendix 5J - Tailings Characterization and Management

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 1-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 1: Introduction

2 Conceptual Groundwater Flow Model

2.1 Effect of Topography on Flow

The groundwater flow pattern in the Project area is representative of topography-driven flow in low permeability bedrock.

The regional topography is expected to control the groundwater flow system under both current and post-decommissioning conditions. For the most part, the Project area has a gently rolling topography with a few low escarpments associated mainly with east-west trending faults In the Kiggavik area ground surface elevations vary from 140 m near Pointer Lake to 265 m at the peak of the hill northeast of the proposed accommodation and mill sites. In the Sissons area, ground surface elevations vary from 166 m near Andrew Lake to 215 m at the peak of the hill northeast of the End Grid area.

2.2 Effect of Hydrology on Flow

2.2.1 Recharge and Surface Drainage

Groundwater recharge in permafrost environment is considered negligible. Precipitation mainly reports to surface water courses and/or evaporates/sublimates. Surface hydrology is dominated by the snow melt in early summer, and is strongly affected by freezing and thawing of the ground. The shallow subsurface drainage occurs only in summer months, when the active layer thaws.

Surface water is abundant at times, particularly during the freshet, when permafrost strongly limits infiltration and when eight months of precipitation that has accumulated on the landscape melts over a period of several weeks. However, in winter there is little or no flow and only the deeper lakes contain significant water.

Ground topography near Kiggavik can be described as mostly flat or very gently sloping. The terrain has a series of low scarps, which run W-SW to E-NE. Drainage divides are in the higher land, north of Kiggavik site, and to the west. There are numerous lakes interspersed throughout the landscape, but there are relatively few defined drainage channels. Surface flow occurs along low elevation areas that act as broad drainage channels. The channels are often lined with boulders and short vegetation.

Many of the streams in the region cease to flow over the winter period until spring melt in late May or early June. The largest stream monitored as part of the Kiggavik Project hydrometric program (Judge

Sissons Lake Outlet) drains an area of 658 km^2 and is believed to freeze to the base in winter. Streams in the Kiggavik Project area do not carry any flow for approximately 60% of the year. Very large rivers in the regional study area, such as the Thelon River, continue to flow year-round.

2.2.2 Lakes Potentially Supporting Open Taliks

2.2.2.1 General

To support a talik, a lake must be deep enough to maintain an unfrozen bottom throughout the winter. A two metre thick ice coverage is assumed to be developed in lakes at the Project site during the winter months (Prowse and Ommaney, 1990); therefore lakes must be greater than two metres deep to support a talik.

The depth of the talik formed beneath a lake is dependent on the size of the lake. When the size of a lake is above a critical value, the talik beneath the lake will be an open talik, which connects to the deep groundwater flow regime beneath the permafrost. Beneath smaller lakes, which do not freeze to the bottom over the winter, a talik bulb that is not connected to the deep groundwater flow system will form.

The unfrozen portions of surface water bodies must also be sufficiently large to support talik formation. An estimate of the minimum diameter of a circular lake or the minimum width of a strip-shaped or elongated lake that can support an "open" talik" has been derived (Burn, 2002).

For a circular lake the temperature at depth Z, T_Z, is given by (Burn, 2002)

$$T_Z = T_G + \frac{Z}{I} + \left(T_L - T_G\right)\left(1 - \frac{Z}{\sqrt{Z^2 + R^2}}\right)$$

and for an elongated lake is given by

$$T_Z = T_G + \frac{z}{I} + \frac{\left(T_L - T_G\right)}{\pi}\left(2\tan^{-1}\left(\frac{H_P}{Z}\right)\right)$$

The criterion for formation of a talik is that

$$T_Z \geq 0, \text{ for all } Z.$$

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-2

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

The unknowns are defined as:

- $Z=$ depth in m below the lake bottom
- $T_G=$ mean annual temperature ($T_G<0$) of undisturbed permafrost region
- $T_L=$ mean annual temperature ($T_L>0$) of the lake
- $T_z=$ temperature under the centre of the lake at any depth
- $I=$ geothermal gradient in m/$°$C (metres per degree Centigrade)
- $R=$ radius of circular lake
- $H_P =$ half-width of an elongated lake

It should be noted that these approximations may overestimate T_Z for small lakes (< several hundred metres across) due to the assumption of no horizontal temperature gradient (West and Plug, 2008) and the resulting use of the one-dimensional Stefan equation to solve for temperature in the vertical direction. It should also be noted that if the lake was measured to have a mean depth less than 2 m deep, it was assumed no open talik could form because the average winter ice thickness is greater than this depth. If no bathymetry data was available, the lake was assumed to be deeper than 2 m and thus would have open water year round at the bottom.

For the purpose of this assessment, T_L is assumed to be 4 $°$C and T_G is to range between -8 °C and -5 oC. The latter value is an average based on an extrapolation to the surface of thermistor data trends from the Sissons area. The warmer of the two values would allow for some conservatism in the analyses by making the overall permafrost depth closer to the lake bottom as shown in Figure 2.2-2. A geothermal gradient of 32 m/$°$C is also assumed, which is the lowest (*i.e.,* most conservative) value estimated from all accepted thermistor records. Using the formulas described above to determine the minimum size of lakes supporting an open talik, a circular unfrozen lake requires a minimum radius of about 145 m to support an open talik, while an elongated lake requires a half-width of about 75 m. These calculations assume a mean annual lake temperature of 4$°$C and mean annual temperature of undisturbed permafrost of between -5 °C and -8$°$C. All lakes considered in the study are shown in Table 2.2-1.   The choice of which formula to apply (e.g., for round lake or elongated lake) was based on a visual assessment of the lake shape in Figure 2.2-1. For elongated lakes, the total lake surface area was used, along with the approximate ratio of length to width of 2:1 in order to determine the width of the lake for use in the formula.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-3

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

Table 2.2-1   Table of All Lakes Used in the Open Talik Analyses

Waterbody	Source	Drainage Area (km2)	Surface Area (km2)	Maximum Depth (m)	Mean Depth (m)	Total Volume (m3)
Aberdeen Lake	Canadian Digital Elevation Data	na	>11.2	na	na	na
Andrew Lake	2009	33.6	0.5	1.0	0.2	9.78E+04
Audra Lake	NTS	2740.0	95.2	6.8	4.0	3.81E+08
Baker Lake	NTS, McLeod et al. 1976	-	1890.0	no bathymetry	15.0	2.84E+10
Bear Island Lake	BEAK 1992a	9.2	0.4	1.0	0.5	1.83E+05
Boulder Lake	NTS	68.6	4.8	no bathymetry	no bathymetry	-
Buzzard Lake	Canadian Digital Elevation Data	na	3.2	na	na	na
Calf Lake	2008	88.2	0.4	1.2	0.6	2.14E+05
Caribou Lake	BEAK 1990	80.9	3.4	2.7	1.4	4.77E+06
Cigar Lake	BEAK 1992a	11.8	1.1	3.6	1.5	1.70E+06
Cirque Lake	BEAK 1990	0.7	0.1	5.2	2.6	1.46E+05
Crash Lake	BEAK 1990	10.6	0.1	2.0	1.1	8.91E+04
Drum Lake	BEAK 1990	5.6	0.3	2.0	1.3	3.25E+05
End Grid Lake	2008	7.1	0.1	1.4	0.8	1.03E+05
Escarpment Lake	BEAK 1990	2.7	0.1	8.0	2.2	2.79E+05
Felsenmeer Lake	BEAK 1990	1.3	0.2	6.0	2.0	4.16E+05
Fox Lake	BEAK 1990	28.9	1.3	2.7	1.7	2.18E+06
Gerhard Lake	2008/2009 Lidar	na	10.7	na	na	na
Jaegar Lake	BEAK 1987	50.4	2.8	4.0	1.6	4.50E+06
Judge Sissons Lake	BEAK 1990, 2009, 2013	704.6	95.5	20.6	4.6	4.39E+08
Kavisilik Lake	BEAK 1990	148.4	5.6	12.0	4.2	2.37E+07
Knee Lake	BEAK 1992a	11.6	0.3	0.8	0.2	6.98E+04
L2	NTS	66.9	7.9	8.0	no bathymetry	-
Lin Lake	BEAK 1990	7.2	0.5	2.0	1.3	6.24E+05
Long Lake	NTS	355.7	6.1	2.5	no bathymetry	-
Lower Lake	BEAK 1992a	69.0	0.5	1.4	0.4	1.96E+05
Lunch Lake	BEAK 1992a	29.6	0.8	1.6	0.6	4.67E+05
Meadow Lake	BEAK 1990	1.2	0.1	2.0	0.8	1.12E+05
Mushroom Lake	2009	4.4	0.3	8.9	1.9	6.05E+05
Pointer Lake	2007	79.0	3.9	3.0	1.4	5.46E+06
Pointer Pond	2010	-	0.0	4.5	1.5	4.48E+04
Pond 1	2010	-	0.1	1.5	0.7	7.06E+04
Pond 2	2010	-	0.1	1.2	0.6	3.87E+04
Pond 3	2010	-	0.0	0.5	0.3	7.62E+02
Pond 4	2010	-	0.0	0.7	0.3	1.87E+03
Pond 5	2010	-	0.0	1.0	0.4	6.95E+03
Pond 6	2010	-	0.0	1.2	0.7	1.14E+04
Pond 7	2010	-	0.1	1.2	0.6	4.18E+04
Pond 8	2010	-	0.0	0.7	0.4	1.75E+03
Qinguq Bay	NTS	465.9	10.0	4.5	no bathymetry	-
Rhyolite Lake	NTS	0.6	0.1	no bathymetry	no bathymetry	-
Ridge Lake	BEAK 1990	2.1	0.2	7.1	2.3	3.84E+05
Rock Lake	2008	99.2	0.3	1.5	0.7	2.29E+05
Scotch Lake	BEAK 1990	11.7	2.0	6.0	3.6	7.02E+06
Shack Lake	BEAK 1992a	47.2	0.6	1.6	0.6	3.60E+05
Siamese Lake	2008	85.2	27.9	12.0	4.1	1.14E+08
Sik Sik Lake	2009	1.8	0.2	1.7	0.9	1.63E+05
Skinny Lake	BEAK 1990	111.7	2.0	12.8	3.1	6.11E+06
Sleek Lake	NTS	31.8	3.8	no bathymetry	no bathymetry	-
Smoke Lake	BEAK 1992a	5.6	0.6	1.0	1.3	8.26E+05
Squiggly Lake	BEAK 1990	41.8	6.4	17.6	6.0	3.83E+07
Willow Lake	BEAK 1990	101.9	0.5	2.0	1.4	7.69E+05

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-4

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

Sample Calculation for Skinny Lake:

- Surface area ~2 km^2, Mean depth: 3.1m., Shape: elongated
- Width ~ square root (0.5 * area) * 1000 m/km = square root (0.5 * 2 km^2) * 1000 = 992 m
- Length = 2 * Width = 1985 m
- Z can range between 1 and 160 m (depth of permafrost for the specified T_G)
- Elongated lake formula: Tz = -5 + 160/32 + (4 - -5)/Pi *(2 * aTan(0.5*992/160) = 4.8 °C
- Since Tz is greater than 0 °C and the lake is deeper than 2 m, there is potential for an open talik.

Several lakes near the Project site satisfy both the minimum dimensional and depth requirements to support a talik extending to the deep groundwater flow system. Figure 2.2-1 and Table 2.2-2 identify lakes that satisfy these requirements. Lakes that are large enough to support an open talik, but for which bathymetric data are unavailable are also identified.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-5

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

Table 2.2-2   Lakes Potentially Supporting Open Talik Formation

Lake ID	Surface (km2)	mean Depth (m)	max Depth (m)	Estimated total volume (10^6 m3)	Average Lake elevation (masl)	Source Data For lake elevation
#1	2.59	na	na	na	182.3	#2
#2	1.08	na	na	na	158.1	#2
#3	1.16	na	na	na	182.6	#2
Aberdeen	>11.2	na	na	na	79	#1
Boulder	4.78	na	na	na	135	#2
Buzzard	3.19	na	na	na	160	#1
Caribou	3.41	1.4	2.7	4.91	136.9	#2
Cirque	0.056	2.6	4	0.146	211.3	#2
Escarpment	0.127	2.2	8	0.279	182.4	#2
Felsenmeer	0.208	2	6	0.423	222.8	#2
Fox	1.28	1.7	2.6	2.17	142.8	#2
Gerhard	10.73	na	na	na	185.1	#2
Jaeger	2.81	1.6	4	4.62	150.64	#2
Judge Sissons	95.5	4.6	20	439	132.4	#2
Lin	0.48	1.3	na	0.632	164.5	#2
Mushroom	0.32	1.89	8.9	0.59	173.2	#2
Pointer	3.93	1.39	2.9	5.45	141.9	#2
Ridge	0.167	2.3	7.1	0.384	230.7	#2
Rock	0.324	0.707	1.45	0.21	134.3	#2
Scotch	0.195	3.6	6	7.1	155.8	#2
Siamese	27.92	4.1	11.6	114.6	160.5	#2
Skinny	1.97	3.1	12	6.11	167.7	#2
Sleek	3.76	na	na	na	149.7	#2
Squiggly	6.38	6	14	38.3	213	#1
Willow	0.549	1.4	na	0.766	133	#2

Source data for lake elevation
#1 Canadian Digital Elevation Data (CDED), Gvt of Canada, Natural Resources Canada (www.geobase.ca)
#2 2008/2009 LiDAR survey

2.2.2.2 Case of Pointer Lake

Pointer Lake is a relatively shallow lake located downgradient from the proposed Main Zone, Centre Zone and East Zone Tailings Management Facilities (TMFs). As such Pointer Lake has the potential to be the primary receiving surface water body for potential constituents of concern originating from the TMFs. Under the current permafrost conditions the role of Pointer Lake is dependent on the hydraulic connection between the lake and the sub-permafrost groundwater flow system, which in turn is dependent on the presence of a talik below Pointer Lake.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-6

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

Thermal modelling was performed to demonstrate the presence of a talik below Pointer Lake (see attachment A). The model was developed using the finite element model SVHEAT (SoilVision Systems Ltd., 2009) in steady state mode given the time scales involved with the formation of taliks under lakes. A simplified two dimensional section was used to represent the surrounding ground and Pointer Lake.

The thermal modelling suggests that the minimum width for having an opened talik is about 100 m (50 m half-width). Given the geometry of Pointer Lake, the site climate, and assuming that the conditions modelled are reasonable assumptions, the model confirms that an open talik is likely present under Pointer Lake when the water column is greater than 1.5 m.

2.3   Effect of Permafrost on Flow

Historical thermal data were collected at the Project site from 1988 to 1991, and recent data was collected from 2007 to 2011 (see Figures 2.3-1 to 2.3-3).   In these investigations, multilevel thermistor strings were installed in selected drillholes to determine the temperature profile of the ground beneath the Project site, and, therefore, the thickness of the active layer and the permafrost. The multilevel thermistor strings consist of temperature probes installed at regular intervals along the drillhole.

Multi-level-thermistor data collected from 2007 to 2011 indicate that permafrost extends to a depth of about 210 m to 230 m below ground surface in the area of the Main Zone, Centre Zone, and East Zone deposits. Data collected at Sissons indicate that permafrost extends to a depth ranging from 240 m to 260 m below ground surface in the area of the Andrew Lake and End Grid deposits. This is somewhat shallower, but generally consistent with data from historical thermistor installations, which suggests permafrost depths at the site ranging from 260 m to 280 m below ground surface.

Permafrost is considered to be virtually impermeable and ephemeral flow through the nominal active zone is considered negligible. The presence of the permafrost layer is expected to produce a confined flow system laterally continuous across the region, except under lakes that support open taliks. The hydraulic conductivity of the permafrost is low; a value of 1×10^{-12} m/s was assigned to the permafrost in the model to mimic an aquitard that does transmit very low volumes of water. Specific storage was assumed to be zero.

2.4   Effect of Geology on Flow

The geology of the area, as it is relevant to the development of a conceptual and numerical regional groundwater flow model, consists of the following units:

- Overburden

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-7

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

- Basement rock
- Metasediments
- Intrusive granites
- Structural features (i.e., faults and dykes)

2.4.1.1 Overburden

Soils in the Project area are predominantly cryosols. The area is characterized by a shallow active layer (1 m to 1.5 m), shaped by various cryogenetic processes and resulting landforms such as hummocks and polygons. Soil types are mainly loamy basal tills, classified as Keewatin tills, very bouldery with sand/gravel/silt matrix. Overburden investigations suggest that overburden depths of up to 5.5 m are typical of the site. The overburden is typically heterogeneous, with variable hydraulic properties depending on the clay content and the abundance of boulders and large cobbles.

Under the current permafrost condition the overburden layer is only active during the summer when the soil has temporarily thawed and is not expected to interact with the deep groundwater flow system.

Under the completely melted permafrost scenario the surficial deposits are expected to show a high degree of hydraulic continuity with the surface water system, with shallow groundwater and lake water levels showing comparable fluctuations.

2.4.1.2 Basement rock

Competent rock comprises the majority of the rock domain. The hydraulic conductivity of the deep bedrock at the project site is low and is expected to decrease at greater depths as observed at other sites in the Canadian Shield.

- Basement host rocks in the vicinity of the Kiggavik deposits are composed of metasediments, and to a lesser extent altered granite and intrusive rocks. Uranium mineralization in the Kiggavik area is hosted for the most part in altered metasedimentary rocks (mainly metaarkose, metapelites and sericite schist), and to a much lesser extent in altered granite and intrusive rocks. There is no mineralization hosted in the Mackenzie diabase which cuts through Kiggavik.
- The Andrew Lake deposit is located in metasediments overlying granitic gneiss (banded metamorphic rocks) and granodiorite (an igneous rock). These formations have been strongly metamorphosed and altered, tectonized, and intruded. The rocks have gently dipping foliation, small scale recumbent folding, and low angle thrusting. The Andrew Lake deposit is located on a major east-northeast structure. This region has seen several episodes of hydraulic brecciation, mainly within the granite and syenite rocks, and to a lesser

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-8

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

extent in the metasediment units. The subvertical faulting associated with the Andrew Lake deposit governs the extension of the mineralization.

- The End Grid deposit is located in an east-northeast sequence of metasediments, which are intruded by granite, porphyries, syenites and lamprophyres. It is related to the same major structure as the Andrew Lake deposit, but with a northeasterly trend. The mineralization within the deposit is controlled by horst and graben structures created by subvertical faulting.

A geology map including major structural features in the model domain is presented in Figure 2.4-1.

The deep groundwater flow regime was characterized during hydrogeological testing undertaken in deep boreholes drilled through permafrost to the unfrozen ground below (see Figures 2.3-1 and 2.3-2). A compilation of the hydraulic conductivity values derived from the tests conducted during the 2008, 2009, 2010 and 2011 field program is presented in Figure 2.4-2. Hydraulic tests conducted to data indicate that the hydraulic conductivity (K) of the rock at the Project site is low, with values ranging from less than 3.0×10^{-11} m/s to 1.0×10^{-6} m/s and a geometric mean of 2.7×10^{-9} m/s.

Figure 2.4-2 also compares the Kiggavik Project results to conductivity measurements from the Meadowbank Project (Cumberland Resources Ltd, 2005) and from a data set measured in metamorphic rock in Colorado, collected by Neretnieks (1990). The Neretnieks and the Meadowbank Project results are both considered to be reasonably representative of the Kiggavik deep rock mass. The dashed line in Figures 2.4-2 indicates a possible upper bound for the K values at depth. Hydraulic conductivities from the Neretniek and Meadowbank data sets range from 1×10^{-7} to 3×10^{-10} m/s at 200 m depth and 2×10^{-8} to 7×10^{-11} m/s at 300 m depth. The tests at Kiggavik fall within this range with the exception of one test measurement completed in 2009; AND09-03 was tested at 1×10^{-6} m/s between 297 and 327 mbgl.

2.4.1.3 Structural features

Several airborne geophysical surveys were conducted in the Project area for exploration purposes. Regional structures as shown on Figures 2.4-3 and 2.4-4 are mainly based on geophysical anomalies that were interpreted to be potential fault traces. Therefore the location of these regional features may not be accurate at the local scale.

A structural geology program was also conducted in the field during the nineties. The program focused on structural analysis of major fault systems with emphasis on hydrothermal events. The program included structural mapping at the outcrop level, regional mapping from airborne data and kinematic analysis. Two main phases of brittle deformation were identified during the program.

In competent bedrock environment enhanced permeability zones (i.e., zones of greater permeability than the surrounding rock) are frequently observed in association with open fractures, greater fracturing or larger fractures apertures that may be associated with structural features. When

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-9

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

connected, enhanced permeability zones are considered to be of potential importance for governing the groundwater flow both prior to mining, during mining and after decommissioning. For instance if the mines were to intersect an enhanced permeability zone beneath permafrost, the dominant groundwater flow pattern induced during mining would likely be near parallel to the features.

Zones of enhanced permeability can be composed of sparsely spaced, highly permeable discontinuities within a lower permeability pseudo-matrix. Depending on the orientation of a borehole drilled within such a zone, none or many permeable fractures may be intersected and identification of these zones can be difficult with geotechnical logging and single well response testing alone. Fracture-enhanced permeability has not been observed to date in the Kiggavik Project area. Packer testing across several faults at Kiggavik site has not indicated an increased permeability in comparison to the bulk competent bedrock. Similarly injection tests completed across the cross cutting dykes at Main Zone did not indicate an enhanced permeability (MZ08-04 - test 2).

At some locations, faults logged in individual boreholes but not interpreted to extend laterally, intersected the test intervals, without translating to an increased hydraulic conductivity. Also geotechnical logging of boreholes has resulted in the local identification of fracture systems in both of the areas of the planned mines. These fracture systems may correspond to zones of enhanced permeability; however where fractures are in filled by fault breccias, veins or fault gouge this may not be the case.

2.5   Hydraulic Head Distribution

Hydraulic head measurements were conducted at the Project site using vibrating wire piezometers successfully installed in four boreholes (END-09-01, ANDW-09-03, MZ-09-04 and GW-11-02) below the base of the permafrost. Estimates of static heads were also conducted from exploration boreholes showing artesian conditions (MZ-07-03, BONG-41, BONG-45 and BONG-52) and one borehole used for packer testing (MZ-10-01).

In general hydraulic heads measured beneath permafrost at the Project site are near to or above ground surface. Historical and recent observations suggest that flowing artesian conditions exist under the permafrost in several areas at the Project site. Typically artesian conditions occur in a hydrostratigraphic unit that is overlain and confined by units of lower permeability causing the hydraulic head in the unit to be above the bottom of the overlying confining layer. At the project site, the confining unit is the overlying permafrost above the deep unfrozen groundwater system. When the hydraulic head is above the ground surface, a well installed within the unit will flow indicating flowing artesian conditions.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-10

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

2.6   Density Dependent Flow

Saline groundwater is commonly found in deep and/or sub permafrost aquifers in the Canadian arctic. The Kiggavik site is at the upper limit of past marine influence, estimated to be 180 m elevation in upper Baker Lake region. Therefore the option of including density dependent flow in the model was evaluated. It was considered that modelling density dependent flow would introduce unnecessary complications to the numerical modelling. This option was not considered in this assessment for the following reasons.

- Hydrochemistry data collected to date suggest relatively fresh water below permafrost. The sub-permafrost groundwater sample collected in 2009 at MZ09-04 borehole shows concentration of major elements and total dissolved solids (e.g. chloride concentration of 1280 mg/l) that can be attributed to the natural calcium-sodium-chloride salinity of the deep bedrock. This water is only slightly brackish and is not expected to create significant density-dependent flow effects.
- The driving gradients between taliks and under permafrost are much greater than potential vertical density driven flow and most of the flow occurs laterally. Although flow of saline water below permafrost may occur at depth, density driven flow is unlikely to contribute significantly to the overall groundwater flow system.

2.7   Summary

The Kiggavik Project lies within the Canadian Shield in an area of continuous permafrost. Permafrost depth is estimated to range from about 210 m depth in the area of the Main Zone, Centre Zone, and East Zone deposits to about 250 m depth in the area of the Andrew Lake deposit and End Grid deposit.

In areas of continuous permafrost, there are generally two groundwater flow regimes: a deep groundwater flow regime beneath permafrost and a shallow groundwater flow regime located in the active (seasonally thawed) layer near the ground surface. Because of the thick, low permeability permafrost, there is little to no hydraulic connection between the two groundwater flow systems. The shallow groundwater flow regime at the Project site has little to no hydraulic connection with the groundwater regime located below deep permafrost.

In areas of continuous permafrost, the deep groundwater regime is connected by taliks (unfrozen ground) located beneath large lakes. Taliks are formed beneath lakes that do not freeze to the bottom in winter. If a lake is large enough, the talik extends down to the deep groundwater regime. The presence of the thick and low permeability permafrost beneath land located between large lakes results in negligible recharge to the deep groundwater flow from these areas. Smaller lakes generally have taliks that do not extend down to the deep groundwater regime and also do not

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-11

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

influence the groundwater flow in the deep regime. Consequently, recharge to the deep groundwater flow regime is predominantly limited to areas of "open" talik beneath large surface water bodies.

Generally the driving force for groundwater beneath the permafrost is the elevation of lakes with "open" taliks. Groundwater flows from higher elevation lakes to lakes located at lower elevations. Therefore flow directions in the deep groundwater flow regime can be inferred from the elevations of the lakes supporting taliks (Figure 2.7-1 to 2.7-3). Groundwater flow in the area of the Main Zone, Centre Zone and East Zone deposits is inferred to be south towards Fox Lake, Pointer Lake, Jaeger Lake, and Judge Sissons Lake. Groundwater in this area may also discharge to Sleek Lake, located to the southwest, and Scotch Lake, located to the southeast. In the area of the Andrew Lake, and End Grid deposits, the predominant groundwater flow direction is inferred to be southeast towards Boulder Lake, and Judge Sissons Lake. These groundwater flow directions have been inferred assuming that open taliks exist beneath lakes identified as large enough to support an open talik, and that on the regional scale the hydraulic conductivity of the bedrock beneath the permafrost is relatively homogeneous and isotropic.

Relatively competent rock comprises the majority of the rock domain. The hydraulic conductivity of the deep bedrock in the Project area is low and is expected to decrease at greater depths as observed at other sites in the Canadian Shield.

Hydraulic tests indicate that the hydraulic conductivity (K) of the rock at the Project site might be partially related to the rock type, with syenitic gneiss and granitic rock generally having a higher K than the metasediments. The majority of testing at the site indicates low hydraulic conductivity values on the order of 1×10^{-9} m/s with greater hydraulic conductivities of up to 10^{-6} m/s measured in a few boreholes. No correlation was found between areas of greater fracturing and intervals with greater hydraulic conductivity.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 2-12

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 2: Conceptual Groundwater Flow Model

3   Current Permafrost Model

3.1   Model Design

3.1.1   Numerical Implementation

Two groundwater flow models have been developed, one based on the FEFLOW® v6.0 software (WASY 2010), and one based on the MODFLOW software (McDonald and Harbaugh 1988). FEFLOW (Finite Element subsurface FLOW system) is a computer program for simulating groundwater flow, mass transfer and heat transfer in porous media. The program uses finite element analysis to solve the groundwater flow equations of saturated or unsaturated conditions, as well as mass and heat transport, including fluid density effects and chemical kinetics for multi-component reaction systems. The MODFLOW software is an industry standard software application which incorporates a finite difference solution of the groundwater flow equations. The modular structure of MODFLOW consists of a Main Program and a series of independent modules. The modules are grouped in packages, each of which deals with a specific feature of the hydrologic system to be simulated. MODFLOW operates in conjunction with ZONEBUDGET (Harbaugh 1990) and MODPATH (Pollock 1998) to calculate subregional water budgets and three dimensional particle tracking pathlines, respectively.

The Kiggavik model presented in this section was developed under steady state conditions, neglecting density dependent effects. It was considered that the basement unit acts in a hydraulically similar manner as a porous medium and that the Equivalent Porous Medium approach is valid at the model scale. Hydrostratigraphic units were considered to have homogeneous material properties. The permafrost layer was treated as a homogeneous low permeability layer acting as a confining layer to the underlying rock mass.

3.1.2   Domain

The model domain is approximately 30 km wide and covers an area of 740 km^2 (Figure3.1-1). The Kiggavik and Sissons sites are at a minimum of 8 km from the external boundaries and 10 km from the northern part of Judge Sissons Lake. The proposed regional model encompasses a large area in order to obtain, as far as practical, unbiased predictions due to arbitrary boundary conditions. The extent of the model was selected based on observed topography, location and elevation of surface waterbodies, and surface water drainage patterns. Consequently, the model utilizes the following boundaries:

- the western boundary was selected to include Gerhard Lake and Aberdeen Lake;

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

- the eastern boundary includes Siamese Lake and Skinny Lake;
- the northern boundary includes Squiggly Lake and topographic highs located upgradient from the Kiggavik area; and
- the southern boundary includes mainly Judge Sissons Lake.

3.1.3 Mesh

3.1.3.1 FEFLOW Model

The FEFLOW calculation code uses the finite-element method to solve the flow equations. This method requires definition of a mesh made of elements over which the calculations are performed. Although the model encompasses a large area, the model grid is sufficiently refined within the areas of interest to provide reasonable estimates of flow directions and volumes within the study areas, and more specifically, the Kiggavik and Sissons mining areas.

The model mesh consists of a total of 878,066 triangular elements. The finite element mesh was designed from triangular elements (Figure 3.1-1). It was refined to 20 m element size near the sites: Andrew Lake Pit, End Grid Underground, and the Main, Centre, and East Pits.

The model was sub-divided vertically into 15 layers (Table 3.1-1). Individual layers are defined by top and bottom planes (called slices in FEFLOW). Model slices are surfaces bounding a layer which contain the finite element mesh nodes. Each layer is the volume bounded by two slice surfaces. The layer contains the hydraulic properties such as hydraulic conductivity and storage.

The ground surface forms the top slice of the model. It is based on a 1 m LIDAR survey (LiDAR Services International, 2009; ArKeX, 2009), with accuracy of 30cm. Outside of the LiDAR coverage the topography was taken from regional digital topographic map with 5 m elevation contour interval.

The base of the permafrost was created by mirroring the ground surface topography at the depth corresponding to observed permafrost depths. It was generated using the 1 m contour digital terrain map (DTM) produced from LiDAR data. The DTM was smoothed with a low pass filter, translated vertically and then rotated by 3 degrees dipping south. This surface was used in the model as the base of permafrost across the entire model domain. Figure 3.1-2 shows the ground and permafrost surfaces used in the model.

The other model layers were defined to match as far as possible the underground development zones and the geometry of the Kiggavik TMFs. Intermediate layers were also introduced in the model to increase vertical discretization and reduce potential numerical instability issues.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-2

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

Table 3.1-1   Model Layer Surfaces

Units in Taliks	Units Outside of Taliks	Layer #	Slice #	Description
Fractured rock	Permafrost		--- 1 ---	Ground elevation
		Layers 1 to 4	2 to 4	Slice 2, z= 5 mbgl (thin active layer)
				Slice 3, z=60 mbgl (for Post-Closure Model with partially thawed permafrost to depth 60 m)
				Slice 4 = 60.5 mbgl (buffer layer for abrupt K change)
		----------	--- 5 ---	Plane surface of constant elevation z=-100 mbgl (-68 masl) = End Grid Level 1
		Layer 5		
		----------	--- 6 ---	Base of permafrost (variable elevation)
	Fractured rock	Layer 6		
		----------	--- 7 ---	0.5 m below permafrost (buffer layer for abrupt K change)
		Layer 7 to 14	8 to 15	Plane surfaces of constant elevations
				Slice 8, z= 325 mbgl (-157 masl) = End Grid Level 3
				Slice 9, z=450 mbgl (-282 masl) = End Grid Level 4
				Slice 10 = 568 mbgl (-400 masl)
				100 m spacing from slice 10 to slice 15 (z= -900 masl)

3.1.3.2 MODFLOW Model

The MODFLOW calculation code is based on a finite difference formulation of the underlying differential equations. The finite difference formulation is inherently mass conservative and therefore leads to straightforward water balance and flow pathline calculations. The main disadvantage of the formulation is that mesh refinement is less flexible.

The model mesh consisted of a primary grid of 300 by 300 grid blocks, with block size of approximately 120 m. The grid was refined in the Kiggavik area to a 60 m by 60 m mesh. The mesh was not refined in the Sissons area. Vertically, the model mesh had 14 layers which were constructed to be identical to the layers in the FEFLOW mesh. Figure 3.1-3 shows the MODFLOW mesh.

The discussion of boundary conditions and material properties in the following sections applies to both the FEFLOW and MODFLOW numerical models.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-3

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

3.1.4   Boundary Conditions

As mentioned in the introduction, a motivation to develop the regional model was to avoid arbitrary boundary conditions that control the flow regime. Boundary conditions specified in the groundwater flow model under current permafrost conditions include constant head boundaries and no-flow boundaries.

3.1.4.1 Constant Head Boundary

Specified constants heads were assigned in Layer 1 over the areas of each lake supporting an open talik. A constant head boundary assumes an infinite source of water to the groundwater system, which is considered a valid assumption for this site as the surface water recharge into lakes is much greater than the flux from the base of the lake into low permeability fractured rock. Figure 3.1-4 shows a plan view of the boundary conditions assigned to Slice 1. These specified head boundaries were set to the average elevation of the lake that each boundary represents. The list of lakes with open taliks is presented in section 2, with associated lake elevations listed in Table 2.2-1.

3.1.4.2 No flow boundaries

With the exception of the boundaries with lakes (Judge Sissons Lake, Siamese Lake, Skinny Lake, Aberdeen Lake, Gerhard Lake, Buzzard Lake, # 1 Lake and #2 Lake), all the model limits were treated as "no flow" boundaries for all layers.   As a result, the model is free to calculate groundwater divides that may or may not mimic the topography divides.

3.1.4.3 Recharge and Surface Drainage

Groundwater recharge from precipitation, seasonal active layer thawing and surface drainage were not simulated in the current permafrost model because permafrost prevents connexion of the surface water to the groundwater system, with the exception of the open taliks, which are already assigned with individual boundary conditions.   Additional boundary conditions were introduced in the no-permafrost model to simulate surface drainage and recharge (see section 4.2).

3.2   Model Calibration

3.2.1   Introduction

The purpose of the groundwater flow model calibration was to identify a set of model parameters that yields the most realistic description of groundwater flow while preserving the essential elements of the physical system. This set of model parameters is a combination of existing data and inferred parameters. The calibration process in groundwater modelling is non-unique, which means that

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-4

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

there may be several sets of model parameters that provide an acceptable fit between observed and calculated data.

The parameters typically matched in a groundwater flow model calibration are the hydraulic heads, but also the direction of flow, and the water balance, if such data are available. The calibration parameters for a groundwater flow model typically include the spatial distribution of hydraulic conductivity, recharge, or discharge rates (*e.g.*, precipitation, or leakage), and boundary conditions.

The Kiggavik model was calibrated against measured and inferred hydraulic heads. An iterative, trial and error approach was used with iterations between the pre-mining and dewatering conditions calibrations. The following steps were followed

The key geological features were first introduced as zones of distinct hydraulic conductivity. A first calculation was made with an initial guess of the hydraulic conductivity values. The hydraulic conductivity values were then varied within the bounds determined from packer and slug tests with the objective of minimizing the difference between calculated heads and observed "pre-mining" heads.

3.2.2 Hydraulic Conductivity Distribution

A 3D view of the model layout and hydraulic conductivity distribution is shown in Figure 3.2-1. Taliks are visible as higher permeability zones that extend below the permafrost zone.

3.2.2.1 Permafrost

The permafrost was considered to be an effective aquitard, laterally continuous, except under lakes supporting open taliks. The permafrost was modelled with a very low hydraulic conductivity ($Kx=Ky=Kz=1\times10^{-12}$ m/s). Specific storage was assumed to be zero.

3.2.2.2 Overburden

This unit does not affect significantly the deep groundwater flow system as it has been shown to be discontinuous, shallow, and is only active during the summer when the soil has temporarily thawed. For the no-permafrost scenario, the overburden (active layer) was simulated as a 5m thick layer with hydraulic conductivity of 5×10^{-5} m/s, and specific storage (S_S) of 1×10^{-5} m^{-1}.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-5

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

3.2.2.3 Unfrozen Basement Rock

The unfrozen rock "aquifer" was subdivided according to the following sub-geological units: Metasediments, Granite, Orthoquartzite, Syenite, Gneiss and Barrensland Group. Hydraulic conductivities for these units were estimated by calibration of the pre-mining groundwater model to the head elevations observed at Kiggavik, Sissons and Bong. Each unit was assigned a K value, homogeneous in the horizontal dimension.

At various sites in the Canadian Shield it has been shown that rock mass permeability decreases with depth (see for instance Ophori et al., 1996). Based on site measurements and measurements in similar deep basement rock, the hydraulic conductivity was assumed to decrease with depth to simulate a rock mass that is less fractured and with fractures that are less connected. A vertical anisotropy (Kx=Ky=Kz x 10) was also considered to represent a rock mass with more fractures connected in the horizontal direction than in the vertical direction.

Table 3.2-1 summarizes the calibrated hydraulic conductivity values for each unit. Figures 3.2-3a through 3.2-3c shows the hydraulic conductivity in the groundwater model for each rock type and the observations from tests where available.

Table 3.2-1   Calibrated Hydraulic Conductivity Distribution

Unit ID	Depth (m)	HYDRAULIC CONDUCTIVITY (m/s)						
		Permafrost	Granite	Meta-sediment	Gneiss	Ortho-quartzite	Syenite	Barrensland Group
K1	0-5	1×10^{-12}	5×10^{-05}	5×10^{-05}	5×10^{-05}	5×10^{-05}	5×10^{-05}	5×10^{-05}
K2	5-90	1×10^{-12}	5×10^{-07}	5×10^{-09}	5×10^{-08}	1×10^{-07}	8×10^{-08}	3×10^{-07}
K3	90-200	1×10^{-12}	5×10^{-08}	5×10^{-10}	5×10^{-09}	1×10^{-08}	8×10^{-09}	3×10^{-08}
K4	200-330	-	1×10^{-08}	1×10^{-10}	1×10^{-09}	5×10^{-09}	3×10^{-09}	8×10^{-09}
K5	330-1070	-	1×10^{-09}	1×10^{-11}	1×10^{-10}	5×10^{-10}	3×10^{-10}	8×10^{-10}

The major structural features shown in Figures 2.4-3 and 2.4-4 were included in the model to ensure conservative prediction of fluxes into mine workings and potential for transport of contaminant. Faults were simulated using quadrilateral 2D vertical discrete elements with a K of 1×10^{-7} m/s and a thickness of 10 m.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-6

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

3.2.3   Storage Properties and Effective Porosity

Storage properties of the rock are not used under steady-state flow conditions. The values included in the model are presented in this section for reference purposes. The following storage parameters were used for transient modelling of mine inflows (see Appendix 5E), travel time and contaminant transport estimates (See Appendix 5J).

3.2.3.1 Specific storage

Permafrost

Specific storage was assumed to be zero.

Overburden

The overburden (active layer) was simulated as a 5m thick layer with specific storage of 1×10^{-5} m^{-1}.

Unfrozen Basement Rock

A specific storage of 1×10^{-5} m^{-1} was used for all layers and lithology units, with the exception of major structural features.

Effective Porosity

Overburden

An effective porosity of 0.2 was used for the overburden, described as bouldery loamy basal tills with sand/gravel/silt matrix.

Unfrozen Basement Rock

An effective porosity of 0.001 was used for the fractured bedrock. This low value is supported by the following observations.

- Data from 90 tracer experiments performed in low-permeability fractured media have been studied to explore correlations among parameters controlling flow and transport, including hydraulic conductivity and effective porosity (Guimera and Carrera, 2000). The results presented by these authors suggest that effective porosity values between 0.0001 and 0.01 cover the main data set, with a central value of about 0.001.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-7

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

- These values are supported by the work conducted at the Yucca Mountain test site, Nevada (Bechtel SAIC, 2005). The value used in the assessment at Yucca Mountain was reported to be 0.0001 for granites that form the basement rocks beneath the alluvial basins at depths greater than 300 m (Smith, 2010, personal communication).
- A value of 0.003 was suggested for fractured bedrock in the Whiteshell Research Area (Ophori et al., 1996).

3.2.4 Pre-Mining Hydraulic Heads

The pre-mining simulation represents the groundwater flow regime prior to any mining at the Kiggavik Project area. Limited information corresponding to measured and inferred hydraulic heads was used to calibrate the groundwater flow model.

Tables 3.2-2 includes a comparison of observed artesian conditions and predicted hydraulic heads for the confined sub-permafrost layer for both the FEFLOW and the MODFLOW models. Figure 3.2-2 shows a scatter plot comparing calculated and observed heads for the FEFLOW model only. The figure includes only those predicted heads which were not artesian. Table 3.2-2 and Figure 3.2-2 indicate that the model simulates reasonably well the overall distribution of hydraulic heads in the Project area. Locally however the model underestimates the observed hydraulic heads. This is the case for instance in the END-09-01 and MZ-09-04 areas, where a decrease in the model hydraulic conductivity would be required to increase the calculated hydraulic heads and to better match the observed artesian conditions. It is considered however that given the uncertainty associated with the measurement of artesian heads decreasing the model hydraulic conductivity in these areas may result in a non-conservative model (i.e. hydraulic conductivity values too low).

Table 3.2-2   Predicted vs Observed Hydraulic Heads

Hole ID	Observation	Observed Head (masl)	Predicted Head (masl)	
			FEFLOW	MODFLOW
MZ-07-03	Observation from pressure transducer interpreted as artesian condition	> 187.9	202	204.5
MZ-08-04	Artesian conditions: ~4.5 L/s from the rods and casing annulus; low salinity of flowing water	> 177.8	201.5	204.5
MZ-09-04	Artesian conditions, constant flow for 44 hours + shut in test with packer in place; vibrating wire piezometer	215.5	202.2	204.6
MZ-10-01	During packer test	204.3	201.2	204.4
GW-11-02	Vibrating wire piezometer	> 172.0	198.2	203.9

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-8

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

BONG-41	Artesian conditions: ~2.5 L/s from the rods and casing annulus	> 160	197.3	
BONG-45	Artesian conditions: ~0.2 L/sec at 320m	> 160	197.4	199.3
BONG-52	Artesian conditions	> 155		199.2
END-09-01	Vibrating wire piezometer	175.5	168.2	168.2
AND-09-03	Vibrating wire piezometer	169.7	170.3	168.8

3.3   Model Results

The calibrated steady-state head distribution beneath the permafrost for the pre-mining conditions is shown in Figure 3.3-1 and 3.3-2, for the FEFLOW model, and in Figure 3.3-3 for the MODFLOW model. The hydraulic head distribution reflects the surface elevation of lakes with open taliks. In the Kiggavik area, simulated groundwater flow in the unfrozen basement within the vicinity of the Main Zone and Centre Zone is in a south/southeasterly direction, confirming that Pointer Lake and Judge Sissons Lake act as points of bedrock groundwater discharge. In the area of the Andrew Lake and End Grid deposits, the predominant groundwater flow direction is towards the southeast and Judge Sissons Lake.

Areas of steep hydraulic gradients are simulated between Aberdeen Lake and Gerhard Lake in a manner consistent with the topography along the western boundary of the model. Steep gradients are also predicted in areas with metasediments, which are simulated with a lower hydraulic conductivity than the other basement rocks.

In some areas the model predicts hydraulic heads above the ground surface elevation, indicating artesian conditions (Figure 3.3-4). These predictions are generally consistent with the known artesian conditions.

3.3.1   Further Calibration

The calibration for the MODFLOW pre-mining model was carried one step further. The orthoquatzite conductivities were reduced by a factor 10 everywhere. The conductivities in the Kiggavik area were further refined. Four new conductivity regions were defined (see Figure 3.3-5). The southern two regions were given metasediment conductivities. The northern two were given orthoquartzite conductivities. Figure 3.3-5 shows the changes for the layers corresponding to K4 in Table 3.2-1. The equivalent changes were carried out in the other conductivity regions. Table 3.3-1 compares the heads predicted by the refined calibration to the calibration reported in Table 3.2-2. The calibration

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014
Page 3-9
Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

for the Bong-area wells has been substantially improved. Figure 3.3-6 shows the calibrated pre-mining steady state head distribution for the MODFLOW model with the refined calibration. The predicted heads are slightly higher to the north of the Kiggavik mining region and slightly lower in the Bong-area.

Table 3.3-1   Comparison of Model Calibrations.

Hole ID	Observed Head (masl)	MODFLOW Predicted Head as per Table 3.2-2 (masl)	MODFLOW Predicted Head as per Section 3.3.1 (masl)
MZ-07-03	> 187.9	204.5	203.3
MZ-08-04	> 177.8	204.5	203.0
MZ-09-04	215.0	204.6	203.6
MZ-10-01	204.3	204.4	203.0
GW-11-02	> 172.0	203.9	198.7
BONG-45	> 160	199.3	177.5
BONG-52	> 155	199.2	176.1
END-09-01	175.5	168.2	168.8
AND-09-03	169.7	168.8	169.7
Correlation Coefficient		0.44	0.74

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 3-10

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 3: Current Permafrost Model

4 No Permafrost Model

4.1 Introduction

The effects of climate change on the project in the short and long term will depend on the degree and rate of warming. Climate change predictions are uncertain at the current time, but consensus on the degree of warming is beginning to become more accepted within the scientific community and the general public. Although the causes of climate warming are under debate at this time, the predicted warming trends are considered to be possible and are within typical climate variability in the long term. Increasing mean annual air temperatures will lead to significantly warmer weather in the summer months; increasing the number of days with air temperatures greater than 0 °C. It is expected that the primary effect this will have on the Kiggavik Project area will be to increase the number of days when precipitation will fall as rain, rather than snow, and the number of days available for melting existing or seasonal ice and snow, thus increasing the average surface temperatures and impacting permafrost distribution in the region. A compilation of the factors affecting global climate and a discussion of the cumulative effects of these factors are provided in Technical Appendix 4D (Baker Lake Long Term Climate Scenario).

The warming trend used for modeling purposes of the Project area considers a 5^{o}C rise in the mean annual surface temperature (MAST) over the next 100 years followed by a long-term plateau at 5^{o}C above the current MAST. This trend is considered to be conservative as it anticipates a greater temperature increase for the Baker Lake area than what is suggested based on the analysis and scenario presented in Appendix 4D.

Thermal modelling was performed to highlight the potential impact of climate change on the permafrost at the Kiggavik Project sites. Two different climate change scenarios were simulated based on this warming trend over 100 years; from a MAST of -7 °C to -2 °C and from a MAST of -6 °C to - 1 °C. Both cases consider the same 5 degree rise in temperature however they differ in what their starting values are. Figure 4.1-1 shows the warming trends and the corresponding computed change in permafrost depth in the Kiggavik area for the two climate change scenarios over 2000 years. The thermal model used to simulate the effect of climate change on permafrost is presented in Technical Appendix 5J (Tailings Characterization and Management).

Model results show that if the mean annual surface temperature rises the change is manifested as a reduction in depth of permafrost at the base, and not at the surface. Figure 4.1-1 shows that the warming trends will result in long term permafrost depths decreasing from about 220 m to either 90m from surface for the first trend (e.g., -7 °C to -2 °C) or 40m from surface for the warmer trend (e.g., -6 to -1 °C).

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 4-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 4: No Permafrost Model

The major change in the hydrogeological system due to climate change will be how it affects the thickness and distribution of permafrost in the region. The increase in mean annual surface temperature will affect permafrost from both the top, in the active zone, and from the bottom due to the geothermal heat in the deep rock mass.

To assess the worst case potential from a groundwater flow and contaminant transport perspective a conservative approach was used and complete melting of permafrost was considered. The absence of permafrost would be a significant change to the groundwater flow system. With removal of the confining permafrost layer, piezometric levels would equilibrate to near ground surface levels, except in low topographical locations, which would act as discharge zones for the groundwater system. Surface components of the hydrological system would become connected to the underlying hydrogeological flow system across the region. This would have an effect on the pressure distribution and hydraulic heads.

The objective of the model presented in the following sections is to predict groundwater flow conditions in a very long term scenario, with the assumption that a warming trend greater than the 5^{o}C rise has melted the permafrost completely and that the hydrogeological system has stabilized to a new pseudo-equilibrium state. The ultimate objective of this model is to predict the potential change in solute transport from the Main Zone, Centre Zone and East Zone TMFs to potential receptors. This component of the assessment is presented in Technical Appendix 5J (Tailings Characterization and Management).

4.2   Model Parameters

4.2.1   Hydraulic Conductivity Distribution

Under no-permafrost conditions the hydraulic conductivity distribution will change for units that were previously located in the permafrost layer. Therefore the hydraulic conductivity distribution presented in Table 3.2-1 was used to characterize basement units previously located in permafrost.

4.2.2   Recharge

As summers become warmer and wetter, lake evaporation and evapotranspiration conditions are typically predicted to increase. Although water losses typically increase the magnitude is not expected to compensate for the increases in precipitation. Therefore both runoff and recharge are expected to increase relative to the current permafrost conditions. However recharge is not expected to increase as much as precipitation because the thin soils and weathering profile and the underlying low permeability bedrocks will limit the infiltration rate.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 4-2

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 4: No Permafrost Model

To account for the expected change in hydrology groundwater recharge from precipitation was included as a boundary condition in the no-permafrost groundwater flow model. A maximum "reasonable" recharge rate was estimated by increasing the recharge rate in the model until the simulated hydraulic heads be equal or higher than ground surface in areas of the model located at sufficient distance from boundary conditions such as drains and lakes. This iterative process resulted in a recharge value of 15 mm/year. Any additional recharge above this value was found to cause unrealistic mounding of groundwater above ground surface. The calibration results are illustrated in Figure 4.2-1.

4.2.3   Lakes

The location of the lakes was not changed in the no-permafrost model, assuming no geomorphic changes to ground surface. The following four lakes however were removed from the model: Ridge Lake, Felsenmeer Lake, Escarpment Lake, and Mushroom Lake. These lakes were removed considering that, with thawing of the permafrost, they would likely drain into the underlying rock and become dry depressions rather than annual lake bodies. This assumption was based on the observation that the lake elevations are much higher than the surrounding groundwater head. Therefore it is reasonable to assume that these lakes may be "perched" on frozen ground.

4.2.4   Stream Channels

Drain boundary conditions were added along stream channels at the top surface of the no-permafrost model in order to prevent excessive mounding of the water table as a result of the applied recharge flux, particularly in areas away from lakes. The stream channels were simulated as drains allowing groundwater to exit the model but not recharge the model. This assumption is considered to be reasonable because the water table is close to ground surface and the drainage channels are the lowest points along topography.

The drains added to the model were selected to match topographical depressions and existing channels. Figure 4.2-2 shows a plan view of the drains used in the no permafrost model.

4.3   Model Results

Contours representing the calculated water levels for the entire no-permafrost model are shown in Figures 4.3-1 and 4.3-2, for the FEFLOW model. The MODFLOW model results are presented in Figures 4.3-3 and 4.3-4. Compared to the current permafrost case (Figures 3.3-1 and 3.3-2) the simulated steady-state heads with the no-permafrost model show a stronger surface water impact on groundwater flow.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014
                    Page 4-3
Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 4: No Permafrost Model

It should be noted that the MODFLOW and FEFLOW hydraulic head distributions are different for the no-permafrost scenario. This difference can be attributed to the fact that the FEFLOW model was run in fully saturated confined mode whereas the MODFLOW model was run in confined/unconfined mode, allowing the inclusion of an unsaturated zone in the upper layers. The MODFLOW model was also run in confined mode for comparison purposes. The resulting hydraulic head contours are shown in Figure 4.3-4 and can be compared to Figure 4.3-1.

It is considered that for the no-permafrost case the inclusion of an unconfined zone in the top layer of the model is a more realistic representation of the flow regime. For this reason the MODFLOW results were used in the contaminant transport analysis (Appendix 5J).

Figure 4.3-5 presents the results of a simplified particle path analysis conducted with FEFLOW, with particle paths associated with particles released throughout the Main Zone area. Figure 4.3-5 shows that in the no-permafrost model particles discharge to Pointer Lake. Figure 4.3-6 shows the results of a similar analysis conducted with MODFLOW/MODPATH for particle released throughout the Main Zone, Centre Zone and East Zone areas. Figure 4.3-6 confirms that over the long-term, in the no-permafrost scenario, particles are expected to discharge to Pointer Lake. This analysis is further developed in Appendix 5J (Tailings Characterization and Management).

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 4-4

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 4: No Permafrost Model

5   Conclusion

5.1   Key Findings

The proposed model encompasses a large area, simulating groundwater flow on a regional scale in order to obtain, as far as practical, unbiased predictions due to arbitrary boundary conditions. The extent of the regional model was selected based on observed topography, location and elevation of surface waterbodies, and surface water drainage patterns.

A reasonable geological and hydrogeological database exists for the model study area including topography, climate, hydrology and geophysical data as well as exploration boreholes, ground temperature, pressure readings and hydraulic tests. This database was used to develop a conceptual groundwater flow model and to provide input parameters and calibration data to the corresponding numerical model.

The Kiggavik Project lies within the Canadian Shield in an area of continuous permafrost. Multi-level-thermistor data collected from 2007 to 2011 indicate that permafrost extends to a depth of about 210 m to 230 m below ground surface in the area of the Main Zone, Centre Zone, and East Zone deposits. Data collected at Sissons indicate that permafrost extends to a depth ranging from 240 m to 260 m below ground surface in the area of the Andrew Lake and End Grid deposits.

Under pre-mining conditions, the groundwater regime in the study area consists of two flow systems. A shallow groundwater flow system occurs in the active, seasonally thawed, layer near the ground surface. The deep groundwater flow regime comprises groundwater flow beneath permafrost. Because of the thick, low permeability permafrost, the shallow groundwater flow regime at the Project site has little to no hydraulic connection with the sub-permafrost groundwater regime.

The groundwater flow pattern in the Project area is representative of topography-driven flow in low permeability bedrock. The deep groundwater regime is connected by taliks (unfrozen ground) located beneath large lakes.   The driving force for groundwater beneath the permafrost is the elevation of lakes with "open" taliks, with groundwater flowing from higher elevation lakes to lakes located at lower elevations. Groundwater flow in the area of the Main Zone, Centre Zone and East Zone deposits is simulated to be south towards Pointer Lake then Judge Sissons Lake.   In the area of the Andrew Lake and End Grid deposits, the predominant groundwater flow direction is simulated to be inferred to be southeast towards Boulder Lake and Judge Sissons Lake.

Relatively competent rock comprises the majority of the rock domain. The hydraulic conductivity of the deep bedrock in the Project area is low and is expected to decrease at greater depths as

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 5-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 5: Conclusion

observed at other sites in the Canadian Shield. Hydraulic tests indicate that the hydraulic conductivity (K) of the rock at the Project site might be partially related to the rock type, with syenitic gneiss and granitic rock generally having a higher K than the metasediments. The majority of testing at the site indicates low hydraulic conductivity values on the order of 1×10^{-9} m/s with greater hydraulic conductivities of up to 10^{-6} m/s measured locally. No correlation was found between areas of greater fracturing and intervals with greater hydraulic conductivity.

Two groundwater flow models have been developed for this Project, one based on the FEFLOW software and one based on the MODFLOW software. The ultimate goal of the groundwater flow models is to provide a predictive tool for future applications, such as inflow predictions towards future mining works and long-term flow predictions through decommissioning activities. Immediate applications of the model are found in the following documents

- Technical Appendix 5E - Prediction of Water Inflows to Kiggavik Project Mines
- Technical Appendix 5J - Tailings Characterization and Management

The FEFLOW finite element formulation is considered to be better suited to situations were grids must be adapted to local structures. The FEFLOW model results were therefore used in the calculation of the water inflows to the underground mines (Technical Appendix 5E). The results of the MODFLOW-based numerical model were reported for the post-closure tailings characterization (Technical Appendix 5J).

5.2   Follow Up Program

The three-dimensional flow models presented in this Technical Appendix are considered to be living tools, subject to improvement of both the conceptual and numerical parts. The proposed groundwater flow models simulate in a realistic manner the pre-mining groundwater regime in the Kiggavik Project area. The flow models are also able to reproduce the distribution of artesian conditions and some hydraulic heads measurements in the Project area. However, the models are not capable of perfectly reproducing all conditions and have certain limitations, in particular due to the limited calibration data set.

Improvement of the calibration data set and improvement of the robustness of model predictions is part of the proposed follow-up program. The hydrogeology follow-up program would take place during operation and would include:

- Installation of additional vibrating wire piezometers in the vicinity of the open pits to monitor the influence of pit dewatering activities, if any.
- Installation of far-field piezometers downgradient from the proposed mines.
- Measurement of water inflow to the mine pits when observed.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 5-2

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 5: Conclusion

- Groundwater sampling for chemical analysis of the sub-permafrost groundwater.
- Further study of the hydrogeologic relationship between the faults and the mines that penetrate through the permafrost including the measurement of hydraulic conductivity of major faults at the mine sites.
- Mapping of fractures in the mined pits to determine their influence on the hydrogeology.
- Hydraulic conductivity testing of rock below the permafrost, in faults adjacent to the mined out pits, and the shallow subsurface that seasonally thaws.
- Testing of thermal properties such as thermal conductivities and measurement of climatic data, surface, and subsurface temperatures.

This program will allow for updates and further refinements to the groundwater flow model, the thermal model, and the solute transport model for the Kiggavik Project. As data is acquired, updates to the groundwater flow model and inflow predictions will be completed. As exploration drilling and the drilling that accompanies some of the activites listed above reveals more geologic information, the geologic setting and conceptual models will also be updated or refined.

5.3   Groundwater Monitoring Plan

Appendix 2T contains a comprehensive description of environmental management plans. This section provides more details on the items included in a groundwater monitoring plan.

The purpose of the groundwater monitoring plan is to monitoring changes in groundwater levels and changes to groundwater quality. To accomplish these objectives, monitoring stations will be established adjacent to mine infrastructure where changes to either water levels or water chemistry are expected to occur. These locations will be established prior to the commencement of mining activities in order to provide data on the pre-mining water levels and water chemistry. The main focus of this plan is the operating period of the mine; however, many of the installed stations would also be used for post-operational monitoring.

There are two hydrogeologic systems to monitor in the permafrost environment. The deep groundwater system has the potential to be affected by mining through the permafrost layer causing groundwater inflow to the mines. The second system consists of the shallow subsurface that seasonally thaws allowing the flow of groundwater in the shallow subsurface. Monitoring in the shallow subsurface will be focused on both mine locations as well as site infrastructure that could be susceptible to leaks or spills,

During the licensing phase of the project, a detailed document will be developed that provides the monitoring locations and frequency of monitoring as well as the reporting frequency and format. This document and the requirements therein are developed collaboratively with the appropriate regulatory agencies. The follow sections provide a description of the shallow and deep groundwater monitoring that is anticipated.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 5-3

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 5: Conclusion

5.3.1 Deep Groundwater Monitoring

The deep groundwater monitoring will consist of vibrating wire piezometers installed below the base of the permafrost adjacent to the Main Zone pit, Andrew Pit, and the End Grid mine to allow for the routine measurement of hydraulic head. Several locations will be established per mining area to account for spatial differences in the groundwater response to mining activities. Monitoring of the hydraulic head in deep vibrating wire piezometers would be conducted on a monthly basis.

In the permafrost environment, monitoring of deep groundwater chemistry is extremely difficult to conduct on a routine basis because the wells normally used in non-permafrost environments will freeze when installed in permafrost, eliminating the possibility of obtaining a sample. It may be possible in some locations to install wells in taliks to monitor the water chemistry on a routine basis. During the installation of the vibrating wire piezometers, it may be possible to sample the groundwater below the permafrost to provide more baseline water quality information.

5.3.2 Shallow Groundwater Monitoring

Shallow groundwater monitoring will be established to measure both the water level and water quality during the seasonally thawed subsurface. Shallow wells will be installed adjacent to ore pads, mine rock pads, and water management ponds, fuel storage tanks, and adjacent to the mill to detect potential leaks or spills. Near the open pits, shallow groundwater monitoring will be conducted adjacent to the deep monitoring locations. Typically, each facility monitored will have an upgradient monitoring station and two or more downgradient monitoring stations. Water level monitoring would be conducted on a monthly frequency during the summer months when the well is not frozen and water chemistry samples would be collected annually.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 5-4

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 5: Conclusion

6   References

6.1   Literature Cited

AREVA Resources Canada Inc. (2014). Kiggavik EIS – Tier 3 Technical Appendix – Appendix 4D Baker Lake Long Term Climate Scenario, September 2014

AREVA Resources Canada Inc. (2014). Kiggavik EIS – Tier 3 Technical Appendix – Appendix 5A Hydrology Baseline, September 2014

AREVA Resources Canada Inc. (2014). Kiggavik EIS – Tier 3 Technical Appendix – Appendix 5B Geology and Hydrogeology Baseline, September 2014

AREVA Resources Canada Inc. (2014). Kiggavik EIS – Tier 3 Technical Appendix – Appendix 5E Prediction of Water Inflows to Kiggavik Project Mines, September 2014

AREVA Resources Canada Inc. (2014). Kiggavik EIS – Tier 3 Technical Appendix – Appendix 5J Tailings Characterization and Management, September 2014

ARKeX (2009) LIDAR data processing report for Jul 2009 LiDAR survey. Oct. 12, 2009.

Bechtel SAIC (2005). Saturated Zone Flow and Transport Model Abstraction, Bechtel SAIC, August 2005. Doc. No. 20050808.0004

Burn, C.R. (2002). Tundra lakes and permafrost, Richards Island, western Arctic coast, Canada. Can. J. Earth Sci., 39, 1281-1298. 2002.

Cumberland Resources Ltd. (2005) Meadowbank Gold Project, Baseline Terrestrial Ecosystem Report.

Guimera J., and J. Carerra (2000). A comparison of hydraulic and transport parameters measured in low-permeability fractured media. Journal of Contaminant Hydrology 41: 261–281

Harbaugh, A.W. 1990. A Computer Program for Calculating Subregional Water Budgets Using Results from the U.S. Geological Survey Modular Three-dimensional Finite-difference Ground-water Flow Model. U.S. Geological Survey Open-File Report 90-392. 1990.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 6-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 6: References

Lidar Services International Inc. 2009) "Areva Resources Canada Inc. Baker Lake, Nunavut LiDAR Survey Report", July 2009

McDonald, M.G., and A.W. Harbaugh. 1988. A Modular Three-Dimensional Finite-Difference Groundwater Flow Model. Techniques of Water-Resources Investigations of the United States Geological Survey, Book 6, Chapter A1. 1988.

Neretnieks, I. 1990. Solute transport in fractured rock – Applications to radionuclide waste repositories. SKB Technical Report 90-38. December 1990.

Ophori, D.U., Brown, A., Chan, T., Davison, C.C., Gascoyne, M., Schier, N.W., Stanchell, F.W., and Stevenson, D.R., 1996. Revised Model of Regional Groundwater Flow in the Whiteshell Research Area. AECL Whiteshell Laboratories, Pinawa, Manitoba.

Pollock, D.W.. 1998. MODPATH, Documentation of Computer Programs to compute and display pathlines using results from U.S. Geological Survey modular three-dimensional finite difference groundwater flow model. U. S. Geological Survey Open Report 89-381. 1998.

Prowse, T.D. and Ommaney, C.S.L. 1990. Northern Hydrology. Canadian Perspectives. National Hydrology Research Institute Science Report No.1

Smith, M.W. 1976. Permafrost in the MacKenzie Delta, Northwest Territories. Geological Survey of Canada, 75-28

WASY (2010) FEFLOW, Finite Element Flow Modelling System, v 6.0.

West, J.J. and L.J. Plug. (2008). Time –dependent morphology of thaw lakes and taliks in deep and shallow ground ice. J. Geophysical Research, 113, 2008.

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 6-2

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 6: References

7   Figures

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page 7-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Section 7: Figures

Legend:
- Model Extent
- Proposed Mine Infrastructure.
- Lake Elevation from Bathymetry
- Lake Elevation from LIDAR
- Streams
- Lakes and Ponds

Squiggly L.
Skinny L.
Felsenmeer L.
Escarpment L.
Ridge L.
Siamese L.
Aberdeen L.
Main & Centre Site
Lin L.
Jaeger L.
Scotch L.
Sleek L.
Fox L.
Pointer L.
Jaeger L.
#3 L.
Caribou L.
Willow L.
Mushroom L.
Gerhard L.
Boulder L.
Judge Sissons L.
Andrew Lk & End Grid Site
Judge Sissons L.
#1 L.
Judge Sissons L.
N
Buzzard L.
#2 L.

0   2.5   5 Km

Permafrost Profile for Different Ground Temperatures

Depth changes 32 m / °C

Technical Appendix 5D
Groundwater Flow Model
September 2014

Figure 2.2-2
Impact of warmer average
surface temperature on
permafrost depth for the applied
thermal gradient of 32 m / °C

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Legend

- 🟢 Hydraulic Testing (Golder, 2009)
- 🟣 Hydraulic Testing (Golder, 2010)
- 🔴 Hydraulic Testing (SRK, 2008)
- 🔵 Multi-level Thermistor String (Golder, 1989)
- 🟠 Multi-level Thermistor String (Golder, 1992)
- 🟢 Multi-level Thermistor String (SRK, 2007)
- 🔵 Multi-level Thermistor, VW Piezometer (Golder, 2009)
- 🔴 Multi-level Thermistor/VW Piezometer and Hydraulic Testing (Golder, 2009)
- 🟡 Multi-level Thermistor/VW Piezometer and Hydraulic Testing (Golder, 2011)

GW-11-01

LG-88-333

EZ-10-01

MZ-09-04

MZ-07-03

MZ-09-03

LG-88-332

LG-88-331

CZ-09-01

MZ-08-04

MZ-09-02

MZ-10-01

MZ-08-03

GW-11-02

| 0 | 250 | 500 | 1,000 | 1,500 | 2,000 |
Meters

Projection: NAD 1983 UTM Zone 14N
Creator: CDC
Date: 10/06/2011   Scale: 1:15,000
File:
Data Sources: *Natural Resources Canada, Geobase®, Nation Topographic Database, AREVA Resources Canada Inc.*

FIGURE 2.3-1
THERMAL AND HYDRAULIC TESTING LOCATIONS
KIGGAVIK AREA

ENVIRONMENTAL IMPACT STATEMENT
APPENDIX 5D

Kiggavik Project

AREVA

AREVA Resources Canada Inc - P.O. Box 9204 - 817 - 45th Street West - Saskatoon, SK - S7K 3X5

FIGURE 2.3-2
THERMAL AND HYDRAULIC TESTING LOCATIONS
SISSONS AREA

ENVIRONMENTAL IMPACT STATEMENT
APPENDIX 5D

Projection: NAD 1983 UTM Zone 14N
Creator: CDC
Date: 10/06/2011   Scale: 1:15,000
File:
Data Sources: *Natural Resources Canada, Geobase®, Nation Topographic Database, AREVA Resources Canada Inc.*

Kiggavik Project

AREVA

AREVA Resources Canada Inc - P.O. Box 9204 - 817 - 45th Street West - Saskatoon, SK - S7K 3X5

FIGURE 2.3-3
ARTESIAN EXPLORATION BOREHOLES
BONG AREA

ENVIRONMENTAL IMPACT STATEMENT
APPENDIX 5D

Projection: NAD 1983 UTM Zone 14N
Creator: CDC
Date: 10/06/2011   Scale: 1:15,000
File:
Data Sources: Natural Resources Canada, Geobase®, Nation
Topographic Database, AREVA Resources Canada Inc.

Kiggavik
Project

AREVA

AREVA Resources Canada Inc - P.O. Box 9204 - 817 - 45th Street West - Saskatoon, SK - S7K 3X5

Legend

- Streams
- Lakes and Ponds
- Dyke
- Major Fault
- Major Fault with breccia
- Thelon Fault
- Barrensland group
- Gneiss (undiff)
- Granite
- Metasediment
- Orthoquartzite
- Syenite

KIGGAVIK SITE

SISSON SITE

0   2.5   5 Km

N

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 2.4-1
Geology map and major structural features in the model domain

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Figure 2.4-2
Compilation of single well pressure response test results

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

**Black line**: discontinuities which would belong to the dextral faults system (NE-SW, WSW-ENE, E-W, WNW-ESE striking-trend) and to the minor conjugate sinistral system (NW-SE)
Grey line: discontinuities which would correspond to the late faulting
Blue line: Discontinuities which would correspond to the diabase dykes
White cross: granite
Yellow stars ores bodies

Th = Thelon Fault
K = Kiggavik Fault
B = Bong Fault
E = End Fault
EG = End-Andrew-Jane-
        Alpha-Golf Fault

Airmag map from the regional magnetic survey performed by the Geological Survey of Canada

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 2.4-3
Structural interpretation of the Kiggavik Project area based on Airmap map

Kiggavik Project

AREVA

Legend

★ Mine Location Proposed

▬ ▬ Major Fault Line

▬▬▬ Major Fault Line (Quartz Breccia)

— — Minor Fault Line

—·—· Foliation

▨ Kiggavik Lease

Figure 2.4-4
Regional structures

**Kiggavik
Project**

AREVA

Figure 2.7-1
Inferred groundwater flow direction

Technical Appendix 5D
Groundwater Flow Model
December 2011

Kiggavik Project

AREVA

Figure 2.7-2
Conceptual model of groundwater flow
Kiggavik and SIssons areas
Cross section view (1 of 2)

Technical Appendix 5D
Groundwater Flow Model
December 2011

Kiggavik
Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

General groundwater flow direction

Vertical exaggeration 10x

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 2.7-3
Conceptual model of groundwater flow
Kiggavik area - Cross section view (2 of 2)

Kiggavik Project

AREVA

30 km

N

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.1-1
FEFLOW Model mesh geometry (plan view)

SRK Consulting
Engineers and Scientists

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Ground Surface Elevation
m asl

- 261 - 270
- 251 - 260
- 241 - 250
- 231 - 240
- 221 - 230
- 211 - 220
- 201 - 210
- 191 - 200
- 181 - 190
- 171 - 180
- 161 - 170
- 151 - 160
- 141 - 150
- 131 - 140
- 121 - 130
- 111 - 120
- 101 - 110
- 91 - 100
- 81 - 90
- 71 - 80
- 61 - 70
- 54 - 60

Bottom of Permafrost Elevation
m asl

- 31 - 40
- 21 - 30
- 11 - 20
- 1 - 10
- -9 - 0
- -19 - -10
- -29 - -20
- -39 - -30
- -49 - -40
- -59 - -50
- -69 - -60
- -79 - -70
- -89 - -80
- -99 - -90
- -109 - -100
- -119 - -110
- -129 - -120
- -132 - -130

0   2.5   5 Km

N

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.1-2
Ground surface and permafrost elevations

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.1-3
MODFLOW Model mesh geometry

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Constant Head
Boundary Nodes (blue)

Example: H= 132.4m
Observed lake elevation
at Judge Sissons lake

30 km

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.1-4 (FEFLOW)
Boundary conditions in model slice 1

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Conductivity [Kxx]
- Patches -
[m/s]

- 5e-05
- 8.49323e-06
- 1.4427e-06
- 2.45064e-07
- 4.16277e-08
- 7.07107e-09
- 1.20112e-09
- 2.04029e-10
- 3.46572e-11
- 5.88704e-12
- 1e-12

$(K_{xx} = K_{yy} = 10 K_{zz})$

FEFLOW (R)

Conductivity [Kxx]
- Patches -
[m/s]

- 5e-05
- 8.49323e-06
- 1.4427e-06
- 2.45064e-07
- 4.16277e-08
- 7.07107e-09
- 1.20112e-09
- 2.04029e-10
- 3.46572e-11
- 5.88704e-12
- 1e-12

Vertical exaggeration x 5

FEFLOW (R)

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.2-1 (FEFLOW)
3D view of model hydraulic conductivity distribution

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Figure 3.2-2 (FEFLOW)
Predicted vs Observed Hydraulic Heads

Technical Appendix 5D
Groundwater Flow Model
December 2011

SRK Consulting
Engineers and Scientists

Kiggavik
Project

AREVA

Figure 3.2-3a
Hydraulic Modeled Hydraulic
Conductivity

Technical Appendix 5D
Groundwater Flow Model
September 2014

Kiggavik
Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Technical Appendix 5D
Groundwater Flow Model
September 2014

Figure 3.2-3b
Hydraulic Modeled Hydraulic
Conductivity

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Technical Appendix 5D
Groundwater Flow Model
September 2014

Figure 3.2-3c
Hydraulic Modeled Hydraulic
Conductivity

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Legend

Open Talik

Grounwater Head Contours (masl)
— 50m Contour Interval
----- 10m Contour Interval

0 2 4 Kilometers

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.3-1
Feflow Calibrated steady-state head distribution

**Kiggavik
Project**

AREVA

Hydraulic head Conductivity [Kxx]
- Isolines -   - Patches -
[m]   [m/s]

Isolines [m]	Patches [m/s]
230	5e-05
225	8.49323e-06
220	1.4427e-06
215	2.45064e-07
210	4.16277e-08
205	7.07107e-09
200	1.20112e-09
195	2.04029e-10
190	3.46572e-11
185	5.88704e-12
180	1e-12
170	
165	
160	
155	
150	
145	
140	
135	
130	
125	
120	
115	
110	
100	
95	
90	
85	
80	

FEFLOW (R)

Vertical exaggeration x 5

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.3-2 (FEFLOW)
3D view of calibrated steady-state head distribution

SRK Consulting
Engineers and Scientists

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.3-3
Modflow Calibrated steady-state head distribution

Kiggavik Project

AREVA

Open Talik

Drillhole with artesian flow

**Predicted Head Elevation
in Meter Above Ground Level (magl)**

41 to 50
31 to 40
21 to 30
11 to 20
1 to 10
-9 to- 0
-19 to -10
-29 to -20
-39 to -30
-49 to -40
-59 to -50
-69 to -60
-78 to -70

-Areas with predicted artesian
conditions occurs in blue

-Areas with predicted head below
ground surface in green

MZ07-03
MZ08-04
MZ-09-04
MZ-10-01

Bong-41
-42
-45
-47

**KIGGAVIK
SITE**

END-09-01

**SISSONS
SITE**

AND-09-03

0   2.5   5 Km

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 3.3-4 (FEFLOW)
Predicted artesian conditions

**Kiggavik
Project**

AREVA

Figure 3.3-5
Additional hydraulic conductivity zones in the Kiggavik area – Modflow Model

Kiggavik Project

AREVA

Figure 3.3-6
Refined pre-mining steady state head distribution – Modflow Model

Technical Appendix 5D
Groundwater Flow Model
December 2011

Kiggavik Project

AREVA

Base Case No Pit, with Warming Trends

Figure 4.1-1
Computed change in permafrost depth for two climate change scenarios

NEWMANS
GEOTECHNIQUE

Kiggavik
Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Recharge = 15mm/y

	Nb Obs. Points where H>Z	Correlation Coefficient, r
H [R=1mm/y]	1	0.71
H [R=5mm/y]	1	0.74
H [R=15mm/y]	**3**	**0.77**
H [R=40mm/y]	8	0.80

H, simulated head (m)   Z, Ground elevation (m)

R, Recharge (mm/y)   r, correlation coefficient (1)

SRK Consulting
Engineers and Scientists

Figure 4.2-1 (FEFLOW)
No-permafrost model – Calibration of maximum recharge rate

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Figure 4.2-2 (FEFLOW)
No-permafrost model – Lakes and stream channels
boundary conditions

SRK Consulting
Engineers and Scientists

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

0 [a]

0   2500   5000

[m]

Legend

- East TMF
- Centre Pit
- Main Pit
- Lake
- Potential stream (Drain)

Grounwater Head Contours (masl)

- 50m Contour Interval
- 10m Contour Interval

0 2 4 Kilometers

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 4.3-1
No-permafrost model – Steady state head
distribution (Feflow)

SRK Consulting
Engineers and Scientists

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Conductivity [Kxx]
- Patches -
[m/s]
5.00e-05
1.07e-05
2.29e-06
4.89e-07
1.05e-07
2.24e-08
4.78e-09
1.02e-09
2.19e-10
4.68e-11
1.00e-11

FEFLOW (R)

*Vertical exaggeration x 5*

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 4.3-2
No-permafrost model – 3D view of steady state
head distribution (Feflow)

**Kiggavik
Project**

AREVA

Figure 4.3-3
No-permafrost model – Steady state head
distribution, unconfined model (Modflow)

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Figure 4.3-4
No-permafrost model – Steady state head
distribution, confined model (Modflow)

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Forward pathlines
@Domain / Node selection
- Traces -
[s]

2.3e+12
2e+12
1.8e+12
1.5e+12
1.3e+12
1e+12
7.7e+11
5.1e+11
2.6e+11
0

Backward pathlines
@Domain / Node selection
- Traces -
[s]

1e+13
9e+12
7.9e+12
6.7e+12
5.6e+12
4.5e+12
3.4e+12
2.2e+12
1.1e+12
1.0

Hydraulic head
- Isolines -
[m]

230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80

Thelon Fault

Centre Pit

East Pit

Main Pit

Jaegger Talik

Sleek Talik

Pointer Talik

Dyke

SRK Consulting
Engineers and Scientists

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 4.3-5
No-permafrost model – Particle path analysis from
the Kiggavik area (Feflow)

Kiggavik Project

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Pointer Lake

Technical Appendix 5D
Groundwater Flow Model
December 2011

Figure 4.3-6 (MODFLOW)
Pathlines from tailings for the no
permafrost scenario (pathlines for 1000
years, ticks every 100 years)

**Kiggavik
Project**

AREVA

Areva Resources Canada Inc.- P.O Box 9204 – 817 – 45th Street W – Saskatoon – S7K 3X5

Attachment A   Evaluation of Talik Below Pointer Lake (SRK memo 1CA015.006, April 19, 2010)

AREVA Resources Canada Inc.
Kiggavik Project FEIS
September 2014

Page A-1

Tier 3 Technical Appendix 5D:
Groundwater Flow Model
Attachment A: Evaluation of Talik Below Pointer Lake
(SRK memo 1CA015.006, April 19, 2010)

Memo

To:	File	**Date:**	April 19, 2010
cc:		**From:**	Michel Noël
Subject:	AREVA Kiggavik-Sissons Project: Evaluation of talik below Pointer Lake	**Project #:**	1CA015.006

1   INTRODUCTION

This memo presents the results of the thermal modelling that was performed to demonstrate the presence of a talik below Pointer Lake, as part of Areva's Kiggavik-Sissons Project, near Baker Lake, in Nunavut. Pointer Lake is within 2.5 km of the Main and Centre pits. The purpose of this document is to act as a technical reference for the Environmental Assessment (EA).

2   Model

Thermal modelling was carried out using the finite element model SVHEAT version 6 developed by SoilVision Systems Ltd. and FlexPDE version 6.12 developed by PDE Solutions Inc.

SVHEAT models heat transport for both steady-state and time-dependent analyses using the FlexPDE solver. It incorporates the latent heat associated with phase changes of water. The model can support geometries in 2D or 3D. SVHEAT supports multiple boundary conditions as well as transient boundary conditions. Further details are available in the User's Manual of SVHEAT (SoilVision Systems 2009).

FlexPDE is a general purpose partial differential equation (PDE) solver that is based on the finite element method. FlexPDE can solve a multitude of PDE problems in 1D, 2D and 3D spaces. More information is available in the User's Manual of FlexPDE (PDE Solutions 2010).

3   Setup

The thermal modelling was performed in steady state mode given the time scales involved with the formation of taliks under lakes. A simplified two dimensional section was used to represent the surrounding ground and Pointer Lake.

The dimensions of Pointer Lake are based on a review of the bathymetry and the minimum water column that would always remain unfrozen throughout the years. The minimum water depth was set to 1.5 m as reported by Andersland & Ladanyi (2004). The bathymetry shown in Figure 1 was provided by AREVA on February 8, 2010. Figure 2 also shows the bathymetry but is delimited by a water depth greater than 1.5 m. The water depth normal to the shoreline is wider than 200 m for most of the lake, with the exception of a small section along the southern end of the lake, where it is about 100 m. The model simulated Pointer Lake using those two widths by specifying half-widths of 50 and 100 m as the model was considered symmetrical along the middle of the lake.

**Figure 1: Pointer Lake bathymetry**

Figure 2: Pointer Lake bathymetry delimited by water depth of 1.5 m.

The ground was assigned the properties of granite that were used in SRK (2008). The bedrock was assigned a thermal conductivity of 215 kJ day^{-1} m^{-1} °C^{-1}. The porosity was set to 0.01 and the material was considered saturated. The volumetric heat capacity was set to 1960 (frozen) and 1980 (unfrozen) kJ m^{-3} °C^{-1}.

The geometry was defined as a rectangle 500 m deep and 2000m wide. The top horizontal boundary was defined as two segments to represent the lake footprint and the ground surface. The segment for the lake was either 50 or 100 m wide and the ground surface covered the remaining portion of the top boundary.

The boundary condition for the ground surface was set to a constant temperature of -7 °C, equivalent to a mean annual surface temperature (MAST). The temperature of the lake portion was approximated by assuming that the lake water would follow the ambient air temperature but would remain above a set minimum temperature. The ambient air temperature was approximated with a sinusoidal function that was based on mean annual ambient temperatures (MAAT) of -12 and -7 °C. The warmer MAAT is to represent the occurrence of warming from climate change. An amplitude of 25 °C was used for all cases. The minimum temperature of the lake bottom was set to 1 or 4 °C. The calculated mean annual lake bottom temperature (MALBT) ranged from 3.6 °C and 7.2 °C as indicated in Figure 3 below. The MALBT values were applied to the boundary segment that represented the footprint of the lake.


Figure 3: Estimated MALBT based on MAAT and assumed minimum lake bottom temperatures.

The bottom boundary was set to a constant heat flux of 7176 Joules day^{-1} m^{-2} which is dependent on the thermal conductivity of the bedrock and the site geothermal gradient based on a MAST of -7 °C and a permafrost depth of 210 m. The boundary conditions on both vertical sides were set as no flux boundaries, thus equivalent to having two axis of symmetry on the sides. The domain and the specified boundary conditions are shown in Figure 4.

4   Results and Discussion

The results are summarised in Figures 4 and 5 below. Figure 4 shows the contours obtained over the entire domain for the case where the MALBT was assigned a value of 5.4 °C based on a MAAT of -7 °C and a minimum lake temperature of 1 °C. The opened talik below Pointer Lake is visible and the 0 °C isotherm is consistent the specified permafrost depth of 210 m.


Figure 4: Specified boundary conditions and ground temperature contours with a MALBT of 5.4 °C (MAAT=-7°C and minimum lake temperature of 1 °C).

Figure 5 shows the locations of the 0 °C isotherm in the vicinity of Pointer Lake for the various MALBT values. The results show that an opened talik will be present if the MALBT is greater than about 4 °C for lake sections that are larger than 100 m (twice the modelled width as only one half was modelled). The coldest MALBT resulted in a closed talik with a very thin permafrost zone in the middle of the lake. The other cases all resulted in having opened taliks below the lake.

Figure 5: Location of 0 °C isotherm for various MALBT values

5   Discussion and Conclusion

The bathymetry of Pointer Lake shows that a water column greater than 1.5 m is present over about 50 percent of the lake total footprint. The bathymetry also shows that the width of water column deeper than 1.5 m is usually 200 m or more. Only a small portion over the south end of the lake is narrower, with a width of about 100 m. The thermal modelling suggests that the minimum width for having an opened talik is about 100 m (50 m half-width).

Given the geometry of Pointer Lake, the site climate, and assuming that the conditions modelled are reasonable assumptions, an opened talik will likely be present when the water column is greater than 1.5 m.

6   References

Andersland, O.B. and Ladanyi, B. 2004. Frozen ground engineering, 2nd Edition. Hoboken, NJ: John Wiley & Sons, 2004, 352 pages.

PDE Solutions Inc. 2010. flexPDE 6 User's Manual. USA

SoilVision Systems Ltd. 2009. SVHeat User's Manual. Canada

SRK Consulting (Canada) Inc. 2008. Preliminary Assessment of the Thermal Conditions at the Kiggavik-Sissons sites, Nunavut. Report presented to Areva Resources Canada Inc. June 2008.