



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-LUP1520 Reduced Reclamation Security Teleconference

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Dec 4, 2018 at 2:39 PM

To: Karyn Lewis <k.lewis@mandalayresources.com>, b.labatte@mandalayresources.com

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Lupin <distro-2am-lup@nwb-oen.ca>

Good afternoon,

Please see attached for Invitation to a Conference Call on Lupin Mines Incorporated Updated Closure Cost Estimate and Request for Reduced Reclamation Security.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᑦᓴᓂᐱᓄᓐ ᐅᓴᓂᐱᓄᓐ Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐱᑦ ᑲᑎᓕᓄᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

በገና ማረፊያ
ገንዘብ ማረፊያ ገንዘብ X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



181204 2AM-LUP1520 Closure Cost Update Follow Up Guidance-OMLE.pdf

346K