



Your P.O. #: YEL294
Your Project #: 213.000020.00001
Site Location: Lupin Mine
Your C.O.C. #: 10F1

Attention: Kristin Hansvall

SLR CONSULTING (CANADA) LTD
8 WEST ST. PAUL STREET
KAMLOOPS, BC
Canada V2C 1G1

Report Date: 2025/09/04
Report #: R3705751
Version: 2 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C573211

Received: 2025/08/25, 08:35

Sample Matrix: Water
Samples Received: 4

Analyses	Date		Laboratory Method	Analytical Method
	Quantity	Date Extracted	Date Analyzed	
Acidity pH 4.5 & pH 8.3 (as CaCO ₃) (1)	3	N/A	2025/08/28 AB SOP-00005	SM 24 2310 B m
Alkalinity @25C (pp, total), CO ₃ ,HCO ₃ ,OH (1)	3	N/A	2025/08/28 AB SOP-00005	SM 24 2320 B m
Biochemical Oxygen Demand (1)	1	2025/08/27	2025/09/01 AB SOP-00017	SM 24 5210B m
Cadmium - low level CCME (Total) (1)	3	N/A	2025/08/30	Auto Calc
Conductivity @25C (1)	3	N/A	2025/08/28 AB SOP-00005	SM 24 2510 B m
Fecal Coliforms (Water) (2)	1	2025/09/04	2025/09/04	
Hardness (1)	3	N/A	2025/08/30	Auto Calc
Mercury (Total) by CV (1)	3	2025/08/29	2025/08/29 AB SOP-00084	BCMOE BCLM Oct2013 m
Elements by ICP-Dissolved-Lab Filtered (1, 3)	3	N/A	2025/08/29 AB SOP-00042	EPA 6010d R5 m
Elements by ICP - Total (1)	3	2025/08/30	2025/08/30 AB SOP-00014 / AB SOP-00042	EPA 6010d R5 m
Elements by ICPMS - Total (1)	3	2025/08/30	2025/08/30 AB SOP-00014 / AB SOP-00043	EPA 6020b R2 m
Elements by ICPMS - Total (1)	1	2025/09/02	2025/09/03 AB SOP-00014 / AB SOP-00043	EPA 6020b R2 m
pH @25°C (1, 4)	3	N/A	2025/08/28 AB SOP-00005	SM 24 4500-H+B m
Total Suspended Solids (NFR) (1)	1	2025/08/29	2025/08/29 AB SOP-00061	SM 24 2540 D m
Total Suspended Solids (NFR) (1)	3	2025/08/29	2025/08/30 AB SOP-00061	SM 24 2540 D m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.



Your P.O. #: YEL294
Your Project #: 213.000020.00001
Site Location: Lupin Mine
Your C.O.C. #: 10F1

Attention: Kristin Hansvall

SLR CONSULTING (CANADA) LTD
8 WEST ST. PAUL STREET
KAMLOOPS, BC
Canada V2C 1G1

Report Date: 2025/09/04

Report #: R3705751

Version: 2 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C573211

Received: 2025/08/25, 08:35

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) This test was performed by Bureau Veritas Calgary, 4000 - 19 St. , Calgary, AB, T2E 6P8

(2) This test was performed by Taiga Environmental Laboratory, 4601 – 52 Avenue , Yellowknife, NT, X1A 1L4

(3) Dissolved > Total Imbalance: When applicable, Dissolved and Total results were reviewed and data quality meets acceptable levels unless otherwise noted.

(4) The CCME method requires pH to be analysed within 15 minutes of sampling and therefore field analysis is required for compliance. All Laboratory pH analyses in this report are reported past the CCME holding time. Bureau Veritas endeavours to analyze samples as soon as possible after receipt.

Encryption Key

Please direct all questions regarding this Certificate of Analysis to:

Nahed Amer, Key Account Specialist

Email: Nahed.AMER@bureauveritas.com

Phone# (780) 577-7100

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Scott Cantwell, General Manager responsible for Alberta Environmental laboratory operations.



HARDNESS - LAB FILTERED (WATER)

Bureau Veritas ID		DRP650	DRP651	DRP652		
Sampling Date		2025/08/24 07:00	2025/08/23 19:41	2025/08/24 07:00		
COC Number		1OF1	1OF1	1OF1		
	UNITS	LUP-BL-01	LUP-EL-01	DUP-08-2025	RDL	QC Batch
Calculated Parameters						
Hardness (CaCO ₃)	mg/L	19	70	19	0.50	C063585
Lab Filtered Elements						
Dissolved Calcium (Ca)	mg/L	3.1	12	3.1	0.30	C065924
Dissolved Magnesium (Mg)	mg/L	2.7	9.7	2.7	0.20	C065924
RDL = Reportable Detection Limit						



REGULATED METALS (CCME/AT1) - TOTAL

Bureau Veritas ID		DRP650	DRP651	DRP652		
Sampling Date		2025/08/24 07:00	2025/08/23 19:41	2025/08/24 07:00		
COC Number		1OF1	1OF1	1OF1		
	UNITS	LUP-BL-01	LUP-EL-01	DUP-08-2025	RDL	QC Batch
Elements						
Total Cadmium (Cd)	ug/L	0.027	0.076	0.043	0.020	C063157
Total Aluminum (Al)	mg/L	0.019	0.12	0.020	0.0030	C068524
Total Antimony (Sb)	mg/L	<0.00060	<0.00060	<0.00060	0.00060	C068524
Total Arsenic (As)	mg/L	0.0010	0.0015	0.00098	0.00020	C068524
Total Barium (Ba)	mg/L	<0.010	0.023	<0.010	0.010	C068526
Total Beryllium (Be)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	C068524
Total Boron (B)	mg/L	<0.020	<0.020	<0.020	0.020	C068526
Total Calcium (Ca)	mg/L	2.8	11	2.8	0.30	C068526
Total Chromium (Cr)	mg/L	<0.0010 (1)	<0.0010	<0.0010	0.0010	C068524
Total Cobalt (Co)	mg/L	0.00059	0.0088	0.00061	0.00030	C068524
Total Copper (Cu)	mg/L	0.0015	0.0045	0.0016	0.0010	C068524
Total Iron (Fe)	mg/L	0.077	0.28	0.085	0.060	C068526
Total Lead (Pb)	mg/L	<0.00020	<0.00020	<0.00020	0.00020	C068524
Total Lithium (Li)	mg/L	<0.020	<0.020	<0.020	0.020	C068526
Total Magnesium (Mg)	mg/L	2.7	9.7	2.8	0.20	C068526
Total Manganese (Mn)	mg/L	0.0091	0.16	0.0092	0.0040	C068526
Total Molybdenum (Mo)	mg/L	<0.00020 (1)	<0.00020	<0.00020	0.00020	C068524
Total Nickel (Ni)	mg/L	0.0049 (1)	0.049	0.0054	0.00050	C068524
Total Phosphorus (P)	mg/L	<0.10	<0.10	<0.10	0.10	C068526
Total Potassium (K)	mg/L	0.69	1.1	0.74	0.30	C068526
Total Selenium (Se)	mg/L	<0.00020	<0.00020	<0.00020	0.00020	C068524
Total Silicon (Si)	mg/L	<0.50	<0.50	<0.50	0.50	C068526
Total Silver (Ag)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	C068524
Total Sodium (Na)	mg/L	1.7	3.9	1.8	0.50	C068526
Total Strontium (Sr)	mg/L	<0.020	0.060	<0.020	0.020	C068526
Total Sulphur (S)	mg/L	6.0	26	6.0	0.20	C068526
Total Thallium (Tl)	mg/L	<0.00020	<0.00020	<0.00020	0.00020	C068524
Total Tin (Sn)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	C068524
Total Titanium (Ti)	mg/L	<0.0010	0.0010	<0.0010	0.0010	C068524
RDL = Reportable Detection Limit						
(1) Duplicate exceeds acceptance criteria due to sample non homogeneity. Reanalysis yields similar results.						



BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

SLR CONSULTING (CANADA) LTD

Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

REGULATED METALS (CCME/AT1) - TOTAL

Bureau Veritas ID		DRP650	DRP651	DRP652		
Sampling Date		2025/08/24 07:00	2025/08/23 19:41	2025/08/24 07:00		
COC Number		1OF1	1OF1	1OF1		
	UNITS	LUP-BL-01	LUP-EL-01	DUP-08-2025	RDL	QC Batch
Total Uranium (U)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	C068524
Total Vanadium (V)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	C068524
Total Zinc (Zn)	mg/L	<0.0030	0.017	<0.0030	0.0030	C068524
RDL = Reportable Detection Limit						



RESULTS OF CHEMICAL ANALYSES OF WATER

Bureau Veritas ID		DRP650		DRP651			DRP652		
Sampling Date		2025/08/24 07:00		2025/08/23 19:41			2025/08/24 07:00		
COC Number		1OF1		1OF1			1OF1		
	UNITS	LUP-BL-01	QC Batch	LUP-EL-01	RDL	QC Batch	DUP-08-2025	RDL	QC Batch
Misc. Inorganics									
Conductivity	uS/cm	55	C066524	190	2.0	C066524	55	2.0	C066524
pH	pH	6.32	C066521	6.10	N/A	C066521	6.31	N/A	C066521
Acidity (pH 4.5)	mg/L	<1.0	C065375	<1.0	1.0	C065375	<1.0	1.0	C065375
Acidity (pH 8.3)	mg/L	<1.0	C065375	1.6	1.0	C065375	<1.0	1.0	C065375
Total Suspended Solids	mg/L	<1.0	C067056	<1.0	1.0	C067052	<0.99	0.99	C067056
Anions									
Alkalinity (PP as CaCO ₃)	mg/L	<1.0	C066517	<1.0	1.0	C066517	<1.0	1.0	C066517
Alkalinity (Total as CaCO ₃)	mg/L	4.7	C066517	2.3	1.0	C066517	4.8	1.0	C066517
Bicarbonate (HCO ₃)	mg/L	5.8	C066517	2.9	1.0	C066517	5.8	1.0	C066517
Carbonate (CO ₃)	mg/L	<1.0	C066517	<1.0	1.0	C066517	<1.0	1.0	C066517
Hydroxide (OH)	mg/L	<1.0	C066517	<1.0	1.0	C066517	<1.0	1.0	C066517
RDL = Reportable Detection Limit									
N/A = Not Applicable									

Bureau Veritas ID		DRP654		
Sampling Date		2025/08/24 09:45		
COC Number		1OF1		
	UNITS	LUP-LSL-01	RDL	QC Batch
Parameter				
Subcontract Parameter	MPN/100mL	ATTACHED	N/A	B458746
Demand Parameters				
Biochemical Oxygen Demand	mg/L	<2.0 (1)	2.0	C063848
Misc. Inorganics				
Total Suspended Solids	mg/L	3.6	1.0	C067056
RDL = Reportable Detection Limit				
N/A = Not Applicable				
(1) Sample analyzed past hold time. Sample analysis is recommended within 48 hours of sampling.				



MERCURY BY COLD VAPOR (WATER)

Bureau Veritas ID		DRP650	DRP651	DRP652		
Sampling Date		2025/08/24 07:00	2025/08/23 19:41	2025/08/24 07:00		
COC Number		1OF1	1OF1	1OF1		
	UNITS	LUP-BL-01	LUP-EL-01	DUP-08-2025	RDL	QC Batch
Elements						
Total Mercury (Hg)	ug/L	<0.0019	<0.0019	<0.0019	0.0019	C067242
RDL = Reportable Detection Limit						



BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

SLR CONSULTING (CANADA) LTD

Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Bureau Veritas ID		DRP654		
Sampling Date		2025/08/24 09:45		
COC Number		1OF1		
	UNITS	LUP-LSL-01	RDL	QC Batch
Elements				
Total Arsenic (As)	mg/L	0.0060	0.00020	C070075
Total Copper (Cu)	mg/L	0.0012	0.0010	C070075
Total Lead (Pb)	mg/L	<0.00020	0.00020	C070075
Total Nickel (Ni)	mg/L	0.0056	0.00050	C070075
Total Zinc (Zn)	mg/L	<0.0030	0.0030	C070075
RDL = Reportable Detection Limit				



BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

SLR CONSULTING (CANADA) LTD

Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	8.0°C
-----------	-------

Results relate only to the items tested.

BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

QUALITY ASSURANCE REPORT

SLR CONSULTING (CANADA) LTD
Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

QC Batch	Parameter	Date	Matrix Spike		Spiked Blank		Method Blank		RPD	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits
C063848	Biochemical Oxygen Demand	2025/09/01			100	85 - 115	<2.0	mg/L	8.8	20
C065375	Acidity (pH 4.5)	2025/08/29					<1.0	mg/L	NC	20
C065375	Acidity (pH 8.3)	2025/08/29			99	80 - 120	<1.0	mg/L	NC	20
C065924	Dissolved Calcium (Ca)	2025/08/29	93	80 - 120	105	80 - 120	<0.30	mg/L	1.1	20
C065924	Dissolved Magnesium (Mg)	2025/08/29	96	80 - 120	106	80 - 120	<0.20	mg/L	0.71	20
C066517	Alkalinity (PP as CaCO ₃)	2025/08/28					<1.0	mg/L	NC	20
C066517	Alkalinity (Total as CaCO ₃)	2025/08/28			96	80 - 120	<1.0	mg/L	3.0	20
C066517	Bicarbonate (HCO ₃)	2025/08/28					<1.0	mg/L	3.0	20
C066517	Carbonate (CO ₃)	2025/08/28					<1.0	mg/L	NC	20
C066517	Hydroxide (OH)	2025/08/28					<1.0	mg/L	NC	20
C066521	pH	2025/08/28			99	97 - 103			0.19	N/A
C066524	Conductivity	2025/08/28			100	90 - 110	<2.0	uS/cm	0	10
C067052	Total Suspended Solids	2025/08/29	106	80 - 120	94	80 - 120	<1.0	mg/L	NC	20
C067056	Total Suspended Solids	2025/08/30	97	80 - 120	90	80 - 120	<1.0	mg/L	NC	20
C067242	Total Mercury (Hg)	2025/08/29	100	80 - 120	101	80 - 120	<0.0019	ug/L	NC	20
C068524	Total Aluminum (Al)	2025/08/30	102	80 - 120	103	80 - 120	<0.0030	mg/L	2.4	20
C068524	Total Antimony (Sb)	2025/08/30	100	80 - 120	100	80 - 120	<0.00060	mg/L	NC	20
C068524	Total Arsenic (As)	2025/08/30	98	80 - 120	100	80 - 120	<0.00020	mg/L	2.3	20
C068524	Total Beryllium (Be)	2025/08/30	104	80 - 120	103	80 - 120	<0.0010	mg/L	NC	20
C068524	Total Chromium (Cr)	2025/08/30	96	80 - 120	96	80 - 120	<0.0010	mg/L	184 (1)	20
C068524	Total Cobalt (Co)	2025/08/30	95	80 - 120	95	80 - 120	<0.00030	mg/L	18	20
C068524	Total Copper (Cu)	2025/08/30	95	80 - 120	95	80 - 120	<0.0010	mg/L	NC	20
C068524	Total Lead (Pb)	2025/08/30	97	80 - 120	97	80 - 120	<0.00020	mg/L	NC	20
C068524	Total Molybdenum (Mo)	2025/08/30	100	80 - 120	100	80 - 120	<0.00020	mg/L	174 (1)	20
C068524	Total Nickel (Ni)	2025/08/30	93	80 - 120	95	80 - 120	<0.00050	mg/L	90 (1)	20
C068524	Total Selenium (Se)	2025/08/30	99	80 - 120	100	80 - 120	<0.00020	mg/L	NC	20
C068524	Total Silver (Ag)	2025/08/30	98	80 - 120	97	80 - 120	<0.00010	mg/L	NC	20
C068524	Total Thallium (Tl)	2025/08/30	103	80 - 120	103	80 - 120	<0.00020	mg/L	NC	20
C068524	Total Tin (Sn)	2025/08/30	101	80 - 120	101	80 - 120	<0.0010	mg/L	NC	20
C068524	Total Titanium (Ti)	2025/08/30	104	80 - 120	98	80 - 120	<0.0010	mg/L	NC	20
C068524	Total Uranium (U)	2025/08/30	102	80 - 120	101	80 - 120	<0.00010	mg/L	NC	20



BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

QUALITY ASSURANCE REPORT(CONT'D)

SLR CONSULTING (CANADA) LTD
Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

QC Batch	Parameter	Date	Matrix Spike		Spiked Blank		Method Blank		RPD	
			% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits
C068524	Total Vanadium (V)	2025/08/30	94	80 - 120	96	80 - 120	<0.0010	mg/L	NC	20
C068524	Total Zinc (Zn)	2025/08/30	94	80 - 120	95	80 - 120	<0.0030	mg/L	NC	20
C068526	Total Barium (Ba)	2025/08/30	103	80 - 120	103	80 - 120	<0.010	mg/L	NC	20
C068526	Total Boron (B)	2025/08/30	105	80 - 120	105	80 - 120	<0.020	mg/L	NC	20
C068526	Total Calcium (Ca)	2025/08/30	91	80 - 120	91	80 - 120	<0.30	mg/L	1.3	20
C068526	Total Iron (Fe)	2025/08/30	116	80 - 120	117	80 - 120	<0.060	mg/L	NC	20
C068526	Total Lithium (Li)	2025/08/30	92	80 - 120	92	80 - 120	<0.020	mg/L	NC	20
C068526	Total Magnesium (Mg)	2025/08/30	105	80 - 120	106	80 - 120	<0.20	mg/L	1.4	20
C068526	Total Manganese (Mn)	2025/08/30	106	80 - 120	107	80 - 120	<0.0040	mg/L	8.4	20
C068526	Total Phosphorus (P)	2025/08/30	112	80 - 120	112	80 - 120	<0.10	mg/L	NC	20
C068526	Total Potassium (K)	2025/08/30	97	80 - 120	96	80 - 120	<0.30	mg/L	2.4	20
C068526	Total Silicon (Si)	2025/08/30	107	80 - 120	108	80 - 120	<0.50	mg/L	NC	20
C068526	Total Sodium (Na)	2025/08/30	96	80 - 120	96	80 - 120	<0.50	mg/L	1.4	20
C068526	Total Strontium (Sr)	2025/08/30	100	80 - 120	101	80 - 120	<0.020	mg/L	NC	20
C068526	Total Sulphur (S)	2025/08/30	99	80 - 120	100	80 - 120	<0.20	mg/L	0.21	20
C070075	Total Arsenic (As)	2025/09/03	104	80 - 120	106	80 - 120	<0.00020	mg/L	1.5	20
C070075	Total Copper (Cu)	2025/09/03	100	80 - 120	103	80 - 120	<0.0010	mg/L	2.2	20
C070075	Total Lead (Pb)	2025/09/03	108	80 - 120	108	80 - 120	<0.00020	mg/L	2.4	20
C070075	Total Nickel (Ni)	2025/09/03	100	80 - 120	103	80 - 120	<0.00050	mg/L	1.9	20
C070075	Total Zinc (Zn)	2025/09/03	98	80 - 120	100	80 - 120	<0.0030	mg/L	4.4	20

N/A = Not Applicable

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference $\leq 2 \times \text{RDL}$).

(1) Recovery or RPD for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria.



BUREAU
VERITAS

Bureau Veritas Job #: C573211

Report Date: 2025/09/04

SLR CONSULTING (CANADA) LTD

Client Project #: 213.000020.00001

Site Location: Lupin Mine

Your P.O. #: YEL294

Sampler Initials: ED

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Sandy Yuan, M.Sc., QP, Scientific Specialist

Yifei Yang, Project Solutions Representative

Bureau Veritas Certified by Ghayasuddin Khan, M.Sc., P.Chem., QP, Scientific Specialist, Inorganics

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Scott Cantwell, General Manager responsible for Alberta Environmental laboratory operations.



UNIVERSITY OF THE PHILIPPINES
DIWATA

4606 Canada Way, Burnaby, BC V5G 1K5
Tel: (604) 734-7276 Toll Free: (800) 665-8566

ENV COC - 00015v3

Page 1 of 1

Invoice Information							Report Information (if differs from invoice)						Project Information								
Company : SLR Consulting (Canada) Ltd.							Company:						Quotation #: C50955								
Contact Name: Kristin Hansvall							Contact Name:						P.O. # / AFEB: YEL294								
Street Address: 8 St. Paul St West							Street Address:						Project #: 213.000020.00001								
City: Kamloops Prov: BC Postal Code: V2C 1G1							City: Prov: Postal Code:						Site #: Lupin Mine								
Phone: 250-318-0512							Phone:						Site Location: Nunavut								
Email: khansvall@slrconsulting.com							Email: khansvall@slrconsulting.com						Province:								
Copies: AccountsPayableCA@slrconsulting.com							Copies: labdata@slrconsulting.com						Sampled By: ED								
Regulatory Criteria																					
☐ BC CSR ☒ CCME ☐ Drinking Water ☐ YUKON CSR ☐ BC Water Quality ☐ Other:																					
SAMPLES MUST BE KEPT COOL (<10°C) FROM TIME OF SAMPLING UNTIL DELIVERY TO BUREAU VERITAS																					
Sample Identification		Date Sampled			Time (24hr)		Matrix														
		YY	MM	DD	HH	MM			# FILTERED	FIELD PRESERVED	LAB FILTRATION REQUIRED	pH, cond., acidity, alkalinity, hardness	TDS	TSS	Total metals	Total mercury	Select Total Metals: As, Cu, Pb, Ni, Zn	GROSS	Fecal coliforms	# OF CONTAINERS SUBMITTED HOLD - DO NOT ANALYZE	
1	LUP-BL-01	25	08	24	07	00	Water	X	X	X	X	X	X	X	X	X	X	X	X	4	
2	LUP-EL-01	25	08	23	19	41	Water	X	X	X	X	X	X	X	X	X	X	X	X	4	
3	DUP-08-2025	25	08	24	07	00	Water	X	X	X	X	X	X	X	X	X	X	X	X	4	
4	LUP-14-1	25	08	24	07	31	Water	X	X	X	X	X	X	X	X	X	X	X	X	4	X
5	LUP-LSL-01	25	08	24	09	45	Water	X	X	X	X	X	X	X	X	X	X	X	X	4	
6																					
7																					
8																					
9																					
10																					
11																					
12																					
 EYK-2025-08-092																					
Received in Yellowknife By: [Signature] AUG 25 2025 Temp CS No Yes																					
*UNLESS OTHERWISE AGREED TO IN WRITING, WORK SUBMITTED ON THIS CHAIN OF CUSTODY IS SUBJECT TO BUREAU VERITAS STANDARD TERMS AND CONDITIONS. SIGNING OF THIS CHAIN OF CUSTODY DOCUMENT IS ACKNOWLEDGMENT AND ACCEPTANCE OF OUR TERMS AND CONDITIONS WHICH ARE AVAILABLE FOR VIEWING AT WWW.BVNA.COM/TERMS-AND-CONDITIONS OR BY CALLING THE LABORATORY LISTED ABOVE TO OBTAIN A COPY																					
LAB USE ONLY		Yes	No	"C	LAB USE ONLY		Yes	No	"C	LAB USE ONLY		Yes	No	"C	Temperature reading by						
Seal present					Seal present					Seal present					Special Instructions						
Seal intact					Seal intact					Seal intact											
Cooling media present					Cooling media present					Cooling media present											
Relinquished by: (Signature/ Print)		Date YY MM DD HH MM	Received by: (Signature/ Print)		Date YY MM DD HH MM	Special Instructions															
[Signature] / E.D DESSON		25 08 24 19 11	[Signature]																		

2025/08/25 08:35

C573211