



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Lupin Discharge Variance Request for water licence 2AM-LUP2032

Allen,Erik (ECCC) <Erik.Allen@ec.gc.ca>

Wed, May 13, 2026 at 3:13 PM

To: "Richard Dwyer (richard.dwyer@nwb-oen.ca)" <richard.dwyer@nwb-oen.ca>, "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>

Cc: "EANorthNU [Yel]" <EANorthNU@ec.gc.ca>

Hello Richard,

ECCC has reviewed the response in accordance with our mandate and has no further comments at this time.

Thank you,

Erik.

Erik Allen

Environmental Assessment Officer, Environmental Protection Branch – Prairie and Northern Region

Environment and Climate Change Canada / Government of Canada

Erik.Allen@ec.gc.ca / Tel: 780-717-4884

Agent d'évaluation environnementale, Direction général de la protection de l'environnement – Région des prairies et du nord

Environnement et Changement Climatique Canada / Gouvernement du Canada

Erik.Allen@ec.gc.ca / Tél: 780-717-4884

From: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Sent: Wednesday, May 6, 2026 12:43 PM

To: EANorthNU [Yel] <EANorthNU@ec.gc.ca>; Walker,Eva (elle | she, her) (ECCC) <Eva.Walker@ec.gc.ca>; Mok,Kelvin (il | he, him) (ECCC) <Kelvin.Mok@ec.gc.ca>; Grishaber, Natalie <Natalie.Grishaber@dfo-mpo.gc.ca>; ARC EM Triage / Triage GE ARC (DFO/MPO) <DFO.ARCENTriage-TriageGEARC.MPO@dfo-mpo.gc.ca>; Keim, Andrew <andrew.keim@rcaanc-cirnac.gc.ca>; Bermann, Marcus <marcus.bermann@rcaanc-cirnac.gc.ca>; Dewar, Spencer <Spencer.dewar@rcaanc-cirnac.gc.ca>

Cc: Nidhi Singh <nidhi.singh@nwb-oen.ca>; Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Subject: Lupin Discharge Variance Request for water licence 2AM-LUP2032

Good morning,

The Nunavut Water Board requests confirmation by May 13, 2026 on whether the attached addresses the parties' comments.

Regards,

Richard

[Redacted signature]