NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

# Lupin Mine Site Post Closure Monitoring Plan for water licence 2AM-LUP2032

**Richard Dwyer** <richard.dwyer@nwb-oen.ca> Tue, Aug 17, 2021 at 1:26 PM
To: "Okonkwo, Vincent (AADNC/AANDC)" <vincent.okonkwo@canada.ca>, "Keim, Andrew (AADNC/AANDC)" <andrew.keim@canada.ca>
Cc: Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests reply by August 25, 2021 whether or not the attached response addresses CIRNA comments.

Regards,

Richard


Richard Dwyer- ᑎᑦᓱᕐᑕ ᑐᐊᐃᔪᕐ

Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᔨ ᓚᐃᓴᓕᓂᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅ ᕕᖓ
ᐅᖅᓱᖅᑐᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745



WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email


**210817 2AM-LUP2032 LMI PCMP Round 4 Responses to CIRNAC-IMLE.pdf**
423K