

ᓄᓇᓴ ᐃᐱᓕᓴᓴᓴᓴ ᓴᓴᓴᓴᓴᓴ
 NUNAVUT IMALIRIYIN KATIMAYINGI
 NUNAVUT WATER BOARD
 OFFICE DES EAUX DU NUNAVUT

- 070927 MEA NWB Amended No. 502 and Table 1.1 Conformity Document Tables,
- 528 05Oct 07 Concordance Table
- 559 Aug 07 Curricula Vitae for Signing Professionals Type A Water Licence
- 111907 Letter to NWB re inclusion of Type B WL in Type A Application
- 111907 Letter to NWB re signing of documents
- List of hard copies and cds sent to intervenors Meadowbank Licence A
- Log of correspondence with NWB
- MB Conformity Assessment Proponent Response-ODTE_LJC_r3
- 112607 Letter to NWB re ore stockpiles
- 196 – TM-0421 06 Cumberland Accidents and malfunction
- Figure 1 Explosives Storage Layout Plan
- Figure 1 Gl-016 MB STP General Layout
- Figure 1 Process Plan Site Plan
- Figure 2 Overall Site Plan
- Meadowbank Sewage Treatment Plan Operations manual
- 112607_ Letter to NWB re explosive storage facilities
- 112607_ Letter to NWB re sewage treatment plant
- 112607_ Letter to NWB re schedule of Type A WL Process
- 425_23Aug_07_TMO-Ver_0-Operational ARD ML Sampling and Test Plan MMC(3)

- 432_23Aug_07_TMO-Ver_0-Testing and Monitoring of Faults
- 450_27Aug_07_TMO-Water Quality and Flow Monitoring Plan
- 562 27Nov_07 Let-Landfill Supplementary – Meadowbank Ver.0
- Figure 1 NWB Type A Process Expected Timeline_Nov 23
- Figure 2 NWB Type A Process AEM Propo Accelerated Timeline_Nov 23
- Submission of Revised Support Documents Cover Letter
- 516_28Aug_07 Ver.0 WQ Predictions
- 536 27Nov_07 RPT Design for Third Portage lake Effluent Outfall Diffuser Ver.0
- 564 22727Nov_07 RPT – Landfarm Design and Management Plan Ver.0
- Ltr 0525_Blasting_Report_Addendum
- RPT0210_Blast_Design
- TM1006_05_Items_85_&
- Response to Intervenors airstrip, hazardous waste facility etc
- Letter from President and CEO Meadowbank Water Licence Type “A”

Sincerely,

Richard Dwyer
Licence Administrator

cc: Distribution List – Kivalliq