



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

2AM-MEA1526 In-Pit Tailings Modification

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Aug 27, 2018 at 9:38 AM

To: Manon Turmel <manon.turmel@agnicoeagle.com>, Michel Groleau <michel.groleau@agnicoeagle.com>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Meadow Bank <distro-2am-mea@nwb-oen.ca>

Good morning,

The Nunavut Water Board requests response from AEM by **September 10, 2018**, to the remaining concerns raised by interested parties, copies attached.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᓪᕈᑦᐸᑎᔭ ᐅᐱᖁᒋᐲᐳ^(b) Maniyaauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐱᑦ ᑲᑎᓕᓄᐱᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်
ပုံနှိပ်မှု၊ ပုံနှိပ်မှု X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

4 attachments



180823 2AM-MEA1526 KIA Water_Compensation_Letter-IMLE.pdf
33K



180824 2AM-MEA1526 In-pit Tailings Disposal CIRNAC Concerns-IMLE.pdf
211K



180824 2AM-MEA1526 In-pit Tailings Disposal DFO Concerns-IMLE.pdf
53K



180824 2AM-MEA1526 In-pit Tailings Disposal ECCC Concerns-IMLE.pdf
497K