

Appendix C1

Certificates of Analysis

Maxxam Analytics

Multilab

Maxxam Analytics Certificates of Analysis

Your Project #: AWPAP

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/14

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A827283

Received: 2008/07/03, 11:00

Sample Matrix: SURFACE WATER

Samples Received: 38

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Sample rec'd - no analysis requested	1	N/A	2008/07/03		
Anions	12	2008/07/07	2008/07/09	STL SOP-00014/5	Ion Chromatography
Anions	12	2008/07/07	2008/07/10	STL SOP-00014/5	Ion Chromatography
Anions	13	2008/07/07	2008/07/11	STL SOP-00014/5	Ion Chromatography
Conductivity	20	2008/07/08	2008/07/09	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Conductivity	15	2008/07/09	2008/07/09	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	37	N/A	2008/07/03		
Fluoride	35	2008/07/09	2008/07/09	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	35	2008/07/07	2008/07/09	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	35	2008/07/08	2008/07/09	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	23	2008/07/04	2008/07/05	STL SOP-00015/3	Gravimetric
Total Suspended Solids	12	2008/07/04	2008/07/07	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	35	2008/07/07	2008/07/09	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	37	2008/07/04	2008/07/07	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	9	2008/07/04	2008/07/06	STL SOP-00151/11	Gravimetric
Mineral Oil and Grease	24	2008/07/04	2008/07/08	STL SOP-00151/11	Gravimetric
pH	35	2008/07/04	2008/07/04	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

=====

Your Project #: AWPAR

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/14

CERTIFICATE OF ANALYSIS

-2-

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01065	F01066	F01069	F01069		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM1	Q1	KM4.6	KM4.6 Lab-Dup	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	N/A	0.0001	527728
Calcium (Ca)	mg/L	3	5	15	15	1	527470
Magnesium (Mg)	mg/L	<1	2	4	4	1	527470
Total Hardness (CaCO ₃)	mg/L	6	22	54	55	1	527470
METALS ICP-MS							
Aluminum (Al)	ug/L	470	3300	170	170	1.0	527441
Antimony (Sb)	ug/L	2.0	<1.0	<1.0	<1.0	1.0	527441
Silver (Ag)	ug/L	<0.10	0.60	0.22	0.20	0.10	527441
Arsenic (As)	ug/L	<1.0	<1.0	2.1	2.2	1.0	527441
Barium (Ba)	ug/L	10	36	46	46	2.0	527441
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527441
Chromium (Cr)	ug/L	<0.50	2.7	<0.50	<0.50	0.50	527441
Cobalt (Co)	ug/L	<0.50	1.2	1.3	1.4	0.50	527441
Copper (Cu)	ug/L	<0.50	1.3	<0.50	<0.50	0.50	527441
Manganese (Mn)	ug/L	27	43	300	310	0.40	527441
Molybdenum (Mo)	ug/L	<0.50	2.4	<0.50	<0.50	0.50	527441
Nickel (Ni)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527441
Sodium (Na)	ug/L	630	26000	6400	6500	30	527441
Zinc (Zn)	ug/L	8.6	5.2	3.8	8.2	1.0	527441
Selenium (Se)	ug/L	<1.0	<1.0	1.6	1.5	1.0	527441
Lead (Pb)	ug/L	<0.10	1.9	<0.10	<0.10	0.10	527441
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527441
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01070	F01070	F01071	F01072		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM9.4	KM9.4 Lab-Dup	Q2	R05A DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527728
Calcium (Ca)	mg/L	14	N/A	9	5	1	527470
Magnesium (Mg)	mg/L	3	N/A	2	<1	1	527470
Total Hardness (CaCO3)	mg/L	45	N/A	30	13	1	527470
METALS ICP-MS							
Aluminum (Al)	ug/L	330	N/A	1700	21	1.0	527441
Antimony (Sb)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Silver (Ag)	ug/L	0.39	N/A	0.16	<0.10	0.10	527441
Arsenic (As)	ug/L	2.4	N/A	<1.0	<1.0	1.0	527441
Barium (Ba)	ug/L	49	N/A	26	6.6	2.0	527441
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	527441
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	527441
Cobalt (Co)	ug/L	1.9	N/A	1.3	<0.50	0.50	527441
Copper (Cu)	ug/L	0.94	N/A	<0.50	<0.50	0.50	527441
Manganese (Mn)	ug/L	700	N/A	51	12	0.40	527441
Molybdenum (Mo)	ug/L	<0.50	N/A	1.7	<0.50	0.50	527441
Nickel (Ni)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Sodium (Na)	ug/L	9200	N/A	24000	1300	30	527441
Zinc (Zn)	ug/L	12	N/A	1.4	<1.0	1.0	527441
Selenium (Se)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Lead (Pb)	ug/L	<0.10	N/A	2.3	<0.10	0.10	527441
Thallium (Tl)	ug/L	<2.0	N/A	<2.0	<2.0	2.0	527441
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01073	F01074	F01075	F01077		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	R05A US	KM 16.7	DUP1	KM 18.4	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527728
Calcium (Ca)	mg/L	5	14	14	14	1	527470
Magnesium (Mg)	mg/L	<1	2	2	<1	1	527470
Total Hardness (CaCO3)	mg/L	13	44	44	35	1	527470
METALS ICP-MS							
Aluminum (Al)	ug/L	21	57	59	40	1.0	527441
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527441
Silver (Ag)	ug/L	<0.10	0.10	<0.10	<0.10	0.10	527441
Arsenic (As)	ug/L	<1.0	1.0	<1.0	<1.0	1.0	527441
Barium (Ba)	ug/L	17	30	30	12	2.0	527441
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527441
Chromium (Cr)	ug/L	0.97	<0.50	<0.50	<0.50	0.50	527441
Cobalt (Co)	ug/L	<0.50	1.3	1.3	<0.50	0.50	527441
Copper (Cu)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	527441
Manganese (Mn)	ug/L	5.8	190	190	19	0.40	527441
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	527441
Nickel (Ni)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527441
Sodium (Na)	ug/L	1200	3900	3700	4300	30	527441
Zinc (Zn)	ug/L	<1.0	2.4	<1.0	<1.0	1.0	527441
Selenium (Se)	ug/L	<1.0	1.2	<1.0	<1.0	1.0	527441
Lead (Pb)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	527441
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527441
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01078	F01078	F01079	F01080		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q3	Q3 Lab-Dup	KM 27.7	Q4	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527728
Calcium (Ca)	mg/L	6	N/A	7	5	1	527470
Magnesium (Mg)	mg/L	1	N/A	<1	1	1	527470
Total Hardness (CaCO3)	mg/L	20	N/A	19	16	1	527470
METALS ICP-MS							
Aluminum (Al)	ug/L	130	N/A	48	1100	1.0	527441
Antimony (Sb)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Silver (Ag)	ug/L	<0.10	N/A	<0.10	0.11	0.10	527441
Arsenic (As)	ug/L	<1.0	N/A	<1.0	1.1	1.0	527441
Barium (Ba)	ug/L	2.4	N/A	7.6	19	2.0	527441
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	527441
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	527441
Cobalt (Co)	ug/L	<0.50	N/A	<0.50	0.92	0.50	527441
Copper (Cu)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	527441
Manganese (Mn)	ug/L	13	N/A	12	34	0.40	527441
Molybdenum (Mo)	ug/L	0.94	N/A	<0.50	<0.50	0.50	527441
Nickel (Ni)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Sodium (Na)	ug/L	12000	N/A	790	1200	30	527441
Zinc (Zn)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Selenium (Se)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527441
Lead (Pb)	ug/L	<0.10	N/A	<0.10	1.4	0.10	527441
Thallium (Tl)	ug/L	<2.0	N/A	<2.0	<2.0	2.0	527441
N/A = Not Applicable RDL = Reportable Detection Limit Lab-Dup = Laboratory Initiated Duplicate QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01081	F01082		F01084	F01085		
Sampling Date		2008/06/22	2008/06/22		2008/06/22	2008/06/22		
	Units	KM 30.6	Q5	QC Batch	DUP2	KM35	RDL	QC Batch
METALS								
Mercury (Hg)	mg/L	<0.0001	<0.0001	527728	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	6	<1	527470	<1	7	1	527470
Magnesium (Mg)	mg/L	1	<1	527470	<1	2	1	527470
Total Hardness (CaCO ₃)	mg/L	20	<1	527470	<1	24	1	527470
METALS ICP-MS								
Aluminum (Al)	ug/L	130	580	527441	<1.0	440	1.0	527441
Antimony (Sb)	ug/L	<1.0	<1.0	527441	<1.0	<1.0	1.0	527441
Silver (Ag)	ug/L	0.20	<0.10	527441	<0.10	0.22	0.10	527441
Arsenic (As)	ug/L	<1.0	<1.0	527441	<1.0	<1.0	1.0	527441
Barium (Ba)	ug/L	7.9	11	527441	<2.0	30	2.0	527441
Cadmium (Cd)	ug/L	<0.20	<0.20	527441	<0.20	<0.20	0.20	527441
Chromium (Cr)	ug/L	<0.50	<0.50	527441	<0.50	<0.50	0.50	527441
Cobalt (Co)	ug/L	<0.50	1.4	527441	1.3	0.66	0.50	527441
Copper (Cu)	ug/L	<0.50	<0.50	527441	<0.50	<0.50	0.50	527441
Manganese (Mn)	ug/L	7.1	14	527441	14	34	0.40	527441
Molybdenum (Mo)	ug/L	<0.50	<0.50	527441	<0.50	<0.50	0.50	527441
Nickel (Ni)	ug/L	1.5	<1.0	527441	<1.0	<1.0	1.0	527441
Sodium (Na)	ug/L	1800	250	527441	280	1100	30	527441
Zinc (Zn)	ug/L	1.9	<1.0	527441	<1.0	<1.0	1.0	527441
Selenium (Se)	ug/L	1.2	1.8	527441	1.1	1.5	1.0	527441
Lead (Pb)	ug/L	<0.10	<0.10	527441	<0.10	<0.10	0.10	527441
Thallium (Tl)	ug/L	<2.0	<2.0	527441	<2.0	<2.0	2.0	527441
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01086	F01086	F01087	F01088		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q6	Q6 Lab-Dup	KM 38.5	Q7	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	14	14	3	2	1	527461
Magnesium (Mg)	mg/L	4	4	1	<1	1	527461
Total Hardness (CaCO3)	mg/L	50	49	13	4	1	527461
METALS ICP-MS							
Aluminum (Al)	ug/L	950	810	250	980	1.0	527460
Antimony (Sb)	ug/L	2.6	<1.0	<1.0	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	<0.10	0.18	<0.10	0.10	527460
Arsenic (As)	ug/L	1.4	1.3	2.5	2.8	1.0	527460
Barium (Ba)	ug/L	47	49	13	15	2.0	527460
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527460
Chromium (Cr)	ug/L	7.5	5.8	3.9	2.8	0.50	527460
Cobalt (Co)	ug/L	1.4	1.5	9.5	18	0.50	527460
Copper (Cu)	ug/L	23	28	5.3	16	0.50	527460
Manganese (Mn)	ug/L	74	69	550	130	0.40	527460
Molybdenum (Mo)	ug/L	1.0	0.84	0.63	<0.50	0.50	527460
Nickel (Ni)	ug/L	2.6	2.3	7.9	29	1.0	527460
Sodium (Na)	ug/L	4300	4400	780	530	30	527460
Zinc (Zn)	ug/L	4.6	12	8.5	17	1.0	527460
Selenium (Se)	ug/L	2.2	2.9	4.4	3.4	1.0	527460
Lead (Pb)	ug/L	2.6	2.5	0.81	2.1	0.10	527460
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527460
N/A = Not Applicable RDL = Reportable Detection Limit Lab-Dup = Laboratory Initiated Duplicate QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01088	F01089	F01090	F01091		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q7 Lab-Dup	Q8	KM 42.7	Q9	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	2	13	37	5	1	527461
Magnesium (Mg)	mg/L	<1	3	5	<1	1	527461
Total Hardness (CaCO3)	mg/L	4	44	110	13	1	527461
METALS ICP-MS							
Aluminum (Al)	ug/L	1100	170	330	370	1.0	527460
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	527460
Arsenic (As)	ug/L	2.6	4.8	2.4	<1.0	1.0	527460
Barium (Ba)	ug/L	16	12	26	13	2.0	527460
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527460
Chromium (Cr)	ug/L	2.0	<0.50	<0.50	<0.50	0.50	527460
Cobalt (Co)	ug/L	18	0.71	0.83	0.86	0.50	527460
Copper (Cu)	ug/L	16	3.7	3.8	6.9	0.50	527460
Manganese (Mn)	ug/L	130	23	100	28	0.40	527460
Molybdenum (Mo)	ug/L	<0.50	1.4	0.74	0.88	0.50	527460
Nickel (Ni)	ug/L	28	4.1	6.5	1.6	1.0	527460
Sodium (Na)	ug/L	510	5000	5900	520	30	527460
Zinc (Zn)	ug/L	17	14	7.1	14	1.0	527460
Selenium (Se)	ug/L	3.8	3.2	<1.0	3.6	1.0	527460
Lead (Pb)	ug/L	2.2	0.87	0.96	1.2	0.10	527460
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527460

RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01092	F01093	F01094	F01095		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM45	R09 DS	R09 US	Q10	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	18	5	5	4	1	527461
Magnesium (Mg)	mg/L	2	1	1	2	1	527461
Total Hardness (CaCO3)	mg/L	53	17	18	18	1	527461
METALS ICP-MS							
Aluminum (Al)	ug/L	61	<1.0	24	570	1.0	527460
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	527460
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	7.4	1.0	527460
Barium (Ba)	ug/L	12	3.2	3.1	11	2.0	527460
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527460
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	527460
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	1.5	0.50	527460
Copper (Cu)	ug/L	3.9	0.87	7.3	4.1	0.50	527460
Manganese (Mn)	ug/L	3.3	3.0	3.8	30	0.40	527460
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	2.6	0.50	527460
Nickel (Ni)	ug/L	1.6	1.3	1.7	1.5	1.0	527460
Sodium (Na)	ug/L	1300	1100	1100	19000	30	527460
Zinc (Zn)	ug/L	<1.0	<1.0	5.3	1.8	1.0	527460
Selenium (Se)	ug/L	2.7	3.1	3.5	1.5	1.0	527460
Lead (Pb)	ug/L	0.14	0.15	0.40	1.4	0.10	527460
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527460
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01096	F01097	F01098	F01099		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM 51.3	Q11	KM 54.6	Q12	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	20	12	6	3	1	527461
Magnesium (Mg)	mg/L	3	2	<1	<1	1	527461
Total Hardness (CaCO3)	mg/L	60	40	16	8	1	527461
METALS ICP-MS							
Aluminum (Al)	ug/L	190	340	93	980	1.0	527460
Antimony (Sb)	ug/L	<1.0	2.0	<1.0	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	<0.10	0.15	<0.10	0.10	527460
Arsenic (As)	ug/L	1.6	13	<1.0	3.1	1.0	527460
Barium (Ba)	ug/L	14	25	6.1	26	2.0	527460
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527460
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	527460
Cobalt (Co)	ug/L	1.7	2.7	<0.50	2.0	0.50	527460
Copper (Cu)	ug/L	4.0	9.7	3.6	17	0.50	527460
Manganese (Mn)	ug/L	62	44	11	83	0.40	527460
Molybdenum (Mo)	ug/L	<0.50	17	<0.50	1.0	0.50	527460
Nickel (Ni)	ug/L	1.2	2.3	<1.0	2.8	1.0	527460
Sodium (Na)	ug/L	16000	12000	1400	1400	30	527460
Zinc (Zn)	ug/L	14	4.8	2.9	6.7	1.0	527460
Selenium (Se)	ug/L	3.2	2.8	<1.0	<1.0	1.0	527460
Lead (Pb)	ug/L	0.31	4.2	0.15	9.1	0.10	527460
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527460
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01100	F01100	F01101	F01102		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM 59.5	KM 59.5 Lab-Dup	Q13	KM 64.3	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	5	N/A	6	3	1	527461
Magnesium (Mg)	mg/L	2	N/A	<1	<1	1	527461
Total Hardness (CaCO3)	mg/L	20	N/A	15	7	1	527461
METALS ICP-MS							
Aluminum (Al)	ug/L	220	N/A	840	310	1.0	527460
Antimony (Sb)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	N/A	<0.10	<0.10	0.10	527460
Arsenic (As)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	527460
Barium (Ba)	ug/L	12	N/A	17	8.0	2.0	527460
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	527460
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	527460
Cobalt (Co)	ug/L	<0.50	N/A	1.0	<0.50	0.50	527460
Copper (Cu)	ug/L	7.3	N/A	8.7	5.1	0.50	527460
Manganese (Mn)	ug/L	64	N/A	48	43	0.40	527460
Molybdenum (Mo)	ug/L	<0.50	N/A	0.94	<0.50	0.50	527460
Nickel (Ni)	ug/L	8.4	N/A	2.1	3.4	1.0	527460
Sodium (Na)	ug/L	1000	N/A	980	580	30	527460
Zinc (Zn)	ug/L	6.4	N/A	4.7	6.1	1.0	527460
Selenium (Se)	ug/L	2.0	N/A	3.5	3.7	1.0	527460
Lead (Pb)	ug/L	0.68	N/A	2.9	0.92	0.10	527460
Thallium (Tl)	ug/L	<2.0	N/A	<2.0	<2.0	2.0	527460
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		F01103		
Sampling Date		2008/06/22		
	Units	Q14	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	527730
Calcium (Ca)	mg/L	3	1	527461
Magnesium (Mg)	mg/L	2	1	527461
Total Hardness (CaCO ₃)	mg/L	14	1	527461
METALS ICP-MS				
Aluminum (Al)	ug/L	2300	1.0	527460
Antimony (Sb)	ug/L	<1.0	1.0	527460
Silver (Ag)	ug/L	<0.10	0.10	527460
Arsenic (As)	ug/L	<1.0	1.0	527460
Barium (Ba)	ug/L	34	2.0	527460
Cadmium (Cd)	ug/L	<0.20	0.20	527460
Chromium (Cr)	ug/L	<0.50	0.50	527460
Cobalt (Co)	ug/L	2.9	0.50	527460
Copper (Cu)	ug/L	31	0.50	527460
Manganese (Mn)	ug/L	150	0.40	527460
Molybdenum (Mo)	ug/L	4.0	0.50	527460
Nickel (Ni)	ug/L	4.4	1.0	527460
Sodium (Na)	ug/L	4200	30	527460
Zinc (Zn)	ug/L	14	1.0	527460
Selenium (Se)	ug/L	<1.0	1.0	527460
Lead (Pb)	ug/L	5.8	0.10	527460
Thallium (Tl)	ug/L	<2.0	2.0	527460
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01065	F01065		F01066		
Sampling Date		2008/06/22	2008/06/22		2008/06/22		
	Units	KM1	KM1 Lab-Dup	QC Batch	Q1	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.019	0.020	527872	0.17	0.001	527981
Fluoride (F)	mg/L	<0.1	<0.1	527988	0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.03	0.03	527059	0.29	0.02	527059
pH	pH	6.3	6.3	526811	8.0	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	0.07	0.07	527440	1.1	0.02	527440
Sulfates (SO4)	mg/L	0.6	0.6	527440	11	0.1	527440
Total suspended solids (TSS)	mg/L	<2	<2	526745	8	2	526745

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F01066		F01069	F01069		
Sampling Date		2008/06/22		2008/06/22	2008/06/22		
	Units	Q1 Lab-Dup	QC Batch	KM4.6	KM4.6 Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.17	527981	0.17	0.17	0.001	527872
Fluoride (F)	mg/L	N/A	527988	<0.1	N/A	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	N/A	527059	0.05	N/A	0.02	527059
pH	pH	N/A	526811	6.8	N/A	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	N/A	527440	<0.02	N/A	0.02	527440
Sulfates (SO4)	mg/L	N/A	527440	1.9	N/A	0.1	527440
Total suspended solids (TSS)	mg/L	N/A	526745	8	N/A	2	526745

N/A = Not Applicable
RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01070	F01071	F01071	F01072		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM9.4	Q2	Q2 Lab-Dup	R05A DS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.15	0.20	N/A	0.042	0.001	527872
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.84	N/A	0.04	0.02	527059
pH	pH	6.8	7.7	N/A	6.3	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	0.03	1.9	N/A	<0.02	0.02	527440
Sulfates (SO4)	mg/L	1.3	6.9	N/A	1.7	0.1	527440
Total suspended solids (TSS)	mg/L	12	43	N/A	<2	2	526745

N/A = Not Applicable
RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam ID		F01073	F01074	F01075	F01077		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	R05A US	KM 16.7	DUP1	KM 18.4	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.040	0.12	0.12	0.11	0.001	527872
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.05	0.05	0.10	0.02	527059
pH	pH	7.0	7.1	6.8	7.1	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	<0.02	0.02	0.04	0.41	0.02	527440
Sulfates (SO4)	mg/L	1.6	0.8	0.8	2.1	0.1	527440
Total suspended solids (TSS)	mg/L	<2	6	5	<2	2	526745

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01077	F01078	F01079		
Sampling Date		2008/06/22	2008/06/22	2008/06/22		
	Units	KM 18.4 Lab-Dup	Q3	KM 27.7	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	N/A	0.13	0.046	0.001	527872
Fluoride (F)	mg/L	N/A	<0.1	<0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.11	1.5	0.04	0.02	527059
pH	pH	N/A	6.9	7.3	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	N/A	3.9	0.11	0.02	527440
Sulfates (SO4)	mg/L	N/A	4.2	1.4	0.1	527440
Total suspended solids (TSS)	mg/L	N/A	7	5	2	526745

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F01080	F01080	F01081	F01082		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q4	Q4 Lab-Dup	KM 30.6	Q5	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.044	N/A	0.053	0.008	0.001	527872
Fluoride (F)	mg/L	<0.1	N/A	<0.1	<0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.35	N/A	0.04	0.13	0.02	527059
pH	pH	6.8	N/A	6.6	6.8	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	1.6	1.6	0.02	0.27	0.02	527443
Sulfates (SO4)	mg/L	1.4	1.3	2.6	0.6	0.1	527443
Total suspended solids (TSS)	mg/L	27	N/A	<2	24	2	526745

N/A = Not Applicable
RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01084	F01085		F01086		
Sampling Date		2008/06/22	2008/06/22		2008/06/22		
	Units	DUP2	KM35	RDL	Q6	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.008	0.052	0.001	0.14	0.001	527872
Fluoride (F)	mg/L	<0.1	<0.1	0.1	<0.1	0.1	527988
Nitrogen ammonia (N-NH3)	mg/L	0.14	0.08	0.02	0.49	0.02	527059
pH	pH	7.1	6.5	N/A	6.9	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	0.26	0.09	0.02	5.4	0.04	527443
Sulfates (SO4)	mg/L	0.6	1.4	0.1	3.5	0.1	527443
Total suspended solids (TSS)	mg/L	23	4	2	48	2	526745
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam ID		F01087		F01088	F01088		
Sampling Date		2008/06/22		2008/06/22	2008/06/22		
	Units	KM 38.5	QC Batch	Q7	Q7 Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.036	527872	0.036	N/A	0.001	527872
Fluoride (F)	mg/L	<0.1	527988	<0.1	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.07	527059	0.38	N/A	0.02	527059
pH	pH	6.3	526811	4.8	4.7	N/A	526811
Nitrate (N) and Nitrite(N)	mg/L	0.23	527443	0.58	N/A	0.02	527443
Sulfates (SO4)	mg/L	1.5	527443	11	N/A	0.1	527443
Total suspended solids (TSS)	mg/L	7	526745	63	N/A	2	526745
N/A = Not Applicable RDL = Reportable Detection Limit Lab-Dup = Laboratory Initiated Duplicate QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01089	F01089		F01090		
Sampling Date		2008/06/22	2008/06/22		2008/06/22		
	Units	Q8	Q8 Lab-Dup	RDL	KM 42.7	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.16	N/A	0.001	0.27	0.001	527981
Fluoride (F)	mg/L	<0.1	N/A	0.1	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	2.5	N/A	0.04	0.17	0.02	527059
pH	pH	7.2	7.3	N/A	7.3	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	7.3	N/A	0.1	0.49	0.02	527443
Sulfates (SO4)	mg/L	12	N/A	0.1	4.3	0.1	527443
Total suspended solids (TSS)	mg/L	7	N/A	2	4	2	526745
N/A = Not Applicable RDL = Reportable Detection Limit Lab-Dup = Laboratory Initiated Duplicate QC Batch = Quality Control Batch							

Maxxam ID		F01091	F01091		F01092		
Sampling Date		2008/06/22	2008/06/22		2008/06/22		
	Units	Q9	Q9 Lab-Dup	QC Batch	KM45	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.030	N/A	527981	0.030	0.001	527981
Fluoride (F)	mg/L	<0.1	N/A	527992	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.33	0.33	527059	0.52	0.02	527059
pH	pH	7.0	N/A	526813	7.1	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	0.36	N/A	527443	2.1	0.02	527443
Sulfates (SO4)	mg/L	0.9	N/A	527443	2.7	0.1	527443
Total suspended solids (TSS)	mg/L	26	23	526745	<2	2	526749
N/A = Not Applicable RDL = Reportable Detection Limit Lab-Dup = Laboratory Initiated Duplicate QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01093	F01093	F01094	F01095		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	R09 DS	R09 DS Lab-Dup	R09 US	Q10	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.044	N/A	0.043	0.18	0.001	527981
Fluoride (F)	mg/L	<0.1	N/A	<0.1	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.05	N/A	0.05	1.8	0.02	527059
pH	pH	7.6	N/A	7.5	7.3	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	0.06	0.05	<0.02	4.0	0.02	527454
Sulfates (SO4)	mg/L	2.5	2.5	2.5	8.7	0.1	527454
Total suspended solids (TSS)	mg/L	<2	N/A	<2	5	2	526749

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F01096		F01097		
Sampling Date		2008/06/22		2008/06/22		
	Units	KM 51.3	RDL	Q11	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.25	0.001	0.25	0.001	527981
Fluoride (F)	mg/L	<0.1	0.1	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.18	0.02	6.7	0.2	527059
pH	pH	6.8	N/A	7.7	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	6.0	0.04	11	0.1	527454
Sulfates (SO4)	mg/L	13	0.1	10	0.1	527454
Total suspended solids (TSS)	mg/L	<2	2	8	2	526749

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01098	F01099	F01100	F01101		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM 54.6	Q12	KM 59.5	Q13	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.050	0.040	0.046	0.055	0.001	527981
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.73	0.10	1.2	0.02	527059
pH	pH	7.3	6.8	6.8	7.0	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	0.04	1.5	0.11	2.4	0.02	527454
Sulfates (SO4)	mg/L	3.3	1.8	3.0	1.1	0.1	527454
Total suspended solids (TSS)	mg/L	<2	25	3	6	2	526749

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F01102		F01103	F01103		
Sampling Date		2008/06/22		2008/06/22	2008/06/22		
	Units	KM 64.3	RDL	Q14	Q14 Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.023	0.001	0.071	N/A	0.001	527981
Fluoride (F)	mg/L	<0.1	0.1	<0.1	N/A	0.1	527992
Nitrogen ammonia (N-NH3)	mg/L	0.06	0.02	1.6	N/A	0.04	527059
pH	pH	6.9	N/A	6.8	N/A	N/A	526813
Nitrate (N) and Nitrite(N)	mg/L	0.10	0.02	5.3	N/A	0.04	527454
Sulfates (SO4)	mg/L	2.0	0.1	3.1	N/A	0.1	527454
Total suspended solids (TSS)	mg/L	<2	2	30	32	2	526749

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F01104		F01105	F01105		
Sampling Date		2008/06/22		2008/06/22	2008/06/22		
	Units	ANS	RDL	ANW	ANW Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Nitrogen ammonia (N-NH3)	mg/L	140	2	1.1	1.2	0.02	527059
Nitrate (N) and Nitrite(N)	mg/L	240	1	0.20	N/A	0.02	527454
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F01065	F01069	F01070	F01071	F01072		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM1	KM4.6	KM9.4	Q2	R05A DS	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F01073	F01074	F01075	F01077		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	R05A US	KM 16.7	DUP1	KM 18.4	RDL	QC Batch

OIL & GREASE							
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam ID		F01078	F01079	F01080	F01081	F01082		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q3	KM 27.7	Q4	KM 30.6	Q5	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526889
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F01084	F01085	F01086	F01087	F01088		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	DUP2	KM35	Q6	KM 38.5	Q7	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526889
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A827283
Report Date: 2008/07/14

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F01089	F01090	F01091	F01092	F01094		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q8	KM 42.7	Q9	KM45	R09 US	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526889
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F01095	F01096	F01097	F01098	F01099		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	Q10	KM 51.3	Q11	KM 54.6	Q12	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526889
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F01100	F01101	F01102	F01103		
Sampling Date		2008/06/22	2008/06/22	2008/06/22	2008/06/22		
	Units	KM 59.5	Q13	KM 64.3	Q14	RDL	QC Batch

OIL & GREASE							
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	3	526889
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827283
Report Date: 2008/07/14Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

Mercury by Cold Vapour AA: Arrived unpreserved, preserved upon reception at the laboratory.: F01065, F01066, F01069, F01070, F01071, F01072, F01073, F01074, F01075, F01077, F01078, F01079, F01080, F01081, F01082, F01084, F01085, F01086, F01087, F01088, F01089, F01090, F01091, F01092, F01093, F01094, F01095, F01096, F01097, F01098, F01099, F01100, F01101, F01102, F01103

Ammonia Nitrogen: Arrived unpreserved, preserved upon reception at the laboratory.: F01078

pH: Holding time already past.: F01065, F01066, F01069, F01070, F01071, F01072, F01073, F01074, F01075, F01077, F01078, F01079, F01080, F01081, F01082, F01084, F01085, F01086, F01087, F01088, F01089, F01090, F01091, F01092, F01093, F01094, F01095, F01096, F01097, F01098, F01099, F01101, F01102, F01103

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.**HEAVY HYDROCARBONS (SURFACE WATER)**

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A827283

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
526745 HM1	SPIKE	Total suspended solids (TSS)	2008/07/05		97	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/05		94	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/05	<2		mg/L
526749 HM1	SPIKE	Total suspended solids (TSS)	2008/07/07		95	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/07		92	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/07	<2		mg/L
526811 LI	Calibration Check	pH	2008/07/04		100	%
	QC STANDARD	pH	2008/07/04		100	%
	SPIKE	pH	2008/07/04		100	%
526813 LI	Calibration Check	pH	2008/07/04		100	%
	QC STANDARD	pH	2008/07/04		100	%
	SPIKE	pH	2008/07/04		100	%
526869 VG1	SPIKE	Mineral Oil and Grease	2008/07/06		57	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/06		58	%
		Mineral Oil and Grease	2008/07/06		59	%
		Mineral Oil and Grease	2008/07/06		54	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/06	<3		mg/L
526889 IC3	SPIKE	Mineral Oil and Grease	2008/07/08		57	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/08		65	%
		Mineral Oil and Grease	2008/07/08		59	%
		Mineral Oil and Grease	2008/07/08		43	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/08	<3		mg/L
527059 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/07/07		93	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/07/07		100	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/07/07	<0.02		mg/L
527440 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/09		102	%
		Sulfates (SO4)	2008/07/09		98	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/09	<0.02		mg/L
		Sulfates (SO4)	2008/07/09	<0.1		mg/L
527441 SC5	SPIKE	Aluminum (Al)	2008/07/09		101	%
		Antimony (Sb)	2008/07/09		99	%
		Silver (Ag)	2008/07/09		70	%
		Arsenic (As)	2008/07/09		111	%
		Barium (Ba)	2008/07/09		103	%
		Cadmium (Cd)	2008/07/09		103	%
		Chromium (Cr)	2008/07/09		103	%
		Cobalt (Co)	2008/07/09		102	%
		Copper (Cu)	2008/07/09		105	%
		Manganese (Mn)	2008/07/09		107	%
		Molybdenum (Mo)	2008/07/09		100	%
		Nickel (Ni)	2008/07/09		98	%
		Sodium (Na)	2008/07/09		99	%
		Zinc (Zn)	2008/07/09		98	%
		Selenium (Se)	2008/07/09		107	%
		Lead (Pb)	2008/07/09		105	%
		Thallium (Tl)	2008/07/09		105	%
	METHOD BLANK	Aluminum (Al)	2008/07/09	<1.0		ug/L
		Antimony (Sb)	2008/07/09	<1.0		ug/L
		Silver (Ag)	2008/07/09	<0.10		ug/L
		Arsenic (As)	2008/07/09	<1.0		ug/L
		Barium (Ba)	2008/07/09	<2.0		ug/L
		Cadmium (Cd)	2008/07/09	<0.20		ug/L
		Chromium (Cr)	2008/07/09	<0.50		ug/L
		Cobalt (Co)	2008/07/09	<0.50		ug/L
		Copper (Cu)	2008/07/09	9.7, RDL=0.50		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report (Continued)

Maxxam Job Number: A827283

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
527441 SC5	METHOD BLANK	Manganese (Mn)	2008/07/09	<0.40		ug/L
		Molybdenum (Mo)	2008/07/09	<0.50		ug/L
		Nickel (Ni)	2008/07/09	5.1, RDL=1.0		ug/L
		Sodium (Na)	2008/07/09	<30		ug/L
		Zinc (Zn)	2008/07/09	5.8, RDL=1.0		ug/L
		Selenium (Se)	2008/07/09	2.7, RDL=1.0		ug/L
		Lead (Pb)	2008/07/09	0.86, RDL=0.10		ug/L
		Thallium (Tl)	2008/07/09	<2.0		ug/L
527443 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/10		102	%
		Sulfates (SO4)	2008/07/10		100	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/10	<0.02		mg/L
		Sulfates (SO4)	2008/07/10	<0.1		mg/L
527454 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/11		103	%
		Sulfates (SO4)	2008/07/11		105	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/11	<0.02		mg/L
		Sulfates (SO4)	2008/07/11	<0.1		mg/L
527460 SC5	SPIKE	Aluminum (Al)	2008/07/09		99	%
		Antimony (Sb)	2008/07/09		103	%
		Silver (Ag)	2008/07/09		62	%
		Arsenic (As)	2008/07/09		106	%
		Barium (Ba)	2008/07/09		99	%
		Cadmium (Cd)	2008/07/09		98	%
		Chromium (Cr)	2008/07/09		108	%
		Cobalt (Co)	2008/07/09		100	%
		Copper (Cu)	2008/07/09		98	%
		Manganese (Mn)	2008/07/09		101	%
		Molybdenum (Mo)	2008/07/09		100	%
		Nickel (Ni)	2008/07/09		97	%
		Sodium (Na)	2008/07/09		98	%
		Zinc (Zn)	2008/07/09		94	%
		Selenium (Se)	2008/07/09		91	%
		Lead (Pb)	2008/07/09		108	%
		Thallium (Tl)	2008/07/09		106	%
	METHOD BLANK	Aluminum (Al)	2008/07/09	<1.0		ug/L
		Antimony (Sb)	2008/07/09	<1.0		ug/L
		Silver (Ag)	2008/07/09	<0.10		ug/L
		Arsenic (As)	2008/07/09	<1.0		ug/L
		Barium (Ba)	2008/07/09	<2.0		ug/L
		Cadmium (Cd)	2008/07/09	<0.20		ug/L
		Chromium (Cr)	2008/07/09	<0.50		ug/L
		Cobalt (Co)	2008/07/09	<0.50		ug/L
		Copper (Cu)	2008/07/09	2.4, RDL=0.50		ug/L
		Manganese (Mn)	2008/07/09	<0.40		ug/L
		Molybdenum (Mo)	2008/07/09	<0.50		ug/L
		Nickel (Ni)	2008/07/09	<1.0		ug/L
		Sodium (Na)	2008/07/09	<30		ug/L
		Zinc (Zn)	2008/07/09	<1.0		ug/L
		Selenium (Se)	2008/07/09	<1.0		ug/L
		Lead (Pb)	2008/07/09	<0.10		ug/L
		Thallium (Tl)	2008/07/09	<2.0		ug/L
527461 SC5	METHOD BLANK	Calcium (Ca)	2008/07/09	<1		mg/L
		Magnesium (Mg)	2008/07/09	<1		mg/L
		Total Hardness (CaCO3)	2008/07/09	<1		mg/L
527470 SC5	METHOD BLANK	Calcium (Ca)	2008/07/09	<1		mg/L
		Magnesium (Mg)	2008/07/09	<1		mg/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report (Continued)

Maxxam Job Number: A827283

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
527470 SC5	METHOD BLANK	Total Hardness (CaCO ₃)	2008/07/09	<1		mg/L
527728 MR4	QC STANDARD	Mercury (Hg)	2008/07/09		95	%
	SPIKE	Mercury (Hg)	2008/07/09		103	%
	METHOD BLANK	Mercury (Hg)	2008/07/09	<0.0001		mg/L
527730 MR4	QC STANDARD	Mercury (Hg)	2008/07/09		95	%
	SPIKE	Mercury (Hg)	2008/07/09		98	%
	METHOD BLANK	Mercury (Hg)	2008/07/09	<0.0001		mg/L
527872 AK3	QC STANDARD	Conductivity	2008/07/09		98	%
	SPIKE	Conductivity	2008/07/09		102	%
	METHOD BLANK	Conductivity	2008/07/09	<0.001		mmhos/cm
527981 AK3	QC STANDARD	Conductivity	2008/07/09		98	%
	SPIKE	Conductivity	2008/07/09		100	%
	METHOD BLANK	Conductivity	2008/07/09	<0.001		mmhos/cm
527988 AK3	QC STANDARD	Fluoride (F)	2008/07/09		104	%
	SPIKE	Fluoride (F)	2008/07/09		98	%
	METHOD BLANK	Fluoride (F)	2008/07/09	<0.1		mg/L
527992 AK3	QC STANDARD	Fluoride (F)	2008/07/09		104	%
	SPIKE	Fluoride (F)	2008/07/09		100	%
	METHOD BLANK	Fluoride (F)	2008/07/09	<0.1		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A827283

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Mélanie Santerre



MÉLANIE SANTERRE, B.Sc, Supervisor

Veronic Beausejour



VERONIC BEAUSEJOUR, B.Sc., Chemist, Supervisor

Steliana Calestru



STELIANA CALESTRU, B.Sc. Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Analytique Inc										Web site: www.maxxam.ca										ANALYSIS REQUIRED									
Client: Agnico-Eagle Meadowbank Project					Te 867-793-4167 x 6728					BTEX (P&T / GC-MS) Hydrocarbons C10-C50 O&G mineral (gravimetric) O&G total (gravimetric) PCB MAH VOC(624) PAH Phenol (color.) (GC-MS) TPH (GC-FID) Metals (Cd, Cr, Cu, Ni, Pb, Zn) Arsenic Sélénium Mercury Lead Metals ICP -13 ele -soil ** 16 ele -water** NH4 TKN NH3, SO4, F NO2+NO3 X O-PO4 Cl F SO4 TSS Cyanide General: pH, Conductivity, Hardness					Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0					Fax: Project # AWPAP									
Sampler RV and SM					Project Manager Ryan Vanengen Sylvain Doire																								
N°	Sample Identification	N° labo MAXXAM	Matrix					Sampling							Date														
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)																		
1	KM1					X				5		06/22/2008																	
2	Q1					X				5		06/22/2008																	
3	KM4.6					X				5		06/22/2008																	
4	KM9.4					X				5		06/22/2008																	
5	Q2					X				5		06/22/2008																	
6	R05A DS					X				5		06/22/2008																	
7	R05A US					X				5		06/22/2008																	
8	KM 16.7					X				5		06/22/2008																	
9	DUP1					X				5		06/22/2008																	
10	KM 18.4					X				5		06/22/2008																	
11	Q3					X				5		06/22/2008																	

Metals Legend:

** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time:

☐ 10 working days

☐ 5 working days

☐ 72 hours

☐ 48 hours

☐ 24 hours

Maxxam quote #:

Site: Meadowbank Site

PO #:

Others:

Detection limits required / contamination level:

CCME for Surface Water (Federal)

CWS for Soil samples

Special instructions:

Please provide 200 station bottles ASAP (as discussed)

LEGEND:

* C = Canisters

* W = Waste

* O = Oil

* T = Tubes ou Cartridges

Delivered by sampler: Ryan Vanengen

Delivered by messenger:

Delivered by:

Date ##

Date

Date

Time

Time

Time

Received by:

Received by:

Received by Maxxam:

Client: Agnico-Eagle Meadowbank Project		Te 867-793-4167 x 6728	
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0		Fax:	
Sampler NS and RV		Project # AWPAP	
		Project Manager Ryan Vanengen Sylvain Doire	

N°	Sample identification	N° labo MAXXAM	Matrix							Sampling		ANALYSIS REQUIRED																										
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)	Date	BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic	Sélénium	Mercury	Lead	Metals ICP-13 ele.-soil **	16 ele.-water***	NH4 TKN	NH3, SO4, F	NO2+NO3 X O-PO4	Cl F SO4	TSS	Cyanide	Generat: pH, Conductivity, Hardness			
23	Q9					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
24	Km45					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
25	R09 DS					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
26	R09 US					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
27	Q10					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
28	KM51.3					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
29	Q11					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
30	KM54.6					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
31	Q12					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
32	KM59.5					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						
33	Q13					X				5	06/22/2008		X												X	X	X	X	X	X	X	X						

Metals Legend: ** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #:	Detection limits required / contamination level: CCME for Surface Water (Federal) CWS for Soil samples Special instructions: Please provide 200 station bottles ASAP (as discussed)
	Site: Meadowbank Site	
	PO #:	
	Others:	

LEGEND: * C = Canisters * W = Waste * O = Oil * T = Tubes ou Cartridges	Delivered by sampler: Ryan Vanengen	Date ##	Time	Received by:
	Delivered by messenger:	Date	Time	Received by:
	Delivered by:	Date	Time	Received by Maxxam:

Genevieve Berthiaume

From: Ryan Vanengen [rVanengen@agnico-eagle.com]
Sent: Monday, June 23, 2008 12:39 PM
To: Genevieve Berthiaume
Cc: Nicolas Saucier; Rita Tsai; Sylvain Doire
Subject: Surface water samples
Attachments: AEM_Meadowbank_Chain of custody_062308_AWPAR.xls; AEM_Meadowbank_Chain of custody_062308_Mine.xls

Hello Genevieve,

Attached are the chain of custodies for our Projects: Mine sampling and AWPAP sampling. 9 coolers in total: under tracking #: 622 0498 1675. Samples left baker 1k today on priority AIR CARGO thru Calm Air and then Air Canada, with direct delivery.

I placed the COCs in the cooler, however attached is an updated one. I forgot to add sample stations ANS and ANW which will only require NH3 and Nitrates analysis as per the chain of custody.

As well, two bottles (1 general plastics and 1 hydrocarbon bottle), stations??, were jarred and opened up during transportation. Thus the samples were lost for those parameters and those sample stations. In the future we will ensure all the caps are tightly closed. Some of the labels were in very poor condition as well... but most of the lids were labeled for redundancy.

Let me know if you have any questions.

Thanks

Page 33 of 33

PS earlier requested, please provide to me an update on the next set of bottles.

Ryan VanEngen, BSc.
 Environmental Coordinator (Senior)
 Meadowbank Project, Baker Lake, Nunavut
 Agnico-Eagle Mines Ltd.
 867.793.4610 x6728
 519.400.7979 (cell)
 rvanengen@agnico-eagle.com

~*~

Your Project #: AWPAP

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/07

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A826033

Received: 2008/06/26, 8:00

Sample Matrix: SURFACE WATER

Samples Received: 17

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	15	2008/07/02	2008/07/04	STL SOP-00014/5	Ion Chromatography
Conductivity	17	2008/06/27	2008/06/30	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	17	N/A	2008/06/26		
Fluoride	15	2008/06/30	2008/07/03	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	17	2008/06/27	2008/06/28	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	17	2008/07/02	2008/07/03	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	17	2008/06/30	2008/07/02	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	17	2008/06/27	2008/06/28	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	15	2008/06/27	2008/06/30	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	17	2008/06/26	2008/06/28	STL SOP-00151/11	Gravimetric
pH	17	2008/06/26	2008/06/26	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		E95367	E95367	E95432	E95433		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM67	KM67 Lab-Dup	Q15	KM69 DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	<0.0001	0.0001	525983
Calcium (Ca)	mg/L	16	16	10	<1	1	525237
Magnesium (Mg)	mg/L	4	4	3	<1	1	525237
Total Hardness (CaCO3)	mg/L	57	56	34	<1	1	525237
METALS ICP-MS							
Aluminum (Al)	ug/L	170	170	450	31	1.0	525235
Antimony (Sb)	ug/L	10	4.2	2.2	<1.0	1.0	525235
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	525235
Arsenic (As)	ug/L	2.3	2.3	<1.0	<1.0	1.0	525235
Barium (Ba)	ug/L	31	32	70	3.3	2.0	525235
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	525235
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	525235
Cobalt (Co)	ug/L	2.2	2.1	1.5	<0.50	0.50	525235
Copper (Cu)	ug/L	10	8.2	11	<0.50	0.50	525235
Manganese (Mn)	ug/L	520	510	59	1.3	0.40	525235
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	525235
Nickel (Ni)	ug/L	7.3	7.3	2.5	<1.0	1.0	525235
Sodium (Na)	ug/L	2600	2500	10000	650	30	525235
Zinc (Zn)	ug/L	7.2	8.0	14	<1.0	1.0	525235
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Lead (Pb)	ug/L	0.59	0.64	8.7	<0.10	0.10	525235
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	525235
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		E95434	E95435	E95436	E95437		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM69 US	Q16	KM73.6	KM75.2 DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	525983
Calcium (Ca)	mg/L	<1	63	6	<1	1	525237
Magnesium (Mg)	mg/L	<1	15	2	<1	1	525237
Total Hardness (CaCO3)	mg/L	<1	220	24	<1	1	525237
METALS ICP-MS							
Aluminum (Al)	ug/L	23	220	440	42	1.0	525235
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	5.7	1.0	525235
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	525235
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Barium (Ba)	ug/L	3.2	69	24	4.2	2.0	525235
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	525235
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	525235
Cobalt (Co)	ug/L	<0.50	2.3	1.6	<0.50	0.50	525235
Copper (Cu)	ug/L	1.1	3.0	3.4	<0.50	0.50	525235
Manganese (Mn)	ug/L	0.97	370	150	1.8	0.40	525235
Molybdenum (Mo)	ug/L	<0.50	6.6	<0.50	<0.50	0.50	525235
Nickel (Ni)	ug/L	<1.0	6.1	3.0	<1.0	1.0	525235
Sodium (Na)	ug/L	680	40000	2900	500	30	525235
Zinc (Zn)	ug/L	<1.0	2.4	3.5	<1.0	1.0	525235
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Lead (Pb)	ug/L	<0.10	0.50	0.62	<0.10	0.10	525235
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	525235
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		E95438	E95438	E95439	E95440		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM75.2 US	KM75.2 US Lab-Dup	KM77.3	KM83.5	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	525983
Calcium (Ca)	mg/L	<1	N/A	8	2	1	525237
Magnesium (Mg)	mg/L	<1	N/A	4	2	1	525237
Total Hardness (CaCO3)	mg/L	<1	N/A	38	13	1	525237
METALS ICP-MS							
Aluminum (Al)	ug/L	39	N/A	1200	140	1.0	525235
Antimony (Sb)	ug/L	2.8	N/A	<1.0	<1.0	1.0	525235
Silver (Ag)	ug/L	<0.10	N/A	<0.10	<0.10	0.10	525235
Arsenic (As)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	525235
Barium (Ba)	ug/L	4.5	N/A	54	14	2.0	525235
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	525235
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	525235
Cobalt (Co)	ug/L	<0.50	N/A	3.6	<0.50	0.50	525235
Copper (Cu)	ug/L	<0.50	N/A	8.1	1.1	0.50	525235
Manganese (Mn)	ug/L	2.6	N/A	360	23	0.40	525235
Molybdenum (Mo)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	525235
Nickel (Ni)	ug/L	<1.0	N/A	8.8	2.5	1.0	525235
Sodium (Na)	ug/L	510	N/A	3600	1100	30	525235
Zinc (Zn)	ug/L	1.4	N/A	6.4	1.6	1.0	525235
Selenium (Se)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	525235
Lead (Pb)	ug/L	<0.10	N/A	0.77	<0.10	0.10	525235
Thallium (Tl)	ug/L	<2.0	N/A	<2.0	<2.0	2.0	525235
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		E95441	E95442	E95443	E95444		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM84.3 DS	KM84.3 US	KM88	Q20	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	525983
Calcium (Ca)	mg/L	<1	<1	4	4	1	525237
Magnesium (Mg)	mg/L	<1	<1	3	3	1	525237
Total Hardness (CaCO ₃)	mg/L	<1	<1	23	22	1	525237
METALS ICP-MS							
Aluminum (Al)	ug/L	44	42	330	820	1.0	525235
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	525235
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Barium (Ba)	ug/L	3.7	3.2	44	34	2.0	525235
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	525235
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	525235
Cobalt (Co)	ug/L	<0.50	<0.50	2.2	2.1	0.50	525235
Copper (Cu)	ug/L	<0.50	<0.50	2.9	1.9	0.50	525235
Manganese (Mn)	ug/L	2.3	2.0	260	200	0.40	525235
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	525235
Nickel (Ni)	ug/L	<1.0	<1.0	4.1	3.0	1.0	525235
Sodium (Na)	ug/L	390	380	1100	1600	30	525235
Zinc (Zn)	ug/L	<1.0	<1.0	15	8.1	1.0	525235
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	525235
Lead (Pb)	ug/L	<0.10	<0.10	0.10	24	0.10	525235
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	525235
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

METALS (SURFACE WATER)

Maxxam ID		E95445	E95446	E95446	E95447		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM92.5	KM97	KM97 Lab-Dup	KM101.4	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	525983
Calcium (Ca)	mg/L	3	1	N/A	37	1	525237
Magnesium (Mg)	mg/L	2	<1	N/A	6	1	525237
Total Hardness (CaCO3)	mg/L	18	3	N/A	120	1	525237
METALS ICP-MS							
Aluminum (Al)	ug/L	470	180	N/A	270	1.0	525235
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	525235
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	525235
Arsenic (As)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	525235
Barium (Ba)	ug/L	15	4.7	N/A	120	2.0	525235
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	525235
Chromium (Cr)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	525235
Cobalt (Co)	ug/L	0.79	<0.50	N/A	2.3	0.50	525235
Copper (Cu)	ug/L	9.4	<0.50	N/A	2.3	0.50	525235
Manganese (Mn)	ug/L	150	34	N/A	1300	0.40	525235
Molybdenum (Mo)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	525235
Nickel (Ni)	ug/L	<1.0	<1.0	N/A	2.7	1.0	525235
Sodium (Na)	ug/L	1900	440	N/A	1800	30	525235
Zinc (Zn)	ug/L	9.7	<1.0	N/A	12	1.0	525235
Selenium (Se)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	525235
Lead (Pb)	ug/L	2.6	<0.10	N/A	0.67	0.10	525235
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	525235
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		E95367	E95367		E95432		
Sampling Date		2008/06/24	2008/06/24		2008/06/24		
	Units	KM67	KM67 Lab-Dup	RDL	Q15	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.14	N/A	0.001	0.23	0.001	525009
Fluoride (F)	mg/L	<0.08	<0.08	0.08	0.17	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.04	0.02	6.9	0.2	525010
pH	pH	7.0	7.0	N/A	7.2	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	0.02	18	0.2	525971
Sulfates (SO4)	mg/L	3.9	N/A	0.1	6.9	0.1	525971
Total suspended solids (TSS)	mg/L	13	14	2	8	2	525446
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam ID		E95433	E95434		E95435		
Sampling Date		2008/06/24	2008/06/24		2008/06/24		
	Units	KM69 DS	KM69 US	RDL	Q16	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.015	0.015	0.001	0.92	0.001	525009
Fluoride (F)	mg/L	N/A	N/A	0.08	0.58	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	N/A	N/A	0.2	10	0.2	525010
pH	pH	7.4	7.3	N/A	7.1	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	N/A	N/A	0.2	43	0.2	525971
Sulfates (SO4)	mg/L	N/A	N/A	0.1	240	1	525971
Total suspended solids (TSS)	mg/L	<2	<2	2	3	2	525446
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		E95436	E95437	E95438		
Sampling Date		2008/06/24	2008/06/24	2008/06/24		
	Units	KM73.6	KM75.2 DS	KM75.2 US	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.11	0.013	0.013	0.001	525009
Fluoride (F)	mg/L	0.09	<0.08	<0.08	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	1.7	0.03	<0.02	0.02	525010
pH	pH	7.2	7.4	7.2	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	4.7	<0.02	<0.02	0.02	525971
Sulfates (SO4)	mg/L	23	0.7	0.8	0.1	525971
Total suspended solids (TSS)	mg/L	3	<2	<2	2	525446
RDL = Reportable Detection Limit QC Batch = Quality Control Batch						

Maxxam ID		E95439		E95440	E95441		
Sampling Date		2008/06/24		2008/06/24	2008/06/24		
	Units	KM77.3	RDL	KM83.5	KM84.3 DS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.16	0.001	0.045	0.012	0.001	525009
Fluoride (F)	mg/L	<0.08	0.08	<0.08	<0.08	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	3.1	0.1	0.05	0.03	0.02	525010
pH	pH	6.7	N/A	5.8	6.3	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	12	0.2	1.4	0.04	0.02	525971
Sulfates (SO4)	mg/L	7.5	0.1	8.8	0.6	0.1	525971
Total suspended solids (TSS)	mg/L	3	2	2	<2	2	525446
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		E95442		E95443	E95444		
Sampling Date		2008/06/24		2008/06/24	2008/06/24		
	Units	KM84.3 US	RDL	KM88	Q20	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.011	0.001	0.12	0.13	0.001	525009
Fluoride (F)	mg/L	<0.08	0.08	<0.08	0.12	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	<0.1	0.1	3.9	5.3	0.1	525010
pH	pH	6.4	N/A	5.1	5.9	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	<0.02	0.02	13	13	0.2	525971
Sulfates (SO4)	mg/L	0.5	0.1	0.8	0.8	0.1	525971
Total suspended solids (TSS)	mg/L	<2	2	<2	26	2	525446

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		E95445		E95446		
Sampling Date		2008/06/24		2008/06/24		
	Units	KM92.5	RDL	KM97	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.072	0.001	0.020	0.001	525009
Fluoride (F)	mg/L	0.10	0.08	<0.08	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	0.57	0.02	0.13	0.02	525010
pH	pH	6.0	N/A	6.0	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	5.8	0.04	1.3	0.02	525971
Sulfates (SO4)	mg/L	3.7	0.1	1.2	0.1	525971
Total suspended solids (TSS)	mg/L	4	2	<2	2	525446

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		E95447	E95447		
Sampling Date		2008/06/24	2008/06/24		
	Units	KM101.4	KM101.4 Lab-Dup	RDL	QC Batch

CONVENTIONALS					
Conductivity	mmhos/cm	1.2	N/A	0.001	525009
Fluoride (F)	mg/L	<0.08	N/A	0.08	525502
Nitrogen ammonia (N-NH3)	mg/L	38	N/A	0.5	525010
pH	pH	6.4	N/A	N/A	524769
Nitrate (N) and Nitrite(N)	mg/L	140	140	1	525971
Sulfates (SO4)	mg/L	5.9	6.3	0.1	525971
Total suspended solids (TSS)	mg/L	28	N/A	2	525446

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		E95367	E95432	E95433	E95434	E95435		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM67	Q15	KM69 DS	KM69 US	Q16	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	524873
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		E95436	E95437	E95438	E95439	E95440		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM73.6	KM75.2 DS	KM75.2 US	KM77.3	KM83.5	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	524873
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		E95441	E95442	E95443	E95444	E95445		
Sampling Date		2008/06/24	2008/06/24	2008/06/24	2008/06/24	2008/06/24		
	Units	KM84.3 DS	KM84.3 US	KM88	Q20	KM92.5	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	524873
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		E95446	E95447		
Sampling Date		2008/06/24	2008/06/24		
	Units	KM97	KM101.4	RDL	QC Batch

OIL & GREASE					
Mineral Oil and Grease	mg/L	<3	<3	3	524873
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					

Maxxam Job #: A826033
Report Date: 2008/07/07

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: E95367, E95432, E95435, E95436, E95437, E95438, E95439, E95440, E95441, E95442, E95443, E95444, E95445, E95446, E95447

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A826033

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
524769 CN1	Calibration Check	pH	2008/06/26		100	%
	QC STANDARD	pH	2008/06/26		100	%
	SPIKE	pH	2008/06/26		100	%
524873 ZS	SPIKE	Mineral Oil and Grease	2008/06/28		68	%
	SPIKE DUP	Mineral Oil and Grease	2008/06/28		65	%
	METHOD BLANK	Mineral Oil and Grease	2008/06/28	<3		mg/L
525009 JL1	QC STANDARD	Conductivity	2008/06/30		101	%
	SPIKE	Conductivity	2008/06/30		98	%
	METHOD BLANK	Conductivity	2008/06/30	<0.001		mmhos/cm
525010 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/06/30		91	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/06/30		92	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/06/30	0.02, RDL=0.02		mg/L
525235 MCL	SPIKE	Aluminum (Al)	2008/06/28		89	%
		Antimony (Sb)	2008/06/28		135	%
		Silver (Ag)	2008/06/28		81	%
		Arsenic (As)	2008/06/28		99	%
		Barium (Ba)	2008/06/28		107	%
		Cadmium (Cd)	2008/06/28		109	%
		Chromium (Cr)	2008/06/28		97	%
		Cobalt (Co)	2008/06/28		93	%
		Copper (Cu)	2008/06/28		113	%
		Manganese (Mn)	2008/06/28		92	%
		Molybdenum (Mo)	2008/06/28		106	%
		Nickel (Ni)	2008/06/28		92	%
		Sodium (Na)	2008/06/28		90	%
		Zinc (Zn)	2008/06/28		95	%
		Selenium (Se)	2008/06/28		76	%
		Lead (Pb)	2008/06/28		105	%
		Thallium (Tl)	2008/06/28		105	%
	METHOD BLANK	Aluminum (Al)	2008/06/28	<1.0		ug/L
		Antimony (Sb)	2008/06/28	<1.0		ug/L
		Silver (Ag)	2008/06/28	<0.10		ug/L
		Arsenic (As)	2008/06/28	<1.0		ug/L
		Barium (Ba)	2008/06/28	<2.0		ug/L
		Cadmium (Cd)	2008/06/28	<0.20		ug/L
		Chromium (Cr)	2008/06/28	<0.50		ug/L
		Cobalt (Co)	2008/06/28	<0.50		ug/L
		Copper (Cu)	2008/06/28	0.62, RDL=0.50		ug/L
		Manganese (Mn)	2008/06/28	<0.40		ug/L
		Molybdenum (Mo)	2008/06/28	3.4, RDL=0.50		ug/L
		Nickel (Ni)	2008/06/28	<1.0		ug/L
		Sodium (Na)	2008/06/28	60, RDL=30		ug/L
		Zinc (Zn)	2008/06/28	2.8, RDL=1.0		ug/L
		Selenium (Se)	2008/06/28	4.1, RDL=1.0		ug/L
		Lead (Pb)	2008/06/28	0.36, RDL=0.10		ug/L
		Thallium (Tl)	2008/06/28	<2.0		ug/L
525237 MCL	METHOD BLANK	Calcium (Ca)	2008/06/28	<1		mg/L
		Magnesium (Mg)	2008/06/28	<1		mg/L
		Total Hardness (CaCO3)	2008/06/28	<1		mg/L
525446 JM6	SPIKE	Total suspended solids (TSS)	2008/07/02		94	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/02		95	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/02	<2		mg/L
525502 JL1	QC STANDARD	Fluoride (F)	2008/07/03		105	%
	SPIKE	Fluoride (F)	2008/07/03		103	%
	METHOD BLANK	Fluoride (F)	2008/07/03	<0.08		mg/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report (Continued)


Maxxam Job Number: A826033

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
525971 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/04		99	%
		Sulfates (SO4)	2008/07/04		95	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/04	<0.02		mg/L
		Sulfates (SO4)	2008/07/04	<0.1		mg/L
525983 MR4	QC STANDARD	Mercury (Hg)	2008/07/03		100	%
	SPIKE	Mercury (Hg)	2008/07/03		110	%
	METHOD BLANK	Mercury (Hg)	2008/07/03	0.0001, RDL=0.0001		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						


Validation Signature Page

Maxxam Job #: A826033

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




DELIA BARBUL, B.Sc., Chemist, Analyst 2




MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2




MÉLANIE SANTERRE, B.Sc, Supervisor




STELIANA CALESTRU, B.Sc. Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Client: Agnico-Eagle Meadowbank Project				Tel 867-793-4167 x 6728				ANALYSIS REQUIRED																											
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0				Fax:																															
Sampler NS and JK				Project # AWPAP																															
				Project Manager: Ryan Vanengen Sylvain Doire																															
N°	Sample identification	N° labo MAXXAM	Matrix							Sampling		Date	BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic	Sélénium	Mercury	Lead	Metals (CP-13 ele.-soil ** 16 ele.-water***)	NH4 TKN	NH3, SO4, F	NO2+NO3 X O-PO4	Cl F SO4	TSS	Cyanide	General: pH, Conductivity, Hardness	
			Potable w.	Waste w.	Ground w.	Surf. w.	Soils	Sediments	Others*	# containers	To filter (yes/no)																								
1	KM 67				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
2	Q15				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
3	KM 69 ds				X					5	3	2008-06-24		X										X	X		X	X	X	X	X	X			
4	KM 69 us				X					5	3	2008-06-24		X										X	X		X	X	X	X	X	X			
5	Q16				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
6	KM73.6				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
7	KM75.2 ds				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
8	KM75.2 us				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
9	KM77.3				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
10	KM83.5				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			
11	KM84.3 ds				X					5		2008-06-24		X										X	X		X	X	X	X	X	X			

Metals Legend: ** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
*** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #:	Detection limits required / contamination level:
	Site: Meadowbank Site	CCME for Surface Water (Federal)
	PO #:	CWS for Soil samples
	Others: for information: Nicolas Saucier 867-793-4167 x 6747	Special instructions:

08106126

LEGEND: * C = Canisters * W = Waste * O = Oil * T = Tubes ou Cartridges	Delivered by sampler:	Date ##	Time 8:00 (ND)	Received by: V
	Delivered by messenger: Ryan Vanengen	Date	Time	Received by:
	Delivered by:	Date	Time	Received by Maxxam:

Genevieve Berthiaume

From: Nicolas Saucier [nsaucier@agnico-eagle.com]
Sent: Wednesday, June 25, 2008 10:28 AM
To: Genevieve Berthiaume
Cc: Rita Tsai; Sylvain Doire; Ryan Vanengen
Subject: Surface water samples/3 more coolers
Attachments: AEM_ Meadowbank_Chain of custody_062408_AWPAR.xls

Bonjour Genevieve,

Attached is the chain of custodies for our Project: AWPARG sampling. 3 coolers in total: Samples will leave Baker Lake today on our charter.

I placed the COCs in the coolers, however attached is an updated one.

Let me know if you have any questions.

Thanks

Nicolas Saucier
Environmental Technician
Agnico-Eagle Mines Ltd.
867.793.4610 x6747
819.856.6036 (cell)
nsaucier@agnico-eagle.com

~*~

Your Project #: AWPAP
Site: MEADDOWBANK SITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/29

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A830445

Received: 2008/07/18, 23:30

Sample Matrix: SURFACE WATER

Samples Received: 42

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	15	2008/07/23	2008/07/25	STL SOP-00014/5	Ion Chromatography
Anions	15	2008/07/24	2008/07/24	STL SOP-00014/5	Ion Chromatography
Anions	12	2008/07/24	2008/07/25	STL SOP-00014/5	Ion Chromatography
Conductivity	42	2008/07/23	2008/07/24	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	42	N/A	2008/07/18		
Fluoride	42	2008/07/24	2008/07/25	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	22	2008/07/23	2008/07/24	STL SOP-00006/7	ICP
Hardness	20	2008/07/23	2008/07/25	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	1	2008/07/23	2008/07/24	STL SOP-00042/6	Cold Vapor AA
Mercury by Cold Vapour AA	41	2008/07/24	2008/07/24	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	21	2008/07/21	2008/07/23	STL SOP-00015/3	Gravimetric
Total Suspended Solids	21	2008/07/21	2008/07/24	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	22	2008/07/23	2008/07/24	STL SOP-00006/7	ICP-MS
Metals by ICP-MS	20	2008/07/23	2008/07/25	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	42	2008/07/22	2008/07/23	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	13	2008/07/18	2008/07/21	STL SOP-00151/11	Gravimetric
Mineral Oil and Grease	27	2008/07/19	2008/07/22	STL SOP-00151/11	Gravimetric
pH	30	2008/07/18	2008/07/18	STL SOP-00016/5; STL SOP-00038/5,	pH meter
pH	10	2008/07/18	2008/07/19	STL SOP-00016/5; STL SOP-00038/5,	pH meter
pH	2	2008/07/19	2008/07/19	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Your Project #: AWPAP
Site: MEADDOWBANK SITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/29

CERTIFICATE OF ANALYSIS

-2-

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15340	F15340	F15342	F15342		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	KM 2.4	KM 2.4 Lab-Dup	KM 4.3	KM 4.3 Lab-Dup	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	N/A	0.0001	533408
Calcium (Ca)	mg/L	7	6	21	23	1	532943
Magnesium (Mg)	mg/L	2	2	5	6	1	532943
Total Hardness (CaCO3)	mg/L	24	23	73	79	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	420	410	280	310	1.0	532936
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	<1.0	2.3	2.4	1.0	532936
Barium (Ba)	ug/L	49	50	95	79	2.0	532936
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532936
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532936
Cobalt (Co)	ug/L	2.9	2.7	9.5	11	0.50	532936
Copper (Cu)	ug/L	1.2	1.2	3.6	4.8	0.50	532936
Manganese (Mn)	ug/L	120	110	1300	1400	0.40	532936
Molybdenum (Mo)	ug/L	1.0	<0.50	<0.50	<0.50	0.50	532936
Nickel (Ni)	ug/L	2.6	2.4	2.8	3.8	1.0	532936
Sodium (Na)	ug/L	9600	9000	67000	73000	30	532936
Zinc (Zn)	ug/L	17	16	3.2	3.9	1.0	532936
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Lead (Pb)	ug/L	0.81	0.37	1.3	0.36	0.10	532936
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532936
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15345	F15345	F15346	F15347		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO2 US	RO2 US Lab-Dup	RO2 DS	KM 9.2	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533408
Calcium (Ca)	mg/L	4	N/A	4	11	1	532943
Magnesium (Mg)	mg/L	<1	N/A	<1	2	1	532943
Total Hardness (CaCO3)	mg/L	9	N/A	10	35	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	<1.0	N/A	31	630	1.0	532936
Antimony (Sb)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	N/A	<0.10	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	532936
Barium (Ba)	ug/L	10	N/A	13	50	2.0	532936
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	532936
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	532936
Cobalt (Co)	ug/L	<0.50	N/A	<0.50	1.6	0.50	532936
Copper (Cu)	ug/L	0.79	N/A	2.1	1.1	0.50	532936
Manganese (Mn)	ug/L	2.7	N/A	15	330	0.40	532936
Molybdenum (Mo)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	532936
Nickel (Ni)	ug/L	<1.0	N/A	<1.0	1.4	1.0	532936
Sodium (Na)	ug/L	1700	N/A	2000	2000	30	532936
Zinc (Zn)	ug/L	<1.0	N/A	2.9	23	1.0	532936
Selenium (Se)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	532936
Lead (Pb)	ug/L	<0.10	N/A	<0.10	0.24	0.10	532936
Thallium (Tl)	ug/L	<2.0	N/A	<2.0	<2.0	2.0	532936
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15348	F15349	F15350	F15351		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO4 US	RO4 DS	KM 18.3	RO6 US	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533408
Calcium (Ca)	mg/L	4	4	34	3	1	532943
Magnesium (Mg)	mg/L	<1	<1	1	<1	1	532943
Total Hardness (CaCO3)	mg/L	9	10	91	8	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Barium (Ba)	ug/L	6.5	6.1	15	4.8	2.0	532936
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532936
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532936
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532936
Copper (Cu)	ug/L	4.3	0.97	3.5	1.4	0.50	532936
Manganese (Mn)	ug/L	4.7	5.4	41	3.8	0.40	532936
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532936
Nickel (Ni)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Sodium (Na)	ug/L	1200	1200	6700	1700	30	532936
Zinc (Zn)	ug/L	1.5	<1.0	1.2	3.4	1.0	532936
Selenium (Se)	ug/L	1.3	<1.0	<1.0	<1.0	1.0	532936
Lead (Pb)	ug/L	<0.10	<0.10	<0.10	1.6	0.10	532936
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532936
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15352	F15353	F15354	F15355		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO6 DS	KM 19.9	Q4	KM 32.2	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533408
Calcium (Ca)	mg/L	3	11	10	13	1	532943
Magnesium (Mg)	mg/L	<1	1	2	3	1	532943
Total Hardness (CaCO3)	mg/L	8	32	32	43	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	<1.0	81	1500	150	1.0	532936
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	1.8	1.9	3.4	1.0	532936
Barium (Ba)	ug/L	3.4	9.0	31	63	2.0	532936
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532936
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532936
Cobalt (Co)	ug/L	<0.50	0.71	1.1	5.1	0.50	532936
Copper (Cu)	ug/L	1.2	6.1	10	6.6	0.50	532936
Manganese (Mn)	ug/L	2.1	30	51	520	0.40	532936
Molybdenum (Mo)	ug/L	<0.50	<0.50	0.59	<0.50	0.50	532936
Nickel (Ni)	ug/L	<1.0	1.1	2.9	<1.0	1.0	532936
Sodium (Na)	ug/L	1600	750	2200	1500	30	532936
Zinc (Zn)	ug/L	<1.0	4.4	6.7	4.2	1.0	532936
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532936
Lead (Pb)	ug/L	0.17	<0.10	2.0	<0.10	0.10	532936
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532936
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15356	F15358	F15358	F15409		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	Q7	Q8	Q8 Lab-Dup	RO9 US	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533408
Calcium (Ca)	mg/L	3	28	N/A	5	1	532943
Magnesium (Mg)	mg/L	<1	5	N/A	1	1	532943
Total Hardness (CaCO3)	mg/L	7	93	N/A	17	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	1000	160	N/A	<1.0	1.0	532936
Antimony (Sb)	ug/L	<1.0	2.6	N/A	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	3.8	N/A	<1.0	1.0	532936
Barium (Ba)	ug/L	21	25	N/A	3.0	2.0	532936
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	532936
Chromium (Cr)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	532936
Cobalt (Co)	ug/L	49	0.80	N/A	<0.50	0.50	532936
Copper (Cu)	ug/L	44	3.4	N/A	2.7	0.50	532936
Manganese (Mn)	ug/L	280	18	N/A	3.3	0.40	532936
Molybdenum (Mo)	ug/L	<0.50	2.9	N/A	<0.50	0.50	532936
Nickel (Ni)	ug/L	70	<1.0	N/A	<1.0	1.0	532936
Sodium (Na)	ug/L	560	11000	N/A	1100	30	532936
Zinc (Zn)	ug/L	21	<1.0	N/A	<1.0	1.0	532936
Selenium (Se)	ug/L	<1.0	1.2	N/A	<1.0	1.0	532936
Lead (Pb)	ug/L	0.72	0.18	N/A	<0.10	0.10	532936
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	532936

N/A = Not Applicable
RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15411	F15412	F15413	F15414		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO9 DS	Q10	Q11	Q12	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533408
Calcium (Ca)	mg/L	5	7	16	17	1	532943
Magnesium (Mg)	mg/L	1	2	3	6	1	532943
Total Hardness (CaCO ₃)	mg/L	18	25	52	67	1	532943
METALS ICP-MS							
Aluminum (Al)	ug/L	<1.0	380	100	11000	1.0	532936
Antimony (Sb)	ug/L	<1.0	<1.0	2.0	<1.0	1.0	532936
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532936
Arsenic (As)	ug/L	<1.0	4.6	12	20	1.0	532936
Barium (Ba)	ug/L	3.5	10	35	170	2.0	532936
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	0.39	0.20	532936
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	32	0.50	532936
Cobalt (Co)	ug/L	<0.50	1.3	2.9	18	0.50	532936
Copper (Cu)	ug/L	1.6	7.0	7.1	110	0.50	532936
Manganese (Mn)	ug/L	3.5	40	49	280	0.40	532936
Molybdenum (Mo)	ug/L	<0.50	<0.50	18	3.7	0.50	532936
Nickel (Ni)	ug/L	<1.0	<1.0	<1.0	22	1.0	532936
Sodium (Na)	ug/L	1200	3700	14000	13000	30	532936
Zinc (Zn)	ug/L	<1.0	3.9	<1.0	43	1.0	532936
Selenium (Se)	ug/L	<1.0	<1.0	1.4	<1.0	1.0	532936
Lead (Pb)	ug/L	<0.10	2.4	1.8	83	0.10	532936
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532936
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15415	F15415		F15416	F15416		
Sampling Date		2008/07/14	2008/07/14		2008/07/14	2008/07/14		
	Units	R13	R13 Lab-Dup	QC Batch	R13 DS	R13 DS Lab-Dup	RDL	QC Batch
METALS								
Mercury (Hg)	mg/L	<0.0001	N/A	533408	<0.0001	N/A	0.0001	533415
Calcium (Ca)	mg/L	6	6	532958	6	6	1	532958
Magnesium (Mg)	mg/L	1	1	532958	2	1	1	532958
Total Hardness (CaCO ₃)	mg/L	22	21	532958	22	20	1	532958
METALS ICP-MS								
Aluminum (Al)	ug/L	9.5	9.4	532953	26	23	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	532953	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	532953	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	<1.0	<1.0	532953	<1.0	<1.0	1.0	532953
Barium (Ba)	ug/L	6.3	6.3	532953	6.9	6.4	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	532953	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	<0.50	1.2	532953	<0.50	<0.50	0.50	532953
Cobalt (Co)	ug/L	<0.50	<0.50	532953	<0.50	<0.50	0.50	532953
Copper (Cu)	ug/L	0.83	<0.50	532953	0.63	0.53	0.50	532953
Manganese (Mn)	ug/L	6.4	5.8	532953	6.5	5.8	0.40	532953
Molybdenum (Mo)	ug/L	<0.50	1.2	532953	<0.50	<0.50	0.50	532953
Nickel (Ni)	ug/L	1.0	<1.0	532953	<1.0	<1.0	1.0	532953
Sodium (Na)	ug/L	820	770	532953	870	790	30	532953
Zinc (Zn)	ug/L	<1.0	<1.0	532953	<1.0	<1.0	1.0	532953
Selenium (Se)	ug/L	1.2	1.5	532953	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	<0.10	<0.10	532953	0.20	<0.10	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	532953	<2.0	<2.0	2.0	532953
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15417	F15418	F15419	F15420		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	Q13	KM 62.8	Q14	Q15	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	28	6	2	20	1	532958
Magnesium (Mg)	mg/L	3	<1	1	5	1	532958
Total Hardness (CaCO ₃)	mg/L	83	15	11	71	1	532958
METALS ICP-MS							
Aluminum (Al)	ug/L	350	220	1500	280	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	1.9	<1.0	1.1	<1.0	1.0	532953
Barium (Ba)	ug/L	89	14	27	96	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532953
Cobalt (Co)	ug/L	1.8	0.94	1.8	2.2	0.50	532953
Copper (Cu)	ug/L	11	4.6	21	9.7	0.50	532953
Manganese (Mn)	ug/L	29	67	100	39	0.40	532953
Molybdenum (Mo)	ug/L	14	<0.50	4.2	25	0.50	532953
Nickel (Ni)	ug/L	<1.0	2.4	<1.0	4.9	1.0	532953
Sodium (Na)	ug/L	7700	790	5500	22000	30	532953
Zinc (Zn)	ug/L	1.8	2.0	7.0	7.1	1.0	532953
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	2.9	0.72	3.4	3.5	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532953
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15421	F15422	F15422	F15423		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	DUP-1	R15US	R15US Lab-Dup	R15DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	20	<1	N/A	<1	1	532958
Magnesium (Mg)	mg/L	4	<1	N/A	<1	1	532958
Total Hardness (CaCO3)	mg/L	68	<1	N/A	<1	1	532958
METALS ICP-MS							
Aluminum (Al)	ug/L	230	15	N/A	35	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	532953
Arsenic (As)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	532953
Barium (Ba)	ug/L	91	2.6	N/A	3.2	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	532953
Chromium (Cr)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	532953
Cobalt (Co)	ug/L	2.1	<0.50	N/A	<0.50	0.50	532953
Copper (Cu)	ug/L	9.5	<0.50	N/A	2.3	0.50	532953
Manganese (Mn)	ug/L	39	0.84	N/A	1.8	0.40	532953
Molybdenum (Mo)	ug/L	24	<0.50	N/A	<0.50	0.50	532953
Nickel (Ni)	ug/L	4.6	<1.0	N/A	<1.0	1.0	532953
Sodium (Na)	ug/L	22000	730	N/A	680	30	532953
Zinc (Zn)	ug/L	7.4	<1.0	N/A	<1.0	1.0	532953
Selenium (Se)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	532953
Lead (Pb)	ug/L	3.5	<0.10	N/A	<0.10	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	532953
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15424	F15425	F15427	F15429		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	KM 69	DUB-2	R16 US	R16 DS	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	14	14	1	<1	1	532958
Magnesium (Mg)	mg/L	7	7	<1	<1	1	532958
Total Hardness (CaCO3)	mg/L	64	63	3	<1	1	532958
METALS ICP-MS							
Aluminum (Al)	ug/L	1900	1500	34	22	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Barium (Ba)	ug/L	62	56	4.1	8.2	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	3.1	<0.50	<0.50	0.79	0.50	532953
Cobalt (Co)	ug/L	4.0	3.6	<0.50	<0.50	0.50	532953
Copper (Cu)	ug/L	7.8	6.7	0.62	0.60	0.50	532953
Manganese (Mn)	ug/L	380	330	8.8	4.2	0.40	532953
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532953
Nickel (Ni)	ug/L	8.8	7.9	<1.0	<1.0	1.0	532953
Sodium (Na)	ug/L	9000	8100	730	730	30	532953
Zinc (Zn)	ug/L	17	18	<1.0	<1.0	1.0	532953
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	3.3	2.4	<0.10	<0.10	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532953
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15430	F15431	F15432	F15433		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	KM 73	KM 78.4	R19 US	R19 DS	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	13	3	<1	<1	1	532958
Magnesium (Mg)	mg/L	8	3	<1	<1	1	532958
Total Hardness (CaCO3)	mg/L	63	18	<1	<1	1	532958
METALS ICP-MS							
Aluminum (Al)	ug/L	300	230	20	21	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Barium (Ba)	ug/L	40	20	3.2	3.1	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	0.65	0.50	532953
Cobalt (Co)	ug/L	2.1	<0.50	<0.50	<0.50	0.50	532953
Copper (Cu)	ug/L	4.1	3.0	0.56	0.90	0.50	532953
Manganese (Mn)	ug/L	600	13	7.8	8.5	0.40	532953
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	532953
Nickel (Ni)	ug/L	4.5	3.8	<1.0	<1.0	1.0	532953
Sodium (Na)	ug/L	12000	1500	590	520	30	532953
Zinc (Zn)	ug/L	7.5	5.9	<1.0	<1.0	1.0	532953
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	0.34	<0.10	<0.10	<0.10	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532953
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15433	F15434	F15435	F15436		
Sampling Date		2008/07/14	2008/07/15	2008/07/15	2008/07/15		
	Units	R19 DS Lab-Dup	R24 US	R24 DS	R05A DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	N/A	2	3	12	1	532958
Magnesium (Mg)	mg/L	N/A	<1	<1	1	1	532958
Total Hardness (CaCO3)	mg/L	N/A	4	6	36	1	532958
METALS ICP-MS							
Aluminum (Al)	ug/L	N/A	46	43	18	1.0	532953
Antimony (Sb)	ug/L	N/A	<1.0	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	N/A	<0.10	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	N/A	<1.0	<1.0	<1.0	1.0	532953
Barium (Ba)	ug/L	N/A	2.5	4.3	15	2.0	532953
Cadmium (Cd)	ug/L	N/A	<0.20	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	N/A	<0.50	<0.50	<0.50	0.50	532953
Cobalt (Co)	ug/L	N/A	1.6	1.6	<0.50	0.50	532953
Copper (Cu)	ug/L	N/A	2.2	1.6	<0.50	0.50	532953
Manganese (Mn)	ug/L	N/A	12	20	40	0.40	532953
Molybdenum (Mo)	ug/L	N/A	<0.50	<0.50	<0.50	0.50	532953
Nickel (Ni)	ug/L	N/A	8.7	9.1	<1.0	1.0	532953
Sodium (Na)	ug/L	N/A	350	390	3300	30	532953
Zinc (Zn)	ug/L	N/A	<1.0	84	21	1.0	532953
Selenium (Se)	ug/L	N/A	<1.0	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	N/A	<0.10	<0.10	<0.10	0.10	532953
Thallium (Tl)	ug/L	N/A	<2.0	<2.0	<2.0	2.0	532953
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F15437	F15438		
Sampling Date		2008/07/15	2008/07/15		
	Units	R05A US	KM 13.5	RDL	QC Batch

METALS					
Mercury (Hg)	mg/L	<0.0001	<0.0001	0.0001	533415
Calcium (Ca)	mg/L	11	8	1	532958
Magnesium (Mg)	mg/L	1	<1	1	532958
Total Hardness (CaCO3)	mg/L	32	21	1	532958
METALS ICP-MS					
Aluminum (Al)	ug/L	14	43	1.0	532953
Antimony (Sb)	ug/L	<1.0	<1.0	1.0	532953
Silver (Ag)	ug/L	<0.10	<0.10	0.10	532953
Arsenic (As)	ug/L	<1.0	<1.0	1.0	532953
Barium (Ba)	ug/L	13	20	2.0	532953
Cadmium (Cd)	ug/L	<0.20	<0.20	0.20	532953
Chromium (Cr)	ug/L	<0.50	<0.50	0.50	532953
Cobalt (Co)	ug/L	<0.50	<0.50	0.50	532953
Copper (Cu)	ug/L	<0.50	<0.50	0.50	532953
Manganese (Mn)	ug/L	12	35	0.40	532953
Molybdenum (Mo)	ug/L	<0.50	<0.50	0.50	532953
Nickel (Ni)	ug/L	<1.0	<1.0	1.0	532953
Sodium (Na)	ug/L	2900	16000	30	532953
Zinc (Zn)	ug/L	1.2	2.3	1.0	532953
Selenium (Se)	ug/L	<1.0	<1.0	1.0	532953
Lead (Pb)	ug/L	<0.10	<0.10	0.10	532953
Thallium (Tl)	ug/L	<2.0	<2.0	2.0	532953
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15340	F15340		F15342		
Sampling Date		2008/07/14	2008/07/14		2008/07/14		
	Units	KM 2.4	KM 2.4 Lab-Dup	RDL	KM 4.3	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.11	0.11	0.001	0.55	0.001	532922
Fluoride (F)	mg/L	<0.1	N/A	0.1	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.09	0.09	0.02	0.15	0.02	532467
pH	pH	6.6	N/A	N/A	6.7	N/A	531866
Nitrate (N) and Nitrite(N)	mg/L	0.03	N/A	0.02	<0.02	0.02	533172
Sulfates (SO4)	mg/L	2.6	N/A	0.1	16	0.1	533172
Total suspended solids (TSS)	mg/L	34	35	2	1300	7	531975

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15345	F15346	F15346		
Sampling Date		2008/07/14	2008/07/14	2008/07/14		
	Units	RO2 US	RO2 DS	RO2 DS Lab-Dup	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.038	0.044	N/A	0.001	532922
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.05	N/A	0.02	532467
pH	pH	7.1	7.0	N/A	N/A	531866
Nitrate (N) and Nitrite(N)	mg/L	0.02	0.04	N/A	0.02	533172
Sulfates (SO4)	mg/L	1.9	1.8	N/A	0.1	533172
Total suspended solids (TSS)	mg/L	2	8	N/A	2	531975

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15347	F15347		F15348		
Sampling Date		2008/07/14	2008/07/14		2008/07/14		
	Units	KM 9.2	KM 9.2 Lab-Dup	QC Batch	RO4 US	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.069	N/A	532922	0.035	0.001	532922
Fluoride (F)	mg/L	<0.1	N/A	533467	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.05	N/A	532467	0.06	0.02	532467
pH	pH	7.1	7.1	531891	7.0	N/A	531866
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	533172	<0.02	0.02	533172
Sulfates (SO4)	mg/L	1.9	N/A	533172	1.7	0.1	533172
Total suspended solids (TSS)	mg/L	70	N/A	531975	<2	2	531975

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15349	F15350	F15351	F15352		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO4 DS	KM 18.3	RO6 US	RO6 DS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.035	0.23	0.038	0.037	0.001	532922
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.08	0.07	0.08	0.02	532467
pH	pH	7.1	7.9	8.0	7.7	N/A	531866
Nitrate (N) and Nitrite(N)	mg/L	<0.02	<0.02	0.16	0.04	0.02	533172
Sulfates (SO4)	mg/L	1.6	0.1	2.1	1.6	0.1	533172
Total suspended solids (TSS)	mg/L	3	3	<2	<2	2	531975

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15353	F15353	F15354		
Sampling Date		2008/07/14	2008/07/14	2008/07/14		
	Units	KM 19.9	KM 19.9 Lab-Dup	Q4	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.074	N/A	0.092	0.001	532922
Fluoride (F)	mg/L	<0.1	N/A	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.09	0.09	0.35	0.02	532467
pH	pH	7.4	N/A	6.8	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	2.5	0.02	533172
Sulfates (SO4)	mg/L	2.7	N/A	3.7	0.1	533172
Total suspended solids (TSS)	mg/L	9	N/A	4	2	531975
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch						

Maxxam ID		F15355	F15355		F15356		
Sampling Date		2008/07/14	2008/07/14		2008/07/14		
	Units	KM 32.2	KM 32.2 Lab-Dup	QC Batch	Q7	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.10	0.10	532922	0.082	0.001	532922
Fluoride (F)	mg/L	<0.1	N/A	533467	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.08	N/A	532467	0.65	0.02	532467
pH	pH	7.3	N/A	531866	4.2	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	533172	0.68	0.02	533172
Sulfates (SO4)	mg/L	0.4	N/A	533172	34	0.1	533172
Total suspended solids (TSS)	mg/L	19	N/A	531975	<2	2	531975
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15358	F15358		
Sampling Date		2008/07/14	2008/07/14		
	Units	Q8	Q8 Lab-Dup	RDL	QC Batch

CONVENTIONALS					
Conductivity	mmhos/cm	0.32	N/A	0.001	532922
Fluoride (F)	mg/L	<0.1	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	3.2	N/A	0.1	532467
pH	pH	7.8	N/A	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	14	13	0.1	533172
Sulfates (SO4)	mg/L	20	20	0.1	533172
Total suspended solids (TSS)	mg/L	4	N/A	2	531975

N/A = Not Applicable
RDL = Reportable Detection Limit
Lab-Dup = Laboratory Initiated Duplicate
QC Batch = Quality Control Batch

Maxxam ID		F15409		F15411		
Sampling Date		2008/07/14		2008/07/14		
	Units	RO9 US	QC Batch	RO9 DS	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.046	532922	0.047	0.001	532922
Fluoride (F)	mg/L	<0.1	533467	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.05	532467	0.05	0.02	532467
pH	pH	6.3	531881	7.8	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	<0.02	533371	<0.02	0.02	533371
Sulfates (SO4)	mg/L	2.5	533371	2.5	0.1	533371
Total suspended solids (TSS)	mg/L	<2	531975	<2	2	531975

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15412			F15413		
Sampling Date		2008/07/14			2008/07/14		
	Units	Q10	RDL	QC Batch	Q11	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.082	0.001	532922	0.31	0.001	532922
Fluoride (F)	mg/L	<0.1	0.1	533467	<0.1	0.1	533467
Nitrogen ammonia (N-NH3)	mg/L	0.09	0.02	532467	7.1	0.2	532467
pH	pH	7.6	N/A	531891	8.0	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	1.2	0.02	533371	12	0.1	533371
Sulfates (SO4)	mg/L	3.3	0.1	533371	17	0.1	533371
Total suspended solids (TSS)	mg/L	8	2	531975	9	2	531975

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15414			F15415		
Sampling Date		2008/07/14			2008/07/14		
	Units	Q12	RDL	QC Batch	R13	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.24	0.001	532922	0.048	0.001	532927
Fluoride (F)	mg/L	0.1	0.1	533467	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	2.2	0.04	532467	0.05	0.02	532467
pH	pH	7.6	N/A	531891	7.0	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	5.8	0.04	533371	<0.02	0.02	533371
Sulfates (SO4)	mg/L	29	0.1	533371	0.7	0.1	533371
Total suspended solids (TSS)	mg/L	120	2	531975	<2	2	531975

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15415		F15416	F15416		
Sampling Date		2008/07/14		2008/07/14	2008/07/14		
	Units	R13 Lab-Dup	QC Batch	R13 DS	R13 DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	N/A	532927	0.050	N/A	0.001	532927
Fluoride (F)	mg/L	N/A	533470	<0.1	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	N/A	532467	0.06	0.06	0.02	532471
pH	pH	N/A	531891	7.8	N/A	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	N/A	533371	0.03	N/A	0.02	533371
Sulfates (SO4)	mg/L	N/A	533371	0.6	N/A	0.1	533371
Total suspended solids (TSS)	mg/L	<2	531975	<2	2	2	531978

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15417			F15418		
Sampling Date		2008/07/14			2008/07/14		
	Units	Q13	RDL	QC Batch	KM 62.8	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.37	0.001	532927	0.044	0.001	532927
Fluoride (F)	mg/L	<0.1	0.1	533470	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	9.7	0.2	532471	0.11	0.02	532471
pH	pH	7.9	N/A	531891	7.3	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	20	0.2	533371	0.18	0.02	533371
Sulfates (SO4)	mg/L	10	0.1	533371	1.7	0.1	533371
Total suspended solids (TSS)	mg/L	5	2	531978	5	2	531978

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15419			F15420		
Sampling Date		2008/07/14			2008/07/14		
	Units	Q14	RDL	QC Batch	Q15	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.080	0.001	532927	0.42	0.001	532927
Fluoride (F)	mg/L	0.1	0.1	533470	0.3	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	1.8	0.02	532471	8.4	0.2	532471
pH	pH	6.5	N/A	531881	7.9	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	4.9	0.04	533371	22	0.2	533371
Sulfates (SO4)	mg/L	3.8	0.1	533371	23	0.1	533371
Total suspended solids (TSS)	mg/L	10	2	531978	6	2	531978

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15421		F15422		
Sampling Date		2008/07/14		2008/07/14		
	Units	DUP-1	RDL	R15US	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.42	0.001	0.014	0.001	532927
Fluoride (F)	mg/L	0.3	0.1	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	8.7	0.2	0.04	0.02	532471
pH	pH	7.8	N/A	7.9	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	25	0.1	0.03	0.02	533371
Sulfates (SO4)	mg/L	25	0.1	0.9	0.1	533371
Total suspended solids (TSS)	mg/L	6	2	<2	2	531978

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15423		F15424	F15424		
Sampling Date		2008/07/14		2008/07/14	2008/07/14		
	Units	R15DS	RDL	KM 69	KM 69 Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.014	0.001	0.28	N/A	0.001	532927
Fluoride (F)	mg/L	<0.1	0.1	0.2	N/A	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.02	2.4	N/A	0.04	532471
pH	pH	7.9	N/A	7.2	N/A	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	<0.02	0.02	5.7	6.7	0.04	533371
Sulfates (SO4)	mg/L	0.8	0.1	73	85	0.2	533371
Total suspended solids (TSS)	mg/L	<2	2	13	N/A	2	531978

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15425			F15427		
Sampling Date		2008/07/14			2008/07/14		
	Units	DUB-2	RDL	QC Batch	R16 US	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.28	0.001	532927	0.017	0.001	532927
Fluoride (F)	mg/L	0.2	0.1	533470	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	2.2	0.04	532471	0.05	0.02	532471
pH	pH	6.8	N/A	531891	7.6	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	5.8	0.1	533372	<0.02	0.02	533372
Sulfates (SO4)	mg/L	72	0.5	533372	1.4	0.1	533372
Total suspended solids (TSS)	mg/L	12	2	531978	8	2	531978

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15427		F15429	F15429		
Sampling Date		2008/07/14		2008/07/14	2008/07/14		
	Units	R16 US Lab-Dup	QC Batch	R16 DS	R16 DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.017	532927	0.016	N/A	0.001	532927
Fluoride (F)	mg/L	N/A	533470	<0.1	N/A	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	N/A	532471	0.05	0.05	0.02	532471
pH	pH	N/A	531883	6.8	N/A	N/A	531881
Nitrate (N) and Nitrite(N)	mg/L	N/A	533372	<0.02	N/A	0.02	533372
Sulfates (SO4)	mg/L	N/A	533372	0.8	N/A	0.1	533372
Total suspended solids (TSS)	mg/L	N/A	531978	<2	N/A	2	531978

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15430	F15430		
Sampling Date		2008/07/14	2008/07/14		
	Units	KM 73	KM 73 Lab-Dup	RDL	QC Batch

CONVENTIONALS					
Conductivity	mmhos/cm	0.32	N/A	0.001	532927
Fluoride (F)	mg/L	<0.1	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	4.5	N/A	0.2	532471
pH	pH	6.7	N/A	N/A	531881
Nitrate (N) and Nitrite(N)	mg/L	16	N/A	0.1	533372
Sulfates (SO4)	mg/L	7.1	N/A	0.1	533372
Total suspended solids (TSS)	mg/L	6	N/A	2	531978

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15431		F15432	F15433		
Sampling Date		2008/07/14		2008/07/14	2008/07/14		
	Units	KM 78.4	QC Batch	R19 US	R19 DS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.047	532927	0.013	0.013	0.001	532927
Fluoride (F)	mg/L	<0.1	533470	<0.1	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	0.05	532471	0.04	0.04	0.02	532471
pH	pH	7.2	531891	7.1	7.0	N/A	531881
Nitrate (N) and Nitrite(N)	mg/L	0.03	533372	<0.02	<0.02	0.02	533372
Sulfates (SO4)	mg/L	1.6	533372	0.5	0.6	0.1	533372
Total suspended solids (TSS)	mg/L	4	531978	<2	<2	2	531978
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam ID		F15434	F15435		F15436		
Sampling Date		2008/07/15	2008/07/15		2008/07/15		
	Units	R24 US	R24 DS	QC Batch	R05A DS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.021	0.026	532927	0.11	0.001	532927
Fluoride (F)	mg/L	<0.1	<0.1	533470	<0.1	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.04	532471	0.06	0.02	532471
pH	pH	6.8	6.7	531881	7.2	N/A	531883
Nitrate (N) and Nitrite(N)	mg/L	0.10	0.29	533372	<0.02	0.02	533372
Sulfates (SO4)	mg/L	3.8	3.6	533372	3.9	0.1	533372
Total suspended solids (TSS)	mg/L	<2	<2	531978	<2	2	531978
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15437	F15438	F15438		
Sampling Date		2008/07/15	2008/07/15	2008/07/15		
	Units	R05A US	KM 13.5	KM 13.5 Lab-Dup	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.10	0.18	0.18	0.001	532927
Fluoride (F)	mg/L	<0.1	<0.1	N/A	0.1	533470
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.04	N/A	0.02	532471
pH	pH	6.6	6.6	N/A	N/A	531881
Nitrate (N) and Nitrite(N)	mg/L	0.03	1.1	1.0	0.02	533372
Sulfates (SO4)	mg/L	4.0	6.1	5.9	0.1	533372
Total suspended solids (TSS)	mg/L	13	5	5	2	531978

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F15340	F15342	F15345	F15346	F15347		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	KM 2.4	KM 4.3	RO2 US	RO2 DS	KM 9.2	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531882
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15348	F15349	F15350	F15351	F15352		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	RO4 US	RO4 DS	KM 18.3	RO6 US	RO6 DS	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531882
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15353	F15354	F15355		F15356		
Sampling Date		2008/07/14	2008/07/14	2008/07/14		2008/07/14		
	Units	KM 19.9	Q4	KM 32.2	QC Batch	Q7	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	531882	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15358	F15409	F15411	F15412	F15413		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	Q8	RO9 US	RO9 DS	Q10	Q11	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F15414	F15415	F15416	F15417	F15418		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	Q12	R13	R13 DS	Q13	KM 62.8	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15419	F15420	F15421	F15422	F15423		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	Q14	Q15	DUP-1	R15US	R15DS	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15424	F15425	F15427	F15429	F15432		
Sampling Date		2008/07/14	2008/07/14	2008/07/14	2008/07/14	2008/07/14		
	Units	KM 69	DUB-2	R16 US	R16 DS	R19 US	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15433	F15434	F15435	F15436	F15437		
Sampling Date		2008/07/14	2008/07/15	2008/07/15	2008/07/15	2008/07/15		
	Units	R19 DS	R24 US	R24 DS	R05A DS	R05A US	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A830445
Report Date: 2008/07/29

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADDOWBANK SITE
Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F15438		
Sampling Date		2008/07/15		
	Units	KM 13.5	RDL	QC Batch

OIL & GREASE				
Mineral Oil and Grease	mg/L	<3	3	531941
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A830445
Report Date: 2008/07/29Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE
Sampler Initials: SM**GENERAL COMMENTS**

Condition of sample(s) upon receipt: GOOD except for the following:

Hardness: Arrived unpreserved, preserved upon reception at the laboratory.: F15347

Mercury by Cold Vapour AA: Arrived unpreserved, preserved upon reception at the laboratory.: F15340, F15342, F15345, F15346, F15347, F15348, F15349, F15350, F15351, F15352, F15353, F15354, F15355, F15356, F15358, F15409, F15411, F15412, F15413, F15414, F15415, F15416, F15417, F15418, F15419, F15420, F15421, F15422, F15423, F15424, F15425, F15427, F15429, F15430, F15431, F15432, F15433, F15434, F15435, F15436, F15437, F15438

Metals by ICP-MS: Arrived unpreserved, preserved upon reception at the laboratory.: F15347

Ammonia Nitrogen: Arrived unpreserved, preserved upon reception at the laboratory.: F15414

pH: Holding time already past.: F15340, F15342, F15345, F15346, F15347, F15348, F15349, F15350, F15351, F15352, F15353, F15354, F15355, F15356, F15358, F15409, F15411, F15412, F15413, F15414, F15415, F15416, F15417, F15418, F15419, F15420, F15421, F15422, F15423, F15424, F15425, F15427, F15429, F15430, F15431, F15432, F15433, F15434, F15435, F15436, F15437, F15438

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.**HEAVY HYDROCARBONS (SURFACE WATER)**

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A830445

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
531866 LI	Calibration Check	pH	2008/07/18		100	%
	QC STANDARD	pH	2008/07/18		101	%
	SPIKE	pH	2008/07/18		100	%
531881 LI	Calibration Check	pH	2008/07/18		101	%
	QC STANDARD	pH	2008/07/18		101	%
	SPIKE	pH	2008/07/18		101	%
531882 AF3	SPIKE	Mineral Oil and Grease	2008/07/21		72	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/21		84	%
		Mineral Oil and Grease	2008/07/21		64	%
		Mineral Oil and Grease	2008/07/21		50	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/21	<3		mg/L
531883 LI	Calibration Check	pH	2008/07/18		100	%
	QC STANDARD	pH	2008/07/18		100	%
	SPIKE	pH	2008/07/18		100	%
531891 TMD	QC STANDARD	pH	2008/07/19		101	%
	SPIKE	pH	2008/07/19		100	%
531941 MG3	SPIKE	Mineral Oil and Grease	2008/07/22		56	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/22		65	%
		Mineral Oil and Grease	2008/07/22		62	%
		Mineral Oil and Grease	2008/07/22		52	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/22	<3		mg/L
531975 JM6	SPIKE	Total suspended solids (TSS)	2008/07/23		98	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/23		101	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/23	<2		mg/L
531978 JM6	SPIKE	Total suspended solids (TSS)	2008/07/24		95	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/24		95	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/24	<2		mg/L
532467 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/07/23		95	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/07/23		105	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/07/23	<0.02		mg/L
532471 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/07/23		91	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/07/23		99	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/07/23	<0.02		mg/L
532922 AK3	QC STANDARD	Conductivity	2008/07/24		102	%
	SPIKE	Conductivity	2008/07/24		96	%
	METHOD BLANK	Conductivity	2008/07/24	<0.001		mmhos/cm
532927 AK3	QC STANDARD	Conductivity	2008/07/24		102	%
	SPIKE	Conductivity	2008/07/24		96	%
	METHOD BLANK	Conductivity	2008/07/24	<0.001		mmhos/cm
532936 MCL	SPIKE	Aluminum (Al)	2008/07/25		98	%
		Antimony (Sb)	2008/07/25		85	%
		Silver (Ag)	2008/07/25		80	%
		Arsenic (As)	2008/07/25		106	%
		Barium (Ba)	2008/07/25		100	%
		Cadmium (Cd)	2008/07/25		95	%
		Chromium (Cr)	2008/07/25		104	%
		Cobalt (Co)	2008/07/25		104	%
		Copper (Cu)	2008/07/25		105	%
		Manganese (Mn)	2008/07/25		111	%
		Molybdenum (Mo)	2008/07/25		99	%
		Nickel (Ni)	2008/07/25		101	%
		Sodium (Na)	2008/07/25		99	%
		Zinc (Zn)	2008/07/25		109	%
		Selenium (Se)	2008/07/25		100	%
		Lead (Pb)	2008/07/25		113	%

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)

Maxxam Job Number: A830445

QA/QC Batch			Date Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
532936 MCL	SPIKE	Thallium (Tl)	2008/07/25		110	%
		Aluminum (Al)	2008/07/25	<1.0		ug/L
	METHOD BLANK	Antimony (Sb)	2008/07/25	<1.0		ug/L
		Silver (Ag)	2008/07/25	<0.10		ug/L
		Arsenic (As)	2008/07/25	<1.0		ug/L
		Barium (Ba)	2008/07/25	<2.0		ug/L
		Cadmium (Cd)	2008/07/25	<0.20		ug/L
		Chromium (Cr)	2008/07/25	<0.50		ug/L
		Cobalt (Co)	2008/07/25	<0.50		ug/L
		Copper (Cu)	2008/07/25	0.59, RDL=0.50		ug/L
		Manganese (Mn)	2008/07/25	<0.40		ug/L
		Molybdenum (Mo)	2008/07/25	<0.50		ug/L
		Nickel (Ni)	2008/07/25	1.1, RDL=1.0		ug/L
		Sodium (Na)	2008/07/25	69, RDL=30		ug/L
		Zinc (Zn)	2008/07/25	5.2, RDL=1.0		ug/L
		Selenium (Se)	2008/07/25	<1.0		ug/L
		Lead (Pb)	2008/07/25	0.38, RDL=0.10		ug/L
		Thallium (Tl)	2008/07/25	<2.0		ug/L
532943 AC3	METHOD BLANK	Calcium (Ca)	2008/07/25	<1		mg/L
		Magnesium (Mg)	2008/07/25	<1		mg/L
		Total Hardness (CaCO3)	2008/07/25	<1		mg/L
532953 MCL	SPIKE	Aluminum (Al)	2008/07/24		86	%
		Antimony (Sb)	2008/07/24		97	%
		Silver (Ag)	2008/07/24		113	%
		Arsenic (As)	2008/07/24		98	%
		Barium (Ba)	2008/07/24		95	%
		Cadmium (Cd)	2008/07/24		93	%
		Chromium (Cr)	2008/07/24		96	%
		Cobalt (Co)	2008/07/24		93	%
		Copper (Cu)	2008/07/24		100	%
		Manganese (Mn)	2008/07/24		92	%
		Molybdenum (Mo)	2008/07/24		110	%
		Nickel (Ni)	2008/07/24		94	%
		Sodium (Na)	2008/07/24		92	%
		Zinc (Zn)	2008/07/24		101	%
		Selenium (Se)	2008/07/24		93	%
		Lead (Pb)	2008/07/24		103	%
		Thallium (Tl)	2008/07/24		102	%
	METHOD BLANK	Aluminum (Al)	2008/07/24	<1.0		ug/L
		Antimony (Sb)	2008/07/24	<1.0		ug/L
		Silver (Ag)	2008/07/24	<0.10		ug/L
		Arsenic (As)	2008/07/24	<1.0		ug/L
		Barium (Ba)	2008/07/24	<2.0		ug/L
		Cadmium (Cd)	2008/07/24	<0.20		ug/L
		Chromium (Cr)	2008/07/24	<0.50		ug/L
		Cobalt (Co)	2008/07/24	<0.50		ug/L
		Copper (Cu)	2008/07/24	1.1, RDL=0.50		ug/L
		Manganese (Mn)	2008/07/24	<0.40		ug/L
		Molybdenum (Mo)	2008/07/24	<0.50		ug/L
		Nickel (Ni)	2008/07/24	1.2, RDL=1.0		ug/L
		Sodium (Na)	2008/07/24	50, RDL=30		ug/L
		Zinc (Zn)	2008/07/24	5.2, RDL=1.0		ug/L
		Selenium (Se)	2008/07/24	<1.0		ug/L
		Lead (Pb)	2008/07/24	0.11, RDL=0.10		ug/L
		Thallium (Tl)	2008/07/24	<2.0		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)

Maxxam Job Number: A830445

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
532958 MCL	METHOD BLANK	Calcium (Ca)	2008/07/24	<1		mg/L
		Magnesium (Mg)	2008/07/24	<1		mg/L
		Total Hardness (CaCO ₃)	2008/07/24	<1		mg/L
533172 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/25		94	%
		Sulfates (SO ₄)	2008/07/25		102	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/25	<0.02		mg/L
		Sulfates (SO ₄)	2008/07/25	<0.1		mg/L
533371 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/24		96	%
		Sulfates (SO ₄)	2008/07/24		105	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/24	<0.02		mg/L
		Sulfates (SO ₄)	2008/07/24	<0.1		mg/L
533372 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/25		92	%
		Sulfates (SO ₄)	2008/07/25		104	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/25	<0.02		mg/L
		Sulfates (SO ₄)	2008/07/25	<0.1		mg/L
533408 KQ	QC STANDARD	Mercury (Hg)	2008/07/24		93	%
	SPIKE	Mercury (Hg)	2008/07/24		104	%
	METHOD BLANK	Mercury (Hg)	2008/07/24	<0.0001		mg/L
533415 KQ	QC STANDARD	Mercury (Hg)	2008/07/24		93	%
	SPIKE	Mercury (Hg)	2008/07/24		104	%
	METHOD BLANK	Mercury (Hg)	2008/07/24	<0.0001		mg/L
533467 AK3	QC STANDARD	Fluoride (F)	2008/07/25		99	%
	SPIKE	Fluoride (F)	2008/07/25		99	%
	METHOD BLANK	Fluoride (F)	2008/07/25	<0.1		mg/L
533470 AK3	QC STANDARD	Fluoride (F)	2008/07/25		99	%
	SPIKE	Fluoride (F)	2008/07/25		99	%
	METHOD BLANK	Fluoride (F)	2008/07/25	<0.1		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A830445


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




MICHEL POULIN, B.Sc., Chemist, Analyst 2




DELIA BARBUL, B.Sc., Chemist, Analyst 2




MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2




MARCELLO MANOCCHIO, B.Sc., Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Client: Agnico-Eagle
Meadowbank Project

Te 867-793-4167 x 6728

Address Meadowbank Camp
Baker Lake Nunavut,
X0X 0A0

Fax:

Project # AWPAP

Sampler SM, RT AND JK

Project Manager Ryan Vanengen
Sylvain Doire

N°	Sample identification	N° labo MAXXAM	Matrix							Sampling		Date	ANALYSIS REQUIRED																									
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)		BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH	PAH	Phenol (color.)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic	Mercury	Lead	Metals ICP -13 ele.-soil **	NH4	TKN	NH3, SO4, F	NO2+NO3	Cl	F	TSS	Cyanide	General: pH, Conductivity, Hardness			
1	Km 2.4					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2	Km 4.3					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
3	RO2 US					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4	R02 DS					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
5	KM 9.2					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
6	RO4 US					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
7	RO4 DS					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
8	KM 18.3					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
9	R06 US					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
10	RO6 DS					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
11	KM 19.9					X				5		07/14/2008		X									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

** Metals: 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

Po: Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Contamination level:

Metals Legend:

** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
*** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time:

☐ 10 working days
☐ 5 working days
☐ 72 hours
☐ 48 hours
☐ 24 hours

Maxxam quote #:

Site: Meadowbank Site

PO #:

Others:

Detection limits required / contamination level:
CCME for Surface Water (Federal)

Special instructions:

LEGEND:

* C = Canisters
* W = Waste
* O = Oil
* T = Tubes ou Cartridges

Delivered by sampler: Ryan Vanengen

Delivered by messenger:

Delivered by:

Date ##

Time

Received by:

Date

Time

Received by:

Date

Time

Received by Maxxam:

2008/07/29 11:25

Your Project #: AWPAP
Site: MEADOWBANK SITE**Attention: Ryan VanEngen**Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/08/27

RESULTS FOR METALS**MAXXAM JOB #: A836150****Received: 2008/08/20, 17:00**

Sample Matrix: SURFACE WATER

Samples Received: 32

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Hardness	16	2008/08/21	2008/08/22	STL SOP-00006/7	ICP
Hardness	16	2008/08/21	2008/08/23	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	32	2008/08/22	2008/08/22	STL SOP-00042/6	Cold Vapor AA
Metals by ICP-MS	16	2008/08/21	2008/08/22	STL SOP-00006/7	ICP-MS
Metals by ICP-MS	16	2008/08/21	2008/08/23	STL SOP-00006/7	ICP-MS

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41391	F41391	F41393	F41394		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	KM 8.4	KM 8.4 Lab-Dup	KM 19.3	R 19 US	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	<0.0001	0.0001	542354
Calcium (Ca)	mg/L	3	3	<1	1	1	542063
Magnesium (Mg)	mg/L	1	1	<1	<1	1	542063
Total Hardness (CaCO3)	mg/L	13	13	<1	3	1	542063
METALS ICP-MS							
Aluminum (Al)	ug/L	460	440	290	<1.0	1.0	542020
Antimony (Sb)	ug/L	1.1	<1.0	<1.0	<1.0	1.0	542020
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542020
Arsenic (As)	ug/L	1.4	1.3	<1.0	<1.0	1.0	542020
Barium (Ba)	ug/L	8.5	8.0	4.4	3.4	2.0	542020
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	542020
Chromium (Cr)	ug/L	2.2	2.3	2.2	1.4	0.50	542020
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542020
Copper (Cu)	ug/L	4.3	3.9	1.1	<0.50	0.50	542020
Manganese (Mn)	ug/L	27	26	4.4	4.7	0.40	542020
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542020
Nickel (Ni)	ug/L	2.9	2.6	1.0	<1.0	1.0	542020
Sodium (Na)	ug/L	870	870	630	690	30	542020
Zinc (Zn)	ug/L	5.8	4.7	4.1	2.0	1.0	542020
Selenium (Se)	ug/L	5.0	4.4	3.3	2.7	1.0	542020
Lead (Pb)	ug/L	0.40	0.52	0.54	<0.10	0.10	542020
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542020
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41395	F41396	F41397	F41398		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	R 19 DS	KM 27.3	R 16 US	R 16 DS	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542354
Calcium (Ca)	mg/L	1	6	2	1	1	542063
Magnesium (Mg)	mg/L	<1	5	1	1	1	542063
Total Hardness (CaCO ₃)	mg/L	3	35	8	8	1	542063
METALS ICP-MS							
Aluminum (Al)	ug/L	61	530	72	84	1.0	542020
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542020
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542020
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542020
Barium (Ba)	ug/L	3.7	40	4.3	5.0	2.0	542020
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	542020
Chromium (Cr)	ug/L	15	2.4	<0.50	<0.50	0.50	542020
Cobalt (Co)	ug/L	<0.50	0.52	<0.50	<0.50	0.50	542020
Copper (Cu)	ug/L	1.6	3.2	1.7	2.6	0.50	542020
Manganese (Mn)	ug/L	15	25	3.9	3.6	0.40	542020
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542020
Nickel (Ni)	ug/L	<1.0	4.7	<1.0	1.2	1.0	542020
Sodium (Na)	ug/L	710	3300	1200	1200	30	542020
Zinc (Zn)	ug/L	2.6	6.8	3.4	6.3	1.0	542020
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	1.2	1.0	542020
Lead (Pb)	ug/L	0.25	0.41	0.17	<0.10	0.10	542020
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542020
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41399	F41400	F41400	F41401		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	DUP-1	R 15 US	R 15 US Lab-Dup	R 15 DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542354
Calcium (Ca)	mg/L	2	1	N/A	1	1	542063
Magnesium (Mg)	mg/L	1	<1	N/A	<1	1	542063
Total Hardness (CaCO3)	mg/L	9	3	N/A	3	1	542063
METALS ICP-MS							
Aluminum (Al)	ug/L	73	25	N/A	27	1.0	542020
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	542020
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	542020
Arsenic (As)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	542020
Barium (Ba)	ug/L	5.2	3.1	N/A	3.0	2.0	542020
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	542020
Chromium (Cr)	ug/L	5.0	5.6	N/A	4.6	0.50	542020
Cobalt (Co)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	542020
Copper (Cu)	ug/L	1.4	3.3	N/A	1.4	0.50	542020
Manganese (Mn)	ug/L	3.2	1.4	N/A	1.5	0.40	542020
Molybdenum (Mo)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	542020
Nickel (Ni)	ug/L	<1.0	1.1	N/A	<1.0	1.0	542020
Sodium (Na)	ug/L	1200	1000	N/A	1100	30	542020
Zinc (Zn)	ug/L	3.6	3.8	N/A	2.4	1.0	542020
Selenium (Se)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	542020
Lead (Pb)	ug/L	<0.10	0.17	N/A	<0.10	0.10	542020
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	542020
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41402	F41403	F41404	F41405		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	Q 17	KM 40.2	Q 15	R 13 US	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542354
Calcium (Ca)	mg/L	32	16	53	8	1	542063
Magnesium (Mg)	mg/L	9	4	7	2	1	542063
Total Hardness (CaCO ₃)	mg/L	120	55	160	27	1	542063
METALS ICP-MS							
Aluminum (Al)	ug/L	95	360	200	110	1.0	542020
Antimony (Sb)	ug/L	<1.0	<1.0	1.7	<1.0	1.0	542020
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542020
Arsenic (As)	ug/L	1.4	4.2	3.2	<1.0	1.0	542020
Barium (Ba)	ug/L	150	41	160	10	2.0	542020
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	542020
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542020
Cobalt (Co)	ug/L	2.2	11	2.5	<0.50	0.50	542020
Copper (Cu)	ug/L	10	12	15	2.7	0.50	542020
Manganese (Mn)	ug/L	33	1800	56	22	0.40	542020
Molybdenum (Mo)	ug/L	30	0.51	26	<0.50	0.50	542020
Nickel (Ni)	ug/L	6.0	9.5	1.7	2.9	1.0	542020
Sodium (Na)	ug/L	42000	1800	14000	970	30	542020
Zinc (Zn)	ug/L	6.6	15	4.3	5.3	1.0	542020
Selenium (Se)	ug/L	<1.0	<1.0	2.2	<1.0	1.0	542020
Lead (Pb)	ug/L	1.8	1.4	3.1	0.16	0.10	542020
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542020
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41406	F41406		F41407		
Sampling Date		2008/08/18	2008/08/18		2008/08/18		
	Units	R 13 DS	R 13 DS Lab-Dup	QC Batch	DUP-2	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	542357	<0.0001	0.0001	542354
Calcium (Ca)	mg/L	7	N/A	542063	7	1	542063
Magnesium (Mg)	mg/L	2	N/A	542063	2	1	542063
Total Hardness (CaCO3)	mg/L	25	N/A	542063	26	1	542063
METALS ICP-MS							
Aluminum (Al)	ug/L	16	N/A	542020	68	1.0	542020
Antimony (Sb)	ug/L	<1.0	N/A	542020	<1.0	1.0	542020
Silver (Ag)	ug/L	<0.10	N/A	542020	<0.10	0.10	542020
Arsenic (As)	ug/L	<1.0	N/A	542020	<1.0	1.0	542020
Barium (Ba)	ug/L	6.3	N/A	542020	8.4	2.0	542020
Cadmium (Cd)	ug/L	<0.20	N/A	542020	<0.20	0.20	542020
Chromium (Cr)	ug/L	<0.50	N/A	542020	<0.50	0.50	542020
Cobalt (Co)	ug/L	<0.50	N/A	542020	<0.50	0.50	542020
Copper (Cu)	ug/L	12	N/A	542020	5.8	0.50	542020
Manganese (Mn)	ug/L	8.2	N/A	542020	5.9	0.40	542020
Molybdenum (Mo)	ug/L	<0.50	N/A	542020	<0.50	0.50	542020
Nickel (Ni)	ug/L	1.2	N/A	542020	3.1	1.0	542020
Sodium (Na)	ug/L	840	N/A	542020	920	30	542020
Zinc (Zn)	ug/L	9.8	N/A	542020	5.9	1.0	542020
Selenium (Se)	ug/L	<1.0	N/A	542020	<1.0	1.0	542020
Lead (Pb)	ug/L	0.51	N/A	542020	0.22	0.10	542020
Thallium (Tl)	ug/L	<2.0	N/A	542020	<2.0	2.0	542020
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41408	F41408		F41409	F41410		
Sampling Date		2008/08/18	2008/08/18		2008/08/18	2008/08/18		
	Units	Q 14	Q 14 Lab-Dup	QC Batch	R 09 US	R 09 DS	RDL	QC Batch

METALS								
Mercury (Hg)	mg/L	<0.0001	N/A	542354	<0.0001	<0.0001	0.0001	542357
Calcium (Ca)	mg/L	40	39	542066	7	7	1	542066
Magnesium (Mg)	mg/L	8	8	542066	2	2	1	542066
Total Hardness (CaCO ₃)	mg/L	130	130	542066	28	27	1	542066
METALS ICP-MS								
Aluminum (Al)	ug/L	300	310	542025	<1.0	11	1.0	542025
Antimony (Sb)	ug/L	1.8	1.5	542025	<1.0	<1.0	1.0	542025
Silver (Ag)	ug/L	<0.10	<0.10	542025	<0.10	<0.10	0.10	542025
Arsenic (As)	ug/L	6.1	6.2	542025	<1.0	<1.0	1.0	542025
Barium (Ba)	ug/L	120	120	542025	3.4	4.0	2.0	542025
Cadmium (Cd)	ug/L	<0.20	<0.20	542025	<0.20	<0.20	0.20	542025
Chromium (Cr)	ug/L	<0.50	<0.50	542025	<0.50	<0.50	0.50	542025
Cobalt (Co)	ug/L	4.1	4.2	542025	<0.50	<0.50	0.50	542025
Copper (Cu)	ug/L	13	13	542025	<0.50	<0.50	0.50	542025
Manganese (Mn)	ug/L	110	110	542025	8.3	7.5	0.40	542025
Molybdenum (Mo)	ug/L	20	20	542025	<0.50	<0.50	0.50	542025
Nickel (Ni)	ug/L	1.7	1.6	542025	<1.0	<1.0	1.0	542025
Sodium (Na)	ug/L	26000	26000	542025	1900	1900	30	542025
Zinc (Zn)	ug/L	3.4	2.9	542025	<1.0	<1.0	1.0	542025
Selenium (Se)	ug/L	<1.0	<1.0	542025	<1.0	<1.0	1.0	542025
Lead (Pb)	ug/L	5.2	4.3	542025	<0.10	<0.10	0.10	542025
Thallium (Tl)	ug/L	<2.0	<2.0	542025	<2.0	<2.0	2.0	542025
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41411	F41412	F41413	F41414		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	Q 11	KM 69.9	KM 71.0	Q 4	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542357
Calcium (Ca)	mg/L	13	24	14	19	1	542066
Magnesium (Mg)	mg/L	5	7	4	4	1	542066
Total Hardness (CaCO3)	mg/L	53	89	51	65	1	542066
METALS ICP-MS							
Aluminum (Al)	ug/L	4400	240	170	620	1.0	542025
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542025
Arsenic (As)	ug/L	1.8	9.9	1.7	1.3	1.0	542025
Barium (Ba)	ug/L	54	58	28	38	2.0	542025
Cadmium (Cd)	ug/L	0.55	<0.20	<0.20	<0.20	0.20	542025
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542025
Cobalt (Co)	ug/L	200	10	1.7	<0.50	0.50	542025
Copper (Cu)	ug/L	160	6.2	5.6	6.7	0.50	542025
Manganese (Mn)	ug/L	870	3800	120	23	0.40	542025
Molybdenum (Mo)	ug/L	<0.50	2.6	<0.50	2.1	0.50	542025
Nickel (Ni)	ug/L	290	9.6	5.1	1.2	1.0	542025
Sodium (Na)	ug/L	2400	4700	1800	6200	30	542025
Zinc (Zn)	ug/L	71	5.0	4.9	5.4	1.0	542025
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Lead (Pb)	ug/L	2.2	0.74	<0.10	1.3	0.10	542025
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542025
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41416	F41417	F41418	F41419		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	DUP-3	KM 76.1	R 06 US	R 06 DS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542357
Calcium (Ca)	mg/L	19	31	4	7	1	542066
Magnesium (Mg)	mg/L	4	8	<1	<1	1	542066
Total Hardness (CaCO3)	mg/L	60	110	10	17	1	542066
METALS ICP-MS							
Aluminum (Al)	ug/L	580	220	3.6	21	1.0	542025
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542025
Arsenic (As)	ug/L	1.3	12	<1.0	<1.0	1.0	542025
Barium (Ba)	ug/L	34	47	2.7	24	2.0	542025
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	542025
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542025
Cobalt (Co)	ug/L	<0.50	20	<0.50	<0.50	0.50	542025
Copper (Cu)	ug/L	6.1	3.6	<0.50	0.93	0.50	542025
Manganese (Mn)	ug/L	26	3100	2.6	2.9	0.40	542025
Molybdenum (Mo)	ug/L	1.9	1.2	<0.50	<0.50	0.50	542025
Nickel (Ni)	ug/L	1.4	13	<1.0	<1.0	1.0	542025
Sodium (Na)	ug/L	6200	15000	1900	2100	30	542025
Zinc (Zn)	ug/L	3.4	1.8	<1.0	17	1.0	542025
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Lead (Pb)	ug/L	0.88	0.44	<0.10	<0.10	0.10	542025
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542025
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41420	F41451	F41452	F41453		
Sampling Date		2008/08/18	2008/08/18	2008/08/18	2008/08/18		
	Units	R 05 US	KM 97	R 02 US	R 02 DS	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	542357
Calcium (Ca)	mg/L	7	11	4	4	1	542066
Magnesium (Mg)	mg/L	1	2	<1	<1	1	542066
Total Hardness (CaCO3)	mg/L	23	35	10	10	1	542066
METALS ICP-MS							
Aluminum (Al)	ug/L	39	360	<1.0	12	1.0	542025
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542025
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Barium (Ba)	ug/L	12	43	10	9.8	2.0	542025
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	542025
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	0.69	0.50	542025
Cobalt (Co)	ug/L	<0.50	1.2	<0.50	<0.50	0.50	542025
Copper (Cu)	ug/L	<0.50	1.5	<0.50	<0.50	0.50	542025
Manganese (Mn)	ug/L	43	120	3.5	3.6	0.40	542025
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	542025
Nickel (Ni)	ug/L	1.6	2.3	<1.0	<1.0	1.0	542025
Sodium (Na)	ug/L	2500	1100	1900	1800	30	542025
Zinc (Zn)	ug/L	<1.0	4.0	11	<1.0	1.0	542025
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	542025
Lead (Pb)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	542025
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	542025
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

METALS (SURFACE WATER)

Maxxam ID		F41482		
Sampling Date		2008/08/18		
	Units	R 05 DS	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	542357
Calcium (Ca)	mg/L	6	1	542066
Magnesium (Mg)	mg/L	1	1	542066
Total Hardness (CaCO ₃)	mg/L	20	1	542066
METALS ICP-MS				
Aluminum (Al)	ug/L	21	1.0	542025
Antimony (Sb)	ug/L	<1.0	1.0	542025
Silver (Ag)	ug/L	<0.10	0.10	542025
Arsenic (As)	ug/L	<1.0	1.0	542025
Barium (Ba)	ug/L	8.1	2.0	542025
Cadmium (Cd)	ug/L	<0.20	0.20	542025
Chromium (Cr)	ug/L	<0.50	0.50	542025
Cobalt (Co)	ug/L	<0.50	0.50	542025
Copper (Cu)	ug/L	<0.50	0.50	542025
Manganese (Mn)	ug/L	9.5	0.40	542025
Molybdenum (Mo)	ug/L	<0.50	0.50	542025
Nickel (Ni)	ug/L	<1.0	1.0	542025
Sodium (Na)	ug/L	1800	30	542025
Zinc (Zn)	ug/L	33	1.0	542025
Selenium (Se)	ug/L	<1.0	1.0	542025
Lead (Pb)	ug/L	<0.10	0.10	542025
Thallium (Tl)	ug/L	<2.0	2.0	542025
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A836150
Report Date: 2008/08/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP
Project name: MEADOWBANK SITE

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A836150

QA/QC Batch			Date Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
542020 MM1	SPIKE	Aluminum (Al)	2008/08/22		109	%
		Antimony (Sb)	2008/08/22		114	%
		Silver (Ag)	2008/08/22		94	%
		Arsenic (As)	2008/08/22		114	%
		Barium (Ba)	2008/08/22		109	%
		Cadmium (Cd)	2008/08/22		111	%
		Chromium (Cr)	2008/08/22		115	%
		Cobalt (Co)	2008/08/22		113	%
		Copper (Cu)	2008/08/22		108	%
		Manganese (Mn)	2008/08/22		103	%
		Molybdenum (Mo)	2008/08/22		109	%
		Nickel (Ni)	2008/08/22		105	%
		Sodium (Na)	2008/08/22		116	%
		Zinc (Zn)	2008/08/22		109	%
		Selenium (Se)	2008/08/22		114	%
		Lead (Pb)	2008/08/22		107	%
		Thallium (Tl)	2008/08/22		105	%
	METHOD BLANK	Aluminum (Al)	2008/08/26	<1.0		ug/L
		Antimony (Sb)	2008/08/26	<1.0		ug/L
		Silver (Ag)	2008/08/26	<0.10		ug/L
		Arsenic (As)	2008/08/26	<1.0		ug/L
		Barium (Ba)	2008/08/26	<2.0		ug/L
		Cadmium (Cd)	2008/08/26	<0.20		ug/L
		Chromium (Cr)	2008/08/26	<0.50		ug/L
		Cobalt (Co)	2008/08/26	<0.50		ug/L
		Copper (Cu)	2008/08/26	1.7, RDL=0.50		ug/L
		Manganese (Mn)	2008/08/26	<0.40		ug/L
		Molybdenum (Mo)	2008/08/26	<0.50		ug/L
		Nickel (Ni)	2008/08/26	<1.0		ug/L
		Sodium (Na)	2008/08/26	<30		ug/L
		Zinc (Zn)	2008/08/26	<1.0		ug/L
		Selenium (Se)	2008/08/26	<1.0		ug/L
		Lead (Pb)	2008/08/26	0.12, RDL=0.10		ug/L
		Thallium (Tl)	2008/08/26	<2.0		ug/L
542025 MM1	SPIKE	Aluminum (Al)	2008/08/23		97	%
		Antimony (Sb)	2008/08/23		114	%
		Silver (Ag)	2008/08/23		101	%
		Arsenic (As)	2008/08/23		111	%
		Barium (Ba)	2008/08/23		111	%
		Cadmium (Cd)	2008/08/23		107	%
		Chromium (Cr)	2008/08/23		111	%
		Cobalt (Co)	2008/08/23		113	%
		Copper (Cu)	2008/08/23		102	%
		Manganese (Mn)	2008/08/23		106	%
		Molybdenum (Mo)	2008/08/23		113	%
		Nickel (Ni)	2008/08/23		106	%
		Sodium (Na)	2008/08/23		107	%
		Zinc (Zn)	2008/08/23		107	%
		Selenium (Se)	2008/08/23		80	%
		Lead (Pb)	2008/08/23		112	%
		Thallium (Tl)	2008/08/23		107	%
	METHOD BLANK	Aluminum (Al)	2008/08/23	<1.0		ug/L
		Antimony (Sb)	2008/08/23	<1.0		ug/L
		Silver (Ag)	2008/08/23	<0.10		ug/L
		Arsenic (As)	2008/08/23	<1.0		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)

Maxxam Job Number: A836150

QA/QC Batch	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
542025 MM1	METHOD BLANK	Barium (Ba)	2008/08/23	<2.0		ug/L
		Cadmium (Cd)	2008/08/23	<0.20		ug/L
		Chromium (Cr)	2008/08/23	<0.50		ug/L
		Cobalt (Co)	2008/08/23	<0.50		ug/L
		Copper (Cu)	2008/08/23	3.8, RDL=0.50		ug/L
		Manganese (Mn)	2008/08/23	<0.40		ug/L
		Molybdenum (Mo)	2008/08/23	<0.50		ug/L
		Nickel (Ni)	2008/08/23	<1.0		ug/L
		Sodium (Na)	2008/08/23	<30		ug/L
		Zinc (Zn)	2008/08/23	1.7, RDL=1.0		ug/L
		Selenium (Se)	2008/08/23	<1.0		ug/L
		Lead (Pb)	2008/08/23	0.44, RDL=0.10		ug/L
		Thallium (Tl)	2008/08/23	<2.0		ug/L
542063 MM1	SPIKE	Calcium (Ca)	2008/08/22		102	%
		Magnesium (Mg)	2008/08/22		108	%
	METHOD BLANK	Calcium (Ca)	2008/08/22	<1		mg/L
		Magnesium (Mg)	2008/08/22	<1		mg/L
		Total Hardness (CaCO3)	2008/08/22	<1		mg/L
542066 MM1	SPIKE	Calcium (Ca)	2008/08/23		99	%
		Magnesium (Mg)	2008/08/23		108	%
	METHOD BLANK	Calcium (Ca)	2008/08/23	<1		mg/L
		Magnesium (Mg)	2008/08/23	<1		mg/L
		Total Hardness (CaCO3)	2008/08/23	<1		mg/L
542354 MR4	QC STANDARD	Mercury (Hg)	2008/08/22		101	%
	SPIKE	Mercury (Hg)	2008/08/22		103	%
	METHOD BLANK	Mercury (Hg)	2008/08/22	<0.0001		mg/L
542357 MR4	QC STANDARD	Mercury (Hg)	2008/08/22		101	%
	SPIKE	Mercury (Hg)	2008/08/22		101	%
	METHOD BLANK	Mercury (Hg)	2008/08/22	<0.0001		mg/L

RDL = Reportable Detection Limit
QC Standard = Quality Control Standard
SPIKE = Fortified sample

Your Project #: AWPAP

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/09/23

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A840975

Received: 2008/09/16, 16:30

Sample Matrix: SURFACE WATER

Samples Received: 27

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	13	2008/09/19	2008/09/19	STL SOP-00014/5	Ion Chromatography
Anions	14	2008/09/19	2008/09/20	STL SOP-00014/5	Ion Chromatography
Conductivity	27	2008/09/17	2008/09/19	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	27	N/A	2008/09/17		
Fluoride	27	2008/09/17	2008/09/19	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	27	2008/09/20	2008/09/22	STL SOP-00006/7	ICP
Total Suspended Solids	27	2008/09/17	2008/09/17	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	27	2008/09/20	2008/09/22	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	27	2008/09/19	2008/09/19	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	25	2008/09/17	2008/09/19	STL SOP-00151/11	Gravimetric
pH	27	2008/09/17	2008/09/17	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Technical Sales Rep
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63915	F63915	F63916	F63916		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM8.4	KM8.4 Lab-Dup	KM87	KM87 Lab-Dup	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	3	3	2	2	1	551485
Magnesium (Mg)	mg/L	1	1	2	2	1	551485
Total Hardness (CaCO3)	mg/L	13	12	12	10	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	140	140	2600	1500	1.0	551479
Antimony (Sb)	ug/L	2.7	1.9	1.4	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	0.18	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	1.0	1.9	1.4	1.0	551479
Barium (Ba)	ug/L	6.6	7.3	29	22	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	1.3	0.82	7.8	4.5	0.50	551479
Cobalt (Co)	ug/L	0.53	0.51	1.8	1.3	0.50	551479
Copper (Cu)	ug/L	1.9	1.7	6.1	8.1	0.50	551479
Manganese (Mn)	ug/L	45	44	61	53	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Nickel (Ni)	ug/L	1.7	1.5	7.0	5.6	1.0	551479
Sodium (Na)	ug/L	840	840	1200	1100	30	551479
Zinc (Zn)	ug/L	<1.0	<1.0	13	13	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	<0.10	<0.10	2.9	2.6	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63917	F63917	F63918	F63919		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	R19US	R19US Lab-Dup	R19DS	DUP-1	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	1	<1	<1	<1	1	551485
Magnesium (Mg)	mg/L	<1	<1	<1	<1	1	551485
Total Hardness (CaCO3)	mg/L	3	<1	<1	<1	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	76	70	72	68	1.0	551479
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Barium (Ba)	ug/L	3.9	6.3	3.9	3.9	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	9.9	<0.50	7.0	5.4	0.50	551479
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Copper (Cu)	ug/L	3.9	2.0	<0.50	0.68	0.50	551479
Manganese (Mn)	ug/L	4.9	3.8	16	8.8	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Nickel (Ni)	ug/L	1.2	<1.0	1.1	<1.0	1.0	551479
Sodium (Na)	ug/L	620	550	580	550	30	551479
Zinc (Zn)	ug/L	5.0	3.0	<1.0	<1.0	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	0.20	<0.10	<0.10	<0.10	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63920	F63921	F63925	F63926		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM27.3	R15US	R15DS	Q15	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	4	1	1	27	1	551485
Magnesium (Mg)	mg/L	3	<1	<1	7	1	551485
Total Hardness (CaCO3)	mg/L	20	3	3	97	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	450	56	43	52	1.0	551479
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Barium (Ba)	ug/L	23	2.9	3.0	150	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	5.7	6.0	3.6	<0.50	0.50	551479
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	2.8	0.50	551479
Copper (Cu)	ug/L	3.6	0.83	0.86	10	0.50	551479
Manganese (Mn)	ug/L	17	0.62	0.56	45	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	27	0.50	551479
Nickel (Ni)	ug/L	3.8	<1.0	<1.0	11	1.0	551479
Sodium (Na)	ug/L	2500	990	940	35000	30	551479
Zinc (Zn)	ug/L	1.8	1.5	3.5	30	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	1.8	1.0	551479
Lead (Pb)	ug/L	0.27	<0.10	<0.10	1.2	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63927	F63928	F63929	F63935		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM40.2	Q13	R13US	R13DS	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	7	45	7	6	1	551485
Magnesium (Mg)	mg/L	2	6	2	2	1	551485
Total Hardness (CaCO3)	mg/L	28	130	23	22	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	410	200	11	22	1.0	551479
Antimony (Sb)	ug/L	<1.0	<1.0	1.2	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	0.36	<0.10	0.10	551479
Arsenic (As)	ug/L	2.0	2.5	<1.0	<1.0	1.0	551479
Barium (Ba)	ug/L	26	130	5.6	5.1	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Cobalt (Co)	ug/L	4.1	1.8	<0.50	<0.50	0.50	551479
Copper (Cu)	ug/L	10	27	1.2	0.83	0.50	551479
Manganese (Mn)	ug/L	570	91	2.3	2.5	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	18	<0.50	<0.50	0.50	551479
Nickel (Ni)	ug/L	7.1	<1.0	1.1	1.1	1.0	551479
Sodium (Na)	ug/L	1400	9500	890	920	30	551479
Zinc (Zn)	ug/L	11	4.7	<1.0	2.5	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	0.61	2.7	<0.10	<0.10	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63936	F63937	F63938	F63939		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO9US	RO9DS	Q7	DUP-2	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	8	8	24	24	1	551485
Magnesium (Mg)	mg/L	2	2	6	6	1	551485
Total Hardness (CaCO3)	mg/L	27	28	86	85	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	11	13	460	390	1.0	551479
Antimony (Sb)	ug/L	1.1	1.4	1.3	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	<1.0	1.5	1.4	1.0	551479
Barium (Ba)	ug/L	4.0	3.9	19	17	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	1.3	0.50	551479
Cobalt (Co)	ug/L	<0.50	<0.50	0.68	0.58	0.50	551479
Copper (Cu)	ug/L	1.3	3.6	5.5	4.5	0.50	551479
Manganese (Mn)	ug/L	3.0	4.1	41	35	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	0.68	0.81	0.50	551479
Nickel (Ni)	ug/L	2.5	<1.0	2.8	3.1	1.0	551479
Sodium (Na)	ug/L	1700	1700	3100	3100	30	551479
Zinc (Zn)	ug/L	<1.0	1.5	4.1	4.0	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	<0.10	<0.10	1.2	0.59	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63940	F63941	F63942	F63943		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM69.9	KM71	DUP-3	Q4	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	17	9	9	21	1	551485
Magnesium (Mg)	mg/L	5	2	2	4	1	551485
Total Hardness (CaCO3)	mg/L	60	33	33	69	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	230	130	150	440	1.0	551479
Antimony (Sb)	ug/L	1.2	<1.0	<1.0	1.4	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	4.8	1.3	1.4	1.1	1.0	551479
Barium (Ba)	ug/L	29	21	21	38	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	<0.50	0.60	<0.50	1.3	0.50	551479
Cobalt (Co)	ug/L	5.8	2.5	2.8	<0.50	0.50	551479
Copper (Cu)	ug/L	7.3	4.8	7.9	7.1	0.50	551479
Manganese (Mn)	ug/L	1500	170	180	17	0.40	551479
Molybdenum (Mo)	ug/L	0.91	<0.50	<0.50	1.7	0.50	551479
Nickel (Ni)	ug/L	6.2	4.4	4.5	2.4	1.0	551479
Sodium (Na)	ug/L	3800	1100	1100	6200	30	551479
Zinc (Zn)	ug/L	7.6	7.0	8.4	5.1	1.0	551479
Selenium (Se)	ug/L	<1.0	1.8	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	<0.10	<0.10	1.4	0.79	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63944	F63949	F63950	F63951		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO6US	RO6DS	RO5US	RO5DS	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	3	3	4	4	1	551485
Magnesium (Mg)	mg/L	<1	<1	<1	<1	1	551485
Total Hardness (CaCO3)	mg/L	7	8	10	11	1	551485
METALS ICP-MS							
Aluminum (Al)	ug/L	18	13	24	18	1.0	551479
Antimony (Sb)	ug/L	1.8	1.3	1.1	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Barium (Ba)	ug/L	2.5	2.8	5.6	6.1	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	1.3	0.50	551479
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Copper (Cu)	ug/L	0.70	0.51	30	0.73	0.50	551479
Manganese (Mn)	ug/L	0.46	0.71	4.7	2.9	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	551479
Nickel (Ni)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Sodium (Na)	ug/L	1700	1800	1300	1200	30	551479
Zinc (Zn)	ug/L	<1.0	3.1	18	1.7	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	<0.10	<0.10	1.3	<0.10	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F63952	F63953		
Sampling Date		2008/09/09	2008/09/09		
	Units	RO2US	RO2DS	RDL	QC Batch

METALS					
Calcium (Ca)	mg/L	4	4	1	551485
Magnesium (Mg)	mg/L	<1	<1	1	551485
Total Hardness (CaCO3)	mg/L	9	10	1	551485
METALS ICP-MS					
Aluminum (Al)	ug/L	12	<1.0	1.0	551479
Antimony (Sb)	ug/L	1.1	<1.0	1.0	551479
Silver (Ag)	ug/L	<0.10	<0.10	0.10	551479
Arsenic (As)	ug/L	<1.0	<1.0	1.0	551479
Barium (Ba)	ug/L	8.9	9.6	2.0	551479
Cadmium (Cd)	ug/L	<0.20	<0.20	0.20	551479
Chromium (Cr)	ug/L	<0.50	<0.50	0.50	551479
Cobalt (Co)	ug/L	<0.50	<0.50	0.50	551479
Copper (Cu)	ug/L	<0.50	<0.50	0.50	551479
Manganese (Mn)	ug/L	1.5	1.4	0.40	551479
Molybdenum (Mo)	ug/L	<0.50	<0.50	0.50	551479
Nickel (Ni)	ug/L	<1.0	<1.0	1.0	551479
Sodium (Na)	ug/L	1700	1600	30	551479
Zinc (Zn)	ug/L	<1.0	1.2	1.0	551479
Selenium (Se)	ug/L	<1.0	<1.0	1.0	551479
Lead (Pb)	ug/L	<0.10	<0.10	0.10	551479

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63915	F63915	F63916	F63916		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM8.4	KM8.4 Lab-Dup	KM87	KM87 Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.031	N/A	0.027	0.027	0.001	550005
Fluoride (F)	mg/L	<0.1	<0.1	0.1	N/A	0.1	550035
Nitrogen ammonia (N-NH3)	mg/L	0.11	N/A	0.24	N/A	0.02	550968
pH	pH	7.0	7.0	6.6	N/A	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	0.49	N/A	0.02	551167
Sulfates (SO4)	mg/L	3.5	N/A	1.9	N/A	0.1	551167
Total suspended solids (TSS)	mg/L	5	3	9	N/A	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F63917	F63918	F63919	F63920		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	R19US	R19DS	DUP-1	KM27.3	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.013	0.013	0.013	0.068	0.001	550005
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	550035
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.05	0.07	0.14	0.02	550968
pH	pH	6.8	6.8	6.8	6.4	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	<0.02	<0.02	1.9	0.02	551167
Sulfates (SO4)	mg/L	0.7	0.6	0.7	8.1	0.1	551167
Total suspended solids (TSS)	mg/L	4	7	3	3	2	550012

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63921	F63921	F63925	F63925		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	R15US	R15US Lab-Dup	R15DS	R15DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.017	N/A	0.017	N/A	0.001	550005
Fluoride (F)	mg/L	<0.1	N/A	<0.1	N/A	0.1	550035
Nitrogen ammonia (N-NH3)	mg/L	0.05	N/A	0.04	0.04	0.02	550968
pH	pH	6.8	6.8	7.1	N/A	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	<0.02	N/A	0.02	551167
Sulfates (SO4)	mg/L	1.2	N/A	1.2	N/A	0.1	551167
Total suspended solids (TSS)	mg/L	<2	N/A	<2	N/A	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F63926	F63926		F63927		
Sampling Date		2008/09/09	2008/09/09		2008/09/09		
	Units	Q15	Q15 Lab-Dup	RDL	KM40.2	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.54	0.55	0.001	0.059	0.001	550005
Fluoride (F)	mg/L	0.3	N/A	0.1	<0.1	0.1	550035
Nitrogen ammonia (N-NH3)	mg/L	8.3	N/A	0.2	0.09	0.02	550968
pH	pH	7.2	N/A	N/A	6.9	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	28	N/A	0.4	<0.02	0.02	551167
Sulfates (SO4)	mg/L	48	N/A	0.2	1.2	0.1	551167
Total suspended solids (TSS)	mg/L	<2	N/A	2	<2	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63927		F63928		
Sampling Date		2008/09/09		2008/09/09		
	Units	KM40.2 Lab-Dup	RDL	Q13	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	N/A	0.001	0.44	0.001	550005
Fluoride (F)	mg/L	N/A	0.1	<0.1	0.1	550035
Nitrogen ammonia (N-NH3)	mg/L	N/A	0.02	4.5	0.1	550968
pH	pH	N/A	N/A	7.7	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	N/A	0.02	23	0.4	551167
Sulfates (SO4)	mg/L	N/A	0.1	19	0.1	551167
Total suspended solids (TSS)	mg/L	3	2	<2	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F63929		F63935	F63935		
Sampling Date		2008/09/09		2008/09/09	2008/09/09		
	Units	R13US	QC Batch	R13DS	R13DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.054	550005	0.053	N/A	0.001	550005
Fluoride (F)	mg/L	<0.1	550035	<0.1	N/A	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.05	550968	0.05	N/A	0.02	550968
pH	pH	7.0	550042	7.3	N/A	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	551167	<0.02	0.03	0.02	551167
Sulfates (SO4)	mg/L	1.5	551167	1.5	1.4	0.1	551167
Total suspended solids (TSS)	mg/L	<2	550012	<2	N/A	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63936	F63936	F63937	F63937		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO9US	RO9US Lab-Dup	RO9DS	RO9DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.072	N/A	0.072	0.072	0.001	550005
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	N/A	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.07	N/A	0.05	N/A	0.02	550968
pH	pH	6.8	N/A	7.0	N/A	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	<0.02	N/A	0.02	551169
Sulfates (SO4)	mg/L	4.9	N/A	4.7	N/A	0.1	551169
Total suspended solids (TSS)	mg/L	<2	N/A	<2	N/A	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F63938	F63939	F63940	F63941		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	Q7	DUP-2	KM69.9	KM71	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.21	0.21	0.14	0.071	0.001	550005
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	<0.1	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.07	0.04	0.46	0.06	0.02	550968
pH	pH	7.6	7.5	7.1	6.8	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	0.23	0.21	0.03	<0.02	0.02	551169
Sulfates (SO4)	mg/L	31	30	0.4	0.9	0.1	551169
Total suspended solids (TSS)	mg/L	<2	<2	7	<2	2	550012

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63942		F63943		
Sampling Date		2008/09/09		2008/09/09		
	Units	DUP-3	RDL	Q4	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.071	0.001	0.20	0.001	550005
Fluoride (F)	mg/L	<0.1	0.1	<0.1	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.06	0.02	0.05	0.02	550968
pH	pH	7.1	N/A	7.7	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	0.02	5.9	0.04	551169
Sulfates (SO4)	mg/L	0.8	0.1	6.9	0.1	551169
Total suspended solids (TSS)	mg/L	<2	2	7	2	550012

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F63944	F63944	F63949	F63950		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO6US	RO6US Lab-Dup	RO6DS	RO5US	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.037	N/A	0.040	0.039	0.001	550005
Fluoride (F)	mg/L	<0.1	N/A	<0.1	<0.1	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.03	0.03	0.05	0.05	0.02	550968
pH	pH	7.5	N/A	7.9	6.9	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	N/A	<0.02	<0.02	0.02	551169
Sulfates (SO4)	mg/L	1.5	N/A	1.7	1.7	0.1	551169
Total suspended solids (TSS)	mg/L	<2	N/A	<2	<2	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F63951	F63952	F63953	F63953		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO5DS	RO2US	RO2DS	RO2DS Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.039	0.039	0.040	N/A	0.001	550005
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	N/A	0.1	550038
Nitrogen ammonia (N-NH3)	mg/L	0.06	0.10	0.04	0.04	0.02	550968
pH	pH	6.9	7.0	7.0	7.0	N/A	550042
Nitrate (N) and Nitrite(N)	mg/L	<0.02	<0.02	0.04	0.03	0.02	551169
Sulfates (SO4)	mg/L	1.7	1.2	1.1	1.2	0.1	551169
Total suspended solids (TSS)	mg/L	<2	<2	<2	<2	2	550012

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAPR

Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F63915	F63916	F63917	F63918	F63919		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM8.4	KM87	R19US	R19DS	DUP-1	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	550222
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F63920	F63921	F63925	F63926	F63927		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	KM27.3	R15US	R15DS	Q15	KM40.2	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	550222
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F63928	F63929	F63935	F63937	F63938		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	Q13	R13US	R13DS	RO9DS	Q7	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	550222
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F63939	F63941	F63942	F63943	F63944		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	DUP-2	KM71	DUP-3	Q4	RO6US	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	550222
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F63949	F63950	F63951	F63952	F63953		
Sampling Date		2008/09/09	2008/09/09	2008/09/09	2008/09/09	2008/09/09		
	Units	RO6DS	RO5US	RO5DS	RO2US	RO2DS	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	550222
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A840975
Report Date: 2008/09/23

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SM

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: F63915, F63916, F63917, F63918, F63919, F63920, F63921, F63925, F63926, F63927, F63928, F63929, F63935, F63936, F63937, F63938, F63939, F63940, F63941, F63942, F63943, F63944, F63949, F63950, F63951, F63952, F63953

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank. Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A840975

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
550005 JL1	QC STANDARD	Conductivity	2008/09/19		102	%
	SPIKE	Conductivity	2008/09/19		103	%
	METHOD BLANK	Conductivity	2008/09/19	<0.001		mmhos/cm
550012 FSI	SPIKE	Total suspended solids (TSS)	2008/09/17		95	%
	SPIKE DUP	Total suspended solids (TSS)	2008/09/17		96	%
	METHOD BLANK	Total suspended solids (TSS)	2008/09/17	<2		mg/L
550035 AK3	QC STANDARD	Fluoride (F)	2008/09/19		96	%
	SPIKE	Fluoride (F)	2008/09/19		95	%
	METHOD BLANK	Fluoride (F)	2008/09/19	<0.1		mg/L
550038 AK3	QC STANDARD	Fluoride (F)	2008/09/19		96	%
	SPIKE	Fluoride (F)	2008/09/19		97	%
	METHOD BLANK	Fluoride (F)	2008/09/19	<0.1		mg/L
550042 LI	Calibration Check	pH	2008/09/17		101	%
	QC STANDARD	pH	2008/09/17		100	%
	SPIKE	pH	2008/09/17		100	%
550222 SR	SPIKE	Mineral Oil and Grease	2008/09/19		90	%
	SPIKE DUP	Mineral Oil and Grease	2008/09/19		72	%
		Mineral Oil and Grease	2008/09/19		62	%
		Mineral Oil and Grease	2008/09/19		60	%
	METHOD BLANK	Mineral Oil and Grease	2008/09/19	<3		mg/L
550968 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/09/19		88	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/09/19		97	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/09/19	<0.02		mg/L
551167 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/09/19		98	%
		Sulfates (SO4)	2008/09/19		91	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/09/19	<0.02		mg/L
		Sulfates (SO4)	2008/09/19	<0.1		mg/L
551169 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/09/20		98	%
		Sulfates (SO4)	2008/09/20		90	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/09/20	<0.02		mg/L
		Sulfates (SO4)	2008/09/20	<0.1		mg/L
551479 HC	SPIKE	Aluminum (Al)	2008/09/22		100	%
		Antimony (Sb)	2008/09/22		99	%
		Silver (Ag)	2008/09/22		66	%
		Arsenic (As)	2008/09/22		107	%
		Barium (Ba)	2008/09/22		99	%
		Cadmium (Cd)	2008/09/22		99	%
		Chromium (Cr)	2008/09/22		102	%
		Cobalt (Co)	2008/09/22		105	%
		Copper (Cu)	2008/09/22		106	%
		Manganese (Mn)	2008/09/22		105	%
		Molybdenum (Mo)	2008/09/22		97	%
		Nickel (Ni)	2008/09/22		103	%
		Sodium (Na)	2008/09/22		110	%
		Zinc (Zn)	2008/09/22		102	%
		Selenium (Se)	2008/09/22		97	%
		Lead (Pb)	2008/09/22		94	%
	METHOD BLANK	Aluminum (Al)	2008/09/22	<1.0		ug/L
		Antimony (Sb)	2008/09/22	<1.0		ug/L
		Silver (Ag)	2008/09/22	<0.10		ug/L
		Arsenic (As)	2008/09/22	1.4, RDL=1.0		ug/L
		Barium (Ba)	2008/09/22	<2.0		ug/L
		Cadmium (Cd)	2008/09/22	<0.20		ug/L
		Chromium (Cr)	2008/09/22	<0.50		ug/L
		Cobalt (Co)	2008/09/22	<0.50		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report (Continued)


Maxxam Job Number: A840975

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
551479 HC	METHOD BLANK	Copper (Cu)	2008/09/22	1.1, RDL=0.50		ug/L
		Manganese (Mn)	2008/09/22	0.59, RDL=0.40		ug/L
		Molybdenum (Mo)	2008/09/22	<0.50		ug/L
		Nickel (Ni)	2008/09/22	<1.0		ug/L
		Sodium (Na)	2008/09/22	<30		ug/L
		Zinc (Zn)	2008/09/22	<1.0		ug/L
		Selenium (Se)	2008/09/22	1.4, RDL=1.0		ug/L
		Lead (Pb)	2008/09/22	<0.10		ug/L
551485 HC	SPIKE	Calcium (Ca)	2008/09/22		106	%
		Magnesium (Mg)	2008/09/22		108	%
	METHOD BLANK	Calcium (Ca)	2008/09/22	<1		mg/L
		Magnesium (Mg)	2008/09/22	<1		mg/L
		Total Hardness (CaCO3)	2008/09/22	<1		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A840975


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

MICHEL POULIN, B.Sc., Chemist, Analyst 2

DELIA BARBUL, B.Sc., Chemist, Analyst 2

MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

2008/09/23 17:12

Client: Agnico-Eagle Meadowbank Project		Tel 867-793-4167 x 6728		ANALYSIS REQUIRED																																		
		Fax:																																				
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0		Project # AWPAP																																				
Sampler SM AND JK		Project Manager: Ryan Vanengen Sylvain Doire																																				
N°	Sample identification	N° labo MAXXAM	Matrix							Sampling																												
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)	Date	BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color.) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic Sélénium	Mercury	Lead	Metals ICP -13 ele. -soil ** 16 ele. -water***	NH4 TKN	NH3, SO4, F	NO2+NO3 X O-PO4	Cl F SO4	TSS	Cyanide	General: pH, Conductivity, Hardness					
23	RO6 DS					X				5		09.09.08		X										X		X		X	X	X	X	X	X					
24	RO5 US					X				5		09.09.08		X										X		X		X	X	X	X	X	X					
25	RO5DS					X				5		09.09.08		X										X		X		X	X	X	X	X	X					
26	RO2US					X				5		09.09.08		X										X		X		X	X	X	X	X	X					
27	RO2DS					X				5		09.09.08		X										X		X		X	X	X	X	X	X					
28																																						
29																																						
30																																						
31																																						
32																																						
33																																						

Metals Legend:

** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #:	Detection limits required / contamination level:	
	Site: Meadowbank Site	CCME for Surface Water (Federal)	
	PO #:	Special instructions:	
	Others:		

LEGEND:

* C = Canisters

* W = Waste

* O = Oil

* T = Tubes ou Cartridges

Delivered by sampler: Shannon and jamie

Page 24 of 24

Date ##

Time

Received by:

2008/09/23 17:12

Delivered by messenger:

Date

Time

Received by:

Delivered by:

Date

Time

Received by Maxxam:

Your Project #: AWPAP

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/10/27

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A846977

Received: 2008/10/14, 16:30

Sample Matrix: SURFACE WATER

Samples Received: 5

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	5	2008/10/20	2008/10/21	STL SOP-00014/6	Ion Chromatography
Conductivity	5	2008/10/20	2008/10/21	STL SOP-00038/6; STL SOP-00012/2	Conductivity
Disposal Charges	5	N/A	2008/10/15		
Fluoride	5	2008/10/20	2008/10/21	STL SOP-00011/1, STL SOP-00004/3	Ion Spec. Electrode
Hardness	5	2008/10/20	2008/10/20	STL SOP-00006/7	ICP
Total Suspended Solids	5	2008/10/16	2008/10/16	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	5	2008/10/20	2008/10/21	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	5	2008/10/17	2008/10/17	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	5	2008/10/18	2008/10/21	STL SOP-00151/12	Gravimetric
pH	5	2008/10/16	2008/10/16	STL SOP-00016/6; STL SOP-00038/6,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A846977
Report Date: 2008/10/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SMC

METALS (SURFACE WATER)

Maxxam ID		F95025	F95026	F95027	F95028		
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06		
	Units	KM 8.4	KM 19.3	KM 27.3	KM 69.9	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	2	<1	4	15	1	561197
Magnesium (Mg)	mg/L	1	<1	3	5	1	561197
Total Hardness (CaCO3)	mg/L	10	<1	20	57	1	561197
METALS ICP-MS							
Aluminum (Al)	ug/L	280	160	600	290	1.0	561198
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	561198
Silver (Ag)	ug/L	1.4	0.72	0.35	0.31	0.10	561198
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	4.7	1.0	561198
Barium (Ba)	ug/L	6.1	2.7	22	36	2.0	561198
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	561198
Chromium (Cr)	ug/L	1.4	2.8	1.9	0.76	0.50	561198
Cobalt (Co)	ug/L	<0.50	<0.50	0.50	9.4	0.50	561198
Copper (Cu)	ug/L	3.1	1.1	3.9	6.5	0.50	561198
Manganese (Mn)	ug/L	16	3.2	21	2000	0.40	561198
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	1.6	0.50	561198
Nickel (Ni)	ug/L	4.1	2.7	<1.0	7.7	1.0	561198
Sodium (Na)	ug/L	750	550	2300	2600	30	561198
Zinc (Zn)	ug/L	4.5	<1.0	5.0	2.8	1.0	561198
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	561198
Lead (Pb)	ug/L	0.44	<0.10	0.55	0.54	0.10	561198
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	561198

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A846977
Report Date: 2008/10/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SMC

METALS (SURFACE WATER)

Maxxam ID		F95029		
Sampling Date		2008/10/06		
	Units	KM 76.1	RDL	QC Batch

METALS				
Calcium (Ca)	mg/L	23	1	561197
Magnesium (Mg)	mg/L	5	1	561197
Total Hardness (CaCO3)	mg/L	80	1	561197
METALS ICP-MS				
Aluminum (Al)	ug/L	300	1.0	561198
Antimony (Sb)	ug/L	<1.0	1.0	561198
Silver (Ag)	ug/L	0.17	0.10	561198
Arsenic (As)	ug/L	7.0	1.0	561198
Barium (Ba)	ug/L	26	2.0	561198
Cadmium (Cd)	ug/L	<0.20	0.20	561198
Chromium (Cr)	ug/L	2.1	0.50	561198
Cobalt (Co)	ug/L	8.4	0.50	561198
Copper (Cu)	ug/L	5.4	0.50	561198
Manganese (Mn)	ug/L	1500	0.40	561198
Molybdenum (Mo)	ug/L	<0.50	0.50	561198
Nickel (Ni)	ug/L	7.2	1.0	561198
Sodium (Na)	ug/L	8700	30	561198
Zinc (Zn)	ug/L	3.2	1.0	561198
Selenium (Se)	ug/L	<1.0	1.0	561198
Lead (Pb)	ug/L	0.58	0.10	561198
Thallium (Tl)	ug/L	<2.0	2.0	561198
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A846977
Report Date: 2008/10/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SMC

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F95025	F95025	F95026	F95027		
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06		
	Units	KM 8.4	KM 8.4 Lab-Dup	KM 19.3	KM 27.3	RDL	QC Batch

CONVENTIONALS							
Conductivity	mS/cm	0.026	0.026	0.010	0.065	0.001	561039
Fluoride (F)	mg/L	<0.1	N/A	<0.1	<0.1	0.1	561116
Nitrogen ammonia (N-NH3)	mg/L	0.04	N/A	<0.02	0.06	0.02	560540
pH	pH	7.1	N/A	6.3	6.0	N/A	560311
Nitrate (N) and Nitrite(N)	mg/L	0.06	N/A	0.06	2.8	0.02	561114
Sulfates (SO4)	mg/L	2.9	N/A	0.7	6.6	0.1	561114
Total suspended solids (TSS)	mg/L	<2	N/A	<2	<2	2	560260

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F95028	F95029	F95029		
Sampling Date		2008/10/06	2008/10/06	2008/10/06		
	Units	KM 69.9	KM 76.1	KM 76.1 Lab-Dup	RDL	QC Batch

CONVENTIONALS						
Conductivity	mS/cm	0.15	0.24	N/A	0.001	561039
Fluoride (F)	mg/L	<0.1	<0.1	N/A	0.1	561116
Nitrogen ammonia (N-NH3)	mg/L	0.22	0.16	N/A	0.02	560540
pH	pH	6.8	7.0	7.0	N/A	560311
Nitrate (N) and Nitrite(N)	mg/L	0.05	0.15	N/A	0.02	561114
Sulfates (SO4)	mg/L	2.1	4.9	N/A	0.1	561114
Total suspended solids (TSS)	mg/L	23	27	27	2	560260

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A846977
Report Date: 2008/10/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SMC

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F95025	F95026	F95027	F95028	F95029		
Sampling Date		2008/10/06	2008/10/06	2008/10/06	2008/10/06	2008/10/06		
	Units	KM 8.4	KM 19.3	KM 27.3	KM 69.9	KM 76.1	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	560946
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A846977
Report Date: 2008/10/27

Agnico-Eagle Mines Ltd.
Client Project #: AWPAP

Sampler Initials: SMC

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: F95025, F95026, F95027, F95028, F95029

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A846977

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
560260 HM1	SPIKE	Total suspended solids (TSS)	2008/10/16		94	%
	SPIKE DUP	Total suspended solids (TSS)	2008/10/16		94	%
	METHOD BLANK	Total suspended solids (TSS)	2008/10/16	<2		mg/L
560311 IR2	Calibration Check	pH	2008/10/16		101	%
	QC STANDARD	pH	2008/10/16		100	%
	SPIKE	pH	2008/10/16		100	%
560540 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/10/17		83	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/10/17		100	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/10/17	0.03, RDL=0.02		mg/L
560946 HD	SPIKE	Mineral Oil and Grease	2008/10/21		60	%
	METHOD BLANK	Mineral Oil and Grease	2008/10/21	<3		mg/L
561039 AK3	QC STANDARD	Conductivity	2008/10/21		102	%
	SPIKE	Conductivity	2008/10/21		101	%
	METHOD BLANK	Conductivity	2008/10/21	<0.001		mS/cm
561114 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/10/21		98	%
		Sulfates (SO4)	2008/10/21		97	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/10/21	<0.02		mg/L
		Sulfates (SO4)	2008/10/21	<0.1		mg/L
561116 AK3	QC STANDARD	Fluoride (F)	2008/10/21		99	%
	SPIKE	Fluoride (F)	2008/10/21		95	%
	METHOD BLANK	Fluoride (F)	2008/10/21	<0.1		mg/L
561197 MCL	SPIKE	Calcium (Ca)	2008/10/20		100	%
		Magnesium (Mg)	2008/10/20		96	%
	METHOD BLANK	Calcium (Ca)	2008/10/20	<1		mg/L
		Magnesium (Mg)	2008/10/20	<1		mg/L
		Total Hardness (CaCO3)	2008/10/20	<1		mg/L
561198 MCL	SPIKE	Aluminum (Al)	2008/10/20		94	%
		Antimony (Sb)	2008/10/20		110	%
		Silver (Ag)	2008/10/20		81	%
		Arsenic (As)	2008/10/20		114	%
		Barium (Ba)	2008/10/20		104	%
		Cadmium (Cd)	2008/10/20		108	%
		Chromium (Cr)	2008/10/20		99	%
		Cobalt (Co)	2008/10/20		105	%
		Copper (Cu)	2008/10/20		98	%
		Manganese (Mn)	2008/10/20		101	%
		Molybdenum (Mo)	2008/10/20		109	%
		Nickel (Ni)	2008/10/20		118	%
		Sodium (Na)	2008/10/20		99	%
		Zinc (Zn)	2008/10/20		111	%
		Selenium (Se)	2008/10/20		108	%
		Lead (Pb)	2008/10/20		107	%
		Thallium (Tl)	2008/10/20		111	%
	METHOD BLANK	Aluminum (Al)	2008/10/20	<1.0		ug/L
		Antimony (Sb)	2008/10/20	<1.0		ug/L
		Silver (Ag)	2008/10/20	0.14, RDL=0.10		ug/L
		Arsenic (As)	2008/10/20	<1.0		ug/L
		Barium (Ba)	2008/10/20	<2.0		ug/L
		Cadmium (Cd)	2008/10/20	<0.20		ug/L
		Chromium (Cr)	2008/10/20	<0.50		ug/L
		Cobalt (Co)	2008/10/20	<0.50		ug/L
		Copper (Cu)	2008/10/20	<0.50		ug/L
		Manganese (Mn)	2008/10/20	<0.40		ug/L
		Molybdenum (Mo)	2008/10/20	<0.50		ug/L
		Nickel (Ni)	2008/10/20	<1.0		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: AWPAP
P.O. #:
Project name:

Quality Assurance Report (Continued)


Maxxam Job Number: A846977

QA/QC Batch			Date Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
561198 MCL	METHOD BLANK	Sodium (Na)	2008/10/20	<30		ug/L
		Zinc (Zn)	2008/10/20	2.1, RDL=1.0		ug/L
		Selenium (Se)	2008/10/20	<1.0		ug/L
		Lead (Pb)	2008/10/20	0.35, RDL=0.10		ug/L
		Thallium (Tl)	2008/10/20	<2.0		ug/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A846977

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2




MADINA HAMROUNI, B.Sc., Chemist,




MÉLANIE SANTERRE, B.Sc, Supervisor

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

Client: Agnico-Eagle Meadowbank Project		Te 867-793-4167 x 6728		ANALYSIS REQUIRED																																		
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0		Fax:																																				
Sampler Sannon McFadyen		Project # AWPAP																																				
Project Manager Ryan Vanengen Sylvain Doire																																						
N°	Sample identification	N° labo MAXXAM	Matrix							Sampling		Date	ANALYSIS REQUIRED																									
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)		BTEX (P&T / GC-MS)	Hydrocarbons C10-C50 F ₁ -F ₄	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic	Selenium	Mercury	Lead	Metals ICP -13 ele.-soil **	16 ele.-water***	NH ₄ TKN	NH ₃ , SO ₄ , F	NO ₂ +NO ₃ X	O-PO ₄	Cl F SO ₄	TSS	Cyanide	General: pH, Conductivity, Hardness		
1	Km 8.4				X				5		06/10/2008	X	X	X													X	X	X	X	X	X						
2	Km 19.3				X				5		06/10/2008	X	X	X													X	X	X	X	X	X						
3	Km 27.3				X				5		06/10/2008	X	X	X													X	X	X	X	X	X						
4	Km 69.9				X				5		06/10/2008	X	X	X													X	X	X	X	X	X						
5	Km 76.1				X				5		06/10/2008	X	X	X													X	X	X	X	X	X						
6																																						
7																																						
8																																						
9																																						
10																																						
11																																						

OGmin only

Metals Legend:
 ** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
 *** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #:	Detection limits required / contamination level: CCME for Surface Water (Federal)	
	Site: Meadowbank Site	Special instructions:	
	PO #:	Please note that:	
	Others:		

LEGEND: * C = Canisters * W = Waste * O = Oil * T = Tubes ou Cartridges	Delivered by sampler: Shannon	Date 06/10/2008	Time	Received by:
	Delivered by messenger:	Date	Time	Received by:
	Delivered by:	Date 11/10	Time 1:30 PM	Received by Maxxam: TD

Your Project #: MINESITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/15

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A827191

Received: 2008/07/03, 11:00

Sample Matrix: SURFACE WATER

Samples Received: 22

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Sample rec'd - no analysis requested	1	N/A	2008/07/03		
Anions	10	2008/07/08	2008/07/09	STL SOP-00014/5	Ion Chromatography
Anions	11	2008/07/08	2008/07/14	STL SOP-00014/5	Ion Chromatography
Conductivity	21	2008/07/08	2008/07/08	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	21	N/A	2008/07/03		
Fluoride	21	2008/07/08	2008/07/09	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	21	2008/07/07	2008/07/08	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	21	2008/07/08	2008/07/09	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	18	2008/07/04	2008/07/08	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	21	2008/07/07	2008/07/08	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	21	2008/07/04	2008/07/04	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	19	2008/07/04	2008/07/06	STL SOP-00151/11	Gravimetric
pH	21	2008/07/03	2008/07/03	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00711	F00711	F00712	F00712		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	ASP2	ASP2 Lab-Dup	AS2	AS2 Lab-Dup	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	N/A	0.0001	527726
Calcium (Ca)	mg/L	24	23	3	3	1	527222
Magnesium (Mg)	mg/L	3	3	<1	<1	1	527222
Total Hardness (CaCO3)	mg/L	74	72	8	7	1	527222
METALS ICP-MS							
Aluminum (Al)	ug/L	3300	2900	28	32	1.0	527221
Antimony (Sb)	ug/L	2.5	<1.0	<1.0	<1.0	1.0	527221
Silver (Ag)	ug/L	<0.10	0.20	<0.10	<0.10	0.10	527221
Arsenic (As)	ug/L	2.9	2.5	<1.0	<1.0	1.0	527221
Barium (Ba)	ug/L	57	54	4.1	4.1	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527221
Chromium (Cr)	ug/L	11	9.8	<0.50	<0.50	0.50	527221
Cobalt (Co)	ug/L	1.7	1.6	<0.50	<0.50	0.50	527221
Copper (Cu)	ug/L	3.2	4.2	<0.50	<0.50	0.50	527221
Manganese (Mn)	ug/L	80	75	4.0	3.5	0.40	527221
Molybdenum (Mo)	ug/L	0.91	0.79	<0.50	<0.50	0.50	527221
Nickel (Ni)	ug/L	7.7	6.1	<1.0	<1.0	1.0	527221
Sodium (Na)	ug/L	1700	1700	620	590	30	527221
Zinc (Zn)	ug/L	9.5	6.9	<1.0	<1.0	1.0	527221
Selenium (Se)	ug/L	2.3	2.7	2.1	3.0	1.0	527221
Lead (Pb)	ug/L	3.1	2.6	<0.10	<0.10	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527221
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00716	F00718	F00719	F00720		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	QP1	AS-D1	ASP4	ASD2	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527726
Calcium (Ca)	mg/L	27	23	31	10	1	527222
Magnesium (Mg)	mg/L	7	6	7	3	1	527222
Total Hardness (CaCO3)	mg/L	99	79	100	38	1	527222
METALS ICP-MS							
Aluminum (Al)	ug/L	2600	5300	6000	3200	1.0	527221
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527221
Silver (Ag)	ug/L	<0.10	0.12	0.21	<0.10	0.10	527221
Arsenic (As)	ug/L	6.5	2.5	5.7	1.9	1.0	527221
Barium (Ba)	ug/L	92	120	91	55	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527221
Chromium (Cr)	ug/L	10	19	16	10	0.50	527221
Cobalt (Co)	ug/L	4.0	5.9	4.1	2.9	0.50	527221
Copper (Cu)	ug/L	12	18	17	6.5	0.50	527221
Manganese (Mn)	ug/L	310	360	220	110	0.40	527221
Molybdenum (Mo)	ug/L	0.96	<0.50	2.6	<0.50	0.50	527221
Nickel (Ni)	ug/L	11	18	<1.0	8.9	1.0	527221
Sodium (Na)	ug/L	3800	1400	4000	820	30	527221
Zinc (Zn)	ug/L	13	32	25	17	1.0	527221
Selenium (Se)	ug/L	<1.0	1.8	<1.0	2.9	1.0	527221
Lead (Pb)	ug/L	8.4	19	24	9.4	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527221
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00721	F00722	F00722	F00723		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	MP5	MP1	MP1 Lab-Dup	MTPL-1C	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527726
Calcium (Ca)	mg/L	160	50	N/A	18	1	527222
Magnesium (Mg)	mg/L	26	11	N/A	3	1	527222
Total Hardness (CaCO ₃)	mg/L	500	170	N/A	58	1	527222
METALS ICP-MS							
Aluminum (Al)	ug/L	800	3100	N/A	240	1.0	527221
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	527221
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	527221
Arsenic (As)	ug/L	2.2	6.6	N/A	<1.0	1.0	527221
Barium (Ba)	ug/L	300	100	N/A	22	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	527221
Chromium (Cr)	ug/L	2.7	10	N/A	<0.50	0.50	527221
Cobalt (Co)	ug/L	1.7	4.2	N/A	<0.50	0.50	527221
Copper (Cu)	ug/L	1.1	12	N/A	11	0.50	527221
Manganese (Mn)	ug/L	2300	980	N/A	5.2	0.40	527221
Molybdenum (Mo)	ug/L	7.5	1.8	N/A	<0.50	0.50	527221
Nickel (Ni)	ug/L	5.1	11	N/A	<1.0	1.0	527221
Sodium (Na)	ug/L	20000	12000	N/A	3100	30	527221
Zinc (Zn)	ug/L	2.5	14	N/A	13	1.0	527221
Selenium (Se)	ug/L	<1.0	<1.0	N/A	1.6	1.0	527221
Lead (Pb)	ug/L	1.8	11	N/A	0.62	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	527221
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00724	F00725	F00726	F00728		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	MTPL-1B	MTPL-1	ATT-1	ATT-2	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527726
Calcium (Ca)	mg/L	15	19	8	8	1	527222
Magnesium (Mg)	mg/L	2	3	1	1	1	527222
Total Hardness (CaCO3)	mg/L	47	59	27	27	1	527222
METALS ICP-MS							
Aluminum (Al)	ug/L	110	12	190	240	1.0	527221
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	527221
Silver (Ag)	ug/L	0.10	<0.10	<0.10	<0.10	0.10	527221
Arsenic (As)	ug/L	1.5	<1.0	<1.0	<1.0	1.0	527221
Barium (Ba)	ug/L	43	16	9.5	11	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	527221
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	<0.50	0.50	527221
Cobalt (Co)	ug/L	11	<0.50	<0.50	<0.50	0.50	527221
Copper (Cu)	ug/L	1.6	<0.50	<0.50	<0.50	0.50	527221
Manganese (Mn)	ug/L	2400	1.2	10	17	0.40	527221
Molybdenum (Mo)	ug/L	0.87	<0.50	<0.50	<0.50	0.50	527221
Nickel (Ni)	ug/L	37	2.6	<1.0	80	1.0	527221
Sodium (Na)	ug/L	23000	4700	1100	850	30	527221
Zinc (Zn)	ug/L	19	2.6	<1.0	<1.0	1.0	527221
Selenium (Se)	ug/L	3.1	3.3	2.3	3.0	1.0	527221
Lead (Pb)	ug/L	0.16	<0.10	<0.10	<0.10	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	527221
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00729	F00730	F00730	F00757		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	WC-US	WC-DS	WC-DS Lab-Dup	MP-6	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	527726
Calcium (Ca)	mg/L	2	2	N/A	22	1	527222
Magnesium (Mg)	mg/L	<1	<1	N/A	6	1	527222
Total Hardness (CaCO ₃)	mg/L	4	4	N/A	80	1	527222
METALS ICP-MS							
Aluminum (Al)	ug/L	28	72	N/A	2400	1.0	527221
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	527221
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	527221
Arsenic (As)	ug/L	<1.0	<1.0	N/A	1.5	1.0	527221
Barium (Ba)	ug/L	3.2	3.4	N/A	48	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	527221
Chromium (Cr)	ug/L	<0.50	<0.50	N/A	4.5	0.50	527221
Cobalt (Co)	ug/L	<0.50	<0.50	N/A	1.9	0.50	527221
Copper (Cu)	ug/L	<0.50	<0.50	N/A	1.2	0.50	527221
Manganese (Mn)	ug/L	3.4	3.6	N/A	130	0.40	527221
Molybdenum (Mo)	ug/L	<0.50	<0.50	N/A	1.3	0.50	527221
Nickel (Ni)	ug/L	<1.0	<1.0	N/A	6.6	1.0	527221
Sodium (Na)	ug/L	460	480	N/A	3500	30	527221
Zinc (Zn)	ug/L	<1.0	<1.0	N/A	6.3	1.0	527221
Selenium (Se)	ug/L	2.3	3.4	N/A	2.3	1.0	527221
Lead (Pb)	ug/L	<0.10	<0.10	N/A	3.2	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	527221
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00758	F00760		F00761	F00762		
Sampling Date		2008/06/21	2008/06/21		2008/06/21	2008/06/21		
	Units	MP-4	MP-3	QC Batch	DUP-1	MP-2	RDL	QC Batch
METALS								
Mercury (Hg)	mg/L	<0.0001	<0.0001	527726	<0.0001	<0.0001	0.0001	527728
Calcium (Ca)	mg/L	25	39	527222	39	84	1	527222
Magnesium (Mg)	mg/L	6	10	527222	10	16	1	527222
Total Hardness (CaCO ₃)	mg/L	89	140	527222	140	270	1	527222
METALS ICP-MS								
Aluminum (Al)	ug/L	1600	1000	527221	1200	2600	1.0	527221
Antimony (Sb)	ug/L	<1.0	<1.0	527221	<1.0	1.2	1.0	527221
Silver (Ag)	ug/L	<0.10	<0.10	527221	<0.10	0.19	0.10	527221
Arsenic (As)	ug/L	1.2	1.5	527221	1.6	5.2	1.0	527221
Barium (Ba)	ug/L	48	51	527221	52	140	2.0	527221
Cadmium (Cd)	ug/L	<0.20	<0.20	527221	<0.20	<0.20	0.20	527221
Chromium (Cr)	ug/L	<0.50	<0.50	527221	1.0	15	0.50	527221
Cobalt (Co)	ug/L	1.3	2.1	527221	2.1	5.8	0.50	527221
Copper (Cu)	ug/L	0.94	7.5	527221	2.6	23	0.50	527221
Manganese (Mn)	ug/L	130	290	527221	280	740	0.40	527221
Molybdenum (Mo)	ug/L	2.2	4.6	527221	4.6	20	0.50	527221
Nickel (Ni)	ug/L	<1.0	3.1	527221	3.6	8.9	1.0	527221
Sodium (Na)	ug/L	4100	7600	527221	7500	26000	30	527221
Zinc (Zn)	ug/L	6.2	6.6	527221	4.0	10	1.0	527221
Selenium (Se)	ug/L	2.2	1.6	527221	<1.0	<1.0	1.0	527221
Lead (Pb)	ug/L	2.5	5.5	527221	5.3	10	0.10	527221
Thallium (Tl)	ug/L	<2.0	<2.0	527221	<2.0	<2.0	2.0	527221
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

METALS (SURFACE WATER)

Maxxam ID		F00763		
Sampling Date		2008/06/21		
	Units	MTPL-3	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	527728
Calcium (Ca)	mg/L	3	1	527222
Magnesium (Mg)	mg/L	<1	1	527222
Total Hardness (CaCO ₃)	mg/L	7	1	527222
METALS ICP-MS				
Aluminum (Al)	ug/L	<1.0	1.0	527221
Antimony (Sb)	ug/L	<1.0	1.0	527221
Silver (Ag)	ug/L	<0.10	0.10	527221
Arsenic (As)	ug/L	<1.0	1.0	527221
Barium (Ba)	ug/L	4.5	2.0	527221
Cadmium (Cd)	ug/L	<0.20	0.20	527221
Chromium (Cr)	ug/L	<0.50	0.50	527221
Cobalt (Co)	ug/L	<0.50	0.50	527221
Copper (Cu)	ug/L	<0.50	0.50	527221
Manganese (Mn)	ug/L	7.0	0.40	527221
Molybdenum (Mo)	ug/L	<0.50	0.50	527221
Nickel (Ni)	ug/L	<1.0	1.0	527221
Sodium (Na)	ug/L	610	30	527221
Zinc (Zn)	ug/L	<1.0	1.0	527221
Selenium (Se)	ug/L	3.1	1.0	527221
Lead (Pb)	ug/L	<0.10	0.10	527221
Thallium (Tl)	ug/L	<2.0	2.0	527221
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F00711	F00711	F00712		
Sampling Date		2008/06/21	2008/06/21	2008/06/21		
	Units	ASP2	ASP2 Lab-Dup	AS2	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.16	0.16	0.035	0.001	527697
Fluoride (F)	mg/L	0.1	0.1	<0.1	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	0.04	0.04	0.04	0.02	527015
pH	pH	7.6	N/A	7.7	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	2.2	2.0	0.16	0.02	527698
Sulfates (SO4)	mg/L	5.7	5.3	1.9	0.1	527698
Total suspended solids (TSS)	mg/L	12	16	<2	2	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F00716		F00718	F00719		
Sampling Date		2008/06/21		2008/06/21	2008/06/21		
	Units	QP1	RDL	AS-D1	ASP4	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.27	0.001	0.15	0.22	0.001	527697
Fluoride (F)	mg/L	0.4	0.1	0.3	0.4	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	2.9	0.2	0.41	0.14	0.02	527015
pH	pH	7.7	N/A	7.5	7.9	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	11	0.1	1.1	2.0	0.02	527698
Sulfates (SO4)	mg/L	7.4	0.1	5.8	5.2	0.1	527698
Total suspended solids (TSS)	mg/L	32	2	28	12	2	526743

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F00719	F00720		F00721		
Sampling Date		2008/06/21	2008/06/21		2008/06/21		
	Units	ASP4 Lab-Dup	ASD2	RDL	MP5	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.22	0.067	0.001	2.3	0.001	527697
Fluoride (F)	mg/L	0.4	<0.1	0.1	0.5	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	N/A	0.35	0.02	89	2	527015
pH	pH	N/A	7.5	N/A	7.3	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	N/A	0.44	0.02	260	4	527698
Sulfates (SO4)	mg/L	N/A	2.0	0.1	18	0.1	527698
Total suspended solids (TSS)	mg/L	N/A	210	2	14	2	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F00722		F00723	F00723		
Sampling Date		2008/06/21		2008/06/21	2008/06/21		
	Units	MP1	RDL	MTPL-1C	MTPL-1C Lab-Dup	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.53	0.001	0.17	N/A	0.001	527697
Fluoride (F)	mg/L	0.1	0.1	<0.1	N/A	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	8.4	0.2	1.3	N/A	0.02	527015
pH	pH	7.1	N/A	7.3	7.4	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	21	0.1	4.8	N/A	0.04	527698
Sulfates (SO4)	mg/L	37	0.1	9.4	N/A	0.1	527698
Total suspended solids (TSS)	mg/L	120	2	N/A	N/A	N/A	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F00724	F00725		F00726		
Sampling Date		2008/06/21	2008/06/21		2008/06/21		
	Units	MTPL-1B	MTPL-1	QC Batch	ATT-1	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.25	0.17	527697	0.066	0.001	527697
Fluoride (F)	mg/L	<0.1	<0.1	527708	<0.1	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	1.0	0.29	527015	0.11	0.02	527015
pH	pH	6.9	7.7	526716	7.4	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	0.03	4.2	527698	0.11	0.02	527699
Sulfates (SO4)	mg/L	11	10	527698	6.9	0.1	527699
Total suspended solids (TSS)	mg/L	6	<2	526743	<2	2	526743

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F00728	F00729	F00730		
Sampling Date		2008/06/21	2008/06/21	2008/06/21		
	Units	ATT-2	WC-US	WC-DS	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.062	0.017	0.017	0.001	527697
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	0.06	<0.02	0.02	0.02	527015
pH	pH	7.7	7.6	7.4	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	0.04	<0.02	0.02	0.02	527699
Sulfates (SO4)	mg/L	3.2	1.6	1.5	0.1	527699
Total suspended solids (TSS)	mg/L	3	<2	4	2	526743

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F00757	F00758		F00760		
Sampling Date		2008/06/21	2008/06/21		2008/06/21		
	Units	MP-6	MP-4	RDL	MP-3	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.20	0.24	0.001	0.39	0.001	527697
Fluoride (F)	mg/L	0.2	0.2	0.1	0.4	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	0.57	1.0	0.02	2.4	0.2	527015
pH	pH	7.3	7.5	N/A	7.3	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	5.0	6.9	0.04	14	0.1	527699
Sulfates (SO4)	mg/L	14	14	0.1	23	0.1	527699
Total suspended solids (TSS)	mg/L	18	10	2	N/A	2	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F00761		F00762		
Sampling Date		2008/06/21		2008/06/21		
	Units	DUP-1	RDL	MP-2	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.39	0.001	1.0	0.001	527697
Fluoride (F)	mg/L	0.5	0.1	0.7	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	2.5	0.2	14	0.4	527015
pH	pH	7.5	N/A	7.5	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	13	0.1	66	0.4	527699
Sulfates (SO4)	mg/L	25	0.1	120	0.5	527699
Total suspended solids (TSS)	mg/L	18	2	N/A	N/A	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F00763	F00763		
Sampling Date		2008/06/21	2008/06/21		
	Units	MTPL-3	MTPL-3 Lab-Dup	RDL	QC Batch

CONVENTIONALS					
Conductivity	mmhos/cm	0.027	N/A	0.001	527697
Fluoride (F)	mg/L	<0.1	N/A	0.1	527708
Nitrogen ammonia (N-NH3)	mg/L	0.07	0.04	0.02	527015
pH	pH	7.6	N/A	N/A	526716
Nitrate (N) and Nitrite(N)	mg/L	0.05	N/A	0.02	527699
Sulfates (SO4)	mg/L	1.7	N/A	0.1	527699
Total suspended solids (TSS)	mg/L	<2	N/A	2	526743

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F00711	F00712	F00716	F00719	F00721		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	ASP2	AS2	QP1	ASP4	MP5	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F00722	F00723	F00724	F00725	F00726		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	MP1	MTPL-1C	MTPL-1B	MTPL-1	ATT-1	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F00728	F00729	F00730	F00757	F00758		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	ATT-2	WC-US	WC-DS	MP-6	MP-4	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F00760	F00761	F00762	F00763		
Sampling Date		2008/06/21	2008/06/21	2008/06/21	2008/06/21		
	Units	MP-3	DUP-1	MP-2	MTPL-3	RDL	QC Batch

OIL & GREASE							
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	3	526869
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A827191
Report Date: 2008/07/15

Agnico-Eagle Mines Ltd.
Client Project #: MINESITE

Sampler Initials: RV

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

Mercury by Cold Vapour AA: Arrived unpreserved, preserved upon reception at the laboratory.: F00711, F00712, F00716, F00718, F00719, F00720, F00721, F00722, F00723, F00724, F00725, F00726, F00728, F00729, F00730, F00757, F00758, F00760, F00761, F00762, F00763

pH: Holding time already past.: F00711, F00712, F00716, F00718, F00719, F00720, F00721, F00722, F00723, F00724, F00725, F00726, F00728, F00729, F00730, F00757, F00758, F00760, F00761, F00763

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINESITE
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A827191

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
526716 TMD	QC STANDARD	pH	2008/07/03		100	%
	SPIKE	pH	2008/07/03		100	%
526743 HM1	SPIKE	Total suspended solids (TSS)	2008/07/08		95	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/08		98	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/08	<2		mg/L
526869 VG1	SPIKE	Mineral Oil and Grease	2008/07/06		57	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/06		58	%
		Mineral Oil and Grease	2008/07/06		59	%
		Mineral Oil and Grease	2008/07/06		54	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/06	<3		mg/L
527015 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/07/04		90	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/07/04		95	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/07/04	0.04, RDL=0.02		mg/L
527221 SC5	SPIKE	Aluminum (Al)	2008/07/08		95	%
		Antimony (Sb)	2008/07/08		101	%
		Silver (Ag)	2008/07/08		70	%
		Arsenic (As)	2008/07/08		107	%
		Barium (Ba)	2008/07/08		99	%
		Cadmium (Cd)	2008/07/08		95	%
		Chromium (Cr)	2008/07/08		110	%
		Cobalt (Co)	2008/07/08		109	%
		Copper (Cu)	2008/07/08		98	%
		Manganese (Mn)	2008/07/08		108	%
		Molybdenum (Mo)	2008/07/08		106	%
		Nickel (Ni)	2008/07/08		104	%
		Sodium (Na)	2008/07/08		93	%
		Zinc (Zn)	2008/07/08		97	%
		Selenium (Se)	2008/07/08		106	%
		Lead (Pb)	2008/07/08		106	%
		Thallium (Tl)	2008/07/08		95	%
	METHOD BLANK	Aluminum (Al)	2008/07/08	<1.0		ug/L
		Antimony (Sb)	2008/07/08	<1.0		ug/L
		Silver (Ag)	2008/07/08	<0.10		ug/L
		Arsenic (As)	2008/07/08	<1.0		ug/L
		Barium (Ba)	2008/07/08	<2.0		ug/L
		Cadmium (Cd)	2008/07/08	<0.20		ug/L
		Chromium (Cr)	2008/07/08	1.6, RDL=0.50		ug/L
		Cobalt (Co)	2008/07/08	<0.50		ug/L
		Copper (Cu)	2008/07/08	5.6, RDL=0.50		ug/L
		Manganese (Mn)	2008/07/08	<0.40		ug/L
		Molybdenum (Mo)	2008/07/08	<0.50		ug/L
		Nickel (Ni)	2008/07/08	<1.0		ug/L
		Sodium (Na)	2008/07/08	<30		ug/L
		Zinc (Zn)	2008/07/08	<1.0		ug/L
		Selenium (Se)	2008/07/08	<1.0		ug/L
		Lead (Pb)	2008/07/08	0.29, RDL=0.10		ug/L
		Thallium (Tl)	2008/07/08	<2.0		ug/L
527222 SC5	METHOD BLANK	Calcium (Ca)	2008/07/08	<1		mg/L
		Magnesium (Mg)	2008/07/08	<1		mg/L
		Total Hardness (CaCO3)	2008/07/08	<1		mg/L
527697 JL1	QC STANDARD	Conductivity	2008/07/08		98	%
	SPIKE	Conductivity	2008/07/08		100	%
	METHOD BLANK	Conductivity	2008/07/08	<0.001		mmhos/cm
527698 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/14		104	%
		Sulfates (SO4)	2008/07/14		96	%

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINESITE
P.O. #:
Project name:

Quality Assurance Report (Continued)


Maxxam Job Number: A827191

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
527698 AK3	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/14	<0.02		mg/L
		Sulfates (SO4)	2008/07/14	<0.1		mg/L
527699 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/09		103	%
		Sulfates (SO4)	2008/07/09		98	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/09	<0.02		mg/L
		Sulfates (SO4)	2008/07/09	<0.1		mg/L
527708 AK3	QC STANDARD	Fluoride (F)	2008/07/09		104	%
	SPIKE	Fluoride (F)	2008/07/09		102	%
	METHOD BLANK	Fluoride (F)	2008/07/09	<0.1		mg/L
527726 MR4	QC STANDARD	Mercury (Hg)	2008/07/09		95	%
	SPIKE	Mercury (Hg)	2008/07/09		103	%
	METHOD BLANK	Mercury (Hg)	2008/07/09	<0.0001		mg/L
527728 MR4	QC STANDARD	Mercury (Hg)	2008/07/09		95	%
	SPIKE	Mercury (Hg)	2008/07/09		103	%
	METHOD BLANK	Mercury (Hg)	2008/07/09	<0.0001		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A827191

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).





MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2




NOUREDDINE CHAFIAAI, B.Sc., Chemist, Analyst 2




STELIANA CALESTRU, B.Sc. Chemist, Analyst 2




VERONIC BEAUSEJOUR, B.Sc., Chemist, Supervisor

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Client: Agnico-Eagle Meadowbank Project						Tel: 867-793-4167 x 6728																														
Address: Meadowbank Camp Baker Lake Nunavut, X0X 0A0						Fax:																														
Sampler: RV and SM						Project Manager: Ryan Vanengen Sylvain Doire																														
N°	Sample identification	N° labo MAXXAM	Matrix						Sampling		Date	Parameters																								
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers		To filter (yes/no)	BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color) GC-MS	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic Sélénium	Mercury	Lead	Metals ICP -13 ele -soil ** -16 ele -water***	NH ₄ TKN	NH ₃ , SO ₄ , F	NO ₂ +NO ₃ X O-PO ₄	Cl F SO ₄	TSS	Cyanide	General: pH, Conductivity, Hardness			
1	ASP2				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X						
2	AS2				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
3	QP1				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
4	AS-D1				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
5	ASP4				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
6	ASD2				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
7	MP5				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
8	MP1				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
9	MTPL-1C				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
10	MTPL-1B				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
11	MTPL-1				X				5		06/21/2008		X									X	X	X	X	X	X	X	X	X	X					
Metals Legend:												** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn) *** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)																								
Turnaround time:												Maxxam quote #:												Detection limits required / contamination level: CCME for Surface Water (Federal)												
☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours												Site: Meadowbank Site												Special instructions: Please provide 200 station bottles ASAP (as discussed)												
												PO #:																								
												Others:																								
LEGEND: * C = Canisters * W = Waste * O = Oil * T = Tubes ou Cartridges												Delivered by sampler: Ryan Vanengen												Date ##				Time				Received by:				
												Delivered by messenger:												Date				Time				Received by:				
												Delivered by:												Date				Time				Received by Maxxam:				

Client: Agnico-Eagle Meadowbank Project		Te: 867-793-4167 x 6728	
Address: Meadowbank Camp Baker Lake Nunavut, X0X 0A0		Fax:	
Sampler: NS and RV		Project #: AWPAP	
Project Manager: Ryan Vanengen Sylvain Doire			

N°	Sample identification	N° labo MAXXAM	Matrix				Sampling		Date	
			Potable w.	Ground w.	Surf. W.	Soils	Sediments	Others*		# containers
12	ATT-1				X			5		06/21/2008
13	ATT-2				X			5		06/21/2008
14	WC-US				X			5		06/21/2008
15	WC-DS				X			5		06/21/2008
16	MP-6				X			5		06/21/2008
17	MP-4				X			5		06/21/2008
18	MP-3				X			5		06/21/2008
19	DUP-1				X			5		06/21/2008
20	MP-2				X			5		06/21/2008
21	MTPL-3				X			5		06/21/2008
22										

BTEX (P&T / GC-MS)	
Hydrocarbons C10-C50	X
O&G mineral (gravimetric)	X
O&G total (gravimetric)	
PCB	
MAH VOC(624)	
PAH	

Metals Legend:
 ** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
 *** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Ni)

Maxxam quote #:

Turnaround time:
☐ 10 working days
☐ 5 working days
☐ 72 hours
☐ 48 hours
☐ 24 hours

Site: Meadowbank Site
PO #:
Others:

Detection limits require CCME for Surface Water

Special instructions:
 Please provide 200 st

LEGEND:
 C = Canisters
 W = Waste
 O = Oil
 T = Tubes ou Cartridges

Delivered by sampler: Ryan Vanengen	Date ##
Delivered by messenger:	Date
Delivered by:	Date

ANALYSIS REQUIRED														
Phenol (color) (GC-MS)														
TPH (GC-FID)														
Metals (Cd, Cr, Cu, Ni, Pb, Zn)														
Arsenic Selenium														
Mercury	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Lead														
Metals ICP -13 ele-soil** 16 ele-water***	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NH4 TKN														
NH3, SO4, F	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NO2+NO3 X O-PO4	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Cl F SO4														
TSS	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Cyanide														
General: pH, Conductivity, Hardness	X	X	X	X	X	X	X	X	X	X	X	X	X	X

Page 21 of 21

3, Zn)

red / contamination level:
ter (Federal)

ation bottles ASAP (as discussed)

Time	Received by:
Time	Received by:
Time	Received by Maxxam:

Your Project #: MINE SITE
Site: MEADOWBANK SITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/07/28

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A830539

Received: 2008/07/18, 11:30

Sample Matrix: SURFACE WATER

Samples Received: 15

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	15	2008/07/23	2008/07/24	STL SOP-00014/5	Ion Chromatography
Conductivity	15	2008/07/22	2008/07/22	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	15	N/A	2008/07/18		
Fluoride	15	2008/07/22	2008/07/23	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	15	2008/07/22	2008/07/23	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	15	2008/07/23	2008/07/23	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	15	2008/07/19	2008/07/22	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	15	2008/07/22	2008/07/23	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	15	2008/07/21	2008/07/22	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	15	2008/07/18	2008/07/21	STL SOP-00151/11	Gravimetric
pH	15	2008/07/18	2008/07/19	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (SURFACE WATER)

Maxxam ID		F15940	F15940	F15941	F15944		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	QP-1	QP-1 Lab-Dup	DUP-1	MP-2	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	<0.0001	0.0001	533001
Calcium (Ca)	mg/L	31	33	32	61	1	532721
Magnesium (Mg)	mg/L	8	8	8	14	1	532721
Total Hardness (CaCO3)	mg/L	110	120	110	210	1	532721
METALS ICP-MS							
Aluminum (Al)	ug/L	1500	1500	1600	790	1.0	532720
Antimony (Sb)	ug/L	1.1	<1.0	<1.0	<1.0	1.0	532720
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532720
Arsenic (As)	ug/L	5.6	5.7	5.6	9.3	1.0	532720
Barium (Ba)	ug/L	76	75	78	76	2.0	532720
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532720
Chromium (Cr)	ug/L	7.7	8.0	7.8	13	0.50	532720
Cobalt (Co)	ug/L	2.4	2.5	2.3	3.0	0.50	532720
Copper (Cu)	ug/L	9.0	9.5	10	11	0.50	532720
Manganese (Mn)	ug/L	230	240	230	240	0.40	532720
Molybdenum (Mo)	ug/L	2.7	2.5	2.8	17	0.50	532720
Nickel (Ni)	ug/L	6.2	6.2	6.2	4.6	1.0	532720
Sodium (Na)	ug/L	4500	4600	4600	18000	30	532720
Zinc (Zn)	ug/L	9.9	11	9.2	8.9	1.0	532720
Selenium (Se)	ug/L	4.8	4.4	4.4	3.2	1.0	532720
Lead (Pb)	ug/L	3.7	4.2	3.9	7.7	0.10	532720
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532720
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (SURFACE WATER)

Maxxam ID		F15945	F15946	F15947	F15948		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	DUP-2	ATT-2	WC-US	WC-DS	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533001
Calcium (Ca)	mg/L	62	86	1	1	1	532721
Magnesium (Mg)	mg/L	14	19	<1	<1	1	532721
Total Hardness (CaCO3)	mg/L	210	290	3	3	1	532721
METALS ICP-MS							
Aluminum (Al)	ug/L	820	700	45	6.9	1.0	532720
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532720
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532720
Arsenic (As)	ug/L	9.0	4.7	<1.0	<1.0	1.0	532720
Barium (Ba)	ug/L	76	180	2.8	2.2	2.0	532720
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532720
Chromium (Cr)	ug/L	13	1.9	<0.50	<0.50	0.50	532720
Cobalt (Co)	ug/L	3.2	5.5	<0.50	<0.50	0.50	532720
Copper (Cu)	ug/L	18	20	2.6	1.4	0.50	532720
Manganese (Mn)	ug/L	260	970	2.3	1.3	0.40	532720
Molybdenum (Mo)	ug/L	17	3.8	<0.50	<0.50	0.50	532720
Nickel (Ni)	ug/L	4.1	4.9	<1.0	<1.0	1.0	532720
Sodium (Na)	ug/L	19000	14000	370	360	30	532720
Zinc (Zn)	ug/L	13	5.1	7.9	1.4	1.0	532720
Selenium (Se)	ug/L	3.1	2.9	8.7	7.3	1.0	532720
Lead (Pb)	ug/L	8.5	2.7	<0.10	<0.10	0.10	532720
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532720
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (SURFACE WATER)

Maxxam ID		F15949	F15950	F15950	F15951		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	ATT-1	AS-2	AS-2 Lab-Dup	ASP-3	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533001
Calcium (Ca)	mg/L	77	4	N/A	22	1	532721
Magnesium (Mg)	mg/L	19	1	N/A	4	1	532721
Total Hardness (CaCO3)	mg/L	270	15	N/A	70	1	532721
METALS ICP-MS							
Aluminum (Al)	ug/L	970	32	N/A	1100	1.0	532720
Antimony (Sb)	ug/L	<1.0	<1.0	N/A	<1.0	1.0	532720
Silver (Ag)	ug/L	<0.10	<0.10	N/A	<0.10	0.10	532720
Arsenic (As)	ug/L	2.6	<1.0	N/A	1.3	1.0	532720
Barium (Ba)	ug/L	150	4.6	N/A	28	2.0	532720
Cadmium (Cd)	ug/L	<0.20	<0.20	N/A	<0.20	0.20	532720
Chromium (Cr)	ug/L	<0.50	<0.50	N/A	<0.50	0.50	532720
Cobalt (Co)	ug/L	4.4	<0.50	N/A	0.58	0.50	532720
Copper (Cu)	ug/L	11	1.0	N/A	5.4	0.50	532720
Manganese (Mn)	ug/L	590	2.3	N/A	34	0.40	532720
Molybdenum (Mo)	ug/L	3.1	<0.50	N/A	1.1	0.50	532720
Nickel (Ni)	ug/L	4.2	<1.0	N/A	2.9	1.0	532720
Sodium (Na)	ug/L	13000	750	N/A	3000	30	532720
Zinc (Zn)	ug/L	6.3	6.5	N/A	8.0	1.0	532720
Selenium (Se)	ug/L	2.7	6.7	N/A	7.8	1.0	532720
Lead (Pb)	ug/L	1.9	<0.10	N/A	1.1	0.10	532720
Thallium (Tl)	ug/L	<2.0	<2.0	N/A	<2.0	2.0	532720
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (SURFACE WATER)

Maxxam ID		F15952	F15953	F15954	F15955		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	ASD-1	MP-1	MTPL-1	MTPL-3	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	533001
Calcium (Ca)	mg/L	35	77	3	2	1	532721
Magnesium (Mg)	mg/L	7	18	<1	<1	1	532721
Total Hardness (CaCO3)	mg/L	120	270	8	4	1	532721
METALS ICP-MS							
Aluminum (Al)	ug/L	1900	650	8.1	13	1.0	532720
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	532720
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	532720
Arsenic (As)	ug/L	2.4	1.7	<1.0	<1.0	1.0	532720
Barium (Ba)	ug/L	58	120	4.0	2.7	2.0	532720
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	532720
Chromium (Cr)	ug/L	5.3	<0.50	<0.50	<0.50	0.50	532720
Cobalt (Co)	ug/L	1.9	4.3	<0.50	<0.50	0.50	532720
Copper (Cu)	ug/L	9.9	6.3	1.1	1.8	0.50	532720
Manganese (Mn)	ug/L	260	290	3.0	2.0	0.40	532720
Molybdenum (Mo)	ug/L	1.2	4.0	<0.50	<0.50	0.50	532720
Nickel (Ni)	ug/L	8.0	5.4	<1.0	1.0	1.0	532720
Sodium (Na)	ug/L	3700	12000	800	400	30	532720
Zinc (Zn)	ug/L	11	2.7	4.0	4.6	1.0	532720
Selenium (Se)	ug/L	6.5	2.2	6.2	5.6	1.0	532720
Lead (Pb)	ug/L	4.9	1.0	0.33	<0.10	0.10	532720
Thallium (Tl)	ug/L	<2.0	<2.0	<2.0	<2.0	2.0	532720
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (SURFACE WATER)

Maxxam ID		F15956		
Sampling Date		2008/07/13		
	Units	MP-4	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	533001
Calcium (Ca)	mg/L	46	1	532721
Magnesium (Mg)	mg/L	17	1	532721
Total Hardness (CaCO ₃)	mg/L	190	1	532721
METALS ICP-MS				
Aluminum (Al)	ug/L	1100	1.0	532720
Antimony (Sb)	ug/L	<1.0	1.0	532720
Silver (Ag)	ug/L	<0.10	0.10	532720
Arsenic (As)	ug/L	1.2	1.0	532720
Barium (Ba)	ug/L	60	2.0	532720
Cadmium (Cd)	ug/L	<0.20	0.20	532720
Chromium (Cr)	ug/L	<0.50	0.50	532720
Cobalt (Co)	ug/L	2.9	0.50	532720
Copper (Cu)	ug/L	8.5	0.50	532720
Manganese (Mn)	ug/L	330	0.40	532720
Molybdenum (Mo)	ug/L	4.0	0.50	532720
Nickel (Ni)	ug/L	3.9	1.0	532720
Sodium (Na)	ug/L	12000	30	532720
Zinc (Zn)	ug/L	6.3	1.0	532720
Selenium (Se)	ug/L	2.9	1.0	532720
Lead (Pb)	ug/L	1.7	0.10	532720
Thallium (Tl)	ug/L	<2.0	2.0	532720
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15940	F15940	F15941		
Sampling Date		2008/07/13	2008/07/13	2008/07/13		
	Units	QP-1	QP-1 Lab-Dup	DUP-1	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.35	0.35	0.35	0.001	532502
Fluoride (F)	mg/L	0.5	N/A	0.5	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	4.1	4.1	4.0	0.1	532207
pH	pH	7.9	N/A	7.8	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	13	N/A	14	0.1	533113
Sulfates (SO4)	mg/L	9.6	N/A	9.7	0.1	533113
Total suspended solids (TSS)	mg/L	14	N/A	8	2	531926

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15944	F15945		F15946		
Sampling Date		2008/07/13	2008/07/13		2008/07/13		
	Units	MP-2	DUP-2	RDL	ATT-2	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.76	0.76	0.001	1.3	0.001	532502
Fluoride (F)	mg/L	0.7	0.7	0.1	0.3	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	5.6	5.5	0.1	36	1	532207
pH	pH	7.7	7.8	N/A	7.3	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	42	39	0.2	99	0.4	533113
Sulfates (SO4)	mg/L	94	100	0.5	25	0.1	533113
Total suspended solids (TSS)	mg/L	15	13	2	12	2	531926

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15947	F15948		F15949		
Sampling Date		2008/07/13	2008/07/13		2008/07/13		
	Units	WC-US	WC-DS	RDL	ATT-1	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.013	0.013	0.001	1.0	0.001	532502
Fluoride (F)	mg/L	<0.1	<0.1	0.1	0.3	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	0.06	0.04	0.02	28	0.5	532207
pH	pH	7.9	7.9	N/A	7.6	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	0.06	<0.02	0.02	79	0.4	533113
Sulfates (SO4)	mg/L	1.3	1.1	0.1	33	0.1	533113
Total suspended solids (TSS)	mg/L	<2	10	2	<2	2	531926
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam ID		F15950		F15951	F15952		
Sampling Date		2008/07/13		2008/07/13	2008/07/13		
	Units	AS-2	QC Batch	ASP-3	ASD-1	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.043	532687	0.19	0.29	0.001	532502
Fluoride (F)	mg/L	<0.1	532680	0.2	0.4	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	0.05	532207	0.05	0.09	0.02	532207
pH	pH	7.2	531891	8.1	8.0	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	0.31	533113	1.5	1.7	0.02	533113
Sulfates (SO4)	mg/L	1.8	533113	9.4	16	0.1	533113
Total suspended solids (TSS)	mg/L	<2	531926	9	25	2	531926
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15952		F15953		
Sampling Date		2008/07/13		2008/07/13		
	Units	ASD-1 Lab-Dup	RDL	MP-1	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	N/A	0.001	0.98	0.001	532502
Fluoride (F)	mg/L	N/A	0.1	0.2	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	N/A	0.02	21	0.5	532207
pH	pH	7.9	N/A	7.2	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	N/A	0.02	79	0.4	533113
Sulfates (SO4)	mg/L	N/A	0.1	32	0.1	533113
Total suspended solids (TSS)	mg/L	N/A	2	10	2	531926

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F15954	F15955		F15956		
Sampling Date		2008/07/13	2008/07/13		2008/07/13		
	Units	MTPL-1	MTPL-3	RDL	MP-4	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.028	0.016	0.001	0.54	0.001	532502
Fluoride (F)	mg/L	<0.1	<0.1	0.1	0.7	0.1	532680
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.05	0.02	2.2	0.04	532207
pH	pH	7.5	6.4	N/A	7.9	N/A	531891
Nitrate (N) and Nitrite(N)	mg/L	0.70	0.03	0.02	16	0.1	533113
Sulfates (SO4)	mg/L	1.6	1.2	0.1	54	0.2	533113
Total suspended solids (TSS)	mg/L	3	<2	2	24	2	531926

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F15956		
Sampling Date		2008/07/13		
	Units	MP-4 Lab-Dup	RDL	QC Batch

CONVENTIONALS				
Nitrate (N) and Nitrite(N)	mg/L	18	0.1	533113
Sulfates (SO4)	mg/L	63	0.2	533113
Total suspended solids (TSS)	mg/L	27	2	531926
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F15940	F15941	F15944	F15945	F15946		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	QP-1	DUP-1	MP-2	DUP-2	ATT-2	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531882
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15947	F15948	F15949	F15950	F15951		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	WC-US	WC-DS	ATT-1	AS-2	ASP-3	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531882
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F15952	F15953	F15954	F15955	F15956		
Sampling Date		2008/07/13	2008/07/13	2008/07/13	2008/07/13	2008/07/13		
	Units	ASD-1	MP-1	MTPL-1	MTPL-3	MP-4	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	531882
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam Job #: A830539
Report Date: 2008/07/28

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: JK

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

Mercury by Cold Vapour AA: Arrived unpreserved, preserved upon reception at the laboratory.: F15940, F15941, F15944, F15945, F15946, F15947, F15948, F15949, F15950, F15951, F15952, F15953, F15954, F15955, F15956

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank. Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A830539

QA/QC Batch	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
531882 AF3	SPIKE	Mineral Oil and Grease	2008/07/21		72	%
	SPIKE DUP	Mineral Oil and Grease	2008/07/21		84	%
		Mineral Oil and Grease	2008/07/21		64	%
		Mineral Oil and Grease	2008/07/21		50	%
	METHOD BLANK	Mineral Oil and Grease	2008/07/21	<3		mg/L
531891 TMD	QC STANDARD	pH	2008/07/19		101	%
	SPIKE	pH	2008/07/19		100	%
531926 JM6	SPIKE	Total suspended solids (TSS)	2008/07/22		96	%
	SPIKE DUP	Total suspended solids (TSS)	2008/07/22		96	%
	METHOD BLANK	Total suspended solids (TSS)	2008/07/22	<2		mg/L
532207 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/07/22		91	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/07/22		101	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/07/22	<0.02		mg/L
532502 AK3	QC STANDARD	Conductivity	2008/07/22		101	%
	SPIKE	Conductivity	2008/07/22		97	%
	METHOD BLANK	Conductivity	2008/07/22	<0.001		mmhos/cm
532680 AK3	QC STANDARD	Fluoride (F)	2008/07/23		102	%
	SPIKE	Fluoride (F)	2008/07/23		101	%
	METHOD BLANK	Fluoride (F)	2008/07/23	<0.1		mg/L
532687 JL1	QC STANDARD	Conductivity	2008/07/22		99	%
	SPIKE	Conductivity	2008/07/22		97	%
	METHOD BLANK	Conductivity	2008/07/22	<0.001		mmhos/cm
532720 SC5	SPIKE	Aluminum (Al)	2008/07/23		88	%
		Antimony (Sb)	2008/07/23		106	%
		Silver (Ag)	2008/07/23		82	%
		Arsenic (As)	2008/07/23		100	%
		Barium (Ba)	2008/07/23		100	%
		Cadmium (Cd)	2008/07/23		98	%
		Chromium (Cr)	2008/07/23		109	%
		Cobalt (Co)	2008/07/23		105	%
		Copper (Cu)	2008/07/23		91	%
		Manganese (Mn)	2008/07/23		97	%
		Molybdenum (Mo)	2008/07/23		103	%
		Nickel (Ni)	2008/07/23		101	%
		Sodium (Na)	2008/07/23		92	%
		Zinc (Zn)	2008/07/23		94	%
		Selenium (Se)	2008/07/23		79	%
		Lead (Pb)	2008/07/23		110	%
		Thallium (Tl)	2008/07/23		108	%
	METHOD BLANK	Aluminum (Al)	2008/07/23	<1.0		ug/L
		Antimony (Sb)	2008/07/23	<1.0		ug/L
		Silver (Ag)	2008/07/23	<0.10		ug/L
		Arsenic (As)	2008/07/23	<1.0		ug/L
		Barium (Ba)	2008/07/23	<2.0		ug/L
		Cadmium (Cd)	2008/07/23	<0.20		ug/L
		Chromium (Cr)	2008/07/23	<0.50		ug/L
		Cobalt (Co)	2008/07/23	<0.50		ug/L
		Copper (Cu)	2008/07/23	<0.50		ug/L
		Manganese (Mn)	2008/07/23	<0.40		ug/L
		Molybdenum (Mo)	2008/07/23	<0.50		ug/L
		Nickel (Ni)	2008/07/23	1.1, RDL=1.0		ug/L
		Sodium (Na)	2008/07/23	35, RDL=30		ug/L
		Zinc (Zn)	2008/07/23	2.4, RDL=1.0		ug/L
		Selenium (Se)	2008/07/23	<1.0		ug/L
		Lead (Pb)	2008/07/23	0.18, RDL=0.10		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)

Maxxam Job Number: A830539


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
532720 SC5	METHOD BLANK	Thallium (Tl)	2008/07/23	<2.0		ug/L
532721 SC5	METHOD BLANK	Calcium (Ca)	2008/07/23	<1		mg/L
		Magnesium (Mg)	2008/07/23	<1		mg/L
		Total Hardness (CaCO3)	2008/07/23	<1		mg/L
533001 KQ	QC STANDARD	Mercury (Hg)	2008/07/23		98	%
	SPIKE	Mercury (Hg)	2008/07/23		104	%
	METHOD BLANK	Mercury (Hg)	2008/07/23	<0.0001		mg/L
533113 DKH	SPIKE	Nitrate (N) and Nitrite(N)	2008/07/24		94	%
		Sulfates (SO4)	2008/07/24		101	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/07/24	<0.02		mg/L
		Sulfates (SO4)	2008/07/24	<0.1		mg/L

RDL = Reportable Detection Limit
QC Standard = Quality Control Standard
SPIKE = Fortified sample

Validation Signature Page

Maxxam Job #: A830539


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).





DELIA BARBUL, B.Sc., Chemist, Analyst 2




MICHEL POULIN, B.Sc., Chemist, Analyst 2




STELIANA CALESTRU, B.Sc. Chemist, Analyst 2




VERONIC BEAUSEJOUR, B.Sc., Chemist, Supervisor

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

113044

Page 22

[illegible]red / contamination level:
ter (Federal)

Time	Received by:
Time	Received by:
Time	Received by Maxxam:

Your Project #: #MINE SITE
Site: MEADOWBANK SITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/08/29

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A836156

Received: 2008/08/20, 17:00

Sample Matrix: SURFACE WATER

Samples Received: 17

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	17	2008/08/27	2008/08/28	STL SOP-00014/5	Ion Chromatography
Conductivity	17	2008/08/26	2008/08/27	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	17	N/A	2008/08/25		
Fluoride	17	2008/08/27	2008/08/29	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	17	2008/08/28	2008/08/29	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	17	2008/08/28	2008/08/28	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	17	2008/08/26	2008/08/28	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	17	2008/08/28	2008/08/29	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	17	2008/08/26	2008/08/27	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	14	2008/08/26	2008/08/28	STL SOP-00151/11	Gravimetric
pH	17	2008/08/26	2008/08/26	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Project manager
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

METALS (SURFACE WATER)

Maxxam ID		F41435	F41435	F41436	F41437		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	MP-1	MP-1 Lab-Dup	MP-2	MP-3	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	N/A	<0.0001	<0.0001	0.0001	544029
Calcium (Ca)	mg/L	46	44	39	50	1	544070
Magnesium (Mg)	mg/L	8	8	10	13	1	544070
Total Hardness (CaCO ₃)	mg/L	150	150	140	180	1	544070
METALS ICP-MS							
Aluminum (Al)	ug/L	510	580	1600	1300	1.0	544069
Antimony (Sb)	ug/L	2.2	<1.0	<1.0	<1.0	1.0	544069
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	0.21	0.10	544069
Arsenic (As)	ug/L	1.7	1.7	2.5	1.6	1.0	544069
Barium (Ba)	ug/L	67	65	60	99	2.0	544069
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	544069
Chromium (Cr)	ug/L	1.8	1.6	6.5	0.85	0.50	544069
Cobalt (Co)	ug/L	1.4	1.4	1.7	2.4	0.50	544069
Copper (Cu)	ug/L	6.9	7.1	10	7.6	0.50	544069
Manganese (Mn)	ug/L	540	520	120	620	0.40	544069
Molybdenum (Mo)	ug/L	2.7	2.5	4.5	2.1	0.50	544069
Nickel (Ni)	ug/L	2.7	2.6	4.1	3.1	1.0	544069
Sodium (Na)	ug/L	13000	13000	10000	11000	30	544069
Zinc (Zn)	ug/L	1.5	1.8	7.8	7.9	1.0	544069
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Lead (Pb)	ug/L	1.4	1.2	2.0	2.8	0.10	544069
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

METALS (SURFACE WATER)

Maxxam ID		F41438	F41439	F41440	F41441		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	MP-4	ATT-1	ST-27	ASD-2	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	544029
Calcium (Ca)	mg/L	49	23	18	35	1	544070
Magnesium (Mg)	mg/L	21	4	3	7	1	544070
Total Hardness (CaCO3)	mg/L	210	72	57	120	1	544070
METALS ICP-MS							
Aluminum (Al)	ug/L	780	99	70	270	1.0	544069
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	544069
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Barium (Ba)	ug/L	54	38	19	34	2.0	544069
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	544069
Chromium (Cr)	ug/L	<0.50	<0.50	6.7	<0.50	0.50	544069
Cobalt (Co)	ug/L	0.98	0.51	<0.50	0.54	0.50	544069
Copper (Cu)	ug/L	7.1	2.2	5.0	3.9	0.50	544069
Manganese (Mn)	ug/L	300	540	15	77	0.40	544069
Molybdenum (Mo)	ug/L	3.8	0.50	<0.50	0.86	0.50	544069
Nickel (Ni)	ug/L	<1.0	1.2	<1.0	<1.0	1.0	544069
Sodium (Na)	ug/L	15000	9500	4200	4400	30	544069
Zinc (Zn)	ug/L	4.9	7.5	4.8	4.2	1.0	544069
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Lead (Pb)	ug/L	1.3	0.17	0.20	0.31	0.10	544069
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

METALS (SURFACE WATER)

Maxxam ID		F41442	F41443	F41444	F41445		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	QP-1	ASP-3	AS-2	MTPL-1	RDL	QC Batch
METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	544029
Calcium (Ca)	mg/L	43	32	17	4	1	544070
Magnesium (Mg)	mg/L	11	6	4	<1	1	544070
Total Hardness (CaCO3)	mg/L	150	100	57	9	1	544070
METALS ICP-MS							
Aluminum (Al)	ug/L	960	2300	110	32	1.0	544069
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	544069
Arsenic (As)	ug/L	2.4	1.7	<1.0	<1.0	1.0	544069
Barium (Ba)	ug/L	92	55	21	4.7	2.0	544069
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	544069
Chromium (Cr)	ug/L	3.8	9.7	<0.50	<0.50	0.50	544069
Cobalt (Co)	ug/L	1.6	1.8	<0.50	<0.50	0.50	544069
Copper (Cu)	ug/L	10	9.3	3.6	1.1	0.50	544069
Manganese (Mn)	ug/L	170	80	5.6	8.9	0.40	544069
Molybdenum (Mo)	ug/L	4.4	<0.50	<0.50	<0.50	0.50	544069
Nickel (Ni)	ug/L	2.0	27	<1.0	<1.0	1.0	544069
Sodium (Na)	ug/L	9800	2400	2600	1800	30	544069
Zinc (Zn)	ug/L	6.8	8.9	<1.0	4.4	1.0	544069
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	544069
Lead (Pb)	ug/L	2.1	2.8	<0.10	<0.10	0.10	544069
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

METALS (SURFACE WATER)

Maxxam ID		F41446	F41446	F41447	F41448		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	MTPL-3	MTPL-3 Lab-Dup	WCUS	WCDS	RDL	QC Batch

METALS							
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	<0.0001	0.0001	544029
Calcium (Ca)	mg/L	4	N/A	1	1	1	544070
Magnesium (Mg)	mg/L	<1	N/A	<1	<1	1	544070
Total Hardness (CaCO3)	mg/L	11	N/A	3	3	1	544070
METALS ICP-MS							
Aluminum (Al)	ug/L	15	N/A	16	14	1.0	544069
Antimony (Sb)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	544069
Silver (Ag)	ug/L	<0.10	N/A	<0.10	<0.10	0.10	544069
Arsenic (As)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	544069
Barium (Ba)	ug/L	5.9	N/A	2.7	2.5	2.0	544069
Cadmium (Cd)	ug/L	<0.20	N/A	<0.20	<0.20	0.20	544069
Chromium (Cr)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	544069
Cobalt (Co)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	544069
Copper (Cu)	ug/L	0.88	N/A	1.0	5.8	0.50	544069
Manganese (Mn)	ug/L	4.9	N/A	1.5	1.8	0.40	544069
Molybdenum (Mo)	ug/L	<0.50	N/A	<0.50	<0.50	0.50	544069
Nickel (Ni)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	544069
Sodium (Na)	ug/L	820	N/A	340	<30	30	544069
Zinc (Zn)	ug/L	3.8	N/A	<1.0	4.5	1.0	544069
Selenium (Se)	ug/L	<1.0	N/A	<1.0	<1.0	1.0	544069
Lead (Pb)	ug/L	<0.10	N/A	<0.10	0.27	0.10	544069

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

METALS (SURFACE WATER)

Maxxam ID		F41449	F41455	F41456		
Sampling Date		2008/08/19	2008/08/19	2008/08/19		
	Units	MSPL-2	DUP-1	DUP-2	RDL	QC Batch
METALS						
Mercury (Hg)	mg/L	<0.0001	<0.0001	<0.0001	0.0001	544029
Calcium (Ca)	mg/L	2	41	18	1	544070
Magnesium (Mg)	mg/L	<1	11	3	1	544070
Total Hardness (CaCO3)	mg/L	4	150	57	1	544070
METALS ICP-MS						
Aluminum (Al)	ug/L	45	820	59	1.0	544069
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	1.0	544069
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	0.10	544069
Arsenic (As)	ug/L	<1.0	2.0	<1.0	1.0	544069
Barium (Ba)	ug/L	2.8	87	18	2.0	544069
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	0.20	544069
Chromium (Cr)	ug/L	<0.50	4.6	1.3	0.50	544069
Cobalt (Co)	ug/L	<0.50	1.5	<0.50	0.50	544069
Copper (Cu)	ug/L	2.1	8.1	1.9	0.50	544069
Manganese (Mn)	ug/L	2.0	170	14	0.40	544069
Molybdenum (Mo)	ug/L	<0.50	4.2	<0.50	0.50	544069
Nickel (Ni)	ug/L	<1.0	1.7	<1.0	1.0	544069
Sodium (Na)	ug/L	360	9700	4200	30	544069
Zinc (Zn)	ug/L	3.5	6.0	1.2	1.0	544069
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	1.0	544069
Lead (Pb)	ug/L	<0.10	1.9	0.10	0.10	544069
RDL = Reportable Detection Limit QC Batch = Quality Control Batch						

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F41435	F41435		F41436		
Sampling Date		2008/08/19	2008/08/19		2008/08/19		
	Units	MP-1	MP-1 Lab-Dup	RDL	MP-2	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.47	N/A	0.001	0.43	0.001	543262
Fluoride (F)	mg/L	0.2	N/A	0.1	0.5	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	3.9	N/A	0.2	1.2	0.02	542852
pH	pH	7.4	7.5	N/A	7.8	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	14	N/A	0.2	15	0.2	543842
Sulfates (SO4)	mg/L	22	N/A	1	52	0.2	543842
Total suspended solids (TSS)	mg/L	19	20	2	33	2	543261

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F41436		F41437		
Sampling Date		2008/08/19		2008/08/19		
	Units	MP-2 Lab-Dup	RDL	MP-3	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.43	0.001	0.66	0.001	543262
Fluoride (F)	mg/L	0.5	0.1	0.2	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	N/A	0.02	9.6	0.2	542852
pH	pH	N/A	N/A	7.3	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	N/A	0.2	31	0.4	543842
Sulfates (SO4)	mg/L	N/A	0.2	37	0.1	543842
Total suspended solids (TSS)	mg/L	N/A	2	24	2	543261

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F41438		F41439	F41440		
Sampling Date		2008/08/19		2008/08/19	2008/08/19		
	Units	MP-4	RDL	ATT-1	ST-27	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.57	0.001	0.23	0.18	0.001	543262
Fluoride (F)	mg/L	0.7	0.1	<0.1	0.1	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	0.57	0.02	0.06	0.10	0.02	542852
pH	pH	8.0	N/A	7.3	7.3	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	7.7	0.04	0.54	3.4	0.02	543842
Sulfates (SO4)	mg/L	76	0.2	10	9.5	0.1	543842
Total suspended solids (TSS)	mg/L	15	2	13	4	2	543261

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F41441		F41442		
Sampling Date		2008/08/19		2008/08/19		
	Units	ASD-2	RDL	QP-1	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.30	0.001	0.44	0.001	543262
Fluoride (F)	mg/L	0.2	0.1	0.4	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	0.35	0.02	1.4	0.02	542852
pH	pH	7.4	N/A	7.8	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	2.3	0.02	19	0.4	543842
Sulfates (SO4)	mg/L	4.3	0.1	13	0.1	543842
Total suspended solids (TSS)	mg/L	5	2	30	2	543261

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F41443	F41443		
Sampling Date		2008/08/19	2008/08/19		
	Units	ASP-3	ASP-3 Lab-Dup	RDL	QC Batch

CONVENTIONALS					
Conductivity	mmhos/cm	0.23	0.23	0.001	543262
Fluoride (F)	mg/L	0.2	N/A	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	0.06	0.06	0.02	542852
pH	pH	7.9	N/A	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	0.75	N/A	0.02	543842
Sulfates (SO4)	mg/L	8.2	N/A	0.1	543842
Total suspended solids (TSS)	mg/L	11	N/A	2	543261

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F41444		F41445	F41446		
Sampling Date		2008/08/19		2008/08/19	2008/08/19		
	Units	AS-2	RDL	MTPL-1	MTPL-3	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.18	0.001	0.044	0.043	0.001	543262
Fluoride (F)	mg/L	<0.1	0.1	<0.1	<0.1	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	0.14	0.02	0.05	0.09	0.02	542852
pH	pH	7.7	N/A	7.6	7.5	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	6.5	0.04	0.29	0.19	0.02	543851
Sulfates (SO4)	mg/L	8.2	0.1	2.1	1.9	0.1	543851
Total suspended solids (TSS)	mg/L	<2	2	14	<2	2	543261

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F41447	F41448	F41449		
Sampling Date		2008/08/19	2008/08/19	2008/08/19		
	Units	WCUS	WCDS	MSPL-2	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.015	0.015	0.017	0.001	543262
Fluoride (F)	mg/L	<0.1	<0.1	<0.1	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	0.03	0.05	0.05	0.02	542852
pH	pH	7.7	7.6	7.5	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	<0.02	0.08	0.06	0.02	543851
Sulfates (SO4)	mg/L	1.6	1.6	1.7	0.1	543851
Total suspended solids (TSS)	mg/L	<2	<2	<2	2	543261

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F41455		F41456		
Sampling Date		2008/08/19		2008/08/19		
	Units	DUP-1	RDL	DUP-2	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.44	0.001	0.18	0.001	543262
Fluoride (F)	mg/L	0.4	0.1	<0.1	0.1	543530
Nitrogen ammonia (N-NH3)	mg/L	1.4	0.02	0.14	0.02	542852
pH	pH	7.8	N/A	7.8	N/A	543329
Nitrate (N) and Nitrite(N)	mg/L	19	0.4	3.4	0.02	543851
Sulfates (SO4)	mg/L	12	0.1	9.2	0.1	543851
Total suspended solids (TSS)	mg/L	44	2	3	2	543261

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F41435	F41436	F41437	F41438	F41439		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	MP-1	MP-2	MP-3	MP-4	ATT-1	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	543233
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F41440	F41441	F41443	F41444	F41445		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	ST-27	ASD-2	ASP-3	AS-2	MTPL-1	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	543233
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F41446	F41447	F41449	F41455		
Sampling Date		2008/08/19	2008/08/19	2008/08/19	2008/08/19		
	Units	MTPL-3	WCUS	MSPL-2	DUP-1	RDL	QC Batch

OIL & GREASE							
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	3	543233
RDL = Reportable Detection Limit QC Batch = Quality Control Batch							

Maxxam Job #: A836156
Report Date: 2008/08/29

Agnico-Eagle Mines Ltd.
Client Project #: #MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: F41435, F41436, F41437, F41438, F41439, F41440, F41441, F41442, F41443, F41444, F41445, F41446, F41447, F41448, F41449, F41455, F41456

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: #MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A836156

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
542852 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/08/27		97	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/08/27		101	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/08/27	<0.02		mg/L
543233 VG1	SPIKE	Mineral Oil and Grease	2008/08/28		97	%
	SPIKE DUP	Mineral Oil and Grease	2008/08/28		96	%
		Mineral Oil and Grease	2008/08/28		95	%
	METHOD BLANK	Mineral Oil and Grease	2008/08/28	<3		mg/L
543261 HM1	SPIKE	Total suspended solids (TSS)	2008/08/28		93	%
	SPIKE DUP	Total suspended solids (TSS)	2008/08/28		95	%
	METHOD BLANK	Total suspended solids (TSS)	2008/08/28	<2		mg/L
543262 AK3	QC STANDARD	Conductivity	2008/08/27		107	%
	SPIKE	Conductivity	2008/08/27		106	%
	METHOD BLANK	Conductivity	2008/08/27	<0.001		mmhos/cm
543329 JM6	Calibration Check	pH	2008/08/26		101	%
	QC STANDARD	pH	2008/08/26		101	%
	SPIKE	pH	2008/08/26		100	%
543530 AK3	QC STANDARD	Fluoride (F)	2008/08/29		99	%
	SPIKE	Fluoride (F)	2008/08/29		101	%
	METHOD BLANK	Fluoride (F)	2008/08/29	<0.1		mg/L
543842 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/08/28		100	%
		Sulfates (SO4)	2008/08/28		103	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/08/28	<0.02		mg/L
		Sulfates (SO4)	2008/08/28	<0.1		mg/L
543851 FS	SPIKE	Nitrate (N) and Nitrite(N)	2008/08/28		102	%
		Sulfates (SO4)	2008/08/28		96	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/08/28	<0.02		mg/L
		Sulfates (SO4)	2008/08/28	<0.1		mg/L
544029 MR4	QC STANDARD	Mercury (Hg)	2008/08/28		96	%
	SPIKE	Mercury (Hg)	2008/08/28		100	%
	METHOD BLANK	Mercury (Hg)	2008/08/28	<0.0001		mg/L
544069 SC5	SPIKE	Aluminum (Al)	2008/08/29		97	%
		Antimony (Sb)	2008/08/29		69	%
		Silver (Ag)	2008/08/29		75	%
		Arsenic (As)	2008/08/29		99	%
		Barium (Ba)	2008/08/29		102	%
		Cadmium (Cd)	2008/08/29		104	%
		Chromium (Cr)	2008/08/29		94	%
		Cobalt (Co)	2008/08/29		90	%
		Copper (Cu)	2008/08/29		93	%
		Manganese (Mn)	2008/08/29		93	%
		Molybdenum (Mo)	2008/08/29		92	%
		Nickel (Ni)	2008/08/29		85	%
		Sodium (Na)	2008/08/29		97	%
		Zinc (Zn)	2008/08/29		93	%
		Selenium (Se)	2008/08/29		90	%
		Lead (Pb)	2008/08/29		103	%
	METHOD BLANK	Aluminum (Al)	2008/08/29	<1.0		ug/L
		Antimony (Sb)	2008/08/29	<1.0		ug/L
		Silver (Ag)	2008/08/29	<0.10		ug/L
		Arsenic (As)	2008/08/29	<1.0		ug/L
		Barium (Ba)	2008/08/29	<2.0		ug/L
		Cadmium (Cd)	2008/08/29	<0.20		ug/L
		Chromium (Cr)	2008/08/29	<0.50		ug/L
		Cobalt (Co)	2008/08/29	<0.50		ug/L
		Copper (Cu)	2008/08/29	<0.50		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: #MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)


Maxxam Job Number: A836156

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
544069 SC5	METHOD BLANK	Manganese (Mn)	2008/08/29	<0.40		ug/L
		Molybdenum (Mo)	2008/08/29	<0.50		ug/L
		Nickel (Ni)	2008/08/29	<1.0		ug/L
		Sodium (Na)	2008/08/29	<30		ug/L
		Zinc (Zn)	2008/08/29	<1.0		ug/L
		Selenium (Se)	2008/08/29	1.4, RDL=1.0		ug/L
		Lead (Pb)	2008/08/29	<0.10		ug/L
544070 SC5	SPIKE	Calcium (Ca)	2008/08/29		93	%
		Magnesium (Mg)	2008/08/29		97	%
	METHOD BLANK	Calcium (Ca)	2008/08/29	<1		mg/L
		Magnesium (Mg)	2008/08/29	<1		mg/L
		Total Hardness (CaCO3)	2008/08/29	<1		mg/L
RDL = Reportable Detection Limit QC Standard = Quality Control Standard SPIKE = Fortified sample						


Validation Signature Page

Maxxam Job #: A836156

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).





DELIA BARBUL, B.Sc., Chemist, Analyst 2




MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2




MÉLANIE SANTERRE, B.Sc, Supervisor




STELIANA CALESTRU, B.Sc. Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

Client: Agnico-Eagle Meadowbank Project		Te 867-793-4167 x 6728		ANALYSIS REQUIRED																															
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0		Fax:																																	
Sampler Sannon McFadyen Steve Gaudreault		Project # Mine site																																	
Project Manager: Ryan Vanengen Sylvain Doire																																			
N°	Sample identification	N° labo MAXXAM	Matrix							Sampling		Date	BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color.) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic Sélénium	Mercury	Lead	Metals ICP -13 ele.-soil ** 16 ele.-water***	NH4 TKN	NH3, SO4, F	NO2+NO3 X O-PO4	Cl F SO4	TSS	Cyanide	General: pH, Conductivity, Hardness		
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)																								
1	MP-1				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
2	MP-2				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
3	MP-3				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
4	MP-4				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
5	ATT-1				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
6	ST-27				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
7	ASD-2				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
8	QP-1				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
9	ASP-3				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
10	AS-2				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			
11	MTPL-1				X				6		08/19/2008	X	X	X										X	X		X	X	X	X	X	X			

Metals Legend: ** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #:	Detection limits required / contamination level: CCME for Surface Water (Federal)	
	Site: Meadowbank Site	Special instructions:	
	PO #:	Please note that:	
	Others:	18° 18° 19° / 19° 19° 20° / 19° 20° 21°	

LEGEND: * C = Canisters * W = Waste * O = Oil * T = Tubes ou Cartridges	Delivered by sampler: Shannon and Steve	Date 19/08/2008	Time	Received by:
	Delivered by messenger:	Date 19/08/2008	Time	Received by: 2008/08/29 16:44
	Delivered by:	Date 19/08/2008	Time 584	Received by Maxxam: TS

[illegible]

Genevieve Berthiaume

From: Steve Gaudreault [steve.gaudreault@agnico-eagle.com]
Sent: Tuesday, August 19, 2008 10:07 PM
To: Genevieve Berthiaume
Cc: Sylvain Doire; Ryan Vanengen; Nicolas Saucier; Shannon McFadyen; Russell Toolooktook; Jamie Kataluk
Subject: Chain of custody for mine site sample
Attachments: image001.png; 2008-08-19 AEM Meadowbank Chain of Custody Mine site.xls

Bonjour Geneviève, voici la liste d'échantillon pour les échantillons de "Mine site". Ne pas tenir compte de la date sur la bouteille (c'est inscrit le 18 mais c'est bel et bien le 19 qu'ils ont été pris)

Hello Genevieve, here is the chain of custody for the mine site sampling. The date on bottles are wrong (date on bottles is 18 but the samples have been taken the 19)

Thanks and have a good day!
Merci et bonne journée !



Steve Gaudreault

Environmental technician / Technicien en environnement
Division Meadow Bank, Nunavut,
(867) 793-4610 X6747
steve.gaudreault@agnico-eagle.com



Save our tree... please don't print this e-mail unless you really need to

~*~

Your Project #: MINE SITE
Site: MEADOWBANK SITE

Attention: Ryan VanEngen

Agnico-Eagle Mines Ltd.
Kivalliq district
Baker Lake, NU
CANADA X0C 0A0

Report Date: 2008/09/19

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A840651

Received: 2008/09/13, 9:20

Sample Matrix: SURFACE WATER

Samples Received: 7

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Anions	7	2008/09/16	2008/09/19	STL SOP-00014/5	Ion Chromatography
Conductivity	7	2008/09/16	2008/09/17	STL SOP-00038/5; STL SOP-00012/2	Conductivity
Disposal Charges	7	N/A	2008/09/15		
Fluoride	7	2008/09/16	2008/09/17	STL SOP-00011/1, STL SOP-00004/2	Ion Spec. Electrode
Hardness	7	2008/09/17	2008/09/18	STL SOP-00006/7	ICP
Mercury by Cold Vapour AA	1	2008/09/17	2008/09/17	STL SOP-00042/6	Cold Vapor AA
Total Suspended Solids	7	2008/09/16	2008/09/16	STL SOP-00015/3	Gravimetric
Metals by ICP-MS	7	2008/09/17	2008/09/18	STL SOP-00006/7	ICP-MS
Ammonia Nitrogen	7	2008/09/18	2008/09/18	STL SOP-00040/3	Colorimetry
Mineral Oil and Grease	7	2008/09/16	2008/09/19	STL SOP-00151/11	Gravimetric
pH	7	2008/09/15	2008/09/15	STL SOP-00016/5; STL SOP-00038/5,	pH meter

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

GENEVIEVE BERTHIAUME, Technical Sales Rep
Email: genevieve.berthiaume@maxxamanalytics.com
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F62430	F62441	F62442	F62443		
Sampling Date		2008/09/08	2008/09/08	2008/09/08	2008/09/08		
	Units	ATT	ST-27	DUP-1	AS-2	RDL	QC Batch

METALS							
Calcium (Ca)	mg/L	36	20	20	22	1	548916
Magnesium (Mg)	mg/L	8	3	3	6	1	548916
Total Hardness (CaCO3)	mg/L	120	63	62	78	1	548916
METALS ICP-MS							
Aluminum (Al)	ug/L	6000	66	92	36	1.0	550237
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	550237
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	<0.10	0.10	550237
Arsenic (As)	ug/L	4.9	<1.0	<1.0	<1.0	1.0	550237
Barium (Ba)	ug/L	140	16	20	25	2.0	550237
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	<0.20	0.20	550237
Chromium (Cr)	ug/L	13	<0.50	<0.50	<0.50	0.50	550237
Cobalt (Co)	ug/L	6.5	<0.50	<0.50	<0.50	0.50	550237
Copper (Cu)	ug/L	20	1.8	2.1	2.5	0.50	550237
Manganese (Mn)	ug/L	1000	12	17	11	0.40	550237
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	0.74	0.50	550237
Nickel (Ni)	ug/L	17	6.4	1.2	1.3	1.0	550237
Sodium (Na)	ug/L	6000	5200	5100	4500	30	550237
Zinc (Zn)	ug/L	33	<1.0	3.3	5.4	1.0	550237
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	<1.0	1.0	550237
Lead (Pb)	ug/L	12	<0.10	<0.10	<0.10	0.10	550237

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

METALS (SURFACE WATER)

Maxxam ID		F62444	F62446	F62447		
Sampling Date		2008/09/08	2008/09/08	2008/09/08		
	Units	MTPL-3	WCUS	WCDS	RDL	QC Batch

METALS						
Mercury (Hg)	mg/L	N/A	<0.00001	N/A	0.00001	550085
Calcium (Ca)	mg/L	2	2	2	1	548916
Magnesium (Mg)	mg/L	<1	<1	<1	1	548916
Total Hardness (CaCO3)	mg/L	6	5	5	1	548916
METALS ICP-MS						
Aluminum (Al)	ug/L	27	88	120	1.0	550237
Antimony (Sb)	ug/L	<1.0	<1.0	<1.0	1.0	550237
Silver (Ag)	ug/L	<0.10	<0.10	<0.10	0.10	550237
Arsenic (As)	ug/L	<1.0	<1.0	<1.0	1.0	550237
Barium (Ba)	ug/L	2.8	3.5	4.7	2.0	550237
Cadmium (Cd)	ug/L	<0.20	<0.20	<0.20	0.20	550237
Chromium (Cr)	ug/L	<0.50	<0.50	<0.50	0.50	550237
Cobalt (Co)	ug/L	<0.50	<0.50	<0.50	0.50	550237
Copper (Cu)	ug/L	2.2	1.1	5.0	0.50	550237
Manganese (Mn)	ug/L	2.7	6.6	7.1	0.40	550237
Molybdenum (Mo)	ug/L	<0.50	<0.50	<0.50	0.50	550237
Nickel (Ni)	ug/L	<1.0	<1.0	5.9	1.0	550237
Sodium (Na)	ug/L	660	490	510	30	550237
Zinc (Zn)	ug/L	<1.0	3.1	2.8	1.0	550237
Selenium (Se)	ug/L	<1.0	<1.0	<1.0	1.0	550237
Lead (Pb)	ug/L	<0.10	<0.10	<0.10	0.10	550237
N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch						

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F62430	F62441	F62442		
Sampling Date		2008/09/08	2008/09/08	2008/09/08		
	Units	ATT	ST-27	DUP-1	RDL	QC Batch

CONVENTIONALS						
Conductivity	mmhos/cm	0.24	0.16	0.16	0.001	549594
Fluoride (F)	mg/L	0.1	<0.1	<0.1	0.1	549575
Nitrogen ammonia (N-NH3)	mg/L	0.09	0.08	0.08	0.02	550514
pH	pH	7.0	8.1	8.0	N/A	549452
Nitrate (N) and Nitrite(N)	mg/L	<0.02	2.4	2.5	0.02	549898
Sulfates (SO4)	mg/L	5.0	8.0	8.2	0.1	549898
Total suspended solids (TSS)	mg/L	250	<2	<2	2	549528

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		F62443		F62444	F62446		
Sampling Date		2008/09/08		2008/09/08	2008/09/08		
	Units	AS-2	RDL	MTPL-3	WCUS	RDL	QC Batch

CONVENTIONALS							
Conductivity	mmhos/cm	0.20	0.001	0.023	0.018	0.001	549594
Fluoride (F)	mg/L	<0.1	0.1	<0.1	<0.1	0.1	549575
Nitrogen ammonia (N-NH3)	mg/L	0.85	0.02	0.05	0.05	0.02	550514
pH	pH	7.7	N/A	7.8	8.0	N/A	549452
Nitrate (N) and Nitrite(N)	mg/L	8.7	0.1	0.28	0.05	0.02	549898
Sulfates (SO4)	mg/L	6.9	0.1	1.6	1.3	0.1	549898
Total suspended solids (TSS)	mg/L	<2	2	<2	<2	2	549528

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

CONVENTIONAL PARAMETERS (SURFACE WATER)

Maxxam ID		F62447		
Sampling Date		2008/09/08		
	Units	WCDS	RDL	QC Batch

CONVENTIONALS				
Conductivity	mmhos/cm	0.019	0.001	549594
Fluoride (F)	mg/L	<0.1	0.1	549575
Nitrogen ammonia (N-NH3)	mg/L	0.05	0.02	550514
pH	pH	7.9	N/A	549452
Nitrate (N) and Nitrite(N)	mg/L	0.07	0.02	549898
Sulfates (SO4)	mg/L	1.4	0.1	549898
Total suspended solids (TSS)	mg/L	3	2	549528

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

HEAVY HYDROCARBONS (SURFACE WATER)

Maxxam ID		F62430	F62441	F62442	F62443	F62444		
Sampling Date		2008/09/08	2008/09/08	2008/09/08	2008/09/08	2008/09/08		
	Units	ATT	ST-27	DUP-1	AS-2	MTPL-3	RDL	QC Batch

OIL & GREASE								
Mineral Oil and Grease	mg/L	<3	<3	<3	<3	<3	3	549633
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								

Maxxam ID		F62446	F62447		
Sampling Date		2008/09/08	2008/09/08		
	Units	WCUS	WCDS	RDL	QC Batch

OIL & GREASE					
Mineral Oil and Grease	mg/L	<3	<3	3	549633
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					

Maxxam Job #: A840651
Report Date: 2008/09/19

Agnico-Eagle Mines Ltd.
Client Project #: MINE SITE
Project name: MEADOWBANK SITE
Sampler Initials: SM

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD except for the following:

pH: Holding time already past.: F62430, F62441, F62442, F62443, F62444, F62446, F62447

METALS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.

CONVENTIONAL PARAMETERS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the blank.
Reported detection limits are multiplied by dilution factors used for sample analysis.

HEAVY HYDROCARBONS (SURFACE WATER)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the method blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A840651

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
548916 HC	SPIKE	Calcium (Ca)	2008/09/18		105	%
		Magnesium (Mg)	2008/09/18		104	%
	METHOD BLANK	Calcium (Ca)	2008/09/18	<1		mg/L
		Magnesium (Mg)	2008/09/18	<1		mg/L
		Total Hardness (CaCO3)	2008/09/18	<1		mg/L
549452 JM6	Calibration Check	pH	2008/09/15		100	%
	QC STANDARD	pH	2008/09/15		100	%
	SPIKE	pH	2008/09/15		101	%
549528 FSI	SPIKE	Total suspended solids (TSS)	2008/09/16		96	%
	SPIKE DUP	Total suspended solids (TSS)	2008/09/16		97	%
	METHOD BLANK	Total suspended solids (TSS)	2008/09/16	<2		mg/L
549575 AK3	QC STANDARD	Fluoride (F)	2008/09/17		94	%
	SPIKE	Fluoride (F)	2008/09/17		100	%
	METHOD BLANK	Fluoride (F)	2008/09/17	<0.1		mg/L
549594 JL1	QC STANDARD	Conductivity	2008/09/17		101	%
	SPIKE	Conductivity	2008/09/17		100	%
	METHOD BLANK	Conductivity	2008/09/17	<0.001		mmhos/cm
549633 HD	SPIKE	Mineral Oil and Grease	2008/09/19		72	%
	METHOD BLANK	Mineral Oil and Grease	2008/09/19	<3		mg/L
549898 AK3	SPIKE	Nitrate (N) and Nitrite(N)	2008/09/19		98	%
		Sulfates (SO4)	2008/09/19		101	%
	METHOD BLANK	Nitrate (N) and Nitrite(N)	2008/09/19	<0.02		mg/L
		Sulfates (SO4)	2008/09/19	<0.1		mg/L
550085 MR4	QC STANDARD	Mercury (Hg)	2008/09/17		99	%
	SPIKE	Mercury (Hg)	2008/09/17		105	%
	METHOD BLANK	Mercury (Hg)	2008/09/17	<0.00001		mg/L
550237 HC	SPIKE	Aluminum (Al)	2008/09/18		99	%
		Antimony (Sb)	2008/09/18		106	%
		Silver (Ag)	2008/09/18		70	%
		Arsenic (As)	2008/09/18		112	%
		Barium (Ba)	2008/09/18		108	%
		Cadmium (Cd)	2008/09/18		103	%
		Chromium (Cr)	2008/09/18		106	%
		Cobalt (Co)	2008/09/18		106	%
		Copper (Cu)	2008/09/18		103	%
		Manganese (Mn)	2008/09/18		107	%
		Molybdenum (Mo)	2008/09/18		107	%
		Nickel (Ni)	2008/09/18		104	%
		Sodium (Na)	2008/09/18		106	%
		Zinc (Zn)	2008/09/18		105	%
		Selenium (Se)	2008/09/18		90	%
		Lead (Pb)	2008/09/18		108	%
	METHOD BLANK	Aluminum (Al)	2008/09/18	<1.0		ug/L
		Antimony (Sb)	2008/09/18	<1.0		ug/L
		Silver (Ag)	2008/09/18	<0.10		ug/L
		Arsenic (As)	2008/09/18	<1.0		ug/L
		Barium (Ba)	2008/09/18	<2.0		ug/L
		Cadmium (Cd)	2008/09/18	<0.20		ug/L
		Chromium (Cr)	2008/09/18	<0.50		ug/L
		Cobalt (Co)	2008/09/18	<0.50		ug/L
		Copper (Cu)	2008/09/18	<0.50		ug/L
		Manganese (Mn)	2008/09/18	<0.40		ug/L
		Molybdenum (Mo)	2008/09/18	<0.50		ug/L
		Nickel (Ni)	2008/09/18	<1.0		ug/L
		Sodium (Na)	2008/09/18	<30		ug/L

Agnico-Eagle Mines Ltd.
Attention: Ryan VanEngen
Client Project #: MINE SITE
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)


Maxxam Job Number: A840651

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
550237 HC	METHOD BLANK	Zinc (Zn)	2008/09/18	<1.0		ug/L
		Selenium (Se)	2008/09/18	<1.0		ug/L
		Lead (Pb)	2008/09/18	<0.10		ug/L
550514 DKH	QC STANDARD	Nitrogen ammonia (N-NH3)	2008/09/18		88	%
	SPIKE	Nitrogen ammonia (N-NH3)	2008/09/18		103	%
	METHOD BLANK	Nitrogen ammonia (N-NH3)	2008/09/18	<0.02		mg/L
QC Standard = Quality Control Standard SPIKE = Fortified sample						


Validation Signature Page

Maxxam Job #: A840651

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

DELIA BARBUL, B.Sc., Chemist, Analyst 2

HHRISTINA CHORBADZHIEVA, B.Sc. Chemist, Analyst 2

MICHEL POULIN, B.Sc., Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CAEAL have approved this reporting process and electronic report format.



Maxxam Analytique Inc

889 Montée de Liesse
St-Laurent, Québec, H4T 1P5
Web site: www.maxxam.ca

CHAIN OF CUSTODY

Page 1 2

Client: Agnico-Eagle
Meadowbank Project

Tel 867-793-4167 x 6728

Address Meadowbank Camp
Baker Lake Nunavut,
X0X 0A0

Fax:
Project # MineSite

Sampler SM AND JK

Project Manager: Ryan Vanengen
Sylvain Doire

ANALYSIS REQUIRED

N°	Sample identification	N° labo MAXXAM	Matrix						Sampling			BTEX (P&T / GC-MS)	Hydrocarbons C10-C50	O&G mineral (gravimetric)	O&G total (gravimetric)	PCB	MAH VOC(624)	PAH	Phenol (color.) (GC-MS)	TPH (GC-FID)	Metals (Cd, Cr, Cu, Ni, Pb, Zn)	Arsenic Séléni	Mercury	Lead	Metals ICP -13 ele.-soil	NH4 TKN	NH3, SO4, F	NO2+NO3 X O-PO4	Cl F SO4	TSS	Cyanide	General: pH, Conductivity, Hardness			
			Potable w.	Waste w.	Ground w.	Surf. W.	Soils	Sediments	Others*	# containers	To filter (yes/no)																						Date		
1	ATT					X				5		08/09/2008		X																					
2	ST-27					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
3	DUP-1					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
4	AS-2					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
5	MTPL-3					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
6	WCUS					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
7	WCDS					X				5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
8										5		08/09/2008		X									X	X	X	X	X	X	X	X	X	X	X		
9																																			
10																																			
11																																			

Metals Legend:

** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements

Metals Legend:

** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time:

- ☐ 10 working days
☐ 5 working days
☐ 72 hours
☐ 48 hours
☐ 24 hours

Maxxam quote #:

Site: Meadowbank Site

PO #:

Others:

Detection limits required / contamination level:
CCME for Surface Water (Federal)

Special instructions:

13/09/08

9:20 AM
9, 12, 13

LEGEND:

- * C = Canisters
* W = Waste
* O = Oil
* T = Tubes ou Cartridges

Delivered by sampler: Shannon and jamie

Delivered by messenger:

Delivered by:

Page 11 of 11

Date ##

Time

Date

Time

Date

Time

Received by:

Received by:

2008/09/19 17:23

MultiLab Certificates of Analysis

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 08, 2008

Sampled by: Steve Gudreault

Matrix: Waste Water

Lab number:	52224	52225
Sample name:	Dup-1	St-27
Sampling date:	06-08-2008	06-08-2008
BOD-5 mg/L	2	2
COD mg/L	27	29
Total oil and grease mg/L	2	3
Nitrate (NO3) mg N/L	3.25	3.25
Nitrite (NO2) mg N/L	0.05	0.05
pH	7.79	7.73
Total Phosphorus (P) mg P/L	<0.01	0.09

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2008

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 08, 2008
Sampled by: Steve Gudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total oil and grease	2	mg/L	M-HYD-1.0
Nitrate (NO3)	0.01	mg N/L	M-NITR-2.0
Nitrite (NO2)	0.01	mg N/L	M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2008

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 08, 2008

Sampled by: Steve Gudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
DBO5 mg/L	<1	Std-DBO5-DMR-0444-7	169	141 - 263		
DCO mg/L	<2	Std-DMR-0444-8	336	246 - 388		
Huiles & graisses totales mg/L	<2					
Nitrates (NO3) mg N/L	<0.01					
Nitrites (NO2) mg N/L	<0.01	NO2 0444-6	1.01	0.85 - 1.15		
pH		pH 7.00	7.02	6.96 - 7.04	7.79	7.76
pH		pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	0.03	DMR-0444-8 PTOT	1.36	1.02 - 1.38		

Reported on: September 02, 2008
Lab number: 52224:52225

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 14, 2008

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	52501	52502	52503
Sample name:	St-27	STP-UV	STP-IN
Sampling date:	13-08-2008	13-08-2008	13-08-2008
BOD-5 mg/L	<1	4	232
COD mg/L	18	119	649
Total oil and grease mg/L	<2	<2	48
Total Suspended Solids mg/L	5	13	182
Nitrate (NO3) mg N/L	3.26	42.6	0.04
Nitrite (NO2) mg N/L	0.04	12.8	0.08
pH	7.83	6.64	8.06
Total Phosphorus (P) mg P/L	0.14	15.9	14.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2008

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 14, 2008

Sampled by: Steve Gaudreault

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total oil and grease	2	mg/L	M-HYD-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrate (NO3)	0.01	mg N/L	M-NITR-2.0
Nitrite (NO2)	0.01	mg N/L	M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2008

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 14, 2008

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
DBO5 mg/L	<1	Std-DBO5-DMR-0444-7	176	141 - 263		
DBO5 mg/L	1	Std-DBO5-DMR-0444-7	183	141 - 263		
DCO mg/L	<2	Std-DMR-0444-8	355	246 - 388		
DCO mg/L	<2	Std-DMR-0444-8	337	246 - 388		
Huiles & graisses totales mg/L	<2					
M.E.S. mg/L	<1	MES 12082008	291	194 - 306		
Nitrates (NO3) mg N/L	<0.01					
Nitrates (NO3) mg N/L	<0.01				3.26	3.16
Nitrites (NO2) mg N/L	<0.01	NO2 0444-6	1.00	0.85 - 1.15	0.04	0.04
Nitrites (NO2) mg N/L	<0.01	NO2 0444-6	1.00	0.85 - 1.15		
pH		pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0444-8 PTOT	1.30	1.02 - 1.38		
Phosphore total (P) mg P/L	0.03	DMR-0444-8 PTOT	1.36	1.02 - 1.38		

Reported on: September 02, 2008
 Lab number: 52501:52503

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52826

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: St-27
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: St-27

Parameter	Result	Method name	Date analyzed
BOD-5	2 mg/L	M-DBO-1.0	September 01, 2008
COD	32 mg/L	M-DCO-1.0	August 23, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 01, 2008
Hydrocarbures (C10-C50)	<0.1 mg/L	M-HYD-2.0	September 29, 2008
Total Suspended Solids	12 mg/L	M-SOLI-1.0	August 25, 2008
Nitrite-Nitrate	3.0 mg N/L	M-NITR-2.0	August 27, 2008
pH	7.85	M-PH-2.0	August 22, 2008
Total Phosphorus (P)	<0.01 mg P/L	M-P-2.0	August 28, 2008

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52826

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: St-27
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: St-27

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Hydrocarbures (C10-C50)	0.1 mg/L		M-HYD-2.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52826
Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: St-27
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: St-27

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1					
COD mg/L	<2	Std-DMR-0444-8	355	246 - 388		
Total oil and grease mg/L	<2					
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	21.7	14.6 - 27.2		
Total Suspended Solids mg/L	<1	MES 20082008	234	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	NO2-3-0444-4	3.20	2.67 - 3.61		
pH		pH 7.00	7.01	6.96 - 7.04	7.85	7.86
Total Phosphorus (P) mg P/L	<0.01	DMR-0444-8 PTOT	1.30	1.02 - 1.38		

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52827

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-UV
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-UV

Parameter	Result	Method name	Date analyzed
BOD-5	14 mg/L	M-DBO-1.0	September 01, 2008
COD	89 mg/L	M-DCO-1.0	September 04, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 01, 2008
Hydrocarbures (C10-C50)	<0.1 mg/L	M-HYD-2.0	September 29, 2008
Total Suspended Solids	24 mg/L	M-SOLI-1.0	August 25, 2008
Nitrite-Nitrate	49.5 mg N/L	M-NITR-2.0	August 27, 2008
pH	6.23	M-PH-2.0	August 22, 2008
Total Phosphorus (P)	12.0 mg P/L	M-P-2.0	August 28, 2008

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52827

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-UV
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-UV

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Hydrocarbures (C10-C50)	0.1 mg/L		M-HYD-2.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52827
Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-UV
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-UV

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1					
COD mg/L	<2	Std-DMR-0444-8	348	246 - 388		
Total oil and grease mg/L	<2					
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	21.7	14.6 - 27.2	<0.1	<0.1
Total Suspended Solids mg/L	<1	MES 20082008	234	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	NO2-3-0444-4	3.20	2.67 - 3.61		
pH		pH 7.00	7.01	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0444-8 PTOT	1.30	1.02 - 1.38		

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52828

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-IN
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-IN

Parameter	Result	Method name	Date analyzed
BOD-5	327 mg/L	M-DBO-1.0	September 01, 2008
COD	335 mg/L	M-DCO-1.0	August 23, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 01, 2008
Hydrocarbures (C10-C50)	15.1 mg/L	M-HYD-2.0	September 29, 2008
Total Suspended Solids	164 mg/L	M-SOLI-1.0	August 25, 2008
Nitrite-Nitrate	0.09 mg N/L	M-NITR-2.0	August 27, 2008
pH	8.11	M-PH-2.0	August 22, 2008
Total Phosphorus (P)	15.1 mg P/L	M-P-2.0	August 28, 2008

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52828

Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-IN
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-IN

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Hydrocarbures (C10-C50)	0.1 mg/L		M-HYD-2.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-52828
Sampling date: August 20, 2008
Sampling hour: N/D
Date received: August 21, 2008
Sampling location: STP-IN
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-IN

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
BOD-5 mg/L	<1				
COD mg/L	<2	Std-DMR-0444-8	355	246 - 388	
Total oil and grease mg/L	<2				
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	21.7	14.6 - 27.2	
Total Suspended Solids mg/L	<1	MES 20082008	234	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	NO2-3-0444-4	3.20	2.67 - 3.61	
pH		pH 7.00	7.01	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0444-8 PTOT	1.30	1.02 - 1.38	

Reported on: October 01, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53179

Sampling date: August 26, 2008
Sampling hour: 07:00
Date received: August 28, 2008
Sampling location: St-27
Sampled by: Steve Gaudreault
Matrix: Drinking Water
Sample name: St-27

Parameter	Result	Method name	Date analyzed
BOD-5	1 mg/L	M-DBO-1.0	September 03, 2008
COD	29 mg/L	M-DCO-1.0	September 04, 2008
Total Suspended Solids	2 mg/L	M-SOLI-1.0	September 02, 2008
Nitrite-Nitrate	2.8 mg N/L	M-NITR-2.0	September 03, 2008
pH	7.79	M-PH-2.0	August 28, 2008
Total Phosphorus (P)	<0.01 mg P/L	M-P-2.0	October 07, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 01, 2008

Reported on: March 20, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53179

Sampling date: August 26, 2008
Sampling hour: 07:00
Date received: August 28, 2008
Sampling location: St-27
Sampled by: Steve Gaudreault
Matrix: Drinking Water
Sample name: St-27

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std DB05-DMR-0504-7	223	141 - 263		
COD mg/L	<2	Std-DMR-0444-8	348	246 - 388		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	MES 20082008	251	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	NO2-3-0444-4	3.30	2.67 - 3.61		
pH		pH 7.00	6.97	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: March 20, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53180

Sampling date: August 26, 2008
Sampling hour: 07:00
Date received: August 28, 2008
Sampling location: End of pipe
Sampled by: Steve Gaudreault
Matrix: Drinking Water
Sample name: End of pipe

Parameter	Result	Method name	Date analyzed
BOD-5	12 mg/L	M-DBO-1.0	September 03, 2008
COD	71 mg/L	M-DCO-1.0	September 04, 2008
Total Suspended Solids	8 mg/L	M-SOLI-1.0	September 02, 2008
Nitrite-Nitrate	1.9 mg N/L	M-NITR-2.0	September 03, 2008
pH	7.41	M-PH-2.0	August 28, 2008
Total Phosphorus (P)	0.03 mg P/L	M-P-2.0	October 07, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 01, 2008

Reported on: March 19, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53180

Sampling date: August 26, 2008
Sampling hour: 07:00
Date received: August 28, 2008
Sampling location: End of pipe
Sampled by: Steve Gaudreault
Matrix: Drinking Water
Sample name: End of pipe

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std DB05-DMR-0504-7	223	141 - 263		
COD mg/L	<2	Std-DMR-0444-8	348	246 - 388		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	MES 20082008	251	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	NO2-3-0444-4	3.20	2.67 - 3.61		
pH		pH 7.00	6.97	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: March 19, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 04, 2008

Sampled by: Steve Gaudreault

Matrix: Drinking Water

Lab number:	53471	53472	53473
Sample name:	STP-IN	STP-OUT	St-27
Sampling date:	03-09-2008	03-09-2008	03-09-2008
BOD-5 mg/L	312	23	2
COD mg/L	1037	176	28
Hydrocarbures (C10-C50) mg/L	21.9	12.4	<0.1
Total Suspended Solids mg/L	200	36	5
Nitrite-Nitrate mg N/L	0.17	37.7	1.9
pH	7.32	6.05	7.47
Total Phosphorus (P) mg P/L	13.5	10.8	<0.01

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 04, 2008

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 04, 2008

Sampled by: Steve Gaudreault

Matrix: Drinking Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
DBO5 mg/L	1	Std DB05-DMR-0504-7	175	141 - 263		
DCO mg/L	<2	Nut DMR-0281-8	344	246 - 388	176	175
DCO mg/L	<2	Nut DMR-0281-8	344	246 - 388		
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	20.8	14.6 - 27.2	12.4	12.3
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	20.8	14.6 - 27.2		
M.E.S. mg/L	<1	MES 030908	262	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	NO2-3-0444-4	3.10	2.67 - 3.61		
pH		pH 7.00	6.98	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0535	1.20	1.02 - 1.38		
Phosphore total (P) mg P/L	<0.01	DMR-0535	1.20	1.02 - 1.38	10.8	10.5

Reported on: November 04, 2008

Lab number: 53471:53473

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53816

Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Result	Method name	Date analyzed
BOD-5	290 mg/L	M-DBO-1.0	September 22, 2008
COD	859 mg/L	M-DCO-1.0	September 15, 2008
Total oil and grease	34 mg/L	M-HYD-1.0	September 16, 2008
Total Suspended Solids	304 mg/L	M-SOLI-1.0	September 12, 2008
Nitrate (NO3)	0.13 mg N/L	M-NITR-2.0	September 18, 2008
Nitrite (NO2)	0.04 mg N/L	M-NITR-2.0	September 18, 2008
pH	7.92	M-PH-2.0	September 11, 2008
Total Phosphorus (P)	13.3 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53816

Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrate (NO3)	0.01 mg N/L		M-NITR-2.0
Nitrite (NO2)	0.01 mg N/L		M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53816
Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std DB05-DMR-0504-7	183	141 - 263		
COD mg/L	<2	Nut DMR-0281-8	344	246 - 388	859	874
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	MES 030908	260	194 - 306		
Nitrate (NO3) mg N/L						
Nitrite (NO2) mg N/L	0.01	NO2 0444-6	0.97	0.85 - 1.15		
pH		pH 7.00	7.00	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53817

Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	15 mg/L	M-DBO-1.0	September 22, 2008
COD	121 mg/L	M-DCO-1.0	September 15, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	September 16, 2008
Total Suspended Solids	47 mg/L	M-SOLI-1.0	September 12, 2008
Nitrate (NO3)	39.2 mg N/L	M-NITR-2.0	September 18, 2008
Nitrite (NO2)	0.10 mg N/L	M-NITR-2.0	September 18, 2008
pH	4.96	M-PH-2.0	September 11, 2008
Total Phosphorus (P)	10.1 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53817

Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrate (NO3)	0.01 mg N/L		M-NITR-2.0
Nitrite (NO2)	0.01 mg N/L		M-NITR-2.0
pH	0.001		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-53817
Sampling date: September 10, 2008
Sampling hour: N/D
Date received: September 11, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std DB05-DMR-0504-7	183	141 - 263		
COD mg/L	<2	Nut DMR-0281-8	344	246 - 388		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	MES 030908	260	194 - 306		
Nitrate (NO3) mg N/L						
Nitrite (NO2) mg N/L	0.01	NO2 0444-6	0.97	0.85 - 1.15		
pH		pH 7.00	7.00	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 08, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Certificat d'analyse

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54445

Date de prélèvement : 23 septembre 2008

Heure de prélèvement : 16:00

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : Bassin 1

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
Cuivre (Cu)	0.0755 mg/L	M-MET-3.0	30 septembre 2008
Cyanures totaux (CNT)	0.007 mg/L	M-CN-1.0	03 octobre 2008
Daphnies	-- --	Sous-traitance\Maxxam	--
- CL50 à 48 heures	27.3 (12.5 - 50.0) % v/v	Sous-traitance\Maxxam	24 septembre 2008
- Unité toxique	3.7	Sous-traitance\Maxxam	24 septembre 2008
pH	7.97	M-PH-2.0	26 septembre 2008
Truites Arc-en-ciel	-- --	Sous-traitance\Maxxam	--
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Maxxam	25 septembre 2008
- Unité toxique	<1	Sous-traitance\Maxxam	25 septembre 2008
Température	15.8 °C	M-TEMP-1.0	23 septembre 2008

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Certificat d'analyse

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54445

Date de prélèvement : 23 septembre 2008

Heure de prélèvement : 16:00

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : Bassin 1

Paramètres	Limite de détection rapportée		Méthode d'analyse
	Valeur	Unité	
Cuivre (Cu)	0.0005	mg/L	M-MET-3.0
Cyanures totaux (CNT)	0.005	mg/L	M-CN-1.0
pH	0.001		M-PH-2.0
Température	N.D.	°C	M-TEMP-1.0

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Certificat contrôle qualité

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54445

Date de prélèvement : 23 septembre 2008

Heure de prélèvement: 16:00

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : Bassin 1

Paramètres	Blanc	Standard			Duplicata	
		Nom	Obtenue	Intervalle	1	2
Cuivre (Cu) mg/L	<0.0005	EU-L-2	0.110	0.089 - 0.121	0.0755	0.0715
Cyanures totaux (CNt) mg/L	<0.005	DMR-0362-2008-2 CNt	1.55	1.21 - 1.63		
pH		pH 7.00	6.99	6.96 - 7.04		

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Certificat d'analyse

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54446

Date de prélèvement : 23 septembre 2008

Heure de prélèvement : 16:15

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : EF-VN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
Cuivre (Cu)	0.0043 mg/L	M-MET-3.0	30 septembre 2008
Cyanures totaux (CNT)	0.067 mg/L	M-CN-1.0	03 octobre 2008
Débit	0.33 m ³ /min		23 septembre 2008
M.E.S.	2 mg/L	M-SOLI-1.0	26 septembre 2008
Nickel (Ni)	0.0044 mg/L	M-MET-3.0	30 septembre 2008
pH	7.70	M-PH-2.0	26 septembre 2008
Température	13.3 °C	M-TEMP-1.0	23 septembre 2008

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Certificat d'analyse

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54446

Date de prélèvement : 23 septembre 2008

Heure de prélèvement : 16:15

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : EF-VN

Paramètres	Limite de détection rapportée		Méthode d'analyse
	Valeur	Unité	
Cuivre (Cu)	0.0005	mg/L	M-MET-3.0
Cyanures totaux (CNT)	0.005	mg/L	M-CN-1.0
Débit	N.D.	m ³ /min	
M.E.S.	1	mg/L	M-SOLI-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
pH	0.001		M-PH-2.0
Température	N.D.	°C	M-TEMP-1.0

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Certificat contrôle qualité

Client : **Usine Camflo Inc.**

Responsable : Mme Judith Morin

Adresse : 100, route 117, C.P. 640

Malartic Québec J0Y 1Z0

tél.: (819) 757-3674 (---)

fax.: (819) 757-6346

Numéro de projet : C-54446

Date de prélèvement : 23 septembre 2008

Heure de prélèvement: 16:15

Date de réception : 24 septembre 2008

Lieu de prélèvement : Camflo

Nom du préleveur : Cathy Grandmaison

Type d'échantillon : Eau usée

Échantillon : EF-VN

Paramètres	Blanc	Nom	Standard		Duplicata	
			Obtenue	Intervalle	1	2
Cuivre (Cu) mg/L	<0.0005	EU-L-2	0.110	0.089 - 0.121		
Cyanures totaux (CNt) mg/L	<0.005	DMR-0362-2008-2 CNt	1.55	1.21 - 1.63		
M.E.S. mg/L	<1	MES 150908	252	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU-L-2	0.085	0.070 - 0.094		
pH		pH 7.00	6.99	6.96 - 7.04		

Date d'émission : 03 octobre 2008

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Les échantillons seront conservés pendant 30 jours à partir de la date du rapport à moins d'avis écrit du client.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54545

Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-IN
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-IN

Parameter	Result	Method name	Date analyzed
BOD-5	154 mg/L	M-DBO-1.0	October 06, 2008
COD	577 mg/L	M-DCO-1.0	September 30, 2008
Total oil and grease	20 mg/L	M-HYD-1.0	October 09, 2008
Total Suspended Solids	130 mg/L	M-SOLI-1.0	September 29, 2008
Nitrite-Nitrate	0.08 mg N/L	M-NITR-2.0	September 25, 2008
pH	7.92	M-PH-2.0	September 30, 2008
Total Phosphorus (P)	16.9 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54545

Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-IN
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-IN

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54545

Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-IN
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-IN

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std -DBO5-0535-7	150	122 - 226		
COD mg/L	<2	DMR-0535 NUT	356	242 - 382		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	MES 150908	234	194 - 306		
Nitrite-Nitrate mg N/L	0.02	NO2-3-0444-4	3.10	2.67 - 3.61		
pH		pH 7.00	7.02	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54546

Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	2 mg/L	M-DBO-1.0	October 06, 2008
COD	83 mg/L	M-DCO-1.0	October 04, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	October 09, 2008
Total Suspended Solids	34 mg/L	M-SOLI-1.0	September 29, 2008
Nitrite-Nitrate	15.7 mg N/L	M-NITR-2.0	September 25, 2008
pH	6.03	M-PH-2.0	September 30, 2008
Total Phosphorus (P)	<0.01 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54546

Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54546
Sampling date: September 24, 2008
Sampling hour: N/D
Date received: September 25, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
BOD-5 mg/L	<1	Std -DBO5-0535-7	150	122 - 226	
COD mg/L	<2	DMR-0535 NUT	243	242 - 382	
Total oil and grease mg/L	<2				
Total Suspended Solids mg/L	<1	MES 150908	234	194 - 306	
Nitrite-Nitrate mg N/L	0.02	NO2-3-0444-4	3.10	2.67 - 3.61	
pH		pH 7.00	7.02	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38	

Reported on: October 09, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54822

Sampling date: October 01, 2008
Sampling hour: 06:40
Date received: October 02, 2008
Sampling location: St-27
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: St-27

Parameter	Result	Method name	Date analyzed
BOD-5	<1 mg/L	M-DBO-1.0	October 14, 2008
COD	21 mg/L	M-DCO-1.0	October 09, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	October 09, 2008
Total Suspended Solids	2 mg/L	M-SOLI-1.0	October 03, 2008
pH	8.22	M-PH-2.0	October 03, 2008
Total Phosphorus (P)	<0.01 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54822

Sampling date: October 01, 2008
Sampling hour: 06:40
Date received: October 02, 2008
Sampling location: St-27
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: St-27

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	0.005		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54822

Sampling date: October 01, 2008
Sampling hour: 06:40
Date received: October 02, 2008
Sampling location: St-27
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: St-27

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std -DBO5-0535-7	142	122 - 226		
COD mg/L	<2	Std -DMR-0535-8	315	242 - 382	21	21
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	Std MES	248	194 - 306		
pH		pH 7.00	6.96	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54823

Sampling date: October 01, 2008
Sampling hour: 06:35
Date received: October 02, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	12 mg/L	M-DBO-1.0	October 14, 2008
COD	133 mg/L	M-DCO-1.0	October 09, 2008
Total oil and grease	<2 mg/L	M-HYD-1.0	October 09, 2008
Total Suspended Solids	40 mg/L	M-SOLI-1.0	October 03, 2008
pH	6.01	M-PH-2.0	October 03, 2008
Total Phosphorus (P)	22.1 mg P/L	M-P-2.0	October 16, 2008

Reported on: October 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54823

Sampling date: October 01, 2008
Sampling hour: 06:35
Date received: October 02, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	0.0005		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54823

Sampling date: October 01, 2008
Sampling hour: 06:35
Date received: October 02, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std -DBO5-0535-7	142	122 - 226		
COD mg/L	<2	Std -DMR-0535-8	315	242 - 382		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	Std MES	248	194 - 306		
pH		pH 7.00	6.96	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54824

Sampling date: October 01, 2008
Sampling hour: 06:30
Date received: October 02, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Result	Method name	Date analyzed
BOD-5	270 mg/L	M-DBO-1.0	October 14, 2008
COD	1223 mg/L	M-DCO-1.0	October 09, 2008
Total oil and grease	76 mg/L	M-HYD-1.0	October 09, 2008
Total Suspended Solids	764 mg/L	M-SOLI-1.0	October 03, 2008
pH	7.78	M-PH-2.0	October 03, 2008
Total Phosphorus (P)	20.4 mg P/L	M-P-2.0	October 07, 2008

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54824

Sampling date: October 01, 2008
Sampling hour: 06:30
Date received: October 02, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total oil and grease	2 mg/L		M-HYD-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH			M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-54824
Sampling date: October 01, 2008
Sampling hour: 06:30
Date received: October 02, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
BOD-5 mg/L	<1	Std -DBO5-0535-7	142	122 - 226		
COD mg/L	<2	Std -DMR-0535-8	315	242 - 382		
Total oil and grease mg/L	<2					
Total Suspended Solids mg/L	<1	Std MES	248	194 - 306		
pH		pH 7.00	6.96	6.96 - 7.04	7.78	7.80
Total Phosphorus (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38		

Reported on: October 15, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 09, 2008

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	55075	55076
Sample name:	STP-OUT	STP-IN
Sampling date:	08-10-2008	08-10-2008
Conductivity $\mu\text{mhos/cm}$	773	1510
BOD-5 mg/L	36	425
COD mg/L	166	977
Hydrocarbures (C10-C50) mg/L	<0.1	17.0
Total Suspended Solids mg/L	52	475
pH	6.14	7.57
Total Phosphorus (P) mg P/L	22.1	17.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 29, 2008

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 09, 2008

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Conductivité µmhos/cm		Std Conductivité	1423	1218 - 1648	
DBO5 mg/L	<1	Std -DBO5-0535-7	150	122 - 226	
DCO mg/L	<2	Std -DMR-0535-8	309	242 - 382	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	24.5	14.6 - 27.2	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0504 C10 liq	24.5	14.6 - 27.2	<0.1 <0.1
M.E.S. mg/L	M.E.S.	MES 081008	244	194 - 306	
pH		pH 7.00	6.99	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38	22.1 22.5
Phosphore total (P) mg P/L	<0.01	DMR-0535	1.10	1.02 - 1.38	

Reported on: October 29, 2008
Lab number: 55075:55076

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 16, 2008

Sampled by: N/D

Matrix: Water

Lab number:	55405	55406	55407
Sample name:	Grey Water	LJ-OUT	STP-IN
Sampling date:	15-10-2008	15-10-2008	15-10-2008
Conductivity $\mu\text{mhos/cm}$	611	1568	1661
BOD-5 mg/L	1483	15	248
COD mg/L	2876	186	1115
Hydrocarbures (C10-C50) mg/L	16	2.6	66
Total Suspended Solids mg/L	874	25	116
pH	4.46	8.00	8.01
Total Phosphorus (P) mg P/L	6.9	13.3	14.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 10, 2008

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 16, 2008

Sampled by: N/D

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Conductivité µmhos/cm		Std Conductivité	1470	1218 - 1648	
DBO5 mg/L	<1	Std-DMR-0663-7	172	122 - 226	
DBO5 mg/L	<1	Std-DMR-0663-7	122	122 - 226	
DBO5 mg/L	<1	Std-DMR-0663-7	126	122 - 226	
DCO mg/L	<2	Std -DMR-0535-8	343	242 - 382	
DCO mg/L	<2	Std -DMR-0535-8	370	242 - 382	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0663-14 C10	18.9	14.6 - 27.2	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0663-14 C10	18.9	14.6 - 27.2	66 93
M.E.S. mg/L	<1	MES 081008	252	194 - 306	
pH		pH 7.00	6.98	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0535	1.30	1.02 - 1.38	

Reported on: November 10, 2008
Lab number: 55405:55407

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-55408

Sampling date: October 15, 2008
Sampling hour: N/D
Date received: October 16, 2008
Sampling location: STP-OUT
Sampled by: N/D
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Conductivity	688 µmhos/cm	M-COND-2.0	October 18, 2008
BOD-5	6 mg/L	M-DBO-1.0	October 29, 2008
COD	135 mg/L	M-DCO-1.0	October 27, 2008
Hydrocarbures (C10-C50)	6.2 mg/L	M-HYD-2.0	October 31, 2008
Total Suspended Solids	12.8 mg/L	M-SOLI-1.0	October 20, 2008
pH	5.63	M-PH-2.0	October 18, 2008
Total Phosphorus (P)	7.75 mg P/L	M-P-2.0	November 18, 2008

Reported on: November 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-55408

Sampling date: October 15, 2008
Sampling hour: N/D
Date received: October 16, 2008
Sampling location: STP-OUT
Sampled by: N/D
Matrix: Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Hydrocarbures (C10-C50)	0.1	mg/L	M-HYD-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

Reported on: November 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-55408
Sampling date: October 15, 2008
Sampling hour: N/D
Date received: October 16, 2008
Sampling location: STP-OUT
Sampled by: N/D
Matrix: Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Conductivity μ mhos/cm		Std Conductivité	1470	1218 - 1648	688	659
BOD-5 mg/L	<1	Std-DMR-0663-7	122	122 - 226		
COD mg/L	<2	Std -DMR-0535-8	370	242 - 382		
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0663-14 C10	18.9	14.6 - 27.2		
Total Suspended Solids mg/L	<1	MES 081008	252	194 - 306		
pH		pH 7.00	6.98	6.96 - 7.04	5.63	5.60
Total Phosphorus (P) mg P/L	0.01	DMR-0535	1.30	1.02 - 1.38		

Reported on: November 20, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 24, 2008

Sampled by: Steve - Nicolas

Matrix: Waste Water

Lab number:	55853	55854	55855	55856
Sample name:	STP-IN	STP-OUT	Grey Water	Little John
Sampling date:	21-10-2008	21-10-2008	21-10-2008	21-10-2008
Conductivity µmhos/cm	1717	1103	422	1166
BOD-5 mg/L	323	12	613	17
COD mg/L	739	97	1334	267
Hydrocarbures (C10-C50) mg/L	10.5	<0.1	23.1	1.7
Total Suspended Solids mg/L	753	20	224	34
pH	7.79	6.99	5.34	5.60
Total Phosphorus (P) mg P/L	10.9	10.0	2.6	10.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2008

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 24, 2008
Sampled by: Steve - Nicolas
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Hydrocarbures (C10-C50)	0.1	mg/L	M-HYD-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2008

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: October 24, 2008

Sampled by: Steve - Nicolas

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Conductivité µmhos/cm		Std Conductivité	1410	1218 - 1648	1717 1749
Conductivité µmhos/cm		Std Conductivité	1410	1218 - 1648	1166 1176
Conductivité µmhos/cm		Std Conductivité	1410	1218 - 1648	
DBO5 mg/L	<1	Std-DMR-0663-7	172	122 - 226	
DCO mg/L	<2	Std -DMR-0535-8	343	242 - 382	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0663-14 C10	21.4	14.6 - 27.2	
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0663-14 C10	21.0	14.6 - 27.2	
M.E.S. mg/L	<1	MES 081008	273	194 - 306	
M.E.S. mg/L	<1	MES 081008	273	194 - 306	34 37
pH		pH 7.00	6.98	6.96 - 7.04	7.79 7.80
pH		pH 7.00	6.98	6.96 - 7.04	5.60 5.61
pH		pH 7.00	6.98	6.96 - 7.04	
Phosphore total (P) mg P/L	0.01	DMR-0535	1.20	1.02 - 1.38	

Reported on: November 17, 2008
 Lab number: 55853:55856

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56137

Sampling date: October 29, 2008
Sampling hour: 07:00
Date received: October 31, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Conductivity	872 µmhos/cm	M-COND-2.0	November 03, 2008
BOD-5	32 mg/L	M-DBO-1.0	November 05, 2008
COD	158 mg/L	M-DCO-1.0	November 03, 2008
Hydrocarbures (C10-C50)	<0.1 mg/L	Sous-traitance\Maxxam	November 07, 2008
Total Suspended Solids	38 mg/L	M-SOLI-1.0	November 03, 2008
pH	7.20	M-PH-2.0	November 03, 2008
Total Phosphorus (P)	9.9 mg P/L	M-P-2.0	November 11, 2008

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56137

Sampling date: October 29, 2008
Sampling hour: 07:00
Date received: October 31, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56137
Sampling date: October 29, 2008
Sampling hour: 07:00
Date received: October 31, 2008
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Conductivity μ mhos/cm		Std Conductivité	1420	1218 - 1648	
BOD-5 mg/L	<1	Std-DMR-0663-7	181	122 - 226	
COD mg/L	<2	Std -DMR-0535-8	323	242 - 382	
Total Suspended Solids mg/L	<1	MES 081008	285	194 - 306	
pH		pH 7.00	7.03	6.96 - 7.04	
Total Phosphorus (P) mg P/L	0.01	DMR-0535	1.20	1.02 - 1.38	

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56138

Sampling date: October 29, 2008
Sampling hour: 07:05
Date received: October 31, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Result	Method name	Date analyzed
Conductivity	1372 µmhos/cm	M-COND-2.0	November 03, 2008
BOD-5	733 mg/L	M-DBO-1.0	November 10, 2008
COD	2402 mg/L	M-DCO-1.0	November 03, 2008
Hydrocarbures (C10-C50)	0.6 mg/L	Sous-traitance\Maxxam	November 07, 2008
Total Suspended Solids	1056 mg/L	M-SOLI-1.0	November 03, 2008
pH	7.38	M-PH-2.0	November 03, 2008
Total Phosphorus (P)	11.5 mg P/L	M-P-2.0	November 11, 2008

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56138

Sampling date: October 29, 2008
Sampling hour: 07:05
Date received: October 31, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Detection limit		Method name
	Valeur	Unité	
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-56138
Sampling date: October 29, 2008
Sampling hour: 07:05
Date received: October 31, 2008
Sampling location: STP-IN
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-IN

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Conductivity μ mhos/cm		Std Conductivité	1420	1218 - 1648	
BOD-5 mg/L	3	Std-DMR-0663-7	220	122 - 226	
COD mg/L	<2	Std -DMR-0535-8	323	242 - 382	
Total Suspended Solids mg/L	<1	MES 081008	285	194 - 306	
pH		pH 7.00	7.03	6.96 - 7.04	
Total Phosphorus (P) mg P/L	0.01	DMR-0535	1.20	1.02 - 1.38	

Reported on: November 21, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 13, 2008

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	56426	56427	56738	56739	56740
Sample name:	STP-OUT	STP-IN	STP-OUT	STP-IN	Grey Water
Sampling date:	05-11-2008	05-11-2008	12-11-2008	12-11-2008	12-11-2008
Conductivity $\mu\text{mhos/cm}$	833	1485	459	841	391
BOD-5 mg/L	32	610	35	356	879
COD mg/L	189	2639	172	1123	2104
Hydrocarbures (C10-C50) mg/L	<0.1	1.2	---	---	---
Total Suspended Solids mg/L	51	1523	54	106	204
pH	6.56	7.68	6.09	7.87	5.87
Total Phosphorus (P) mg P/L	14.3	13.0	15.5	18.2	4.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 01, 2008

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 13, 2008
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 01, 2008

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: November 13, 2008

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Conductivité µmhos/cm		Std Conductivité	1358	1218 - 1648	833	836
Conductivité µmhos/cm		Std Conductivité	1358	1218 - 1648		
Conductivité µmhos/cm		Std Conductivité	1404	1218 - 1648		
DBO5 mg/L	<1	Std-DMR-0663-7	179	122 - 226		
DBO5 mg/L	<1	Std-DMR-0716-7	182	122 - 226		
DBO5 mg/L	<1	Std-DMR-0663-7	189	122 - 226		
DBO5 mg/L	<1	Std-DMR-0663-7	194	122 - 226		
DCO mg/L	<2	NUT 0663-9	345	242 - 382		
DCO mg/L	<2	Std-DMR-0663-9	349	242 - 382		
M.E.S. mg/L	<1	DMR-0663- MES	145	113 - 179		
M.E.S. mg/L	<1	MES 061108	235	194 - 306		
pH		pH 7.00	7.02	6.96 - 7.04		
pH		pH 7.00	7.03	6.96 - 7.04		
pH		pH 7.00	7.02	6.96 - 7.04	6.56	6.53
Phosphore total (P) mg P/L	0.02	NH3 DMR-0716-9	1.2	1.0 - 1.4		

Reported on: December 01, 2008

Lab number: 56426:56427,56738:56740

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57036

Sampling date: November 19, 2008
Sampling hour: 07:25
Date received: November 20, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Conductivity	784 µmhos/cm	M-COND-2.0	November 20, 2008
BOD-5	33 mg/L	M-DBO-1.0	November 26, 2008
COD	192 mg/L	M-DCO-1.0	November 21, 2008
Total Suspended Solids	60 mg/L	M-SOLI-1.0	November 20, 2008
pH	6.13	M-PH-2.0	November 20, 2008
Total Phosphorus (P)	17.1 mg P/L	M-P-2.0	December 16, 2008

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57036

Sampling date: November 19, 2008
Sampling hour: 07:25
Date received: November 20, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57036
Sampling date: November 19, 2008
Sampling hour: 07:25
Date received: November 20, 2008
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Conductivity μ mhos/cm		Std-Conductivite	1426	1204 - 1630	784	813
BOD-5 mg/L	<1	Std-DMR-0716-7	176	122 - 226		
COD mg/L	<2	Std-DMR-0663-9	327	242 - 382		
Total Suspended Solids mg/L	<1	MES 061108	227	194 - 306	60	54
pH		pH 7.00	6.98	6.96 - 7.04	6.13	6.09
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.10	1.02 - 1.38		

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57345

Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: STP-OUT
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	9 mg/L	M-DBO-1.0	December 08, 2008
COD	89 mg/L	M-DCO-1.0	December 11, 2008
Total Suspended Solids	31 mg/L	M-SOLI-1.0	December 03, 2008
Nitrite-Nitrate	263 mg N/L	M-NITR-2.0	December 04, 2008
pH	4.22	M-PH-2.0	December 03, 2008
Total Phosphorus (P)	15.1 mg P/L	M-P-2.0	December 16, 2008

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57345

Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: STP-OUT
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57345
Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: STP-OUT
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std-DMR-0716-7	178	122 - 226		
COD mg/L	<2	Std-DMR-0716-9	257	242 - 382		
Total Suspended Solids mg/L	<1	MES 061108	274	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	DMR-0716-3 NO2-NO3	7.00	6.04 - 8.17		
pH		Std pH 7.00	6.99	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.10	1.02 - 1.38		

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57346

Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: Little John
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
BOD-5	54 mg/L	M-DBO-1.0	December 08, 2008
COD	115 mg/L	M-DCO-1.0	December 05, 2008
Total Suspended Solids	140 mg/L	M-SOLI-1.0	December 03, 2008
Nitrite-Nitrate	0.17 mg N/L	M-NITR-2.0	December 04, 2008
pH	7.95	M-PH-2.0	December 03, 2008
Total Phosphorus (P)	14.3 mg P/L	M-P-2.0	December 16, 2008

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57346

Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: Little John
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: Little John

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57346

Sampling date: December 01, 2008
Sampling hour: 07:00
Date received: December 02, 2008
Sampling location: Little John
Sampled by: S.D/S.G
Matrix: Waste Water
Sample name: Little John

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std-DMR-0716-7	178	122 - 226		
COD mg/L	<2	Std-DMR-0716-9	278	242 - 382		
Total Suspended Solids mg/L	<1	MES 061108	274	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	DMR-0716-3 NO2-NO3	7.00	6.04 - 8.17		
pH		Std pH 7.00	6.99	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.10	1.02 - 1.38		

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57550

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	6 mg/L	M-DBO-1.0	December 15, 2008
COD	65 mg/L	M-DCO-1.0	December 11, 2008
Total Suspended Solids	22 mg/L	M-SOLI-1.0	December 10, 2008
Nitrite-Nitrate	52.6 mg N/L	M-NITR-2.0	December 10, 2008
pH	4.17	M-PH-2.0	December 12, 2008
Total Phosphorus (P)	3.4 mg P/L	M-P-2.0	December 16, 2008

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57550

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57550

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std-DMR-0716-7	181	122 - 226		
COD mg/L	<2	Std-DMR-0716-9	257	242 - 382		
Total Suspended Solids mg/L	<1	MES 061108	228	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	DMR-0716-3 NO2-NO3	6.90	6.04 - 8.17		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.10	1.02 - 1.38		

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57551

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: Little John
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
BOD-5	55 mg/L	M-DBO-1.0	December 15, 2008
COD	156 mg/L	M-DCO-1.0	December 11, 2008
Total Suspended Solids	96 mg/L	M-SOLI-1.0	December 10, 2008
Nitrite-Nitrate	9.8 mg N/L	M-NITR-2.0	December 10, 2008
pH	7.65	M-PH-2.0	December 12, 2008
Total Phosphorus (P)	3.5 mg P/L	M-P-2.0	December 16, 2008

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57551

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: Little John
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: Little John

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57551

Sampling date: December 08, 2008
Sampling hour: 08:00
Date received: December 09, 2008
Sampling location: Little John
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: Little John

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std-DMR-0716-7	181	122 - 226		
COD mg/L	<2	Std-DMR-0716-9	257	242 - 382		
Total Suspended Solids mg/L	<1	MES 061108	228	194 - 306	96	90
Nitrite-Nitrate mg N/L	<0.01	DMR-0716-3 NO2-NO3	6.90	6.04 - 8.17		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.10	1.02 - 1.38		

Reported on: December 17, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57684

Sampling date: December 15, 2008
Sampling hour: 08:00
Date received: December 16, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	5 mg/L	M-DBO-1.0	December 22, 2008
COD	53 mg/L	M-DCO-1.0	December 19, 2008
Nitrite-Nitrate	46.8 mg N/L	M-NITR-2.0	December 18, 2008
pH	4.41	M-PH-2.0	December 18, 2008
Total Phosphorus (P)	15.9 mg P/L	M-P-2.0	December 23, 2008

Reported on: December 24, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57684

Sampling date: December 15, 2008
Sampling hour: 08:00
Date received: December 16, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: December 24, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-57684

Sampling date: December 15, 2008
Sampling hour: 08:00
Date received: December 16, 2008
Sampling location: STP-OUT
Sampled by: N.S./R.T.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
BOD-5 mg/L	<1	Std-DMR-0716-7	191	122 - 226	
COD mg/L	<2	STD DMR-0817-9	252	242 - 382	
Nitrite-Nitrate mg N/L	<0.01	DMR-0716-3 NO2-NO3	6.90	6.04 - 8.17	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0716-9 NH3,Pt	1.30	1.02 - 1.38	

Reported on: December 24, 2008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-39901

Date de prélèvement : 06 août 2008

Heure de prélèvement : N/D

Date de réception : 08 août 2008

Lieu de prélèvement : ST-27

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
Température	9.4 °C	M-TEMP-1.0	08 août 2008
BHAA	>500 UFC/mL	M-BHAA-1,0	08 août 2008
Coliformes fécaux	TNI* UFC/100 mL	M-COLI-1,0	08 août 2008
Coliformes totaux	TNI*** UFC/100 mL	M-COLI-2,0	08 août 2008

Date d'émission : 13 août 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-39901

Date de prélèvement : 06 août 2008

Heure de prélèvement : N/D

Date de réception : 08 août 2008

Lieu de prélèvement : ST-27

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : ST-27

Commentaire

* : Trop Nombreux pour être Identifié. Les bactéries peuvent être des coliformes totaux et/ou des colonies atypiques.

*** : Trop Nombreux pour être Identifié. Les bactéries peuvent être des coliformes fécaux et/ou des colonies atypiques.

Date d'émission : 13 août 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40075

Date de prélèvement : 13 août 2008

Heure de prélèvement : N/D

Date de réception : 14 août 2008

Lieu de prélèvement : ST-27

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	4000 UFC/mL	M-BHAA-1,0	14 août 2008
Coliformes fécaux	700 UFC/100 mL	M-COLI-1,0	14 août 2008
Coliformes totaux	7000 UFC/100 mL	M-COLI-2,0	14 août 2008
Colonies atypiques	3000 UFC/100 mL	M-COLI-2,0	14 août 2008
Température	8.4 °C	M-TEMP-1.0	14 août 2008

Date d'émission : 18 août 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40076

Date de prélèvement : 13 août 2008

Heure de prélèvement : N/D

Date de réception : 14 août 2008

Lieu de prélèvement : STP-UV

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-UV

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
Coliformes fécaux	0 UFC/100 mL	M-COLI-1,0	14 août 2008
Coliformes totaux	0 UFC/100 mL	M-COLI-2,0	14 août 2008
Colonies atypiques	310 UFC/100 mL	M-COLI-2,0	14 août 2008
Température	9.6 °C	M-TEMP-1.0	14 août 2008
BHAA	>500 UFC/mL	M-BHAA-1,0	14 août 2008

Date d'émission : 15 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40077

Date de prélèvement : 13 août 2008

Heure de prélèvement : N/D

Date de réception : 14 août 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	TNC UFC/mL	M-BHAA-1,0	14 août 2008
Coliformes fécaux	>200 000 UFC/100 mL	M-COLI-1,0	14 août 2008
Coliformes totaux	>2 000 000 UFC/100 mL	M-COLI-2,0	14 août 2008
Colonies atypiques	*** UFC/100 mL	M-COLI-2,0	
Température	8.8 °C	M-TEMP-1.0	14 août 2008

*** : La quantité de bactéries empêche de distinguer entre les coliformes totaux et les colonies atypiques.

Date d'émission : 15 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40301

Date de prélèvement : 20 août 2008

Heure de prélèvement : N/D

Date de réception : 21 août 2008

Lieu de prélèvement : ST-27

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	4560 UFC/mL	M-BHAA-1,0	21 août 2008
Coliformes fécaux	3000 UFC/100 mL	M-COLI-1,0	21 août 2008
Coliformes totaux	28000 UFC/100 mL	M-COLI-2,0	21 août 2008
Colonies atypiques	17000 UFC/100 mL	M-COLI-2,0	21 août 2008
Température	10.3 °C	M-TEMP-1.0	21 août 2008

Date d'émission : 25 août 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40302

Date de prélèvement : 20 août 2008

Heure de prélèvement : N/D

Date de réception : 21 août 2008

Lieu de prélèvement : STP-UV

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-UV

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	TNC *** UFC/mL	M-BHAA-1,0	21 août 2008
Coliformes fécaux	2 UFC/100 mL	M-COLI-1,0	21 août 2008
Coliformes totaux	3 000 UFC/100 mL	M-COLI-2,0	21 août 2008
Colonies atypiques	13 000 UFC/100 mL	M-COLI-2,0	21 août 2008
Température	10.3 °C	M-TEMP-1.0	21 août 2008

*** : Trop Nombreux pour être Compté.

Date d'émission : 19 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40303

Date de prélèvement : 20 août 2008

Heure de prélèvement : N/D

Date de réception : 21 août 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	TNC * UFC/mL	M-BHAA-1,0	21 août 2008
Coliformes fécaux	2 900 000 UFC/100 mL	M-COLI-1,0	21 août 2008
Coliformes totaux	TNI*** UFC/100 mL	M-COLI-2,0	21 août 2008
Température	12.3 °C	M-TEMP-1.0	21 août 2008

* : Trop Nombreux pour être Compté.

Date d'émission : 19 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40303

Date de prélèvement : 20 août 2008

Heure de prélèvement : N/D

Date de réception : 21 août 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-IN

Commentaire

*** : Trop Nombreux pour être Identifié. Les bactéries peuvent être des coliformes totaux et/ou des colonies atypiques.

Date d'émission : 19 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40494

Date de prélèvement : 26 août 2008

Heure de prélèvement : N/D

Date de réception : 28 août 2008

Lieu de prélèvement : ST-27

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	7100 UFC/mL	M-BHAA-1,0	28 août 2008
Coliformes fécaux	5000 UFC/100 mL	M-COLI-1,0	28 août 2008
Coliformes totaux	8000 UFC/100 mL	M-COLI-2,0	28 août 2008
Colonies atypiques	11000 UFC/100 mL	M-COLI-2,0	28 août 2008
Température	11.0 °C	M-TEMP-1.0	28 août 2008

Date d'émission : 02 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40495

Date de prélèvement : 26 août 2008

Heure de prélèvement : N/D

Date de réception : 28 août 2008

Lieu de prélèvement : End of pipe

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau potable

Échantillon : End of pipe

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	TNC UFC/mL	M-BHAA-1,0	28 août 2008
Coliformes fécaux	4 000 UFC/100 mL	M-COLI-1,0	28 août 2008
Coliformes totaux	86 000 UFC/100 mL	M-COLI-2,0	28 août 2008
Colonies atypiques	27 000 UFC/100 mL	M-COLI-2,0	28 août 2008
Température	9.5 °C	M-TEMP-1.0	28 août 2008

Date d'émission : 22 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40660

Date de prélèvement : 03 septembre 2008

Heure de prélèvement : N/D

Date de réception : 04 septembre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>500 UFC/mL	M-BHAA-1,0	04 septembre 2008
Coliformes fécaux	640 000 UFC/100 mL	M-COLI-1,0	04 septembre 2008
Coliformes totaux	2 000 000 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Colonies atypiques	>20 000 000 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Température	11.2 °C	M-TEMP-1.0	04 septembre 2008

Date d'émission : 25 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40661

Date de prélèvement : 03 septembre 2008

Heure de prélèvement : N/D

Date de réception : 03 septembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>500 UFC/mL	M-BHAA-1,0	04 septembre 2008
Coliformes fécaux	60 UFC/100 mL	M-COLI-1,0	04 septembre 2008
Coliformes totaux	400 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Colonies atypiques	21800 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Température	11.1 °C	M-TEMP-1.0	04 septembre 2008

Date d'émission : 08 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40662

Date de prélèvement : 03 septembre 2008

Heure de prélèvement : N/D

Date de réception : 04 septembre 2008

Lieu de prélèvement : ST-27

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>500 UFC/mL	M-BHAA-1,0	04 septembre 2008
Coliformes fécaux	10 UFC/100 mL	M-COLI-1,0	04 septembre 2008
Coliformes totaux	800 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Colonies atypiques	2700 UFC/100 mL	M-COLI-2,0	04 septembre 2008
Température	11.2 °C	M-TEMP-1.0	04 septembre 2008

Date d'émission : 08 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40914

Date de prélèvement : 10 septembre 2008

Heure de prélèvement : N/D

Date de réception : 11 septembre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>500 UFC/mL	M-BHAA-1,0	11 septembre 2008
Coliformes fécaux	800000 UFC/100 mL	M-COLI-1,0	11 septembre 2008
Coliformes totaux	2500000 UFC/100 mL	M-COLI-2,0	11 septembre 2008
Colonies atypiques	>20000000 UFC/100 mL	M-COLI-2,0	11 septembre 2008
Température	7.8 °C	M-TEMP-1.0	11 septembre 2008

Date d'émission : 15 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-40915

Date de prélèvement : 10 septembre 2008

Heure de prélèvement : N/D

Date de réception : 11 septembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	2270 UFC/mL	M-BHAA-1,0	11 septembre 2008
Coliformes fécaux	100 UFC/100 mL	M-COLI-1,0	11 septembre 2008
Coliformes totaux	200 UFC/100 mL	M-COLI-2,0	11 septembre 2008
Colonies atypiques	1800 UFC/100 mL	M-COLI-2,0	11 septembre 2008
Température	10.7 °C	M-TEMP-1.0	11 septembre 2008

Date d'émission : 15 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41324

Date de prélèvement : 24 septembre 2008

Heure de prélèvement : N/D

Date de réception : 25 septembre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : N. Saucier/R. Toolooktook

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>50000 UFC/mL	M-BHAA-1,0	25 septembre 2008
Coliformes fécaux	>200000 UFC/100 mL	M-COLI-1,0	25 septembre 2008
Coliformes totaux	*** UFC/100 mL	M-COLI-2,0	25 septembre 2008
Colonies atypiques	>2000000 UFC/100 mL	M-COLI-2,0	25 septembre 2008
Température	7.7 °C	M-TEMP-1.0	25 septembre 2008

*** : La grande quantité de bactéries empêche de distinguer s'il s'agit de coliformes totaux et/ou de colonies atypiques.

Il est inscrit sur la bouteille : ATT-1

Date d'émission : 29 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41325

Date de prélèvement : 24 septembre 2008

Heure de prélèvement : N/D

Date de réception : 25 septembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : N. Saucier/R. Toolooktook

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	7600 UFC/mL	M-BHAA-1,0	25 septembre 2008
Coliformes fécaux	10000 UFC/100 mL	M-COLI-1,0	25 septembre 2008
Coliformes totaux	50000 UFC/100 mL	M-COLI-2,0	25 septembre 2008
Colonies atypiques	40000 UFC/100 mL	M-COLI-2,0	25 septembre 2008
Température	7.8 °C	M-TEMP-1.0	25 septembre 2008

Il est inscrit sur la bouteille : ST-27

Date d'émission : 29 septembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41509

Date de prélèvement : 01 octobre 2008

Heure de prélèvement : N/D

Date de réception : 02 octobre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>50000 UFC/mL	M-BHAA-1,0	02 octobre 2008
Coliformes fécaux	20 UFC/100 mL	M-COLI-1,0	02 octobre 2008
Coliformes totaux	300 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Colonies atypiques	14100 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Température	7.1 °C	M-TEMP-1.0	02 octobre 2008

Date d'émission : 06 octobre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41510

Date de prélèvement : 01 octobre 2008

Heure de prélèvement : N/D

Date de réception : 02 octobre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>50000 UFC/mL	M-BHAA-1,0	02 octobre 2008
Coliformes fécaux	4900000 UFC/100 mL	M-COLI-1,0	02 octobre 2008
Coliformes totaux	10000000 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Colonies atypiques	37000000 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Température	7.8 °C	M-TEMP-1.0	02 octobre 2008

Date d'émission : 06 octobre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41511

Date de prélèvement : 01 octobre 2008

Heure de prélèvement : N/D

Date de réception : 02 octobre 2008

Lieu de prélèvement : ST-27

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : ST-27

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>5000 UFC/mL	M-BHAA-1,0	02 octobre 2008
Coliformes fécaux	4000 UFC/100 mL	M-COLI-1,0	02 octobre 2008
Coliformes totaux	25000 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Colonies atypiques	31000 UFC/100 mL	M-COLI-2,0	02 octobre 2008
Température	8.5 °C	M-TEMP-1.0	02 octobre 2008

Date d'émission : 06 octobre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41667

Date de prélèvement : 08 octobre 2008

Heure de prélèvement : N/D

Date de réception : 09 octobre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : S. Gaudreault/S.Doire

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	490000 UFC/mL	M-BHAA-1,0	09 octobre 2008
Coliformes fécaux	80 UFC/100 mL	M-COLI-1,0	09 octobre 2008
Coliformes totaux	900 UFC/100 mL	M-COLI-2,0	09 octobre 2008
Colonies atypiques	8200 UFC/100 mL	M-COLI-2,0	09 octobre 2008
Température	8.8 °C	M-TEMP-1.0	09 octobre 2008

Date d'émission : 14 octobre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41668

Date de prélèvement : 08 octobre 2008

Heure de prélèvement : N/D

Date de réception : 09 octobre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : S. Gaudreault/S.Doire

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>5000000 UFC/mL	M-BHAA-1,0	09 octobre 2008
Coliformes fécaux	2300000 UFC/100 mL	M-COLI-1,0	09 octobre 2008
Coliformes totaux	*** UFC/100 mL	M-COLI-2,0	09 octobre 2008
Colonies atypiques	>20000000 UFC/100 mL	M-COLI-2,0	09 octobre 2008
Température	10.2 °C	M-TEMP-1.0	09 octobre 2008

* : Beaucoup de sable au fond de la bouteille.

*** : La grande quantité de bactérie empêche de distinguer s'il s'agit de coliformes totaux et/ou de colonies atypiques. Le nombre de coliformes totaux risquant d'être sous-estimé il n'est pas inscrit.

Date d'émission : 14 octobre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41836

Date de prélèvement : 15 octobre 2008

Heure de prélèvement : N/D

Date de réception : 16 octobre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	> 100 000 UFC/mL	M-BHAA-1,0	16 octobre 2008
Coliformes fécaux	690 000 UFC/100 mL	M-COLI-1,0	16 octobre 2008
Coliformes totaux	2 800 000 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Colonies atypiques	3 400 000 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Température	10.9 °C	M-TEMP-1.0	16 octobre 2008

Date d'émission : 11 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41837

Date de prélèvement : 15 octobre 2008

Heure de prélèvement : N/D

Date de réception : 16 octobre 2008

Lieu de prélèvement : LJ-OUT

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau usée

Échantillon : LJ-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	3 000 UFC/mL	M-BHAA-1,0	16 octobre 2008
Coliformes fécaux	26 UFC/100 mL	M-COLI-1,0	16 octobre 2008
Coliformes totaux	3 800 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Colonies atypiques	6 500 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Température	10.6 °C	M-TEMP-1.0	16 octobre 2008

Date d'émission : 11 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41838

Date de prélèvement : 15 octobre 2008

Heure de prélèvement : N/D

Date de réception : 16 octobre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	83 000 UFC/mL	M-BHAA-1,0	16 octobre 2008
Coliformes fécaux	2 200 UFC/100 mL	M-COLI-1,0	16 octobre 2008
Coliformes totaux	10 000 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Colonies atypiques	> 2 000 000 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Température	10.0 °C	M-TEMP-1.0	16 octobre 2008

Date d'émission : 11 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-41839

Date de prélèvement : 15 octobre 2008

Heure de prélèvement : N/D

Date de réception : 16 octobre 2008

Lieu de prélèvement : Grey Water

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau usée

Échantillon : Grey Water

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	> 500 000 UFC/mL	M-BHAA-1,0	16 octobre 2008
Coliformes fécaux	*** UFC/100 mL	M-COLI-1,0	16 octobre 2008
Coliformes totaux	*** UFC/100 mL	M-COLI-2,0	16 octobre 2008
Colonies atypiques	> 2 000 000 000 UFC/100 mL	M-COLI-2,0	16 octobre 2008
Température	8.3 °C	M-TEMP-1.0	16 octobre 2008

*** : La très grande quantité de colonies atypiques empêche de distinguer s'il y a présence de colonies caractéristiques des coliformes totaux et fécaux. Leur nombre risquant d'être sous-estimé, il n'est donc pas inscrit.

Date d'émission : 11 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Sommaire des résultats

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Date de réception : 24 octobre 2008

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau potable

No Multilab Direct	42056	42057	42058	42059	42060	42061	42062	42063
Échantillon	Kitchen	Raw water	Finished water	Dorm #12	Dorm # 8	Bottled Kitchen	UV treat water	Const. office
Date prélèvement	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008
Température °C	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Projet 42056

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42057

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42058

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42059

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42060

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42061

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42062

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42063

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Ces résultats se rapportent à ceux inscrits sur le(s) Certificat(s) d'analyse correspondant(s) au numéro de projet.

En cas de différence entre ces documents, les résultats du(des) Certificat(s) d'analyse, dûment signé(s),
ont préséance sur ceux de ce sommaire des résultats.

Amélie Lafrance-Pouliot,
Microbiologiste

Date d'émission : 27 octobre 2008

F-02-13

Version 2ième: 18/10/2006

Sommaire des résultats

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Date de réception : 24 octobre 2008

Nom du préleveur : S. Gaudreault/N. Saucier

Type d'échantillon : Eau potable

No Multilab Direct	42064	42065	42066	42067	42068	42069	42070
Échantillon	STP-OUT	STP-IN	Lottle John	Grey water	EXP-Raw	EXP-Kitchen	EXP-Wash room
Date prélèvement	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008	21-10-2008
Température °C	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Projet 42064

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42065

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42066

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42067

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42068

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42069

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Projet 42070

* : Échantillons rejetés; arrivés vendredi et délai de 48 heures est expiré.

Ces résultats se rapportent à ceux inscrits sur le(s) Certificat(s) d'analyse correspondant(s) au numéro de projet.

En cas de différence entre ces documents, les résultats du(des) Certificat(s) d'analyse, dûment signé(s),
ont préséance sur ceux de ce sommaire des résultats.

Amélie Lafrance-Pouliot,
Microbiologiste

Date d'émission : 27 octobre 2008

F-02-13

Version 2ième: 18/10/2006

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42236

Date de prélèvement : 29 octobre 2008

Heure de prélèvement : 07:00

Date de réception : 30 octobre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	213000 UFC/mL	M-BHAA-1,0	30 octobre 2008
Coliformes fécaux	400 UFC/100 mL	M-COLI-1,0	30 octobre 2008
Température	7.6 °C	M-TEMP-1.0	30 octobre 2008

Date d'émission : 03 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42237

Date de prélèvement : 29 octobre 2008

Heure de prélèvement : 07:05

Date de réception : 30 octobre 2008

Lieu de prélèvement : STP-IN

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-IN

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	1470000 UFC/mL	M-BHAA-1,0	30 octobre 2008
Coliformes fécaux	2600000 UFC/100 mL	M-COLI-1,0	30 octobre 2008
Coliformes totaux	6400000 UFC/100 mL	M-COLI-2,0	30 octobre 2008
Colonies atypiques	800000 UFC/100 mL	M-COLI-2,0	30 octobre 2008
Température	7.4 °C	M-TEMP-1.0	30 octobre 2008

Date d'émission : 03 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42369

Date de prélèvement : 05 novembre 2008

Heure de prélèvement : N/D

Date de réception : 06 novembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	292000 UFC/mL	M-BHAA-1,0	06 novembre 2008
Coliformes fécaux	70 UFC/100 mL	M-COLI-1,0	06 novembre 2008
Coliformes totaux	70 UFC/100 mL	M-COLI-2,0	06 novembre 2008
Colonies atypiques	2300 UFC/100 mL	M-COLI-2,0	06 novembre 2008
Température	9.6 °C	M-TEMP-1.0	06 novembre 2008

Date d'émission : 10 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42711

Date de prélèvement : 19 novembre 2008

Heure de prélèvement : N/D

Date de réception : 20 novembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : Nicolas Saucier

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	2 530 000 UFC/mL	M-BHAA-1,0	20 novembre 2008
Coliformes fécaux	300 UFC/100 mL	M-COLI-1,0	20 novembre 2008
Coliformes totaux	300 UFC/100 mL	M-COLI-2,0	20 novembre 2008
Colonies atypiques	3 500 UFC/100 mL	M-COLI-2,0	20 novembre 2008
Température	7.1 °C	M-TEMP-1.0	20 novembre 2008

Date d'émission : 24 novembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42955

Date de prélèvement : 01 décembre 2008

Heure de prélèvement : N/D

Date de réception : 02 décembre 2008

Lieu de prélèvement : Little John

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : Little John

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	4 500 000 UFC/mL	M-BHAA-1,0	02 décembre 2008
Coliformes fécaux	180 000 UFC/100 mL	M-COLI-1,0	02 décembre 2008
Coliformes totaux	5 000 000 UFC/100 mL	M-COLI-2,0	02 décembre 2008
Colonies atypiques	8 000 000 UFC/100 mL	M-COLI-2,0	02 décembre 2008
Température	7.2 °C	M-TEMP-1.0	02 décembre 2008

Date d'émission : 10 décembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-42956

Date de prélèvement : 01 décembre 2008

Heure de prélèvement : N/D

Date de réception : 02 décembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : S. Gaudreault/S. Doire

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	6 000 UFC/mL	M-BHAA-1,0	02 décembre 2008
Coliformes fécaux	1 UFC/100 mL	M-COLI-1,0	02 décembre 2008
Coliformes totaux	200 UFC/100 mL	M-COLI-2,0	02 décembre 2008
Colonies atypiques	0 UFC/100 mL	M-COLI-2,0	02 décembre 2008
Température	8.9 °C	M-TEMP-1.0	02 décembre 2008

Certificat corrigé ; il remplace celui émis le 08 décembre 2008.

Date d'émission : 27 janvier 2009

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-43117

Date de prélèvement : 08 décembre 2008

Heure de prélèvement : N/D

Date de réception : 09 décembre 2008

Lieu de prélèvement : Eau usée

Nom du préleveur : N. Saucier/R. Toolooktook

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
Coliformes fécaux	12 UFC/100 mL	M-COLI-1,0	09 décembre 2008
Température	7.9 °C	M-TEMP-1.0	09 décembre 2008
BHAA	10 000 UFC/mL	M-BHAA-1,0	09 décembre 2008
Coliformes totaux	400 UFC/100 mL	M-COLI-2,0	09 décembre 2008
Colonies atypiques	200 UFC/100 mL	M-COLI-2,0	09 décembre 2008

Date d'émission : 17 décembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-43118

Date de prélèvement : 08 décembre 2008

Heure de prélèvement : N/D

Date de réception : 09 décembre 2008

Lieu de prélèvement : Eau usée

Nom du préleveur : N. Saucier/R. Toolooktook

Type d'échantillon : Eau usée

Échantillon : Little john

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	>5 000 000 UFC/mL	M-BHAA-1,0	09 décembre 2008
Coliformes fécaux	4 000 000 UFC/100 mL	M-COLI-1,0	09 décembre 2008
Coliformes totaux	4 000 000 UFC/100 mL	M-COLI-2,0	09 décembre 2008
Colonies atypiques	1 000 000 UFC/100 mL	M-COLI-2,0	09 décembre 2008
Température	8.6 °C	M-TEMP-1.0	09 décembre 2008

Date d'émission : 17 décembre 2008

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-43292

Date de prélèvement : 15 décembre 2008

Heure de prélèvement : N/D

Date de réception : 16 décembre 2008

Lieu de prélèvement : STP-OUT

Nom du préleveur : N.Saucier/R. Toolooktook

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	9 000 UFC/mL	M-BHAA-1,0	16 décembre 2008
Coliformes fécaux	4 UFC/100 mL	M-COLI-1,0	16 décembre 2008
Coliformes totaux	900 UFC/100 mL	M-COLI-2,0	16 décembre 2008
Colonies atypiques	3 400 UFC/100 mL	M-COLI-2,0	16 décembre 2008
Température	5.9 °C	M-TEMP-1.0	16 décembre 2008

Date d'émission : 06 janvier 2009

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.