

Appendix F1

Certificates of Analysis

Your Project #: INCINERATOR ASH
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/03/24

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A911253

Received: 2009/03/17, 14:30

Sample Matrix: ASH
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Disposal Charges	1	N/A	2009/03/17		
Toxicity Charact. Leach. Proc.(EPA 1311)	1	2009/03/18	2009/03/18	STL SOP-00024/3	MA.100-Lix. com.1.0

Sample Matrix: LEACHATE
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by Cold Vapour AA	1	2009/03/19	2009/03/20	STL SOP-00042/6	MA.200-Hg 1.0
Metals by ICP	1	2009/03/20	2009/03/21	STL SOP-00006/7	MA.200- Mét 1.1

Encryption Key



Karima Dlimi

24 Mar 2009 10:31:51 -04:00

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:262

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A911253
Report Date: 2009/03/24

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

METALS (LEACHATE)

Maxxam ID		H02421		
Sampling Date		2009/02/27		
	Units	INCINERATOR ASH	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	605559
Arsenic (As)	mg/L	0.023	0.004	605691
Barium (Ba)	mg/L	0.11	0.005	605691
Cadmium (Cd)	mg/L	<0.002	0.002	605691
Chromium (Cr)	mg/L	0.031	0.007	605691
Lead (Pb)	mg/L	<0.002	0.002	605691
Selenium (Se)	mg/L	<0.005	0.005	605691
Silver (Ag)	mg/L	<0.01	0.01	605691
Zinc (Zn)	mg/L	<0.02	0.02	605691
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A911253
Report Date: 2009/03/24

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the leachate blank, except for Pb.

Contamination during filtration. Sample not detected. No impact on results.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERATOR ASH
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A911253


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
605559 MR4	LEACH. BLANK	Mercury (Hg)	2009/03/20	<0.0001		mg/L
	QC STANDARD	Mercury (Hg)	2009/03/20		99	%
	SPIKE	Mercury (Hg)	2009/03/20		106	%
	METHOD BLANK	Mercury (Hg)	2009/03/20	<0.0001		mg/L
605691 HC	LEACH. BLANK	Arsenic (As)	2009/03/21	<0.004		mg/L
		Barium (Ba)	2009/03/21	0.008, RDL=0.005		mg/L
		Cadmium (Cd)	2009/03/21	<0.002		mg/L
		Chromium (Cr)	2009/03/21	<0.007		mg/L
		Lead (Pb)	2009/03/21	0.040, RDL=0.002		mg/L
		Selenium (Se)	2009/03/21	0.023, RDL=0.005		mg/L
		Silver (Ag)	2009/03/21	<0.01		mg/L
		Zinc (Zn)	2009/03/21	0.04, RDL=0.02		mg/L
	SPIKE	Arsenic (As)	2009/03/21		90	%
		Barium (Ba)	2009/03/21		91	%
		Cadmium (Cd)	2009/03/21		92	%
		Chromium (Cr)	2009/03/21		89	%
		Lead (Pb)	2009/03/21		97	%
		Selenium (Se)	2009/03/21		85	%
		Silver (Ag)	2009/03/21		71 (1)	%
		Zinc (Zn)	2009/03/21		97	%
	METHOD BLANK	Arsenic (As)	2009/03/21	<0.004		mg/L
		Barium (Ba)	2009/03/21	<0.005		mg/L
		Cadmium (Cd)	2009/03/21	<0.002		mg/L
		Chromium (Cr)	2009/03/21	<0.007		mg/L
		Lead (Pb)	2009/03/21	<0.002		mg/L
		Selenium (Se)	2009/03/21	<0.005		mg/L
		Silver (Ag)	2009/03/21	<0.01		mg/L
		Zinc (Zn)	2009/03/21	<0.02		mg/L

RDL = Reportable Detection Limit
QC Standard = Quality Control Standard
SPIKE = Fortified sample
(1) Veuillez noter que la récupération de certains composés sont en dehors des limites de contrôle mais l'ensemble du contrôle de qualité pour cette analyse rencontre nos critères d'acceptabilité.


Validation Signature Page

Maxxam Job #: A911253

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



MADINA HAMROUNI, B.Sc., Chemist,



STELIANA CALESTRU, B.Sc. Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

[illegible]

Your Project #: INCINERATOR ASH
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/04/22

RESULTS FOR METALS

MAXXAM JOB #: A916235

Received: 2009/04/14, 12:00

Sample Matrix: LEACHATE

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by Cold Vapour AA	1	2009/04/20	2009/04/21	STL SOP-00042/6	MA.200-Hg 1.0
Metals by ICP	1	2009/04/21	2009/04/22	STL SOP-00006/7	MA.200- Mét 1.1

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

Maxxam Job #: A916235
Report Date: 2009/04/22

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

METALS (LEACHATE)

Maxxam ID		H22429		
Sampling Date		2009/03/27		
	Units	INCINERATOR ASH	RDL	QC Batch

Mercury (Hg)	mg/L	<0.0001	0.0001	613696
Arsenic (As)	mg/L	0.071	0.004	614132
Barium (Ba)	mg/L	0.040	0.005	614132
Cadmium (Cd)	mg/L	<0.002	0.002	614132
Chromium (Cr)	mg/L	0.072	0.007	614132
Lead (Pb)	mg/L	<0.0009	0.0009	614132
Selenium (Se)	mg/L	<0.005	0.005	614132
Silver (Ag)	mg/L	<0.01	0.01	614132
Zinc (Zn)	mg/L	2.4	0.02	614132

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A916235
Report Date: 2009/04/22

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries. Please note that the results have been corrected for the leachate blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERATOR ASH
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A916235

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
613696 MR4	LEACH. BLANK	Mercury (Hg)	2009/04/21	<0.0001		mg/L
	QC STANDARD	Mercury (Hg)	2009/04/21		112	%
	SPIKE	Mercury (Hg)	2009/04/21		96	%
	METHOD BLANK	Mercury (Hg)	2009/04/21	<0.0001		mg/L
614132 MCL	LEACH. BLANK	Arsenic (As)	2009/04/22	<0.004		mg/L
		Barium (Ba)	2009/04/22	<0.005		mg/L
		Cadmium (Cd)	2009/04/22	<0.002		mg/L
		Chromium (Cr)	2009/04/22	<0.007		mg/L
		Lead (Pb)	2009/04/22	0.0021, RDL=0.0009		mg/L
		Selenium (Se)	2009/04/22	<0.005		mg/L
		Silver (Ag)	2009/04/22	<0.01		mg/L
		Zinc (Zn)	2009/04/22	0.04, RDL=0.02		mg/L
	SPIKE	Arsenic (As)	2009/04/22		97	%
		Barium (Ba)	2009/04/22		98	%
		Cadmium (Cd)	2009/04/22		99	%
		Chromium (Cr)	2009/04/22		91	%
		Lead (Pb)	2009/04/22		95	%
		Selenium (Se)	2009/04/22		93	%
		Silver (Ag)	2009/04/22		79	%
		Zinc (Zn)	2009/04/22		101	%
	METHOD BLANK	Arsenic (As)	2009/04/22	<0.004		mg/L
		Barium (Ba)	2009/04/22	<0.005		mg/L
		Cadmium (Cd)	2009/04/22	<0.002		mg/L
		Chromium (Cr)	2009/04/22	<0.007		mg/L
		Lead (Pb)	2009/04/22	<0.0009		mg/L
		Selenium (Se)	2009/04/22	<0.005		mg/L
		Silver (Ag)	2009/04/22	<0.01		mg/L
		Zinc (Zn)	2009/04/22	<0.02		mg/L

RDL = Reportable Detection Limit
QC Standard = Quality Control Standard
SPIKE = Fortified sample

Your Project #: INCINERATOR ASH
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/06/16

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A926884

Received: 2009/06/08, 9:00

Sample Matrix: ASH
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Disposal Charges	1	N/A	2009/06/08		
Toxicity Charact. Leach. Proc.(EPA 1311)	1	2009/06/11	2009/06/11	STL SOP-00024/3	MA.100-Lix. com.1.0

Sample Matrix: LEACHATE
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by Cold Vapour AA	1	2009/06/12	2009/06/15	STL SOP-00042/7	MA.200-Hg 1.0
Metals by ICP	1	2009/06/12	2009/06/13	STL SOP-00006/7	MA.200- Mét 1.1

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:4262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A926884
Report Date: 2009/06/16

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

METALS (LEACHATE)

Maxxam ID		H70320		
Sampling Date		2009/06/04		
	Units	INCINERATOR ASH	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	631306
Arsenic (As)	mg/L	0.14	0.004	631424
Barium (Ba)	mg/L	0.056	0.005	631424
Cadmium (Cd)	mg/L	0.089	0.002	631424
Chromium (Cr)	mg/L	0.019	0.007	631424
Lead (Pb)	mg/L	0.015	0.0009	631424
Selenium (Se)	mg/L	0.006	0.005	631424
Silver (Ag)	mg/L	<0.01	0.01	631424
Zinc (Zn)	mg/L	5.7	0.02	631424
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A926884
Report Date: 2009/06/16

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries.
Please note that the above results have been corrected for the leachate blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERATOR ASH
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A926884

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
631306 MR4	LEACH. BLANK	Mercury (Hg)	2009/06/15	<0.0001		mg/L
	SPIKE	Mercury (Hg)	2009/06/15		115	%
	METHOD BLANK	Mercury (Hg)	2009/06/15	<0.0001		mg/L
631424 MCL	LEACH. BLANK	Arsenic (As)	2009/06/13	<0.004		mg/L
		Barium (Ba)	2009/06/13	<0.005		mg/L
		Cadmium (Cd)	2009/06/13	<0.002		mg/L
		Chromium (Cr)	2009/06/13	<0.007		mg/L
		Lead (Pb)	2009/06/13	0.0030, RDL=0.0009		mg/L
		Selenium (Se)	2009/06/13	<0.005		mg/L
		Silver (Ag)	2009/06/13	<0.01		mg/L
		Zinc (Zn)	2009/06/13	<0.02		mg/L
	SPIKE	Arsenic (As)	2009/06/13		98	%
		Barium (Ba)	2009/06/13		102	%
		Cadmium (Cd)	2009/06/13		102	%
		Chromium (Cr)	2009/06/13		105	%
		Lead (Pb)	2009/06/13		106	%
		Selenium (Se)	2009/06/13		87	%
		Silver (Ag)	2009/06/13		91	%
		Zinc (Zn)	2009/06/13		100	%
	METHOD BLANK	Arsenic (As)	2009/06/13	<0.004		mg/L
		Barium (Ba)	2009/06/13	<0.005		mg/L
		Cadmium (Cd)	2009/06/13	<0.002		mg/L
		Chromium (Cr)	2009/06/13	<0.007		mg/L
		Lead (Pb)	2009/06/13	<0.0009		mg/L
		Selenium (Se)	2009/06/13	<0.005		mg/L
		Silver (Ag)	2009/06/13	<0.01		mg/L
		Zinc (Zn)	2009/06/13	<0.02		mg/L
RDL = Reportable Detection Limit SPIKE = Fortified sample						

Validation Signature Page

Maxxam Job #: A926884

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Steliana Calestru



STELIANA CALESTRU, B.Sc. Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

[illegible]

Your Project #: INCINERATOR ASH

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/07/14

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A931798

Received: 2009/07/06, 9:00

Sample Matrix: ASH

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Disposal Charges	1	N/A	2009/07/06		
Toxicity Charact. Leach. Proc.(EPA 1311)	1	2009/07/08	2009/07/08	STL SOP-00024/3	MA.100-Lix. com.1.0

Sample Matrix: LEACHATE

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by Cold Vapour AA	1	2009/07/09	2009/07/10	STL SOP-00042/7	MA.200-Hg 1.0
Metals by ICP	1	2009/07/09	2009/07/09	STL SOP-00006/7	MA.200- Mét 1.1

Sample Matrix: OIL

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Flash Point ☐	1	N/A	N/A		
Metals ☐	1	N/A	N/A		
PCB ☐	1	N/A	N/A		
Total Halides (TX) ☐	1	N/A	N/A		

(1) This test was performed by Bodycote - Pte.Claire

Your Project #: INCINERATOR ASH

Attention: Sylvain DoireAgnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8**Report Date: 2009/07/14****CERTIFICATE OF ANALYSIS**

-2-

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:4262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A931798
Report Date: 2009/07/14

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH

Sampler Initials: NS

METALS (LEACHATE)

Maxxam ID		H91511		
Sampling Date		2009/07/01		
	Units	INCINERATOR ASH	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	639771
Arsenic (As)	mg/L	0.067	0.004	639844
Barium (Ba)	mg/L	0.36	0.005	639844
Cadmium (Cd)	mg/L	<0.002	0.002	639844
Chromium (Cr)	mg/L	0.38	0.007	639844
Lead (Pb)	mg/L	<0.0009	0.0009	639844
Selenium (Se)	mg/L	<0.005	0.005	639844
Silver (Ag)	mg/L	<0.01	0.01	639844
Zinc (Zn)	mg/L	<0.02	0.02	639844
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A931798
Report Date: 2009/07/14

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH

Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries.
Please note that the above results have been corrected for the leachate blank.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERATOR ASH
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: A931798

QA/QC Batch			Date Analyzed			
Num Init	QC Type	Parameter	yyyy/mm/dd	Value	Recovery	Units
639771 MR4	LEACH. BLANK	Mercury (Hg)	2009/07/10	<0.0001		mg/L
	QC STANDARD	Mercury (Hg)	2009/07/10		93	%
	SPIKE	Mercury (Hg)	2009/07/10		109	%
	METHOD BLANK	Mercury (Hg)	2009/07/10	<0.0001		mg/L
639844 SC5	LEACH. BLANK	Arsenic (As)	2009/07/09	<0.004		mg/L
		Barium (Ba)	2009/07/09	<0.005		mg/L
		Cadmium (Cd)	2009/07/09	<0.002		mg/L
		Chromium (Cr)	2009/07/09	<0.007		mg/L
		Lead (Pb)	2009/07/09	0.0023, RDL=0.0009		mg/L
		Selenium (Se)	2009/07/09	<0.005		mg/L
		Silver (Ag)	2009/07/09	<0.01		mg/L
		Zinc (Zn)	2009/07/09	<0.02		mg/L
	SPIKE	Arsenic (As)	2009/07/09		92	%
		Barium (Ba)	2009/07/09		95	%
		Cadmium (Cd)	2009/07/09		96	%
		Chromium (Cr)	2009/07/09		88	%
		Lead (Pb)	2009/07/09		93	%
		Selenium (Se)	2009/07/09		82	%
		Silver (Ag)	2009/07/09		92	%
		Zinc (Zn)	2009/07/09		93	%
	METHOD BLANK	Arsenic (As)	2009/07/09	<0.004		mg/L
		Barium (Ba)	2009/07/09	<0.005		mg/L
		Cadmium (Cd)	2009/07/09	<0.002		mg/L
		Chromium (Cr)	2009/07/09	<0.007		mg/L
		Lead (Pb)	2009/07/09	<0.0009		mg/L
		Selenium (Se)	2009/07/09	<0.005		mg/L
		Silver (Ag)	2009/07/09	<0.01		mg/L
		Zinc (Zn)	2009/07/09	<0.02		mg/L

RDL = Reportable Detection Limit
QC Standard = Quality Control Standard
SPIKE = Fortified sample

Validation Signature Page

Maxxam Job #: A931798

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



Kathie Quévillon

KATHIE QUEVILLON, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

A93798



Maxxam Analytique Inc

889 Montée de Liesse
St-Laurent, Québec, H4T 1P5
Web site: www.maxxam.ca

CHAIN OF CUSTODY

Page 1

Client: Agnico-Eagle Meadowbank Project		Te 867-793-4610 x 6728		ANALYSIS REQUIRED																									
Address Meadowbank Camp Baker Lake Nunavut, X0C 0A0		Fax:																											
Sampler Nicolas Saucier		Project # Incinerator Ash																											
Project Manager Sylvain Doire Rachel Gould																													
N°	Sample identification	N° labo MAXXAM	Matrix								Sampling		Arsenic	Barium	Cadmium	Chromium	Silver	Zinc	Lead	Mercury	Selenium	PCB	Cadmium	Chlorine	Flashpoint	Chromium			
			Potable w.	Waste w.	Ground w.	Surf. w.	Soils	Sediments	Others*	# containers	To filter (yes/no)	Date																	
1	Incinerator Ash									1	07/01/2009	X	X	X	X	X	X	X	X	X	X								
2	Waste oil									1	07/01/2009												X	X	X	X	X		
3																													
4																													
5																													
6																													
7																													
8																													
9																													
10																													
11																													

Metals Legend: ** Metals 13 elements (Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)
*** Metals 16 elements (Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time: ☐ 10 working days ☐ 5 working days ☐ 72 hours ☐ 48 hours ☐ 24 hours	Maxxam quote #: Site: Meadowbank Site PO #: Others:	Detection limits required / contamination level: Special instructions: Please note that: All metal result should be from a leachate test		
	Delivered by sampler: Nicolas Saucier Delivered by messenger: Purolator Delivered by:	Date: 07/02/2008 Date: Date:	Time: Time: Time:	Received by: Received by: Received by Maxxam:

LEGEND:
 * C = Canisters
 * W = Waste
 * O = Oil
 * T = Tubes ou Cartridges

Certificate of Analysis

Request number: **09-341102**

Date Received: 2009-07-08

Date Certificate Issued: 2009-07-13

Certificate Version: 1

- ☒ Official Certificate of Analysis
☐ Preliminary Certificate of Analysis

Client

MAXXAM ANALYTIQUE INC

889 Montée de Liesse
Ville St Laurent, Québec, Canada
H4T1P5
Telephone : (514) 448-9001
Fax : (514) 448-4199

P.O. Number	Your project ID.	Project Manager
NA	A931798	Lorena Dibenedetto

Comments

This version replaces and cancels all earlier version.

AVIS DE CONFIDENTIALITÉ : Ce document est à l'usage exclusif du requérant ci-dessus et est confidentiel. Si vous n'êtes pas le destinataire, soyez avisé que tout usage, reproduction, ou distribution de ce document est strictement interdit. Si vous avez reçu ce document par erreur, veuillez nous en informer immédiatement. / CONFIDENTIALITY NOTICE : This document is intended for the addressee only and is considered confidential. If you are not the addressee, you are hereby notified that any use, reproduction or distribution of this document is strictly prohibited. If you have received this document by error, please notify us immediately.

Certificate of Analysis No. 265367 - Revision 1 - Page 1 of 2

Terms and conditions: <http://www.bodycotetesting.com/terms&conditions>

Bodycote Testing Group
121 Boul. Hymus - Pointe-Claire - Québec - Canada - H9R 1E6 - Tel: +1 (514) 697-3273 - Fax: +1 (514) 697-2090



This certificate must not be reproduced, except in its entirety, without written consent from the laboratory. The official version of this certificate is protected and cannot be modified. The above-mentioned samples will be retained for a period of 30 days following the issue of this certificate with the exception of microbiology samples or as instructed by the client. Results pertain only to the samples submitted for analysis.

Request Number: 09-341102Client: **MAXXAM ANALYTIQUE INC**

P.O. Number	Your Project ID.	Project Manager
NA	A931798	Lorena Dibenedetto

Sample(s)

Lab. No. 1609391
Your Reference H91516-01R /
WASTE OIL
Matrix Oil
Sampled by CLIENT
Site sampled NA

Date sampled 2009-07-01
Date received 2009-07-08

Parameter(s)

Method

Reference

Polychlorinated Biphenyls (Aroclors)

PCB by Aroclors par GC-ECD
13-02-96 (REF: MEF 1995-05-11 / 408-BPC 2.0)

Preparation 2009-07-09
Analysis 2009-07-09
Sequential No. 174342
mg/kg < 1
mg/kg < 1
mg/kg < 1
mg/kg < 1
mg/kg < 1

Aroclor 1242

Aroclor 1248

Aroclor 1254

Aroclor 1260

Total

Recuperation %

Decachlorobiphenyl

% 112 %

Note: Results pertain only to the samples submitted for analysis.



Dominic Charland, chemist

Certificate of Analysis No. 265367 - Revision 1 - Page 2 of 2

Terms and conditions: <http://www.bodycotetesting.com/terms&conditions>

Bodycote Testing Group

121 Boul. Hymus - Pointe-Claire - Québec - Canada - H9R 1E6 - Tel: +1 (514) 697-3273 - Fax: +1 (514) 697-2090



This certificate must not be reproduced, except in its entirety, without written consent from the laboratory. The official version of this certificate is protected and cannot be modified.
The above-mentioned samples will be retained for a period of 30 days following the issue of this certificate with the exception of microbiology samples or as instructed by the client.
Results pertain only to the samples submitted for analysis.



Request Number: 09-341102

P.O. Number	Your Project ID.	Project Manager
NA	A931798	Lorena Dibenedetto

Parameters (Sequential ID No.)	Units	RDL	Blank	Certified Control	
				Result	Expected Range
Polychlorinated Biphenyls (Aroclors)					
Sequential ID No.: 174342					
Aroclor 1242	mg/kg	< 1	< 1	NA	NA
Aroclor 1248	mg/kg	< 1	< 1	NA	NA
Aroclor 1254	mg/kg	< 1	< 1	NA	NA
Aroclor 1260	mg/kg	< 1	< 1	NA	NA
Total	mg/kg	< 1	< 1	33	26.6 - 40

--

Appendix 1 of Certificate no.265367 - Page 1 of 1

121 Boul. Hymus - Pointe-Claire - Québec - Canada - H9R 1E6 - Tel: +1 (514) 697-3273 - Fax: +1 (514) 697-2090

The above-mentioned samples will be retained for a period of 30 days following the issue of this certificate with the exception of microbiology samples or as instructed by the client.



Certificat d'analyse

GROUPE D'ESSAIS
www.bodycote.com
www.bodycotetesting.com

Attention : Lorena Dibenedetto

Client : Maxxam Analytique Inc.
adresse : 889, Montée de Liesse
St-Laurent, Québec
H4T 1P5

No de certificat : 09-341102
Version : 1
Date de réception : 2009-07-08
Votre projet : A931798

No. de commande : ----
No. de client : 000391

Annexe I

Paramètres	No. de méthode ou référence	Instruments ou techniques
Cadmium, Cd Chrome, Cr Halogènes Totaux, (en chlore) Point d'éclair, en coupelle fermée BPC	18-02-96,V1,R6 18-02-96,V1,R6 18-05-96,V1,R4 ASTM D-93, procédure B 13-02-96	ICP ICP Colorimétrie Appareil à vase fermé Pensky Marten GC-ECD

Ce certificat ne doit pas être reproduit, sinon en entier, sans l'autorisation écrite du laboratoire. Les échantillons mentionnés plus haut seront conservés pendant 30 jours à partir de la date du rapport à moins d'instruction écrites du client.

Attention : Lorena Dibenedetto

Client : Maxxam Analytique Inc.
adresse : 889, Montée de Liesse
St-Laurent, Québec
H4T 1P5

No de certificat : 09-341102
Version : 1
Date de réception : 2009-07-08
Votre projet : A931798

No. de commande : ----
No. de client : 000391

Résultats exprimés en base humide sauf indication contraire.


Identification				H91516-01R
Identification (suite)				Waste oil
Matrice				Huile
Date de prélèvement				2009-07-01
Lieu du prélèvement				----
Prélevé par				Client
No de laboratoire				1609391
Paramètres	Unités	Date		Résultat(s)
		Préparation	Analyse	
Cadmium, Cd	mg/kg	2009-07-10	2009-07-10	<1
Chrome, Cr	mg/kg	2009-07-10	2009-07-10	<1
Halogènes Totaux, (en chlore)	mg/kg	2009-07-13	2009-07-13	150
Point d'éclair, en coupelle fermée	°C	----	2009-07-13	62
BPC	mg/kg	2009-07-09	2009-07-09	<1

Commentaires:

Méthodes d'analyse : Annexe I
Contrôle de qualité : Annexe II

Chimiste :


2009-07-13



Note : Ces résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Ce certificat ne doit pas être reproduit, sinon en entier, sans l'autorisation écrite du laboratoire. Les échantillons mentionnés plus haut seront conservés pendant 30 jours à partir de la date du rapport à moins d'instruction écrites du client.

Certificat d'analyse

Attention : Lorena Dibenedetto

Client : Maxxam Analytique Inc.
adresse : 889, Montée de Liesse
St-Laurent, Québec
H4T 1P5

No de certificat : 09-341102
Version : 1
Date de réception : 2009-07-08
Votre projet : A931798

No. de commande : ----
No. de client : 000391

Annexe II

Identification		Blanc analyse	Duplicata d'échantillon			Matériaux de référence		
Paramètres	Unités	Résultats	No de laboratoire	Résultats 1	Résultats 2	Valeurs	Écarts	Obtenus
Cadmium, Cd	mg/kg	< 1	----	----	----	10.0	8.0 - 12.0	9.5
Chrome, Cr	mg/kg	< 1	----	----	----	10.0	7.0 - 13.0	9.7
Halogènes Totaux, (en chlore)	mg/kg	< 100	----	----	----	1000	750 - 1250	961
Point d'éclair, en coupelle fermée	°C	NA	----	----	----	53.0	50.5 - 55.5	51.0
BPC	mg/kg	< 1	----	----	----	----	----	----

NA : Non applicable

Note : Ces résultats ne se rapportent qu'aux échantillons soumis pour analyse.

Ce certificat ne doit pas être reproduit, sinon en entier, sans l'autorisation écrite du laboratoire. Les échantillons mentionnés plus haut seront conservés pendant 30 jours à partir de la date du rapport à moins d'instruction écrites du client.

Your P.O. #: OP-61562
Your Project #: INCINERATOR ASH**Attention: Sylvain Doire**Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/09/03

CERTIFICATE OF ANALYSIS**MAXXAM JOB #: A943339****Received: 2009/08/28, 8:45**

Sample Matrix: LEACHATE

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by ICPMS	1	2009/09/03	2009/09/03	STL SOP-00042/7	MA. 200 - Mét 1.1
Metals by ICP	1	2009/09/03	2009/09/03	STL SOP-00006/7	MA.200- Mét 1.1

Sample Matrix: Solid Material

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Toxicity Charact. Leach. Proc.(EPA 1311)	1	2009/09/02	2009/09/02	STL SOP-00024/3	MA.100-Lix. com.1.0

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext.4262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A943339
Report Date: 2009/09/03

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH

Your P.O. #: OP-61562
Sampler Initials: NS

METALS (LEACHATE)

Maxxam ID		I46402		
Sampling Date		2009/08/22		
	Units	INCINERATOR ASH	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	656471
Arsenic (As)	mg/L	0.071	0.004	656469
Barium (Ba)	mg/L	0.35	0.005	656469
Cadmium (Cd)	mg/L	0.025	0.002	656469
Chromium (Cr)	mg/L	0.036	0.007	656469
Lead (Pb)	mg/L	<0.01	0.01	656469
Selenium (Se)	mg/L	<0.005	0.005	656469
Silver (Ag)	mg/L	<0.01	0.01	656469
Zinc (Zn)	mg/L	29	0.2	656469

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: A943339
Report Date: 2009/09/03

Agnico-Eagle Mines Ltd.
Client Project #: INCINERATOR ASH

Your P.O. #: OP-61562
Sampler Initials: NS

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERATOR ASH
P.O. #: OP-61562
Project name:

Quality Assurance Report

Maxxam Job Number: A943339


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
656469 SC5	LEACH. BLANK	Arsenic (As)	2009/09/03	<0.004		mg/L
		Barium (Ba)	2009/09/03	<0.005		mg/L
		Cadmium (Cd)	2009/09/03	<0.002		mg/L
		Chromium (Cr)	2009/09/03	<0.007		mg/L
		Lead (Pb)	2009/09/03	<0.01		mg/L
		Selenium (Se)	2009/09/03	<0.005		mg/L
		Silver (Ag)	2009/09/03	<0.01		mg/L
		Zinc (Zn)	2009/09/03	<0.2		mg/L
	Spiked Blank	Arsenic (As)	2009/09/03		97	%
		Barium (Ba)	2009/09/03		100	%
		Cadmium (Cd)	2009/09/03		94	%
		Chromium (Cr)	2009/09/03		100	%
		Lead (Pb)	2009/09/03		99	%
		Selenium (Se)	2009/09/03		98	%
		Silver (Ag)	2009/09/03		99	%
	Method Blank	Zinc (Zn)	2009/09/03		94	%
		Arsenic (As)	2009/09/03	<0.004		mg/L
		Barium (Ba)	2009/09/03	<0.005		mg/L
		Cadmium (Cd)	2009/09/03	<0.002		mg/L
		Chromium (Cr)	2009/09/03	<0.007		mg/L
		Lead (Pb)	2009/09/03	<0.01		mg/L
		Selenium (Se)	2009/09/03	<0.005		mg/L
		Silver (Ag)	2009/09/03	<0.01		mg/L
		Zinc (Zn)	2009/09/03	<0.2		mg/L
656471 SC5	LEACH. BLANK	Mercury (Hg)	2009/09/03	<0.0001		mg/L
	Spiked Blank	Mercury (Hg)	2009/09/03		94	%
	Method Blank	Mercury (Hg)	2009/09/03	<0.0001		mg/L

Leachate Blank: A blank matrix containing all reagents used in the leaching procedure. Used to determine any process contamination.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Validation Signature Page

Maxxam Job #: A943339

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




MARIE-CLAUDE LAUZIER, B.Sc., Chemist, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

Your Project #: INCINERAOR ASH
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2009/09/29

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: A948404

Received: 2009/09/23, 9:00

Sample Matrix: LEACHATE

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Mercury by ICPMS	1	2009/09/25	2009/09/28	STL SOP-0006/7	MA. 200 - Mét 1.1
Metals by ICP	1	2009/09/28	2009/09/28	STL SOP-00006/7	MA.200- Mét 1.1

Sample Matrix: Solid Material

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Analytical Method
Toxicity Charact. Leach. Proc.(EPA 1311)	1	2009/09/25	2009/09/25	STL SOP-00024/3	MA.100-Lix. com.1.0

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

LORENA DI BENEDETTO, B.Sc., Chemist, Project Manager
Email: LORENA.DIBENEDETTO@maxxamanalytics.com
Phone# (514) 448-9001 Ext:4262

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

For Service Group specific validation please refer to the Validation Signature Page

Maxxam Job #: A948404
Report Date: 2009/09/29

Agnico-Eagle Mines Ltd.
Client Project #: INCINERAOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: JK

METALS (LEACHATE)

Maxxam ID		I70351		
Sampling Date		2009/09/21		
	Units	INCINERATOR ASH	RDL	QC Batch

METALS				
Mercury (Hg)	mg/L	<0.0001	0.0001	663634
Arsenic (As)	mg/L	0.006	0.004	663630
Barium (Ba)	mg/L	0.23	0.005	663630
Cadmium (Cd)	mg/L	<0.002	0.002	663630
Chromium (Cr)	mg/L	0.27	0.007	663630
Lead (Pb)	mg/L	<0.01	0.01	663630
Selenium (Se)	mg/L	<0.005	0.005	663630
Silver (Ag)	mg/L	<0.01	0.01	663630
Zinc (Zn)	mg/L	<0.2	0.2	663630
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: A948404
Report Date: 2009/09/29

Agnico-Eagle Mines Ltd.
Client Project #: INCINERAOR ASH
Project name: MEADOWBANK SITE
Sampler Initials: JK

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (LEACHATE)

Please note that the results have not been corrected for QC recoveries nor for the leachate blank results.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #: INCINERAOR ASH
P.O. #:
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: A948404

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
663630 KQ	LEACH. BLANK	Arsenic (As)	2009/09/28	<0.004		mg/L
		Barium (Ba)	2009/09/28	<0.005		mg/L
		Cadmium (Cd)	2009/09/28	<0.002		mg/L
		Chromium (Cr)	2009/09/28	<0.007		mg/L
		Lead (Pb)	2009/09/28	<0.01		mg/L
		Selenium (Se)	2009/09/28	<0.005		mg/L
		Silver (Ag)	2009/09/28	<0.01		mg/L
		Zinc (Zn)	2009/09/28	<0.2		mg/L
	Spiked Blank	Arsenic (As)	2009/09/28		95	%
		Barium (Ba)	2009/09/28		103	%
		Cadmium (Cd)	2009/09/28		105	%
		Chromium (Cr)	2009/09/28		98	%
		Lead (Pb)	2009/09/28		105	%
		Selenium (Se)	2009/09/28		81	%
		Silver (Ag)	2009/09/28		113	%
		Zinc (Zn)	2009/09/28		95	%
	Method Blank	Arsenic (As)	2009/09/28	<0.004		mg/L
		Barium (Ba)	2009/09/28	<0.005		mg/L
		Cadmium (Cd)	2009/09/28	<0.002		mg/L
		Chromium (Cr)	2009/09/28	<0.007		mg/L
		Lead (Pb)	2009/09/28	<0.01		mg/L
		Selenium (Se)	2009/09/28	<0.005		mg/L
		Silver (Ag)	2009/09/28	<0.01		mg/L
		Zinc (Zn)	2009/09/28	<0.2		mg/L
663634 KQ	LEACH. BLANK	Mercury (Hg)	2009/09/28	<0.0001		mg/L
	Spiked Blank	Mercury (Hg)	2009/09/28		106	%
	Method Blank	Mercury (Hg)	2009/09/28	<0.0001		mg/L

Leachate Blank: A blank matrix containing all reagents used in the leaching procedure. Used to determine any process contamination.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Validation Signature Page

Maxxam Job #: A948404

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



Kathie Quévillon

KATHIE QUEVILLON, Analyst 2

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. SCC and CALA have approved this reporting process and electronic report format.

[illegible]

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 25, 2009
Sampled by: Raphael
Matrix: Waste Water

Lab number:	60563	60564	60565	60566	60567	60568	60569	60570
Sample name:	Intake Pump 2	Intake Pump 2	Intake Pump 3	Intake Pump 3	Intake Pump 3	Intake Pump 3	Drill no3 in	Drill no 2 in
Sampling date:	21-03-2009	20-03-2009	21-03-2009	20-03-2009	19-03-2009	18-03-2009	23-03-2009	23-03-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	<1	920	16440

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 27, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 25, 2009
Sampled by: Raphael
Matrix: Waste Water

Lab number:	60571
Sample name:	Drill no 3 out
Sampling date:	23-03-2009
Total Suspended Solids mg/L	590

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 27, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 25, 2009
Sampled by: Raphael
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 27, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 25, 2009

Sampled by: Raphael

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 02/03/2009	253	194 - 306		
M.E.S. mg/L	<1	MES 02/03/2009	253	194 - 306	<1	<1

Reported on: March 27, 2009
Lab number: 60563:60571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Water

Lab number:	60743	60744	60745	60746	60747	60748	60749	60750
Sample name:	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2
Sampling date:	24-03-2009	24-03-2009	24-03-2009	25-03-2009	25-03-2009	25-03-2009	27-03-2009	27-03-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 01, 2009
Sampled by: S.G/J.K/N.S
Matrix: Water

Lab number:	60751	60752	60753	60754	60755	60756	60757	60758
Sample name:	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1
Sampling date:	27-03-2009	28-03-2009	28-03-2009	28-03-2009	29-03-2009	29-03-2009	29-03-2009	30-03-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 01, 2009
Sampled by: S.G/J.K/N.S
Matrix: Water

Lab number:	60759	60760	60761	60762	60763	60764
Sample name:	Intake unit 2	Intake unit 3	Intake Pump 2	Intake Pump 3	Dewatering outlet	Dewatering outlet
Sampling date:	30-03-2009	30-03-2009	23-03-2009	23-03-2009	24-03-2009	29-03-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	5

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Water

Commentaire

Sampling date:

Projet 60743

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 60744

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 60745

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 60761

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 02, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Water

Commentaire

Sampling date:

Projet 60762

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 60763

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 01, 2009
Sampled by: S.G/J.K/N.S
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 07, 2009
Sampled by: J.K/N.S
Matrix: Water

Lab number:	60924	60925	60926	60927	60928	60929	60930	60931
Sample name:	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2
Sampling date:	31-03-2009	31-03-2009	31-03-2009	01-04-2009	01-04-2009	01-04-2009	02-04-2009	02-04-2009
Total Suspended Solids mg/L	3	2	2	2	<1	<1	2	3

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 07, 2009
Sampled by: J.K/N.S
Matrix: Water

Lab number:	60932	60933	60934	60935	60936	60937	60938	60939
Sample name:	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1	Intake unit 2	Intake unit 3	Intake unit 1
Sampling date:	02-04-2009	03-04-2009	03-04-2009	03-04-2009	04-04-2009	04-04-2009	04-04-2009	05-04-2009
Total Suspended Solids mg/L	2	1	4	3	4	<1	<1	<1

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 07, 2009
Sampled by: J.K/N.S
Matrix: Water

Lab number:	60940	60942	60943	60944	60945
Sample name:	Intake unit 2	Intake unit 1	Intake unit 2	Intake unit 3	Dewatering outlet
Sampling date:	05-04-2009	06-04-2009	06-04-2009	06-04-2009	05-04-2009
Total Suspended Solids mg/L	<1	1	1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 07, 2009
Sampled by: J.K/N.S
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 09, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 07, 2009

Sampled by: J.K/N.S

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 30-03-2009	260	194 - 306	3	5
M.E.S. mg/L	<1	MES 30-03-2009	260	194 - 306		
M.E.S. mg/L	<1	MES 30-03-2009	260	194 - 306	4	6
M.E.S. mg/L	<1	MES 30-03-2009	249	194 - 306		

Reported on: April 09, 2009

Lab number: 60924:60940,60942:60945

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	61148	61149	61150	61151	61152	61153	61154	61155
Sample name:	Outlet 3rd port	Outlet East dyke	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3
Sampling date:	12-04-2009	12-04-2009	07-04-2009	07-04-2009	07-04-2009	09-04-2009	09-04-2009	09-04-2009
Total Suspended Solids mg/L	3	2	2	<1	2	2	1	3
Aluminium (Al) mg/L	---	<0.002	---	---	---	---	---	---
Antimony (Sb) mg/L	---	<0.0001	---	---	---	---	---	---
Silver (Ag) mg/L	---	<0.0005	---	---	---	---	---	---
Arsenic (As) mg/L	---	0.0110	---	---	---	---	---	---
Barium (Ba) mg/L	---	<0.0005	---	---	---	---	---	---
Cadmium (Cd) mg/L	---	<0.0001	---	---	---	---	---	---
Chromium (Cr) mg/L	---	<0.0006	---	---	---	---	---	---
Cobalt (Co) mg/L	---	<0.0005	---	---	---	---	---	---
Copper (Cu) mg/L	---	<0.0005	---	---	---	---	---	---
Tin (Sn) mg/L	---	<0.005	---	---	---	---	---	---
Manganese (Mn) mg/L	---	0.0014	---	---	---	---	---	---
Molybdenum (Mo) mg/L	---	<0.0005	---	---	---	---	---	---
Nickel (Ni) mg/L	---	<0.0005	---	---	---	---	---	---
pH	---	6.70	---	---	---	---	---	---
Lead (Pb) mg/L	---	<0.0005	---	---	---	---	---	---
Selenium (Se) mg/L	---	<0.001	---	---	---	---	---	---
Zinc (Zn) mg/L	---	<0.001	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	61156	61157	61158	61159	61160	61161	61162	61163
Sample name:	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2
Sampling date:	10-04-2009	10-04-2009	10-04-2009	11-04-2009	11-04-2009	11-04-2009	12-04-2009	12-04-2009
Total Suspended Solids mg/L	2	2	2	1	4	1	5	3
Aluminium (Al) mg/L	---	---	---	---	---	---	<0.002	<0.002
Antimony (Sb) mg/L	---	---	---	---	---	---	---	---
Silver (Ag) mg/L	---	---	---	---	---	---	---	---
Arsenic (As) mg/L	---	---	---	---	---	---	---	---
Barium (Ba) mg/L	---	---	---	---	---	---	---	---
Cadmium (Cd) mg/L	---	---	---	---	---	---	---	---
Chromium (Cr) mg/L	---	---	---	---	---	---	---	---
Cobalt (Co) mg/L	---	---	---	---	---	---	---	---
Copper (Cu) mg/L	---	---	---	---	---	---	---	---
Tin (Sn) mg/L	---	---	---	---	---	---	---	---
Manganese (Mn) mg/L	---	---	---	---	---	---	---	---
Molybdenum (Mo) mg/L	---	---	---	---	---	---	---	---
Nickel (Ni) mg/L	---	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	6.87	6.97
Lead (Pb) mg/L	---	---	---	---	---	---	---	---
Selenium (Se) mg/L	---	---	---	---	---	---	---	---
Zinc (Zn) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	61164	61165	61166	61167
Sample name:	Intake 3	Drill 1	Drill 2	Drill 3
Sampling date:	12-04-2009	13-04-2009	13-04-2009	13-04-2009
Total Suspended Solids mg/L	3	2	7	<1
Aluminium (Al) mg/L	<0.002	---	---	---
Antimony (Sb) mg/L	---	---	---	---
Silver (Ag) mg/L	---	---	---	---
Arsenic (As) mg/L	---	---	---	---
Barium (Ba) mg/L	---	---	---	---
Cadmium (Cd) mg/L	---	---	---	---
Chromium (Cr) mg/L	---	---	---	---
Cobalt (Co) mg/L	---	---	---	---
Copper (Cu) mg/L	---	---	---	---
Tin (Sn) mg/L	---	---	---	---
Manganese (Mn) mg/L	---	---	---	---
Molybdenum (Mo) mg/L	---	---	---	---
Nickel (Ni) mg/L	---	---	---	---
pH	6.88	---	---	---
Lead (Pb) mg/L	---	---	---	---
Selenium (Se) mg/L	---	---	---	---
Zinc (Zn) mg/L	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 15, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Commentaire

Sampling date:

Projet 61150

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61151

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61152

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Antimony (Sb)	0.0001	mg/L	M-MET-3.0
Silver (Ag)	0.0005	mg/L	M-MET-3.0
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Barium (Ba)	0.0005	mg/L	M-MET-3.0
Cadmium (Cd)	0.0001	mg/L	M-MET-3.0
Chromium (Cr)	0.0006	mg/L	M-MET-3.0
Cobalt (Co)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Tin (Sn)	0.005	mg/L	M-MET-3.0
Manganese (Mn)	0.0005	mg/L	M-MET-3.0
Molybdenum (Mo)	0.0005	mg/L	M-MET-3.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005	mg/L	M-MET-3.0
Selenium (Se)	0.001	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: April 15, 2009
 Sampled by: Steve Gaudreault
 Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	7.09	5.27 - 7.13		
Antimoine (Sb) mg/L	<0.0001	Met EU DMR-0002-18	0.240	0.179 - 0.242		
Argent (Ag) mg/L	<0.0005					
Arsenic (As) mg/L	<0.0005	Met EU DMR-0002-18	0.310	0.216 - 0.342		
Baryum (Ba) mg/L	<0.0005	Met EU DMR-0002-18	2.39	1.91 - 2.59		
Cadmium (Cd) mg/L	<0.0001	Met EU DMR-0002-18	0.915	0.708 - 0.958		
Chrome (Cr) mg/L	<0.0006	Met EU DMR-0002-18	4.54	3.42 - 4.62		
Cobalt (Co) mg/L	<0.0005	Met EU DMR-0002-18	1.68	1.28 - 1.74		
Cuivre (Cu) mg/L	<0.0005	Met EU DMR-0002-18	1.36	1.04 - 1.40		
M.E.S. mg/L	<1	MES 09/04/2009	250	194 - 306	4	6
M.E.S. mg/L	<1	MES 09/04/2009	250	194 - 306	2	2
M.E.S. mg/L	<1	MES 09/04/2009	250	194 - 306		
Manganèse (Mn) mg/L	<0.0005	Met EU DMR-0002-18	4.03	3.20 - 4.32		
Molybdene (Mo) mg/L	<0.0005	Met EU DMR-0002-18	0.736	0.562 - 0.760		
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0002-18	1.20	0.98 - 1.32		
pH		Std pH 7.00	7.00	6.96 - 7.04		
pH		Std pH 7.00	7.00	6.96 - 7.04	6.88	6.89
Plomb (Pb) mg/L	<0.0005	Met EU DMR-0002-18	1.069	0.819 - 1.109		
Sélénium (Se) mg/L	<0.001	Met EU DMR-0002-18	1.54	1.21 - 1.63		
Zinc (Zn) mg/L	<0.001	Met EU DMR-0002-18	4.97	3.83 - 5.19		

Reported on: April 17, 2009
 Lab number: 61148:61167

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	61438	61439	61440	61441	61442	61443	61444	61445
Sample name:	Intake 2	Intake 3	Intake 2	Intake 2	Intake 1	Intake 1	Intake 3	Intake 3
Sampling date:	14-04-2009	17-04-2009	13-04-2009	15-04-2009	18-04-2009	17-04-2009	15-04-2009	13-04-2009
Total Suspended Solids mg/L	<1	<1	3	<1	2	4	2	1
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	61446	61447	61448	61449	61450	61451	61452	61453
Sample name:	Intake 3	Intake 5	Intake 5	Intake 2	Intake 1	Intake 5	Intake 2	Intake 5
Sampling date:	16-04-2009	18-04-2009	14-04-2009	18-04-2009	14-04-2009	16-04-2009	16-04-2009	15-04-2009
Total Suspended Solids mg/L	<1	<1	2	2	1	2	<1	2
Aluminium (Al) mg/L	---	---	0.119	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	61454	61455	61456	61457	61458	61459	61460	61465
Sample name:	Intake 3	Intake 1	Intake 1	Intake 5	Intake 2	Intake 3	Intake 1	outlet 3rd portage
Sampling date:	18-04-2009	15-04-2009	16-04-2009	17-04-2009	17-04-2009	14-04-2009	13-04-2009	20-04-2009
Total Suspended Solids mg/L	1	<1	1	1	<1	1	<1	38
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	61466	61467	61468	61469	61470	61471	61472
Sample name:	Outlet East dike	Drill 1 in	Drill 1 out	Drill no 2 in	Drill no 2 out	Drill no3 in	Drill no 3 out
Sampling date:	20-04-09	20-04-2009	20-04-2009	20-04-2009	20-04-2009	20-04-2009	20-04-2009
Total Suspended Solids mg/L	7	4100	62	3171	735	210	570
Aluminium (Al) mg/L	---	---	---	---	---	---	---

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Commentaire

Sampling date:

Projet 61438

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61440

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61444

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61445

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 28, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Commentaire

Sampling date:

Projet 61448

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61450

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61459

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61460

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 28, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	5.79	5.27 - 7.13		
M.E.S. mg/L	<1	DMR-0249-2009-8	162	113 - 179	<1	1
M.E.S. mg/L	<1	DMR-0249-2009-8	162	113 - 179		
M.E.S. mg/L	<1	DMR-0249-2009-8	162	113 - 179	1	1
M.E.S. mg/L	<1	MES 21/04/2009	225	194 - 306	<1	<1
M.E.S. mg/L	<1	MES 21/04/2009	225	194 - 306		

Reported on: April 28, 2009
Lab number: 61438:61460,61465:61472

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61461

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 1

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.126 mg/L	M-MET-3.0	April 29, 2009
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	April 23, 2009

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61461

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 1

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61461
Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	5.67	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 21/04/2009	225	194 - 306	

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61462

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 2
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 2

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.111 mg/L	M-MET-3.0	April 29, 2009
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	April 23, 2009

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61462

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 2
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 2

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61462
Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 2
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 2

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	5.67	5.27 - 7.13		
Total Suspended Solids mg/L	<1	MES 21/04/2009	225	194 - 306		

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61463

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 3
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 3

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.131 mg/L	M-MET-3.0	April 29, 2009
Total Suspended Solids	4 mg/L	M-SOLI-1.0	April 23, 2009

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61463

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 3
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 3

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61463
Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 3
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 3

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	5.67	5.27 - 7.13		
Total Suspended Solids mg/L	<1	MES 21/04/2009	225	194 - 306		

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61464

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 5
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 5

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.158 mg/L	M-MET-3.0	April 29, 2009
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	April 23, 2009

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61464

Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 5
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 5

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61464
Sampling date: April 20, 2009
Sampling hour: 14:00
Date received: April 22, 2009
Sampling location: Intake 5
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: Intake 5

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	5.67	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 21/04/2009	225	194 - 306	

Reported on: April 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61645	61646	61647	61648	61649	61650	61651	61652
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 1	Intake 2	Intake 3	Intake 5
Sampling date:	21-04-2009	21-04-2009	21-04-2009	21-04-2009	22-04-2009	22-04-2009	22-04-2009	22-04-2009
Total Suspended Solids mg/L	1	10	2	6	4	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 06, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61653	61654	61655	61656	61657	61658	61659	61660
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 1	Intake 2	Intake 3	Intake 5
Sampling date:	23-04-2009	23-04-2009	23-04-2009	23-04-2009	24-04-2009	24-04-2009	24-04-2009	24-04-2009
Total Suspended Solids mg/L	2	4	2	1	1	2	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 06, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 29, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Lab number:	61661	61662	61663	61664	61665	61666	61667	61668
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 1	Intake 2	Intake 3	Intake 5
Sampling date:	25-04-2009	25-04-2009	25-04-2009	25-04-2009	26-04-2009	26-04-2009	26-04-2009	26-04-2009
Total Suspended Solids mg/L	<1	1	<1	2	<1	1	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 06, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 06, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306	2	2
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306	<1	2
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306	1	2

Reported on: May 06, 2009
Lab number: 61645:61668

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61853	61854	61855	61856	61857
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 1
Sampling date:	27-04-2009	27-04-2009	27-04-2009	27-04-2009	28-04-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 07, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 07, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 21/04/2009	247	194 - 306	

Reported on: May 07, 2009
Lab number: 61853:61857

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61963	61964	61965	61966	61967
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6
Sampling date:	29-04-2009	29-04-2009	29-04-2009	29-04-2009	29-04-2009
Total Suspended Solids mg/L	<1	<1	<1	1	<1
pH	6.81	6.83	6.84	6.90	6.88

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 21/04/2009	254	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	

Reported on: May 12, 2009
Lab number: 61963:61967

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61858	61859	61860	61861	61862	61863	61864	61865
Sample name:	Intake 2	Intake 3	Intake 5	Intake 6	utlet 3rd portaçutlet 3rd portaç	utlet 3rd portaç	Outlet East dik	Intake 1
Sampling date:	28-04-2009	28-04-2009	28-04-2009	28-04-2009	26-04-2009	21-04-2009	26-04-2009	29-04-2009
Total Suspended Solids mg/L	2	3	1	2	<1	3	2	---
Aluminium (Al) mg/L	---	---	---	---	---	---	---	0.108

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 08, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 04, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Lab number:	61866	61867	61868
Sample name:	Intake 3	Intake 5	Intake 6
Sampling date:	29-04-2009	29-04-2009	29-04-2009
Total Suspended Solids mg/L	---	---	---
Aluminium (Al) mg/L	0.080	0.070	0.096

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 08, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 04, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Commentaire

Sampling date:

Projet 61862

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61863

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

Projet 61864

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S..

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 08, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 08, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	6.45	5.27 - 7.13		
M.E.S. mg/L	<1	MES 21/04/2009	255	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	255	194 - 306	2	2

Reported on: May 08, 2009
Lab number: 61858:61868

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61964

Sampling date: April 29, 2009
Sampling hour: 10:00
Date received: May 06, 2009
Sampling location: Intake 2
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: Intake 2

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	May 08, 2009
pH	6.83	M-PH-2.0	May 07, 2009
Aluminium (Al)	0.095 mg/L	M-MET-3.0	May 13, 2009

Reported on: May 15, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61964
Sampling date: April 29, 2009
Sampling hour: 10:00
Date received: May 06, 2009
Sampling location: Intake 2
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: Intake 2

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Aluminium (Al)	0.002 mg/L		M-MET-3.0

Reported on: May 15, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-61964
Sampling date: April 29, 2009
Sampling hour: 10:00
Date received: May 06, 2009
Sampling location: Intake 2
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: Intake 2

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	6.46	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 21/04/2009	254	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	

Reported on: May 15, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61968	61969	61970	61971	61976	61977	61978	61979
Sample name:	Intake 5	Intake 6	Intake 5	Intake 6	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	30-04-2009	30-04-2009	01-05-2009	01-05-2009	03-05-2009	03-05-2009	04-05-2009	04-05-2009
Total Suspended Solids mg/L	<1	<1	1	<1	<1	2	<1	1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61980	61981	61982
Sample name:	Intake 3	Intake 5	Intake 6
Sampling date:	04-05-2009	04-05-2009	04-05-2009
Total Suspended Solids mg/L	1	1	1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 21/04/2009	254	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
pH		Std pH 7.00	7.00	6.96 - 7.04	6.80 6.79

Reported on: May 12, 2009
Lab number: 61972:61975

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	254	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	254	194 - 306	<1	2
M.E.S. mg/L	<1	MES 21/04/2009	254	194 - 306	1	2

Reported on: May 11, 2009
Lab number: 61968:61971,61976:61982

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	61972	61973	61974	61975
Sample name:	Intake 5	Intake 6	Outlet 3rd port	Outlet East dike
Sampling date:	02-05-2009	02-05-2009	02-05-2009	02-05-2009
Total Suspended Solids mg/L	1	2	2	2
pH	6.86	6.88	6.69	6.80

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	62225	62229	62235	62236	62237	62238
Sample name:	Intake 2	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6
Sampling date:	05-05-2009	06-05-2009	07-05-2009	07-05-2009	07-05-2009	07-05-2009
Total Suspended Solids mg/L	2	<1	2	2	<1	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	216	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	216	194 - 306	2	2

Reported on: May 22, 2009
Lab number: 62225,62229,62235:62238

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	62226	62227	62228	62230	62231	62232	62233	62234
Sample name:	Intake 3	Intake 5	Intake 6	Intake 2	Intake 3	Intake 5	Intake 6	Intake 1
Sampling date:	05-05-2009	05-05-2009	05-05-2009	06-05-2009	06-05-2009	06-05-2009	06-05-2009	07-05-2009
Total Suspended Solids mg/L	4	<1	5	11	18	13	<1	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 20, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 20, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 08, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate		
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES 21/04/2009	205	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	205	194 - 306	4	1

Reported on: May 20, 2009
Lab number: 62226:62228,62230:62234

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62326	62327	62328	62329	62330	62331	62332
Sample name:	Outlet 3rd port	Outlet East dike	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6
Sampling date:	10-05-2009	10-05-2009	08-05-2009	08-05-2009	08-05-2009	08-05-2009	08-05-2009
Total Suspended Solids mg/L	6	13	4	4	4	5	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306	

Reported on: May 15, 2009
Lab number: 62326:62332

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62333	62334	62335	62336	62337
Sample name:	Intake 1	Intake 2	Intake 3	Drill 1	Drill 7
Sampling date:	09-05-2009	09-05-2009	09-05-2009	10-05-2009	10-05-2009
Total Suspended Solids mg/L	4	4	4	3	5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306	4	5

Reported on: May 15, 2009
Lab number: 62333:62337

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62323	62324	62325
Sample name:	Intake 1	Intake 2	Intake 3
Sampling date:	10-05-2009	10-05-2009	10-05-2009
Aluminium (Al) mg/L	0.105	0.059	0.068
Total Suspended Solids mg/L	3	6	3
pH	6.99	6.91	6.89

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 15, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	6.46	5.27 - 7.13		
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306	6	4
pH		Std pH 7.00	6.97	6.96 - 7.04		

Reported on: May 15, 2009
Lab number: 62323:62325

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62580	62581	62582	62583	62584	62585	62586	62587
Sample name:	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2
Sampling date:	11-05-2009	11-05-2009	11-05-2009	12-05-2009	12-05-2009	12-05-2009	13-05-2009	13-05-2009
Total Suspended Solids mg/L	<1	2	<1	<1	1	<1	<1	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62588	62589	62590	62591	62592	62593	62594	62595
Sample name:	Intake 3	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6
Sampling date:	13-05-2009	13-05-2009	13-05-2009	14-05-2009	14-05-2009	14-05-2009	14-05-2009	14-05-2009
Total Suspended Solids mg/L	<1	<1	<1	2	1	1	<1	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62596	62597	62598	62599	62600	62601	62602	62603
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3
Sampling date:	15-05-2009	15-05-2009	15-05-2009	15-05-2009	15-05-2009	16-05-2009	16-05-2009	16-05-2009
Total Suspended Solids mg/L	<1	1	2	3	8	2	3	3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	62604	62605	62606	62607
Sample name:	Intake 5	Intake 6	outlet 3rd port.	Outlet East dike
Sampling date:	16-05-2009	16-05-2009	16-05-2009	16-05-2009
Total Suspended Solids mg/L	4	14	1	8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	248	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	248	194 - 306	<1	<1
M.E.S. mg/L	<1	MES 21/04/2009	248	194 - 306	8	9
M.E.S. mg/L	<1	MES 21/04/2009	248	194 - 306	1	<1

Reported on: May 22, 2009
Lab number: 62580:62607

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 19, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	62608	62609	62610	62611	62612
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6
Sampling date:	17-05-2009	17-05-2009	17-05-2009	17-05-2009	17-05-2009
Aluminium (Al) mg/L	0.098	0.063	0.063	0.109	0.212
Total Suspended Solids mg/L	<1	3	4	4	6
pH	6.86	6.90	6.88	7.00	7.05

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	6.58	5.27 - 7.13		
M.E.S. mg/L	<1	MES 21/04/2009	247	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	247	194 - 306	<1	<1
pH		Std pH 7.00	7.03	6.96 - 7.04		
pH		Std pH 7.00	7.03	6.96 - 7.04	6.86	6.88

Reported on: May 22, 2009
Lab number: 62608:62612

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Lab number:	63061	63062	63063	63064	63065	63066	63067	63068
Sample name:	Intake 1	Intake 2	Intake 3	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3
Sampling date:	18-05-2009	18-05-2009	18-05-2009	18-05-2009	18-05-2009	19-05-2009	19-05-2009	19-05-2009
Total Suspended Solids mg/L	2	2	1	7	21	2	3	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	63070	63071	63072
Sample name:	Intake 1	Intake 2	Intake 3
Sampling date:	20-05-2009	20-05-2009	20-05-2009
Total Suspended Solids mg/L	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 21/04/2009	250	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	250	194 - 306	2	3

Reported on: May 28, 2009
Lab number: 63061:63068,63070:63072

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	63073	63074	63075	63076	63077	63078	63079	63080
Sample name:	Outlet East dike	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3	Outlet East dike
Sampling date:	20-05-2009	21-05-2009	21-05-2009	21-05-2009	22-05-2009	22-05-2009	22-05-2009	22-05-2009
Total Suspended Solids mg/L	19	1	3	3	1	1	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	63081	63082	63083	63084	63085
Sample name:	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2
Sampling date:	23-05-2009	23-05-2009	23-05-2009	24-05-2009	24-05-2009
Total Suspended Solids mg/L	2	2	3	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES-26-05-2009	217	194 - 306	19	23
M.E.S. mg/L	<1	MES-26-05-2009	217	194 - 306		
M.E.S. mg/L	<1	MES-26-05-2009	217	194 - 306	2	3

Reported on: May 28, 2009
Lab number: 63073:63085

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	63086	63087
Sample name:	Intake 3	outlet 3rd port.
Sampling date:	24-05-2009	24-05-2009
Total Suspended Solids mg/L	1	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES-26-05-2009	217	194 - 306	

Reported on: May 28, 2009
Lab number: 63086:63087

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Lab number:	63583	63584	63585	63586	63587	63588	63589	63590
Sample name:	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2
Sampling date:	25-05-2009	25-05-2009	25-05-2009	26-05-2009	26-05-2009	26-05-2009	27-05-2009	27-05-2009
Total Suspended Solids mg/L	<1	<1	<1	<1	2	2	<1	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 04, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Lab number:	63591	63592	63593	63594	63595	63596	63597	63598
Sample name:	Intake 3	Intake 1	Intake 2	Intake 3	Intake 1	Intake 2	Intake 3	Intake 1
Sampling date:	27-05-2009	28-05-2009	28-05-2009	28-05-2009	29-05-2009	29-05-2009	29-05-2009	30-05-2009
Total Suspended Solids mg/L	1	1	1	<1	1	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 04, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Lab number:	63599	63600	63602
Sample name:	Intake 2	Intake 3	Intake 1
Sampling date:	30-05-2009	30-05-2009	31-05-2009
Total Suspended Solids mg/L	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 04, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 03, 2009

Sampled by: N.S/JK

Matrix: Water

Commentaire

Sampling date:

Projet 63584

Delay has passed, results are only indicative, for the following parameters: T.S.S.

Projet 63585

Delay has passed, results are only indicative, for the following parameters: T.S.S.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 04, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 04, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 03, 2009

Sampled by: N.S/JK

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 02-06-2009	252	194 - 306		
M.E.S. mg/L	<1	MES 02-06-2009	252	194 - 306	<1	1
M.E.S. mg/L	<1	MES 02-06-2009	252	194 - 306	2	4

Reported on: June 04, 2009
Lab number: 63583:63600,63602

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Lab number:	63603	63604	63605	63606	63608	63609
Sample name:	Intake 2	Intake 3	Intake 5	Intake 6	Intake 5	Intake 6
Sampling date:	31-05-2009	31-05-2009	31-05-2009	31-05-2009	01-06-2009	01-06-2009
Total Suspended Solids mg/L	1	2	<1	2	3	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 05, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: N.S/JK
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 05, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 03, 2009

Sampled by: N.S/JK

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 02-06-2009	247	194 - 306	1	2
M.E.S. mg/L	<1	MES 02-06-2009	247	194 - 306		

Reported on: June 05, 2009

Lab number: 63603:63606,63608:63609

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 09, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	63857	63858	63859	63860	63861	63862	63863	63864
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	04-06-2009	04-06-2009	04-06-2009	04-06-2009	04-06-2009	04-06-2009	05-06-2009	05-06-2009
Total Suspended Solids mg/L	3	5	2	4	5	5	3	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 09, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	63865	63866	63867	63868	63869	63870	63871	63872
Sample name:	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4
Sampling date:	05-06-2009	05-06-2009	05-06-2009	05-06-2009	06-06-2009	06-06-2009	06-06-2009	06-06-2009
Total Suspended Solids mg/L	2	4	2	3	3	3	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 09, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	63873	63874	63875	63876	63877	63878	63879	63880
Sample name:	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	06-06-2009	06-06-2009	07-06-2009	07-06-2009	07-06-2009	07-06-2009	07-06-2009	07-06-2009
Total Suspended Solids mg/L	3	3	4	3	3	7	3	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 09, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 09, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 02-06-2009	203	194 - 306	
M.E.S. mg/L	<1	MES 02-06-2009	203	194 - 306	5 7
M.E.S. mg/L	<1	MES 02-06-2009	203	194 - 306	7 7
M.E.S. mg/L	<1	MES 02-06-2009	249	194 - 306	3 2
M.E.S. mg/L	<1	MES 02-06-2009	249	194 - 306	

Reported on: June 11, 2009
Lab number: 63857:63880

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64248	64249	64250	64251	64252	64253	64254	64255
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	09-06-2009	09-06-2009	09-06-2009	09-06-2009	09-06-2009	09-06-2009	10-06-2009	10-06-2009
Total Suspended Solids mg/L	2	2	2	2	<1	<1	2	2
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64256	64257	64258	64259	64260	64261	64262	64263
Sample name:	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4
Sampling date:	10-06-2009	10-06-2009	10-06-2009	10-06-2009	11-06-2009	11-06-2009	11-06-2009	11-06-2009
Total Suspended Solids mg/L	1	3	2	2	5	4	4	5
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64264	64265	64266	64267	64268	64269	64270	64271
Sample name:	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	11-06-2009	11-06-2009	12-06-2009	12-06-2009	12-06-2009	12-06-2009	12-06-2009	12-06-2009
Total Suspended Solids mg/L	2	3	4	4	4	5	3	3
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 16, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	64272	64273	64274	64275	64276	64277	64278	64279
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	13-06-2009	13-06-2009	13-06-2009	13-06-2009	13-06-2009	13-06-2009	14-06-2009	14-06-2009
Total Suspended Solids mg/L	4	5	4	5	5	5	5	6
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---
pH	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64280	64281	64282	64283	64284	64285	64286	64287
Sample name:	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4
Sampling date:	14-06-2009	14-06-2009	14-06-2009	14-06-2009	15-06-2009	15-06-2009	15-06-2009	15-06-2009
Total Suspended Solids mg/L	5	4	4	4	6	6	6	6
Aluminium (Al) mg/L	---	---	---	---	À suivre	À suivre	À suivre	À suivre
pH	---	---	---	---	6.78	6.72	6.73	6.75

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64288	64289
Sample name:	Intake 5	Intake 6
Sampling date:	15-06-2009	15-06-2009
Total Suspended Solids mg/L	6	5
Aluminium (Al) mg/L	À suivre	À suivre
pH	6.81	6.75

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 17, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0316-18	6.75	5.27 - 7.13	
M.E.S. mg/L	<1				
pH					
Turbidité UTN		MR-0406-2009-4-turbidi	7.20	5.58 - 8.82	15.9 15.7
Turbidité UTN		MR-0406-2009-4-turbidi	7.20	5.58 - 8.82	

Reported on: June 22, 2009
Lab number: 64284:64289

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	64444	64445	64446	64447	64448	64449
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	16-06-2009	16-06-2009	16-06-2009	16-06-2009	16-06-2009	16-06-2009
Total Suspended Solids mg/L	7	6	8	7	6	5
Turbidity NTU	18.0	16.9	17.9	18.2	15.8	14.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 18, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64518	64519	64520	64521	64522	64523	64524	64525
Sample name:	TPL-SL-1	TPL-SL-2	TPL-SL-3	TPL-SL-4	TPL-SL-5	TPL-SL-6	Shore line intake 1	Shore line intake 2
Sampling date:	18-06-2009	18-06-2009	18-06-2009	18-06-2009	18-06-2009	18-06-2009	18-06-2009	18-06-2009
Total Suspended Solids mg/L	<1	<1	<1	2	1	<1	<1	2
Turbidity NTU	1.5	1.2	1.4	1.9	1.6	1.6	7.3	7.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 19, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64526	64527	64528	64529	64530	64531	64532	64533
Sample name:	Shore line intake 3	Shore line intake 4	Intake 5	Intake 6	Shore line intake 1	Shore line intake 2	Shore line intake 3	Shore line intake 4
Sampling date:	18-06-2009	18-06-2009	18-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009
Total Suspended Solids mg/L	2	2	5	6	10	8	7	7
Turbidity NTU	11.2	9.0	18.5	17.8	20.7	19.3	20.8	18.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 19, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64534	64535	64536	64537	64538	64539	64540	64541
Sample name:	Intake 5	Intake 6	SPL-17-1	SPL-17-2	SPL-17-3	TPL-17-1	TPL-17-2	TPL-17-3
Sampling date:	17-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009	17-06-2009
Total Suspended Solids mg/L	6	5	82	40	6	<1	<1	<1
Turbidity NTU	15.5	27.0	103	76.8	13.8	1.1	1.0	0.87

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 19, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64542	64543	64544
Sample name:	SPL-E-17-4	SPL-E-17-5	SPL-E-17-6
Sampling date:	17-06-2009	17-06-2009	17-06-2009
Total Suspended Solids mg/L	<1	<1	2
Turbidity NTU	3.0	3.0	3.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 19, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 19, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 18, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-06-2009	245	194 - 306	
M.E.S. mg/L	<1	MES 16-06-2009	245	194 - 306	2 2
M.E.S. mg/L	<1	MES 16-06-2009	245	194 - 306	2 1
M.E.S. mg/L	<1	MES 16-06-2009	245	194 - 306	5 6
Turbidité UTN		MR-0406-2009-4-turbidi	6.70	5.58 - 8.82	1.0 1.0
Turbidité UTN		MR-0406-2009-4-turbidi	6.70	5.58 - 8.82	
Turbidité UTN		MR-0406-2009-4-turbidi	6.70	5.58 - 8.82	1.5 1.4
Turbidité UTN		MR-0406-2009-4-turbidi	6.70	5.58 - 8.82	19.3 19.5

Reported on: June 19, 2009
Lab number: 64518:64544

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64671	64672	64673	64674	64675	64676	64677	64678
Sample name:	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	18-06-2009	18-06-2009	20-06-2009	20-06-2009	20-06-2009	20-06-2009	20-06-2009	20-06-2009
Total Suspended Solids mg/L	6	4	7	8	6	8	6	10
Turbidity NTU	15.4	15.6	19.2	18.2	15.1	17.1	14.4	18.9

Corrected certificat, replacing the multiple certificat done june 23rd 2009.

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 07, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64679	64680	64681	64682	64683	64684
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	21-06-2009	21-06-2009	21-06-2009	21-06-2009	21-06-2009	21-06-2009
Total Suspended Solids mg/L	10	10	10	9	7	7
Turbidity NTU	19.8	19.3	21.6	19.6	16.3	17.3

Corrected certificat, replacing the multiple certificat done june 23rd 2009.

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 07, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

Corrected certificat, replacing the multiple certificat done june 23rd 2009.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 07, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-06-2009	241	194 - 306	
M.E.S. mg/L	<1	MES 16-06-2009	241	194 - 306	9 9
M.E.S. mg/L	<1	MES 16-06-2009	241	194 - 306	8 7
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	19.6 19.8
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	

Corrected certificat, replacing the multiple certificat done june 23rd 2009.

Reported on: January 07, 2010
Lab number: 64671:64684

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64653	64654	64655	64656	64657	64658
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009
Aluminium (Al) mg/L	0.412	0.389	0.453	0.439	0.335	0.322
Total Suspended Solids mg/L	9	9	8	9	6	7
pH	6.94	6.95	6.94	6.98	6.97	6.95
Turbidity NTU	20.4	18.7	17.9	18.9	15.8	15.7

Corrected certificat, remplacing the multiple certificat done on june 23rd 2009.

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 30, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 30, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Aluminium (Al) mg/L	<0.002	Met EU DMR-0316-18	6.84	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-06-2009	241	194 - 306	
pH		pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	15.8 16.0

Reported on: June 30, 2009
Lab number: 64653:64658

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 25, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64738	64739	64740	64741	64742	64743
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	23-06-2009	23-06-2009	23-06-2009	23-06-2009	23-06-2009	23-06-2009
Total Suspended Solids mg/L	7	5	8	7	7	6
Turbidity NTU	25.6	20.4	20.8	21.0	22.5	22.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 25, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 25, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64768	64769	64770	64771	64772	64773	64774	64775
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	24-06-2009	24-06-2009	24-06-2009	24-06-2009	24-06-2009	24-06-2009	25-06-2009	25-06-2009
Total Suspended Solids mg/L	8	7	7	8	7	8	8	8
Turbidity NTU	20.3	16.9	17.4	16.6	16.9	17.5	20.7	17.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 26, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 25, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	64776	64777	64778	64779
Sample name:	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	25-06-2009	25-06-2009	25-06-2009	25-06-2009
Total Suspended Solids mg/L	8	10	7	7
Turbidity NTU	17.9	18.8	15.7	17.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 26, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 25, 2009

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-06-2009	249	194 - 306	
M.E.S. mg/L	<1	MES 16-06-2009	249	194 - 306	8 9
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	
Turbidité UTN		MR-0406-2009-4-turbidi	7.10	5.58 - 8.82	17.9 18.2

Reported on: June 26, 2009
Lab number: 64768:64779

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 30, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Water

Lab number:	64887	64888	64889	64890	64891	64892	64893	64894
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2
Sampling date:	25-06-2009	25-06-2009	25-06-2009	25-06-2009	25-06-2009	25-06-2009	26-06-2009	26-06-2009
Total Suspended Solids mg/L	8	6	6	6	4	6	7	8
pH	---	---	---	---	---	---	---	---
Turbidity NTU	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 30, 2009

Sampled by: Nicolas Saucier/Jamie Kataluk

Matrix: Water

Lab number:	64895	64896	64897	64898	64899	64900	64901	64902
Sample name:	Intake 3	Intake 4	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4
Sampling date:	26-06-2009	26-06-2009	26-06-2009	26-06-2009	27-06-2009	27-06-2009	27-06-2009	27-06-2009
Total Suspended Solids mg/L	7	6	6	11	8	7	8	9
pH	---	---	---	---	---	---	---	---
Turbidity NTU	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 30, 2009

Sampled by: Nicolas Saucier/Jamie Kataluk

Matrix: Water

Lab number:	64903	64904	64905	64906	64907	64908	64909	64910
Sample name:	Intake 5	Intake 6	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	Intake 6
Sampling date:	27-06-2009	27-06-2009	28-06-2009	28-06-2009	28-06-2009	28-06-2009	28-06-2009	28-06-2009
Total Suspended Solids mg/L	5	12	8	7	8	6	6	13
pH	---	---	---	---	---	---	---	---
Turbidity NTU	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 30, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Water

Lab number:	64911	64912	64913	64914	64915	64916	64917	64918
Sample name:	Intake 1	Intake 2	Intake 3	Intake 4	Intake 5	TPL-1	TPL-2	TPL-3
Sampling date:	29-06-2009	29-06-2009	29-06-2009	29-06-2009	29-06-2009	27-06-2009	27-06-2009	27-06-2009
Total Suspended Solids mg/L	9	8	7	8	7	<1	<1	<1
pH	6.95	6.94	6.94	6.95	6.92	6.75	6.75	6.77
Turbidity NTU	25.5	22.1	21.5	22.8	17.2	1.3	1.1	2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 30, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Water

Lab number:	64919	64920	64921
Sample name:	SPL-1	SPL-2	SPL-3
Sampling date:	27-06-2009	27-06-2009	27-06-2009
Total Suspended Solids mg/L	<1	<1	<1
pH	6.96	6.95	6.97
Turbidity NTU	4.3	3.7	3.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 30, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 01, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 30, 2009

Sampled by: N. Saucier/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-06-2009	249	194 - 306	
M.E.S. mg/L	<1	MES 16-06-2009	249	194 - 306	7 7
M.E.S. mg/L	<1	MES 16-06-2009	249	194 - 306	6 6
M.E.S. mg/L	<1	MES 16-06-2009	252	194 - 306	
pH		pH 7.00	7.02	6.96 - 7.04	
pH		pH 7.00	7.02	6.96 - 7.04	6.75 6.76
Turbidité UTN	<0.02	MR-0406-2009-4-turbidi	6.80	5.58 - 8.82	
Turbidité UTN	<0.02	MR-0406-2009-4-turbidi	6.80	5.58 - 8.82	22.1 22.3

Reported on: July 01, 2009
Lab number: 64887:64921

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2009
Sampled by: Martin Thériault & Jamie Kataluk
Matrix: Water

Lab number:	65252	65253	65254	65255
Sample name:	Intake 6	Intake 1	Intake 2	Intake 6
Sampling date:	04-07-2009	05-07-2009	05-07-2009	05-07-2009
Total Suspended Solids mg/L	4	8	8	5
Turbidity NTU	9.8	18.3	17.7	10.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2009
Sampled by: Martin Thériault & Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 09, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2009

Sampled by: M. Thériault & J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-06-2009	250	194 - 306	
Turbidité UTN	<0.02	MR-0406-2009-4-turbidi	6.70	5.58 - 8.82	

Reported on: July 09, 2009
Lab number: 65252:65255

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2009

Sampled by: Martin Thériault & Jamie Kataluk

Matrix: Water

Lab number:	65256	65257	65258
Sample name:	Intake 1	Intake 2	Intake 6
Sampling date:	06-07-2009	06-07-2009	06-07-2009
Aluminium (Al) mg/L	0.457	0.416	0.407
Total Suspended Solids mg/L	7	8	7
pH	6.87	6.92	6.88
Turbidity NTU	16.3	14.3	12.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2009
Sampled by: Martin Thériault & Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 09, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2009

Sampled by: M. Thériault & J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0316-18	6.74	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-06-2009	250	194 - 306	
pH					
Turbidité UTN	<0.02	DMR-0406-2009-4-turbidité	6.70	5.58 - 8.82	

Reported on: July 09, 2009
Lab number: 65256:65258

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 09, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	65519	65520	65521	65522	65523	65524	65525	65526
Sample name:	TPL-17-1	TPL-17-2	TPL-17-3	TPL-17-4	TPL-17-5	TPL-17-6	Intake 1	Intake 2
Sampling date:	07-07-2009	07-07-2009	07-07-2009	07-07-2009	07-07-2009	07-07-2009	07-07-2009	07-07-2009
Total Suspended Solids mg/L	<1	5	54	2	2	3	7	9
Turbidity NTU	2.3	3.3	3.4	3.2	2.7	2.5	21.5	21.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 09, 2009
Sampled by: Martin Thériault
Matrix: Water

Lab number:	65527	65528	65529	65530
Sample name:	Intake 1	Intake 2	Intake 1	Intake 2
Sampling date:	08-07-2009	08-07-2009	09-07-2009	09-07-2009
Total Suspended Solids mg/L	7	6	8	8
Turbidity NTU	16.9	19.8	21.4	22.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 09, 2009
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 09, 2009

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 16-06-2009	246	194 - 306	
M.E.S. mg/L	<1	MES 16-06-2009	246	194 - 306	7 6
Turbidité UTN	<0.02	DMR-0524-2009-4	7.20	5.58 - 8.82	
Turbidité UTN	<0.02	DMR-0524-2009-4	7.20	5.58 - 8.82	2.3 2.2

Reported on: July 13, 2009
Lab number: 65519:65530

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 03, 2009
Sampled by: M.Thériault
Matrix: Water

Lab number:	72066	72067	72068	72069	72070	72071	72072	72074
Sample name:	Outlet-1	Outlet-1	Outlet-1	Outlet-1	Outlet-1	Outlet-1	Outlet-1	Outlet-2
Sampling date:	26-10-2009	27-10-2009	28-10-2009	29-10-2009	30-10-2009	31-10-2009	01-11-2009	01-11-2009
Total Suspended Solids mg/L	14	9	3	6	4	3	4	7
Turbidity NTU	7.2	7.8	8.4	9.1	6.2	3.5	6.2	14.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 04, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 03, 2009
Sampled by: M.Thériault
Matrix: Water

Lab number:	72076	72077
Sample name:	Intake	Intake
Sampling date:	26-10-2009	27-10-2009
Total Suspended Solids mg/L	14	13
Turbidity NTU	41.5	39.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 04, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 03, 2009
Sampled by: M.Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 04, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 22-10-2009	249	194 - 306	
Turbidité UTN		DMR-0659-2009-4	6.20	5.58 - 8.82	
Turbidité UTN		DMR-0659-2009-4	5.70	5.58 - 8.82	

Reported on: November 04, 2009

Lab number: 72066:72072,72074,72076:72077

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Water

Lab number:	72073	72075
Sample name:	Outlet-1	Outlet-2
Sampling date:	02-11-2009	02-11-2009
Aluminium (Al) mg/L	0.357	0.258
Total Suspended Solids mg/L	3	5
pH	7.19	7.24
Turbidity NTU	3.7	3.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 03, 2009
Sampled by: M.Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 11, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR 0659-09-18	6.04	5.27 - 7.13		
M.E.S. mg/L	<1	MES 22-10-2009	249	194 - 306		
pH		Std pH 7.00	7.02	6.96 - 7.04	7.19	7.23
pH		Std pH 7.00	7.02	6.96 - 7.04		
Turbidité UTN		DMR-0659-2009-4	5.70	5.58 - 8.82		

Reported on: November 11, 2009
Lab number: 72073,72075

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 05, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	72285	72286	72287	72288	72289	72290
Sample name:	TSS Plant Outlet 1	TSS Plant Outlet 2	TSS Plant Outlet 1	TSS Plant Outlet 2	TSS Plant Outlet 1	TSS Plant Outlet 2
Sampling date:	03-11-2009	03-11-2009	04-11-2009	04-11-2009	05-11-2009	05-11-2009
Total Suspended Solids mg/L	5	8	5	33	2	7
Turbidity NTU	2.1	1.0	1.7	19.2	2.1	2.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 09, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 05, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Commentaire

Sampling date:

Projet 72285

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 72286

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: November 09, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 05, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 09, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 05, 2009
Sampled by: N. Saucier/M. Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 05-11-2009	245	194 - 306	
Turbidité UTN		DMR-0659-2009-4	6.00	5.58 - 8.82	

Reported on: November 09, 2009
Lab number: 72285:72290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	72688	72689	72690	72691	72692	72693	72694	72695
Sample name:	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)
Sampling date:	10-11-2009	10-11-2009	10-11-2009	09-11-2009	09-11-2009	09-11-2009	08-11-2009	08-11-2009
Total Suspended Solids mg/L	20	3	9	12	11	6	15	7
Turbidity NTU	38.7	4.6	7.1	38.9	4.2	6.1	37.1	14.7
Aluminium (Al) mg/L	---	---	---	0.444	0.447	0.339	---	---

Commentary:

Turbidity result is only indicative for the following projects because the delay was due: Projects C-72688 to C-72695.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 16, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	72696	72697	72698	72699	72700	72701	72702
Sample name:	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	08-11-2009	07-11-2009	07-11-2009	07-11-2009	06-11-2009	06-11-2009	06-11-2009
Total Suspended Solids mg/L	3	24	8	4	16	34	21
Turbidity NTU	3.9	42.6	8.6	4.3	40.7	10.7	19.4
Aluminium (Al) mg/L	---	---	---	---	---	---	---

Commentary:

Turbidity result is only indicative for the following projects because the delay was due: Projects C-72696 to C-72702.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 16, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 12, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 16, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 12, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR 0659-09-18	6.11	5.27 - 7.13		
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306	20	22
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306		
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306	21	19
Turbidité UTN		DMR-0731-2009-Turb	7.2	5.6 - 8.8		

Reported on: November 16, 2009
Lab number: 72688:72702

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	72855	72856	72857	72858	72859	72860	72861	72862
Sample name:	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)
Sampling date:	15-11-2009	15-11-2009	15-11-2009	14-11-2009	14-11-2009	14-11-2009	13-11-2009	13-11-2009
Total Suspended Solids mg/L	21	2	11	18	10	8	17	10
Turbidity NTU	36.6	2.6	3.8	35.4	3.5	8.4	35.1	3.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 18, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	72863	72864	72865	72866	72867	72868	72869	72870
Sample name:	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-TPL
Sampling date:	13-11-2009	12-11-2009	12-11-2009	12-11-2009	11-11-2009	11-11-2009	11-11-2009	14-11-2009
Total Suspended Solids mg/L	6	24	13	8	20	11	7	2
Turbidity NTU	3.6	37.4	7.0	2.9	37.6	7.3	4.6	0.91

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 18, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 18, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 17, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306	21	19
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306		
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306	13	12
Turbidité UTN		DMR-0731-2009-Turb	6.8	5.6 - 8.8		

Reported on: November 18, 2009
Lab number: 72855:72870

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	72852	72853	72854
Sample name:	DD-WTP-IN	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	16-11-2009	16-11-2009	16-11-2009
Aluminium (Al) mg/L	0.946	0.397	0.291
Total Suspended Solids mg/L	19	5	4
Turbidity NTU	38.7	3.1	3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 20, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 17, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 20, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 17, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR 0659-09-18	6.94	5.27 - 7.13	
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306	
Turbidité UTN		DMR-0731-2009-Turb	6.8	5.6 - 8.8	

Reported on: November 20, 2009
Lab number: 72852:72854

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	73126	73127	73128	73129
Sample name:	DD-WTP-01	DD-WTP-01 (Filtré)	DD-WTP-02	DD-WTP-02 (filtré)
Sampling date:	17-11-2009	17-11-2009	17-11-2009	17-11-2009
Arsenic (As) mg/L	<0.0005	<0.0005	<0.0005	<0.0005
Copper (Cu) mg/L	0.0013	<0.0005	0.0019	0.0006
Total Suspended Solids mg/L	2	---	<1	---
Nickel (Ni) mg/L	0.0007	0.0005	0.0007	0.0006
Lead (Pb) mg/L	<0.0005	<0.0005	0.0005	<0.0005
Turbidity NTU	1.6	---	1.5	---
Zinc (Zn) mg/L	<0.001	<0.001	<0.001	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 25, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Commentaire

Sampling date:

Projet 73126

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73127

L'eau a été filtrée sur le terrain.

Projet 73128

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73129

L'eau a été filtrée sur le terrain.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: November 25, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 23, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
Lead (Pb)	0.0005	mg/L	M-MET-3.0
Turbidity	0.02	NTU	M-TURB-1.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 25, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 23, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	M EU DMR-0796-09-18	0.266	0.248 - 0.392	
Cuivre (Cu) mg/L	<0.0005	M EU DMR-0796-09-18	1.11	1.04 - 1.40	
M.E.S. mg/L	<1	MES 05-11-2009	208	194 - 306	
Nickel (Ni) mg/L	<0.0005	M EU DMR-0796-09-18	1.01	0.98 - 1.32	
Plomb (Pb) mg/L	<0.0005	M EU DMR-0796-09-18	1.073	0.819 - 1.109	
Turbidité UTN		DMR-0796-2009-Turb	7.2	5.5 - 8.7	
Zinc (Zn) mg/L	<0.001	M EU DMR-0796-09-18	4.27	3.83 - 5.19	

Reported on: November 25, 2009
Lab number: 73126:73129

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 20, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	73115	73116	73117
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-TPL
Sampling date:	18-11-2009	18-11-2009	18-11-2009
Total Suspended Solids mg/L	10	5	3
Turbidity NTU	1.8	1.2	0.85

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 23, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 20, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 23, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 20, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 05-11-2009	258	194 - 306	
Turbidité UTN		DMR-0796-2009-Turb	7.3	5.5 - 8.7	

Reported on: November 23, 2009
Lab number: 73115:73117

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 24, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73203	73204	73205	73206	73207	73208	73209	73210
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	22-11-2009	22-11-2009	21-11-2009	21-11-2009	20-11-2009	20-11-2009	19-11-2009	19-11-2009
Total Suspended Solids mg/L	6	5	7	7	7	6	6	6
Turbidity NTU	2.1	3.5	3.3	2.6	3.2	1.8	3.3	3.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 25, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Commentaire

Sampling date:

Projet 73208

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73209

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73210

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: November 25, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 24, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 25, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 05-11-2009	242	194 - 306	
M.E.S. mg/L	<1	MES 05-11-2009	242	194 - 306	6 8
Turbidité UTN		DMR-0796-2009-Turb	7.0	5.5 - 8.7	
Turbidité UTN		DMR-0796-2009-Turb	7.2	5.5 - 8.7	

Reported on: November 25, 2009
Lab number: 73203:73210

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 24, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73201	73202
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	23-11-2009	23-11-2009
Aluminium (Al) mg/L	0.367	0.273
Total Suspended Solids mg/L	<1	4
pH	7.28	7.24
Turbidity NTU	3.4	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 26, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 24, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 26, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.49	5.27 - 7.13	
M.E.S. mg/L	<1	MES 05-11-2009	242	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0796-2009-Turb	7.2	5.5 - 8.7	

Reported on: November 26, 2009
Lab number: 73201:73202

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 27, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73414	73415	73416	73417	73418	73419	73420
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-TPL	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	24-11-2009	24-11-2009	25-11-2009	25-11-2009	25-11-2009	26-11-2009	26-11-2009
Total Suspended Solids mg/L	21	<1	7	<1	4	3	<1
Turbidity NTU	3.5	2.1	4.6	1.8	0.82	2.5	2.0
pH	---	---	---	---	6.89	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 02, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 27, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Commentaire

Sampling date:

Projet 73414

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73415

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: December 02, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 27, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0
pH	N.D.	--	M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 02, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 27, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 05-11-2009	253	194 - 306	
M.E.S. mg/L	<1	MES 05-11-2009	242	194 - 306	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		DMR-0796-2009-Turb	6.7	5.5 - 8.7	

Reported on: December 02, 2009
Lab number: 73414:73420

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 02, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73671	73672	73673	73674
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	29-11-2009	29-11-2009	27-11-2009	27-11-2009
Total Suspended Solids mg/L	17	3	6	4
Turbidity NTU	2.8	1.4	4.0	1.6

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 03, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 02, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Commentaire

Sampling date:

Projet 73671

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73672

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73673

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 73674

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: December 03, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 02, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 03, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 02, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306	
Turbidité UTN		DMR-0796-2009-Turb	7.0	5.5 - 8.7	

Reported on: December 03, 2009
Lab number: 73671:73674

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 02, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73669	73670
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	01-12-2009	01-12-2009
Aluminium (Al) mg/L	0.117	0.125
Total Suspended Solids mg/L	5	3
pH	7.34	7.30
Turbidity NTU	2.5	2.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 04, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 02, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 04, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 02, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.54	5.27 - 7.13	
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0796-2009-Turb	7.0	5.5 - 8.7	

Reported on: December 04, 2009
Lab number: 73669:73670

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	73756	73757	73758	73759	73760
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-TPL	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	02-12-2009	02-12-2009	02-12-2009	03-12-2009	03-12-2009
Total Suspended Solids mg/L	14	12	5	15	14
Turbidity NTU	3.1	3.2	0.90	2.9	3.3
pH	---	---	6.91	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 07, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 04, 2009
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0
pH	N.D.	--	M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 07, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 04, 2009

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 05-11-2009	253	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0796-2009-Turb	6.6	5.5 - 8.7	

Reported on: December 07, 2009
Lab number: 73756:73760

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 08, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	73860	73861	73862	73863
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	04-12-2009	04-12-2009	06-12-2009	06-12-2009
Total Suspended Solids mg/L	4	24	21	2
Turbidity NTU	1.1	6.2	3.5	3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 10, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 08, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 10, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 08, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306		
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306	21	23
M.E.S. mg/L	<1	MES 05-11-2009	251	194 - 306		
Turbidité UTN		DMR-0796-2009-Turb	6.4	5.5 - 8.7		

Reported on: December 10, 2009
Lab number: 73860:73863

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 11, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74174	74175	74176	74177	74178	74179	74180
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-TPL
Sampling date:	07-12-2009	07-12-2009	08-12-2009	08-12-2009	09-12-2009	09-12-2009	09-12-2009
Total Suspended Solids mg/L	16	4	12	5	12	9	1
Turbidity NTU	6.2	2.5	2.9	1.8	2.0	6.3	0.57
Aluminium (Al) mg/L	---	---	0.337	0.200	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 17, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 11, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 17, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 11, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.06	5.27 - 7.13		
M.E.S. mg/L	<1	MES 09-12-2009	245	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	245	194 - 306	16	17
Turbidité UTN		DMR-0796-2009-Turb	6.8	5.5 - 8.7		

Reported on: December 17, 2009
Lab number: 74174:74180

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 15, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74223	74224	74225	74226	74227	74228	74229	74230
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL	DD-WTP-01
Sampling date:	13-12-2009	13-12-2009	12-12-2009	12-12-2009	11-12-2009	11-12-2009	11-12-2009	10-12-2009
Total Suspended Solids mg/L	23	20	50	34	18	278	11	18
Turbidity NTU	7.7	13.8	7.8	10.5	2.5	50.0	27.3	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 15, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74231
Sample name:	DD-WTP-02
Sampling date:	10-12-2009
Total Suspended Solids mg/L	6
Turbidity NTU	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 15, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 15, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 09-12-2009	249	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	249	194 - 306	34	31
Turbidité UTN		DMR-0796-2009-Turb	6.3	5.5 - 8.7		

Reported on: December 16, 2009
Lab number: 74223:74231

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 15, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74221	74222
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	14-12-2009	14-12-2009
Aluminium (Al) mg/L	0.350	0.477
Total Suspended Solids mg/L	18	12
Turbidity NTU	3.4	7.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 18, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 15, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 18, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 15, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.39	5.27 - 7.13		
M.E.S. mg/L	<1	MES 09-12-2009	249	194 - 306		
Turbidité UTN		DMR-0796-2009-Turb	6.3	5.5 - 8.7		

Reported on: December 18, 2009
Lab number: 74221:74222

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 17, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74468	74469
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	15-12-2009	15-12-2009
Total Suspended Solids mg/L	23	2
Turbidity NTU	7.4	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 18, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 17, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 18, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 17, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 09-12-2009	246	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	246	194 - 306	2	4
Turbidité UTN		DMR-0796-2009-Turb	6.8	5.5 - 8.7		

Reported on: December 18, 2009
Lab number: 74468:74469

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 22, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	74648	74649	74650	74651	74652	74653	74654	74655
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-TPL	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)
Sampling date:	16-12-2009	16-12-2009	16-12-2009	17-12-2009	17-12-2009	18-12-2009	18-12-2009	19-12-2009
Total Suspended Solids mg/L	7	10	<1	4	3	6	6	7
Turbidity NTU	3.4	2.9	1.4	2.2	2.6	2.7	3.4	3.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 23, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 22, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	74656	74657	74658
Sample name:	DD-WTP-02 (OUT)	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	19-12-2009	20-12-2009	20-12-2009
Total Suspended Solids mg/L	9	4	5
Turbidity NTU	3.7	2.7	2.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 23, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 22, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 23, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 22, 2009
Sampled by: N. Saucier/M. Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306	
M.E.S. mg/L	<1	MES 09-12-2009	253	194 - 306	
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306	7 7
Turbidité UTN		DMR-0796-2009-Turb	6.4	5.5 - 8.7	
Turbidité UTN		DMR-0796-2009-Turb	6.5	5.5 - 8.7	

Reported on: December 23, 2009
Lab number: 74648:74658

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 22, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	74646	74647
Sample name:	DD-WTP-01 (OUT)	DD-WTP-02 (OUT)
Sampling date:	21-12-2009	21-12-2009
Aluminium (Al) mg/L	0.281	0.273
Total Suspended Solids mg/L	3	4
pH	7.12	7.15
Turbidity NTU	3.3	3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 30, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 22, 2009

Sampled by: N. Saucier/M.Thériault

Matrix: Water

Parameter	Blank	Name	Standard		Sample duplicate	
			Result	Limit	1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.85	5.27 - 7.13		
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306		
pH		Std pH 7.00	7.04	6.96 - 7.04		
Turbidité UTN		DMR-0796-2009-Turb	6.4	5.5 - 8.7		

Reported on: December 30, 2009
Lab number: 74646:74647

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74823	74824	74825	74826	74827	74828	74829	74830
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	22-12-2009	22-12-2009	23-12-2009	23-12-2009	23-12-2009	24-12-2009	24-12-2009	25-12-2009
Total Suspended Solids mg/L	2	3	2	3	<1	3	17	<1
Turbidity NTU	1.5	2.3	3.7	8.0	0.65	6.7	11.8	7.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74831	74832	74833	74834	74835	74836	74837	74840
Sample name:	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL
Sampling date:	25-12-2009	26-12-2009	26-12-2009	27-12-2009	27-12-2009	28-12-2009	28-12-2009	30-12-2009
Total Suspended Solids mg/L	3	18	9	3	2	<1	2	<1
Turbidity NTU	7.6	8.1	7.5	6.0	6.3	3.0	7.6	0.50

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74841	74842	74843	74844	74845	74846	74847	74848
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	31-12-2009	31-12-2009	01-01-2010	01-01-2010	02-01-2010	02-01-2010	03-01-2010	03-01-2010
Total Suspended Solids mg/L	2	2	7	12	7	3	14	2
Turbidity NTU	2.8	3.8	2.2	3.2	2.0	1.2	1.9	2.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet C-74823 to C-74837

Delay du for the following parameters, results anr only indicatif : T.S.S.and Turbidity.

Projet C-74840 to C-74846

Delay du for the following parameters, results anr only indicatif : Turbidity.

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306	12	13
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	7	7
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	17	15
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	7.6	7.7
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7		
Turbidité UTN		DMR-0796-2009-Turb	7.2	5.5 - 8.7		

Reported on: January 06, 2010

Lab number: 74823:74837,74840:74848

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74838	74839
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	30-12-2009	30-12-2009
Aluminium (Al) mg/L	0.217	0.270
Total Suspended Solids mg/L	3	6
Turbidity NTU	5.4	5.7

Commentary:

Projet 74838

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 74839

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Name	Standard		Sample duplicate	
			Result	Limit	1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.79	5.27 - 7.13		
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306		
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7		
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	5.7	5.8

Reported on: January 15, 2010
Lab number: 74838:74839

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 16, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	64290	64291	64292	64293
Sample name:	STP-OUT	Grey Water Nova	Grey Water Kitchen	Crusher intake
Sampling date:	15-06-2009	15-06-2009	15-06-2009	15-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	25.8	4.1	0.56	0.65
BOD-5 mg/L	14	174	1437	3
COD mg/L	108	452	2461	41
Total Suspended Solids mg/L	30	63	1055	34
Nitrite-Nitrate mg N/L	48.8	0.05	0.06	3.5
pH	5.36	8.00	5.17	7.23
Total Phosphorus (P) mg P/L	27.0	1.0	3.6	0.08

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47580

Sampling date: June 15, 2009
Sampling hour: 08:00
Date received: June 16, 2009
Sampling location: Crusher intake
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: Intake

Parameter	Result	Method name	Date analyzed
AAHB	300 CFU/ml	M-BHAA-1,0	June 16, 2009
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	June 16, 2009
Total coliforms	400 CFU/100ml	M-COLI-2,0	June 16, 2009
Atypical colonies	3 100 CFU/100ml	M-COLI-2,0	June 16, 2009
Temperature	15.4 °C	M-TEMP-1.0	June 16, 2009

Reported on: June 19, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	64659	64660	64661	64662	64663	64664	64665
Sample name:	STP-OUT	St-27	Crusher intake	G. Water Nova	G. Water Kitchen	Lif Station	Grease trap
Sampling date:	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	30.6	4.1	2.4	13.6	0.90	1.2	1.6
BOD-5 mg/L	13	20	5	164	1419	978	1445
COD mg/L	111	68	25	507	2221	1129	3001
Total Suspended Solids mg/L	19	7	13	51	190	304	338
Nitrite-Nitrate mg N/L	54.0	1.6	0.27	<0.01	<0.01	<0.01	<0.01
pH	5.69	7.13	7.50	7.81	5.30	9.91	5.40
Total Phosphorus (P) mg P/L	18.9	1.6	0.80	2.1	6.2	5.5	8.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	0.06	DMR-0406-2009-NH3-9	2.60	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0406-7-2009	194	122 - 226		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379	68	68
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306	190	288
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2	1.6	1.7
pH		Std pH 7.00	7.02	6.96 - 7.04	5.69	5.65
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38	1.6	1.7
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38		

Reported on: July 03, 2009

Lab number: 64659:64665

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	64659	64660	64661	64662	64663	64664	64665
Sample name:	STP-OUT	St-27	Crusher intake	G. Water Nova	G. Water Kitchen	Lif Station	Grease trap
Sampling date:	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	30.6	4.1	2.4	13.6	0.90	1.2	1.6
BOD-5 mg/L	13	20	5	164	1419	978	1445
COD mg/L	111	68	25	507	2221	1129	3001
Total Suspended Solids mg/L	19	7	13	51	190	304	338
Nitrite-Nitrate mg N/L	54.0	1.6	0.27	<0.01	<0.01	<0.01	<0.01
pH	5.69	7.13	7.50	7.81	5.30	9.91	5.40
Total Phosphorus (P) mg P/L	18.9	1.6	0.80	2.1	6.2	5.5	8.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	0.06	DMR-0406-2009-NH3-9	2.60	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0406-7-2009	194	122 - 226		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379	68	68
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306	190	288
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2	1.6	1.7
pH		Std pH 7.00	7.02	6.96 - 7.04	5.69	5.65
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38	1.6	1.7
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38		

Reported on: July 03, 2009

Lab number: 64659:64665

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47856

Sampling date: June 22, 2009
Sampling hour: N/D
Date received: June 23, 2009
Sampling location: Crusker intake
Sampled by: Martin Theriault
Matrix: Waste water
Sample name: Crusker intake

Parameter	Result	Method name	Date analyzed
AAHB	>500 CFU/ml	M-BHAA-1,0	June 23, 2009
Fecal coliforms	50 CFU/100ml	M-COLI-1,0	June 23, 2009
Total coliforms	6000 CFU/100ml	M-COLI-2,0	June 23, 2009
Atypical colonies	10000 CFU/100ml	M-COLI-2,0	June 23, 2009
Temperature	10.4 °C	M-TEMP-1.0	June 23, 2009

Reported on: June 26, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47855

Sampling date: June 22, 2009
Sampling hour: N/D
Date received: June 23, 2009
Sampling location: ST-27
Sampled by: Martin Theriault
Matrix: Waste water
Sample name: ST-27

Parameter	Result	Method name	Date analyzed
AAHB	188000 CFU/ml	M-BHAA-1,0	June 23, 2009
Fecal coliforms	60000 CFU/100ml	M-COLI-1,0	June 23, 2009
Total coliforms	500000 CFU/100ml	M-COLI-2,0	June 23, 2009
Atypical colonies	2000000 CFU/100ml	M-COLI-2,0	June 23, 2009
Temperature	12.2 °C	M-TEMP-1.0	June 23, 2009

Reported on: June 26, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	68309	68310
Sample name:	ST-34	ST-34 DUPLICATA
Sampling date:	25-08-2009	25-08-2009
Aluminium (Al) mg/L	1.94	2.15
Antimony (Sb) mg/L	0.0004	0.0038
Silver (Ag) mg/L	<0.0005	<0.0005
Arsenic (As) mg/L	0.0005	0.0017
Ammonia (NH3-NH4) mg N/L	3.3	3.4
Barium (Ba) mg/L	0.0436	0.0399
Beryllium (Be) mg/L	<0.0005	<0.0005
Bismuth (Bi) mg/L	<0.0005	<0.0005
Boron (B) mg/L	<0.01	<0.01
Bromures mg/L	0.06	0.07
Cadmium (Cd) mg/L	<0.0001	<0.0001
Calcium (Ca) mg/L	22.5	20.7
Chromium (Cr) mg/L	0.0052	0.0065
Cobalt (Co) mg/L	0.0015	0.0016
Copper (Cu) mg/L	0.0042	0.0046
Hardness mg CaCO3/L	115	104
Tin (Sn) mg/L	<0.005	<0.005
Iron (Fe) mg/L	2.5	3.0
Total Suspended Solids mg/L	19	23
Magnesium (Mg) mg/L	14.3	12.7

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 10, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2009

Sampled by: Steve Gaudreault

Matrix: Water

Lab number:	68309	68310
Sample name:	ST-34	ST-34 DUPLICATA
Sampling date:	25-08-2009	25-08-2009
Manganese (Mn) mg/L	0.0804	0.0800
Mercury (Hg) mg/L	<0.00001	<0.00001
Molybdenum (Mo) mg/L	0.0044	0.0041
Nickel (Ni) mg/L	0.0118	0.0150
Nitrate (NO3) mg N/L	15.6	16.4
pH	7.51	7.45
Lead (Pb) mg/L	<0.0005	<0.0005
Potassium (K) mg/L	7.0	6.7
Selenium (Se) mg/L	<0.001	<0.001
Silice (Si) mg/L	4.5	4.9
Sodium (Na) mg/L	6.4	5.7
Sulfate (SO4) mg SO4/L	56	50
Tellurium (Te) mg/L	<0.0005	<0.0005
Titanium (Ti) mg/L	0.10	0.12
Uranium (U) mg/L	0.005	0.005
Vanadium (V) mg/L	<0.0005	0.0020
Zinc (Zn) mg/L	0.001	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 10, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2009
 Sampled by: Steve Gaudreault
 Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0524-09-18	6.73	5.27 - 7.13		
Aluminium (Al) mg/L	<0.002	EU DMR-0524-09-18	6.81	5.27 - 7.13		
Antimoine (Sb) mg/L	<0.0001	EU DMR-0524-09-18	0.190	0.179 - 0.242		
Antimoine (Sb) mg/L	<0.0001	EU DMR-0524-09-18	0.204	0.179 - 0.242		
Argent (Ag) mg/L	<0.0005					
Arsenic (As) mg/L	<0.0005	EU DMR-0524-09-18	0.258	0.248 - 0.392		
Arsenic (As) mg/L	<0.0005	EU DMR-0524-09-18	0.251	0.248 - 0.392		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.20	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.20	2.10 - 2.84	3.4	3.4
Baryum (Ba) mg/L	<0.0005	EU DMR-0524-09-18	1.98	1.91 - 2.59		
Baryum (Ba) mg/L	<0.0005	EU DMR-0524-09-18	2.01	1.91 - 2.59		
Béryllium (Be) mg/L	<0.0005	EU DMR-0524-09-18	1.69	1.44 - 1.94		
Béryllium (Be) mg/L	<0.0005	EU DMR-0524-09-18	1.58	1.44 - 1.94		
Bismuth (Bi) mg/L	<0.0005					
Bore (B) mg/L	<0.01	EU DMR-0524-09-18	2.90	2.61 - 3.03		
Bore (B) mg/L	<0.01	EU DMR-0524-09-18	2.70	2.61 - 3.03		
Bromures mg/L	<0.01					
Cadmium (Cd) mg/L	<0.0001	EU DMR-0524-09-18	0.720	0.708 - 0.958		
Cadmium (Cd) mg/L	<0.0001	EU DMR-0524-09-18	0.770	0.708 - 0.958		
Calcium (Ca) mg/L	<0.03	EU DMR-0524-09-18	10.2	9.2 - 12.4		

Reported on: September 10, 2009
 Lab number: 68309:68310

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2009
 Sampled by: Steve Gaudreault
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Calcium (Ca) mg/L	<0.03	EU DMR-0524-09-18	11.9	9.2 - 12.4	
Chrome (Cr) mg/L	<0.0006	EU DMR-0524-09-18	3.51	3.42 - 4.62	
Chrome (Cr) mg/L	<0.0006	EU DMR-0524-09-18	3.67	3.42 - 4.62	
Cobalt (Co) mg/L	<0.0005	EU DMR-0524-09-18	1.29	1.28 - 1.74	
Cobalt (Co) mg/L	<0.0005	EU DMR-0524-09-18	1.30	1.28 - 1.74	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0524-09-18	1.07	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0524-09-18	1.09	1.04 - 1.40	
Dureté mg CaCO3/L					
Dureté mg CaCO3/L	<1				
Étain (Sn) mg/L	<0.005				
Fer (Fe) mg/L	<0.01	EU DMR-0524-09-18	9.3	8.8 - 12.0	
Fer (Fe) mg/L	<0.01	EU DMR-0524-09-18	9.1	8.8 - 12.0	
M.E.S. mg/L	<1	Mes 03-08-2009	247	194 - 306	
Magnésium (Mg) mg/L	<0.02	EU DMR-0524-09-18	9.2	9.1 - 12.3	
Magnésium (Mg) mg/L	<0.02	EU DMR-0524-09-18	10.7	9.1 - 12.3	
Manganèse (Mn) mg/L	<0.0005	EU DMR-0524-09-18	3.44	3.20 - 4.32	
Manganèse (Mn) mg/L	<0.0005	EU DMR-0524-09-18	3.35	3.20 - 4.32	
Mercure (Hg) mg/L	<0.00001	Hg DMR-0316-13	0.134	0.117 - 0.185	
Molybdene (Mo) mg/L	<0.0005	EU DMR-0524-09-18	0.606	0.562 - 0.760	
Molybdene (Mo) mg/L	<0.0005	EU DMR-0524-09-18	0.564	0.562 - 0.760	

Reported on: September 10, 2009
 Lab number: 68309:68310

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2009
 Sampled by: Steve Gaudreault
 Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	EU DMR-0524-09-18	0.99	0.98 - 1.32		
Nitrates (NO3) mg N/L						
pH		Std pH 7.00	7.00	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0005	EU DMR-0524-09-18	1.089	0.819 - 1.109		
Plomb (Pb) mg/L	<0.0005	EU DMR-0524-09-18	1.031	0.819 - 1.109		
Potassium (K) mg/L	<0.05	EU DMR-0524-09-18	16.3	14.7 - 19.9		
Potassium (K) mg/L	<0.05	EU DMR-0524-09-18	17.4	14.7 - 19.9		
Sélénium (Se) mg/L	<0.001	EU DMR-0524-09-18	1.21	1.21 - 1.63		
Sélénium (Se) mg/L	<0.001	EU DMR-0524-09-18	1.38	1.21 - 1.63		
Silice (Si) mg/L	<0.01					
Sodium (Na) mg/L	<0.05	EU DMR-0524-09-18	13.9	13.0 - 17.6		
Sodium (Na) mg/L	<0.05	EU DMR-0524-09-18	14.1	13.0 - 17.6		
Sulfate (SO4) mg SO4/L	<1	DMR-0581-2009-SO4	149	122 - 166	56	50
Sulfate (SO4) mg SO4/L	<1	DMR-0581-2009-SO4	149	122 - 166		
Tellure (Te) mg/L	<0.0005					
Titane (Ti) mg/L	<0.01					
Uranium (U) mg/L	<0.001	EU DMR-0524-09-18	1.51	1.45 - 1.96		
Uranium (U) mg/L	<0.001	EU DMR-0524-09-18	1.45	1.45 - 1.96		
Vanadium (V) mg/L	<0.0005	EU DMR-0524-09-18	1.79	1.74 - 2.36		
Vanadium (V) mg/L	<0.0005	EU DMR-0524-09-18	1.83	1.74 - 2.36		

Reported on: September 10, 2009
 Lab number: 68309:68310

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2009
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Zinc (Zn) mg/L	<0.001	EU DMR-0524-09-18	3.83	3.83 - 5.19		
Zinc (Zn) mg/L	<0.001	EU DMR-0524-09-18	3.91	3.83 - 5.19		

Reported on: September 10, 2009
Lab number: 68309:68310

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-43638

Date de prélèvement : 06 janvier 2009

Heure de prélèvement : N/D

Date de réception : 07 janvier 2009

Lieu de prélèvement : STP-OUT

Nom du préleveur : Nicolas Saucier

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	610 UFC/mL	M-BHAA-1,0	07 janvier 2009
Coliformes fécaux	10 UFC/100 mL	M-COLI-1,0	07 janvier 2009
Coliformes totaux	60 UFC/100 mL	M-COLI-2,0	07 janvier 2009
Colonies atypiques	140 UFC/100 mL	M-COLI-2,0	07 janvier 2009
Température	12.0 °C	M-TEMP-1.0	07 janvier 2009

Date d'émission : 12 janvier 2009

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-58111

Sampling date: January 06, 2009
Sampling hour: 08:00
Date received: January 07, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	1 mg/L	M-DBO-1.0	January 19, 2009
COD	42 mg/L	M-DCO-1.0	January 08, 2009
pH	4.81	M-PH-2.0	January 08, 2009
Nitrite-Nitrate	17.2 mg N/L	M-NITR-2.0	January 16, 2009
Total Phosphorus (P)	3.6 mg P/L	M-P-2.0	January 14, 2009

Reported on: January 19, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-58111

Sampling date: January 06, 2009
Sampling hour: 08:00
Date received: January 07, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
pH	N.D.		M-PH-2.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: January 19, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-58111
Sampling date: January 06, 2009
Sampling hour: 08:00
Date received: January 07, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
BOD-5 mg/L	1	Std-DMR-0817-7	159	122 - 226		
COD mg/L	<2	STD DMR-0817-9	275	242 - 382		
Nitrite-Nitrate mg N/L	0.01	DMR-0817-3 NO3	6.9	6.0 - 8.2		
pH		Std pH 7.00	6.99	6.96 - 7.04	4.81	4.69
Total Phosphorus (P) mg P/L	0.04	DMR-0817-9-Pt	1.20	1.02 - 1.38		

Reported on: January 19, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Certificat d'analyse

Client : **Agnico Eagle Division Meadowbank**

Agnico-Eagle Mines Ltd./Meadowbank

Responsable : M. Sylvain Doire

Adresse : General Delivery

Baker Lake Nunavut X0C 0A0

tél.: (604) 677-0689 (--)

fax.: (604) 677-0687

Numéro de projet : M-44063

Date de prélèvement : 26 janvier 2009

Heure de prélèvement : N/D

Date de réception : 27 janvier 2009

Lieu de prélèvement : STP-OUT

Nom du préleveur : Steve Gaudreault

Type d'échantillon : Eau usée

Échantillon : STP-OUT

Paramètres	Résultats	Méthode d'analyse	Date d'analyse
BHAA	4 500 UFC/mL	M-BHAA-1,0	27 janvier 2009
Coliformes fécaux	60 UFC/100 mL	M-COLI-1,0	27 janvier 2009
Coliformes totaux	800 UFC/100 mL	M-COLI-2,0	27 janvier 2009
Colonies atypiques	9 900 UFC/100 mL	M-COLI-2,0	27 janvier 2009
Température	7.8 °C	M-TEMP-1.0	27 janvier 2009

Date d'émission : 02 février 2009

Amélie Lafrance-Pouliot, Microbiologiste

Les résultats ne se rapportent qu'aux échantillons soumis pour analyse.
Toute reproduction, sinon en entier, est interdite sans l'autorisation écrite du laboratoire.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59044

Sampling date: January 26, 2009
Sampling hour: 07:00
Date received: January 27, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	13 mg/L	M-DBO-1.0	February 03, 2009
COD	127 mg/L	M-DCO-1.0	January 30, 2009
Total Suspended Solids	39 mg/L	M-SOLI-1.0	January 28, 2009
Nitrite-Nitrate	42.0 mg N/L	M-NITR-2.0	February 02, 2009
pH	4.35	M-PH-2.0	January 29, 2009
Total Phosphorus (P)	13.8 mg P/L	M-P-2.0	February 17, 2009

Reported on: February 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59044

Sampling date: January 26, 2009
Sampling hour: 07:00
Date received: January 27, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: February 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59044
Sampling date: January 26, 2009
Sampling hour: 07:00
Date received: January 27, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	Std-DMR-0002-7	157	122 - 226		
COD mg/L	<2	Std -DMR-0002-9	269	195 - 309		
Total Suspended Solids mg/L	<1	MES 15/01/2009	254	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	DMR-0002-2009-3-NO3	7.10	6.04 - 8.17		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0002-2009-9-Pt	8.60	7.42 - 10.04		

Reported on: February 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-44524

Sampling date: February 09, 2009
Sampling hour: N/D
Date received: February 10, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	7 000 CFU/ml	M-BHAA-1,0	February 11, 2009
Fecal coliforms	<10 CFU/100ml	M-COLI-1,0	February 11, 2009
Total coliforms	36 000 CFU/100ml	M-COLI-2,0	February 11, 2009
Atypical colonies	32 000 CFU/100ml	M-COLI-2,0	February 11, 2009
Temperature	15.7 °C	M-TEMP-1.0	February 10, 2009

Reported on: February 16, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59479

Sampling date: February 09, 2009
Sampling hour: 08:00
Date received: February 10, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	10.1 mg N/L	M-NH3-2.0	February 12, 2009
BOD-5	3 mg/L	M-DBO-1.0	February 16, 2009
COD	100 mg/L	M-DCO-1.0	February 12, 2009
Total Suspended Solids	32 mg/L	M-SOLI-1.0	February 11, 2009
Nitrite-Nitrate	33.0 mg N/L	M-NITR-2.0	February 16, 2009
pH	5.00	M-PH-2.0	February 11, 2009

Reported on: February 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59479

Sampling date: February 09, 2009
Sampling hour: 08:00
Date received: February 10, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0

Reported on: February 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59479
Sampling date: February 09, 2009
Sampling hour: 08:00
Date received: February 10, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0002-2009-9-NH3	2.50	1.96 - 2.65	
BOD-5 mg/L	<1				
COD mg/L	<2	Std -DMR-0002-9	219	195 - 309	
Total Suspended Solids mg/L	<1	MES 15/01/2009	250	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0002-2009-3-NO3	6.80	6.04 - 8.17	
pH		Std pH 7.00	7.00	6.96 - 7.04	

Reported on: February 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-44698

Sampling date: February 16, 2009
Sampling hour: N/D
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	*** CFU/100ml	M-COLI-1.0	
Temperature	N/D °C	M-TEMP-1.0	February 19, 2009

Reported on: March 05, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-44698
Sampling date: February 16, 2009
Sampling hour: N/D
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Commentaire

*** : Sample rejected : reception date and sampling date is greater than 48 hours.

Reported on: March 05, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59768

Sampling date: February 16, 2009
Sampling hour: 08:00
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	18.4 mg N/L	M-NH3-2.0	February 19, 2009
BOD-5	11 mg/L	M-DBO-1.0	February 25, 2009
COD	109 mg/L	M-DCO-1.0	February 19, 2009
Total Suspended Solids	30 mg/L	M-SOLI-1.0	February 23, 2009
Nitrite-Nitrate	41.8 mg N/L	M-NITR-2.0	February 23, 2009
pH	5.04	M-PH-2.0	February 19, 2009
Total Phosphorus (P)	13.2 mg P/L	M-P-2.0	February 25, 2009

Reported on: February 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59768
Sampling date: February 16, 2009
Sampling hour: 08:00
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Commentaire

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : DBO5 et pH.

Reported on: February 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59768

Sampling date: February 16, 2009
Sampling hour: 08:00
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: February 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59768
Sampling date: February 16, 2009
Sampling hour: 08:00
Date received: February 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0047-2009-9-NH ₃	2.30	1.96 - 2.65	
BOD-5 mg/L	<1	STD-DMR-0047-7	139	122 - 226	
COD mg/L	<2	Std-DMR-0047-9	278	195 - 309	
Total Suspended Solids mg/L	<1	MES 19022009	232	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0047-2009-3-NO ₃	7.00	6.04 - 8.17	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0047-2009-9-Pt	8.50	7.42 - 10.04	

Reported on: February 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Agnico-Eagle/Meadowbank

Client: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Lab number: M-44760

Sampling date: February 23, 2009

Sampling hour: N/D

Date received: February 24, 2009

Sampling location: STP-OUT

Sampled by: Steve Gaudreault

Matrix: Waste water

Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	5 400 CFU/ml	M-BHAA-1,0	February 24, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	February 24, 2009
Total coliforms	300 CFU/100ml	M-COLI-2,0	February 24, 2009
Atypical colonies	14 300 CFU/100ml	M-COLI-2,0	February 24, 2009
Temperature	6.3 °C	M-TEMP-1.0	February 24, 2009

Reported on: March 02, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59835

Sampling date: February 23, 2009
Sampling hour: 08:00
Date received: February 24, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	14.0 mg N/L	M-NH3-2.0	March 02, 2009
BOD-5	4 mg/L	M-DBO-1.0	March 03, 2009
COD	97 mg/L	M-DCO-1.0	February 26, 2009
Total Suspended Solids	25 mg/L	M-SOLI-1.0	February 25, 2009
Nitrite-Nitrate	35.3 mg N/L	M-NITR-2.0	March 03, 2009
pH	4.95	M-PH-2.0	February 25, 2009
Total Phosphorus (P)	12.7 mg P/L	M-P-2.0	February 25, 2009

Reported on: March 04, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59835

Sampling date: February 23, 2009
Sampling hour: 08:00
Date received: February 24, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: March 04, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59835
Sampling date: February 23, 2009
Sampling hour: 08:00
Date received: February 24, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0047-2009-9-NH ₃	2.30	1.96 - 2.65	
BOD-5 mg/L	<1	STD-DMR-0047-7	131	122 - 226	
COD mg/L	<1	Std-DMR-0047-9	227	195 - 309	
Total Suspended Solids mg/L	<1	MES 19022009	224	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0047-2009-3-NO ₃	6.90	6.04 - 8.17	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0047-2009-9-Pt	8.50	7.42 - 10.04	

Reported on: March 04, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-44888

Sampling date: March 02, 2009
Sampling hour: N/D
Date received: March 03, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	3 300 CFU/ml	M-BHAA-1,0	March 03, 2009
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	March 03, 2009
Total coliforms	160 CFU/100ml	M-COLI-2,0	March 03, 2009
Atypical colonies	1 620 CFU/100ml	M-COLI-2,0	March 03, 2009
Temperature	8.2 °C	M-TEMP-1.0	March 03, 2009

Reported on: March 09, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59995

Sampling date: March 02, 2009
Sampling hour: 08:00
Date received: March 03, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	10.5 mg N/L	M-NH3-2.0	March 09, 2009
BOD-5	5 mg/L	M-DBO-1.0	March 09, 2009
COD	111 mg/L	M-DCO-1.0	March 04, 2009
Total Suspended Solids	23 mg/L	M-SOLI-1.0	March 04, 2009
Nitrite-Nitrate	31.4 mg N/L	M-NITR-2.0	March 10, 2009
pH	4.90	M-PH-2.0	March 05, 2009
Total Phosphorus (P)	9.9 mg P/L	M-P-2.0	March 12, 2009

Reported on: March 13, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59995
Sampling date: March 02, 2009
Sampling hour: 08:00
Date received: March 03, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: March 13, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-59995
Sampling date: March 02, 2009
Sampling hour: 08:00
Date received: March 03, 2009
Sampling location: STP-OUT
Sampled by: Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0047-2009-9-NH ₃	2.50	1.96 - 2.65	
BOD-5 mg/L	<1	STD-DMR-0047-7	152	122 - 226	
COD mg/L	<2	Std-DMR-0047-9	286	195 - 309	
Total Suspended Solids mg/L	<1	MES 02/03/2009	224	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0047-2009-3-NO ₃	7.30	6.04 - 8.17	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0047-2009-9-Pt	9.10	7.42 - 10.04	

Reported on: March 13, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Agnico-Eagle/Meadowbank

Client: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Lab number: M-45127

Sampling date: March 09, 2009

Sampling hour: N/D

Date received: March 10, 2009

Sampling location: STP-OUT

Sampled by: Nicolas Saucier

Matrix: Waste water

Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	4 000 CFU/ml	M-BHAA-1,0	March 11, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	March 11, 2009
Total coliforms	60 CFU/100ml	M-COLI-2,0	March 11, 2009
Atypical colonies	1 640 CFU/100ml	M-COLI-2,0	March 11, 2009
Temperature	8.1 °C	M-TEMP-1.0	March 10, 2009

Reported on: March 16, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60225

Sampling date: March 09, 2009
Sampling hour: 10:00
Date received: March 11, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	12.8 mg N/L	M-NH3-2.0	March 16, 2009
Conductivity	815 µmhos/cm	M-COND-2.0	March 11, 2009
BOD-5	5 mg/L	M-DBO-1.0	March 17, 2009
COD	101 mg/L	M-DCO-1.0	March 12, 2009
Total Suspended Solids	14 mg/L	M-SOLI-1.0	March 12, 2009
pH	4.60	M-PH-2.0	March 11, 2009
Total Phosphorus (P)	12.1 mg P/L	M-P-2.0	March 12, 2009

Reported on: March 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60225

Sampling date: March 09, 2009
Sampling hour: 10:00
Date received: March 11, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
Conductivity	1 µmhos/cm		M-COND-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: March 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60225
Sampling date: March 09, 2009
Sampling hour: 10:00
Date received: March 11, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0047-2009-9-NH ₃	2.60	1.96 - 2.65	
Conductivity µmhos/cm		Std-conductivité	1427	1204 - 1628	
BOD-5 mg/L	<1	STD-DMR-0047-7	146	122 - 226	
COD mg/L	<2	Std-DMR-0047-9	301	195 - 309	
Total Suspended Solids mg/L	<1	MES 02/03/2009	259	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0047-2009-9-Pt	9.10	7.42 - 10.04	

Reported on: March 17, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45239

Sampling date: March 16, 2009
Sampling hour: N/D
Date received: March 17, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	600 CFU/ml	M-BHAA-1,0	March 17, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	March 17, 2009
Total coliforms	50 CFU/100ml	M-COLI-2,0	March 17, 2009
Atypical colonies	440 CFU/100ml	M-COLI-2,0	March 17, 2009
Temperature	6.1 °C	M-TEMP-1.0	March 17, 2009

Reported on: March 23, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60386

Sampling date: March 16, 2009
Sampling hour: 08:00
Date received: March 17, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	11.8 mg N/L	M-NH3-2.0	March 20, 2009
BOD-5	9 mg/L	M-DBO-1.0	March 23, 2009
COD	77 mg/L	M-DCO-1.0	March 24, 2009
Total Suspended Solids	24 mg/L	M-SOLI-1.0	March 18, 2009
Nitrite-Nitrate	33.5 mg N/L	M-NITR-2.0	March 17, 2009
pH	3.94	M-PH-2.0	March 17, 2009
Total Phosphorus (P)	12.9 mg P/L	M-P-2.0	March 26, 2009

Reported on: March 27, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60386

Sampling date: March 16, 2009
Sampling hour: 08:00
Date received: March 17, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: March 27, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60386
Sampling date: March 16, 2009
Sampling hour: 08:00
Date received: March 17, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0159-2009-9-NH ₃	2.40	2.10 - 2.84	
COD mg/L	<2	Std-DMR-0159-9	298	239 - 379	
Total Suspended Solids mg/L	<1	MES 02/03/2009	246	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0047-2009-3-NO ₃	6.70	6.04 - 8.17	
pH		Std pH 7.00	6.98	6.96 - 7.04	
Total Phosphorus (P) mg P/L	0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38	

Reported on: March 27, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45439

Sampling date: March 23, 2009
Sampling hour: N/D
Date received: March 24, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	720 CFU/ml	M-BHAA-1,0	March 25, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	March 25, 2009
Total coliforms	20 CFU/100ml	M-COLI-2,0	March 25, 2009
Atypical colonies	930 CFU/100ml	M-COLI-2,0	March 25, 2009
Temperature	9.6 °C	M-TEMP-1.0	March 24, 2009

Reported on: March 30, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60561

Sampling date: March 23, 2009
Sampling hour: 08:00
Date received: March 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	11.1 mg N/L	M-NH3-2.0	March 25, 2009
BOD-5	7 mg/L	M-DBO-1.0	April 01, 2009
COD	97 mg/L	M-DCO-1.0	April 02, 2009
Total Suspended Solids	21 mg/L	M-SOLI-1.0	March 26, 2009
Nitrite-Nitrate	32.5 mg N/L	M-NITR-2.0	March 30, 2009
pH	4.64	M-PH-2.0	March 25, 2009
Total Phosphorus (P)	13.2 mg P/L	M-P-2.0	March 26, 2009

Reported on: April 02, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60561

Sampling date: March 23, 2009
Sampling hour: 08:00
Date received: March 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: April 02, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-60561
Sampling date: March 23, 2009
Sampling hour: 08:00
Date received: March 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0159-2009-9-NH ₃	2.50	2.10 - 2.84	
BOD-5 mg/L	<1	Std-DMR-0159-7	163	122 - 226	
COD mg/L	<2	Std-DMR-0159-9	326	239 - 379	
Total Suspended Solids mg/L	<1	MES 02/03/2009	253	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	DMR-0159-2009-3-NO ₃	7.10	6.04 - 8.17	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Total Phosphorus (P) mg P/L	0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38	

Reported on: April 02, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Agnico-Eagle/Meadowbank

Client: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Lab number: M-45525

Sampling date: March 30, 2009

Sampling hour: N/D

Date received: March 31, 2009

Sampling location: STP-OUT

Sampled by: S.G., J.K., N.S.

Matrix: Waste water

Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 100 CFU/ml	M-BHAA-1,0	April 01, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	April 01, 2009
Total coliforms	100 CFU/100ml	M-COLI-2,0	April 01, 2009
Atypical colonies	1 800 CFU/100ml	M-COLI-2,0	April 01, 2009
Temperature	10.8 °C	M-TEMP-1.0	March 31, 2009

Reported on: April 06, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Waste Water

Lab number:	60739	60740	60741	60742
Sample name:	STP-OUT	Grey Water	Little John	Lif Station
Sampling date:	30-03-2009	30-03-2009	30-03-2009	30-03-2009
Ammonia (NH ₃ -NH ₄) mg N/L	16.0	1.7	28.5	1.1
BOD-5 mg/L	3	1066	42	728
COD mg/L	69	1741	139	1630
Total Suspended Solids mg/L	4	317	25	312
Nitrite-Nitrate mg N/L	37.3	0.16	21.3	<0.01
pH	4.39	9.74	7.30	6.28
Total Phosphorus (P) mg P/L	15.2	5.9	15.7	5.9

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 01, 2009

Sampled by: S.G/J.K/N.S

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0159-2009-9-NH3	2.30	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0159-2009-9-NH3	2.30	2.10 - 2.84	1.1	1.1
DBO5 mg/L	<1	Std-DMR-0159-7	193	122 - 226		
DCO mg/L	<2	Std-DMR-0159-9	326	239 - 379		
M.E.S. mg/L	<1	MES 30-03-2009	256	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO3	6.80	6.04 - 8.17		
pH		Std pH 7.00	7.00	6.96 - 7.04		
pH		Std pH 7.00	7.00	6.96 - 7.04	4.39	4.35
Phosphore total (P) mg P/L	<0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38		

Reported on: April 16, 2009
Lab number: 60739:60742

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45721

Sampling date: April 06, 2009
Sampling hour: N/D
Date received: April 07, 2009
Sampling location: STP-OUT
Sampled by: J.K.,N.S.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	950 CFU/ml	M-BHAA-1,0	April 08, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	April 08, 2009
Total coliforms	60 CFU/100ml	M-COLI-2,0	April 08, 2009
Atypical colonies	970 CFU/100ml	M-COLI-2,0	April 08, 2009
Temperature	7.8 °C	M-TEMP-1.0	April 07, 2009

Reported on: April 14, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45723

Sampling date: April 06, 2009
Sampling hour: N/D
Date received: April 07, 2009
Sampling location: Little John
Sampled by: J.K., N.S.
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	>300 000 CFU/ml	M-BHAA-1,0	April 08, 2009
Fecal coliforms	<100 CFU/100ml	M-COLI-1,0	April 08, 2009
Total coliforms	14 000 CFU/100ml	M-COLI-2,0	April 08, 2009
Atypical colonies	>200 000 CFU/100ml	M-COLI-2,0	April 08, 2009
Temperature	8.7 °C	M-TEMP-1.0	April 07, 2009

Reported on: April 14, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 07, 2009

Sampled by: J.K/N.S

Matrix: Waste Water

Lab number:	60919	60920	60921	60922	60923
Sample name:	STP-OUT	Grey Water	Little John	Lif Station	Grease trap
Sampling date:	06-04-2009	06-04-2009	06-04-2009	06-04-2009	06-04-2009
Ammonia (NH ₃ -NH ₄) mg N/L	16.2	1.6	16.7	1.1	0.56
BOD-5 mg/L	5	733	36	822	2710
COD mg/L	68	1277	96	1478	4847
Total Suspended Solids mg/L	15	410	55	182	808
Nitrite-Nitrate mg N/L	38.3	0.19	25.0	0.35	0.08
pH	4.30	10.97	6.73	10.46	4.62
Total Phosphorus (P) mg P/L	17.6	6.8	17.5	5.7	14.7

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 07, 2009
Sampled by: J.K/N.S
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 07, 2009

Sampled by: J.K/N.S

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0159-2009-9-NH ₃	2.30	2.10 - 2.84		
DBO ₅ mg/L	<1	Std-DMR-0159-7	154	122 - 226		
DBO ₅ mg/L	<1	Std-DMR-0159-7	160	122 - 226		
DCO mg/L	<2	Std-DMR-0159-9	306	239 - 379		
DCO mg/L	<2	Std-DMR-0159-9	257	239 - 379		
M.E.S. mg/L	<1	MES 30-03-2009	260	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO ₃	7.20	6.04 - 8.17		
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO ₃	7.20	6.04 - 8.17	0.35	0.35
pH		Std pH 7.00	6.96	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38		

Reported on: April 16, 2009
Lab number: 60919:60923

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45854

Sampling date: April 13, 2009
Sampling hour: 08:00
Date received: April 15, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	>30 000 CFU/ml	M-BHAA-1,0	April 15, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	April 15, 2009
Total coliforms	600 CFU/100ml	M-COLI-2,0	April 15, 2009
Atypical colonies	7 200 CFU/100ml	M-COLI-2,0	April 15, 2009
Temperature	10.6 °C	M-TEMP-1.0	April 15, 2009

Reported on: April 20, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-45855

Sampling date: April 13, 2009
Sampling hour: 08:00
Date received: April 15, 2009
Sampling location: Little John
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	20 000 CFU/ml	M-BHAA-1,0	April 15, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	April 15, 2009
Total coliforms	600 CFU/100ml	M-COLI-2,0	April 15, 2009
Atypical colonies	11 200 CFU/100ml	M-COLI-2,0	April 15, 2009
Temperature	11.1 °C	M-TEMP-1.0	April 15, 2009

Reported on: April 20, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	61145	61146	61147
Sample name:	STP-OUT	Little John	Grey Water
Sampling date:	13-04-2009	13-04-2009	13-04-2009
Ammonia (NH ₃ -NH ₄) mg N/L	17.2	21.9	3.0
BOD-5 mg/L	3	4	883
COD mg/L	47	54	1260
Total Suspended Solids mg/L	26	19	274
Nitrite-Nitrate mg N/L	43.3	41.1	0.14
pH	5.35	5.31	9.48
Total Phosphorus (P) mg P/L	17.8	17.2	3.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2009

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46050

Sampling date: April 20, 2009
Sampling hour: 07:30
Date received: April 22, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	4 000 CFU/ml	M-BHAA-1,0	April 22, 2009
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	April 22, 2009
Total coliforms	1 400 CFU/100ml	M-COLI-2,0	April 22, 2009
Atypical colonies	800 CFU/100ml	M-COLI-2,0	April 22, 2009
Temperature	15.6 °C	M-TEMP-1.0	April 22, 2009

Reported on: April 27, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46051

Sampling date: April 20, 2009
Sampling hour: 07:30
Date received: April 22, 2009
Sampling location: Little John
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	202 000 CFU/ml	M-BHAA-1,0	April 22, 2009
Fecal coliforms	<10 CFU/100ml	M-COLI-1,0	April 22, 2009
Total coliforms	4 000 CFU/100ml	M-COLI-2,0	April 22, 2009
Atypical colonies	49 000 CFU/100ml	M-COLI-2,0	April 22, 2009
Temperature	14.6 °C	M-TEMP-1.0	April 22, 2009

Reported on: April 27, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	61434	61435	61436	61437
Sample name:	STP-OUT	Little John	Grey Water	Grease trap
Sampling date:	20-04-2009	20-04-2009	20-04-2009	20-04-2009
Ammonia (NH ₃ -NH ₄) mg N/L	35.8	36.6	0.42	1.0
BOD-5 mg/L	5	9	910	2028
COD mg/L	129	108	1899	4453
Total Suspended Solids mg/L	13	31	272	1663
Nitrite-Nitrate mg N/L	55.7	57.5	0.29	0.15
pH	4.32	4.29	10.27	4.85
Total Phosphorus (P) mg P/L	14.3	13.7	3.4	7.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 01, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 01, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH3	2.50	2.10 - 2.84	35.8	35.6
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH3	2.50	2.10 - 2.84		
DBO5 mg/L	<1	DMR-0249-7	185	122 - 226		
DBO5 mg/L		Std-DMR-0159-7	163	122 - 226		
DBO5 mg/L		Std-DMR-0159-7	157	122 - 226		
DBO5 mg/L	<1	DMR-0249-7	178	122 - 226		
DCO mg/L	<2	DMR-0249-9	363	239 - 379		
M.E.S. mg/L	<1	DMR-0249-2009-8	162	113 - 179		
M.E.S. mg/L	<1	DMR-0249-2009-8	162	113 - 179	31	37
M.E.S. mg/L	<1	MES 21/04/2009	225	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO3	7.10	6.04 - 8.17		
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	0.03	DMR-0159-2009-9-Pt	1.10	1.02 - 1.38		

Reported on: May 01, 2009
Lab number: 61434:61437

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46198

Sampling date: April 27, 2009
Sampling hour: N/D
Date received: April 28, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	126 000 CFU/ml	M-BHAA-1,0	April 29, 2009
Fecal coliforms	14 CFU/100ml	M-COLI-1,0	April 29, 2009
Total coliforms	1 900 CFU/100ml	M-COLI-2,0	April 29, 2009
Atypical colonies	17 100 CFU/100ml	M-COLI-2,0	April 29, 2009
Temperature	7.4 °C	M-TEMP-1.0	April 28, 2009

Reported on: May 04, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46199
Sampling date: April 27, 2009
Sampling hour: N/D
Date received: April 28, 2009
Sampling location: Little John
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	1 400 000 CFU/ml	M-BHAA-1,0	April 29, 2009
Fecal coliforms	<10 CFU/100ml	M-COLI-1,0	April 29, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	April 29, 2009
Atypical colonies	103 000 CFU/100ml	M-COLI-2,0	April 29, 2009
Temperature	8.6 °C	M-TEMP-1.0	April 28, 2009

Reported on: May 13, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 29, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	61641	61642	61644
Sample name:	STP-OUT	Little John	Grease trap
Sampling date:	27-04-2009	27-04-2009	27-04-2009
Ammonia (NH ₃ -NH ₄) mg N/L	40.4	23.3	0.91
BOD-5 mg/L	13	16	2303
COD mg/L	84	97	4248
Total Suspended Solids mg/L	8	13	4640
Nitrite-Nitrate mg N/L	54.7	36.6	0.05
pH	4.11	6.18	4.75
Total Phosphorus (P) mg P/L	14.0	14.4	7.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 08, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 08, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 29, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH ₃	2.40	2.10 - 2.84		
DBO ₅ mg/L	<1	DMR-0249-7	189	122 - 226		
DBO ₅ mg/L	<1	DMR-0249-7	173	122 - 226		
DCO mg/L	<2	DMR-0249-9	325	239 - 379		
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306		
M.E.S. mg/L	<1	MES 21/04/2009	256	194 - 306	13	14
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO ₃	7.40	6.04 - 8.17		
pH		Std pH 7.00	7.00	6.96 - 7.04	6.18	6.20
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0159-2009-9-Pt	1.30	1.02 - 1.38		

Reported on: May 08, 2009
Lab number: 61641:61642,61644

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46393

Sampling date: May 04, 2009
Sampling hour: 07:30
Date received: May 05, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 000 CFU/ml	M-BHAA-1,0	May 06, 2009
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	May 06, 2009
Total coliforms	<100 CFU/100ml	M-COLI-2,0	May 06, 2009
Atypical colonies	3 800 CFU/100ml	M-COLI-2,0	May 06, 2009
Temperature	12.8 °C	M-TEMP-1.0	May 05, 2009

Reported on: May 12, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46394

Sampling date: May 04, 2009
Sampling hour: 07:30
Date received: May 05, 2009
Sampling location: Little John
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	400 000 CFU/ml	M-BHAA-1,0	May 06, 2009
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	May 06, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	May 06, 2009
Atypical colonies	49 000 CFU/100ml	M-COLI-2,0	May 06, 2009
Temperature	12.4 °C	M-TEMP-1.0	May 05, 2009

Reported on: May 12, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 06, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	61985	61986	61987
Sample name:	STP-OUT	Little John	Grey Water
Sampling date:	04-05-2009	04-05-2009	04-05-2009
Aluminium (Al) mg/L	19.72	0.674	<0.002
Ammonia (NH ₃ -NH ₄) mg N/L	33.3	11.8	1.0
BOD-5 mg/L	6	13	856
COD mg/L	107	117	1503
Total Suspended Solids mg/L	12	15	234
Nitrite-Nitrate mg N/L	49.8	29.7	0.21
pH	4.49	6.05	10.22
Total Phosphorus (P) mg P/L	15.3	15.9	3.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 13, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 13, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 06, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0002-18	6.80	5.27 - 7.13		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH ₃	2.40	2.10 - 2.84		
DBO ₅ mg/L	<1	DMR-0249-7	186	122 - 226		
DCO mg/L	<2	DMR-0249-9	350	239 - 379		
M.E.S. mg/L	<1	MES 21/04/2009	247	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0159-2009-3-NO ₃	6.40	6.04 - 8.17		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0159-2009-9-Pt	1.30	1.02 - 1.38		

Reported on: May 13, 2009
Lab number: 61985:61987

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46527

Sampling date: May 11, 2009
Sampling hour: N/D
Date received: May 12, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	16 100 CFU/ml	M-BHAA-1,0	May 12, 2009
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	May 12, 2009
Total coliforms	100 CFU/100ml	M-COLI-2,0	May 12, 2009
Atypical colonies	>20 000 CFU/100ml	M-COLI-2,0	May 12, 2009
Temperature	12.9 °C	M-TEMP-1.0	May 12, 2009

Reported on: May 15, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46528

Sampling date: May 11, 2009
Sampling hour: N/D
Date received: May 12, 2009
Sampling location: Little John
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	191 000 CFU/ml	M-BHAA-1,0	May 12, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	May 12, 2009
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	May 12, 2009
Atypical colonies	>200 000 CFU/100ml	M-COLI-2,0	May 12, 2009
Temperature	13.5 °C	M-TEMP-1.0	May 12, 2009

Reported on: May 15, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 12, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	62339	62340
Sample name:	STP-OUT	Little John
Sampling date:	11-05-2009	11-05-2009
Ammonia (NH ₃ -NH ₄) mg N/L	26.7	11.2
BOD-5 mg/L	9	16
COD mg/L	134	157
Total Suspended Solids mg/L	20	11
Nitrite-Nitrate mg N/L	55.5	33.1
pH	5.82	6.04
Total Phosphorus (P) mg P/L	17.6	17.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 22, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 12, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH ₃	2.20	2.10 - 2.84	
DBO ₅ mg/L	<1	DMR-0249-7	164	122 - 226	
DCO mg/L	<2	DMR-0249-9	357	239 - 379	
M.E.S. mg/L	<1	MES 21/04/2009	257	194 - 306	
Nitrites-Nitrates mg N/L	0.03	DMR-0316-2009-NO ₃	7.50	6.04 - 8.17	
pH		Std pH 7.00	6.97	6.96 - 7.04	
pH		Std pH 7.00	6.97	6.96 - 7.04	6.04 6.06
Phosphore total (P) mg P/L	0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38	

Reported on: May 22, 2009
Lab number: 62339:62340

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46693
Sampling date: May 19, 2009
Sampling hour: N/D
Date received: May 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	11 800 CFU/ml	M-BHAA-1,0	May 19, 2009
Fecal coliforms	1 CFU/100ml	M-COLI-1,0	May 19, 2009
Total coliforms	<100 CFU/100ml	M-COLI-2,0	May 19, 2009
Atypical colonies	>20 000 CFU/100ml	M-COLI-2,0	May 19, 2009
Temperature	7.1 °C	M-TEMP-1.0	May 19, 2009

Reported on: June 02, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46694

Sampling date: May 19, 2009
Sampling hour: N/D
Date received: May 19, 2009
Sampling location: Little John
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	>50 000 CFU/ml	M-BHAA-1,0	May 19, 2009
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	May 19, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	May 19, 2009
Atypical colonies	74 000 CFU/100ml	M-COLI-2,0	May 19, 2009
Temperature	6.9 °C	M-TEMP-1.0	May 19, 2009

Reported on: June 02, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 19, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	62578	62579
Sample name:	STP-OUT	Little John
Sampling date:	18-05-2009	18-05-2009
Ammonia (NH ₃ -NH ₄) mg N/L	24.7	24.7
BOD-5 mg/L	11	12
COD mg/L	43	60
Total Suspended Solids mg/L	23	24
Nitrite-Nitrate mg N/L	45.1	48.1
pH	5.81	5.70
Total Phosphorus (P) mg P/L	17.1	18.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0249-2009-NH3	2.30	2.10 - 2.84	
DBO5 mg/L	<1	Std-DMR-0316-7	175	122 - 226	
DCO mg/L	<2	Std-DMR-0316-9	307	239 - 379	
M.E.S. mg/L	<1	MES 21/04/2009	216	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	DMR-0316-2009-NO3	7.10	6.04 - 8.17	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Phosphore total (P) mg P/L	0.01	DMR-0159-2009-9-Pt	1.20	1.02 - 1.38	

Reported on: May 28, 2009
Lab number: 62578:62579

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46943

Sampling date: May 25, 2009
Sampling hour: N/D
Date received: May 26, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	May 26, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	May 26, 2009
Atypical colonies	38 000 CFU/100ml	M-COLI-2,0	May 26, 2009
Temperature	10.5 °C	M-TEMP-1.0	May 26, 2009
AAHB	16 000 CFU/ml	M-BHAA-1,0	May 26, 2009

Reported on: June 05, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-46944

Sampling date: May 25, 2009
Sampling hour: N/D
Date received: May 26, 2009
Sampling location: Little John
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: Little John

Parameter	Result	Method name	Date analyzed
AAHB	254 000 CFU/ml	M-BHAA-1,0	May 26, 2009
Fecal coliforms	128 CFU/100ml	M-COLI-1,0	May 26, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	May 26, 2009
Atypical colonies	91 000 CFU/100ml	M-COLI-2,0	May 26, 2009
Temperature	11.4 °C	M-TEMP-1.0	May 26, 2009

Reported on: June 05, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	63088	63089
Sample name:	STP-OUT	Little John
Sampling date:	25-05-2009	25-05-2009
Ammonia (NH ₃ -NH ₄) mg N/L	27.9	27.6
BOD-5 mg/L	17	16
COD mg/L	62	65
Total Suspended Solids mg/L	37	38
Nitrite-Nitrate mg N/L	49.8	45.0
pH	5.01	5.36
Total Phosphorus (P) mg P/L	14.4	14.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 03, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0316-2009-NH3	2.50	2.10 - 2.84		
DBO5 mg/L	<1	Std-DMR-0316-7	171	122 - 226		
DCO mg/L	<2	Std-DMR-0316-9	315	239 - 379	65	71
DCO mg/L	<2	Std-DMR-0316-9	315	239 - 379		
M.E.S. mg/L	<1	MES-26-05-2009	217	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0316-2009-NO3	7.30	6.04 - 8.17		
pH		Std pH 7.00	6.97	6.96 - 7.04		
Phosphore total (P) mg P/L	0.03	DMR-0316-2009-10	4.30	4.22 - 5.70		

Reported on: June 03, 2009
Lab number: 63088:63089

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47207

Sampling date: June 01, 2009
Sampling hour: N/D
Date received: June 02, 2009
Sampling location: STP-OUT
Sampled by: N. Saucier/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 900 CFU/ml	M-BHAA-1,0	June 03, 2009
Fecal coliforms	28 CFU/100ml	M-COLI-1,0	June 03, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	June 03, 2009
Atypical colonies	43 000 CFU/100ml	M-COLI-2,0	June 03, 2009
Temperature	10.7 °C	M-TEMP-1.0	June 02, 2009

Reported on: June 08, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Waste Water

Lab number:	63610	63611	63612
Sample name:	STP-OUT	Little John	Grey Water
Sampling date:	01-06-2009	01-06-2009	01-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	29.2	21.8	1.6
BOD-5 mg/L	12	12	867
COD mg/L	76	110	1534
Total Suspended Solids mg/L	38	28	870
Nitrite-Nitrate mg N/L	56.5	39.9	<0.01
pH	4.59	6.05	5.66
Total Phosphorus (P) mg P/L	15.5	16.0	4.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2009
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 03, 2009

Sampled by: N. Saucier/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0316-2009-NH3	2.40	2.10 - 2.84		
DBO5 mg/L	<1	Std-DMR-0316-7	173	122 - 226		
DCO mg/L	<2	Std-DMR-0316-9	307	239 - 379		
DCO mg/L	<2	Std-DMR-0316-9	307	239 - 379	76	73
M.E.S. mg/L	<1	MES 02-06-2009	247	194 - 306		
Nitrites-Nitrates mg N/L	0.01	DMR-0316-2009-NO3	6.50	6.04 - 8.17		
Nitrites-Nitrates mg N/L	0.01	DMR-0316-2009-NO3	6.50	6.04 - 8.17	39.9	40.0
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0316-2009-9 Ptot	1.20	1.02 - 1.38		

Reported on: June 11, 2009

Lab number: 63610:63612

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47348

Sampling date: June 08, 2009
Sampling hour: N/D
Date received: June 09, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	17 300 CFU/ml	M-BHAA-1,0	June 09, 2009
Fecal coliforms	12 CFU/100ml	M-COLI-1,0	June 09, 2009
Total coliforms	3 000 CFU/100ml	M-COLI-2,0	June 09, 2009
Atypical colonies	48 000 CFU/100ml	M-COLI-2,0	June 09, 2009
Temperature	4.1 °C	M-TEMP-1.0	June 09, 2009

Reported on: June 23, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 09, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	63887	63888	63889
Sample name:	STP-OUT	Grey Water Nova	Grey Water Kitchen
Sampling date:	08-06-2009	08-06-2009	08-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	23.8	9.6	0.94
BOD-5 mg/L	13	196	524
COD mg/L	115	418	903
Total Suspended Solids mg/L	28	103	204
Nitrite-Nitrate mg N/L	55.3	0.03	0.17
pH	5.01	7.43	9.64
Total Phosphorus (P) mg P/L	18.9	2.2	7.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 16, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 09, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 16, 2009

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47577

Sampling date: June 15, 2009
Sampling hour: 08:00
Date received: June 16, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	50 000 CFU/ml	M-BHAA-1,0	June 16, 2009
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	June 16, 2009
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	June 16, 2009
Atypical colonies	58 000 CFU/100ml	M-COLI-2,0	June 16, 2009
Temperature	15.7 °C	M-TEMP-1.0	June 16, 2009

Reported on: June 19, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 16, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	64290	64291	64292	64293
Sample name:	STP-OUT	Grey Water Nova	Grey Water Kitchen	Crusher intake
Sampling date:	15-06-2009	15-06-2009	15-06-2009	15-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	25.8	4.1	0.56	0.65
BOD-5 mg/L	14	174	1437	3
COD mg/L	108	452	2461	41
Total Suspended Solids mg/L	30	63	1055	34
Nitrite-Nitrate mg N/L	48.8	0.05	0.06	3.5
pH	5.36	8.00	5.17	7.23
Total Phosphorus (P) mg P/L	27.0	1.0	3.6	0.08

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 16, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 25, 2009

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-47854

Sampling date: June 22, 2009
Sampling hour: N/D
Date received: June 23, 2009
Sampling location: STP-OUT
Sampled by: Martin Theriault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	68000 CFU/ml	M-BHAA-1,0	June 23, 2009
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	June 23, 2009
Total coliforms	2000 CFU/100ml	M-COLI-2,0	June 23, 2009
Atypical colonies	40000 CFU/100ml	M-COLI-2,0	June 23, 2009
Temperature	14.0 °C	M-TEMP-1.0	June 23, 2009

Reported on: June 26, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	64659	64660	64661	64662	64663	64664	64665
Sample name:	STP-OUT	St-27	Crusher intake	G. Water Nova	G. Water Kitchen	Lif Station	Grease trap
Sampling date:	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009	22-06-2009
Ammonia (NH ₃ -NH ₄) mg N/L	30.6	4.1	2.4	13.6	0.90	1.2	1.6
BOD-5 mg/L	13	20	5	164	1419	978	1445
COD mg/L	111	68	25	507	2221	1129	3001
Total Suspended Solids mg/L	19	7	13	51	190	304	338
Nitrite-Nitrate mg N/L	54.0	1.6	0.27	<0.01	<0.01	<0.01	<0.01
pH	5.69	7.13	7.50	7.81	5.30	9.91	5.40
Total Phosphorus (P) mg P/L	18.9	1.6	0.80	2.1	6.2	5.5	8.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 23, 2009
Sampled by: Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 03, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 23, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH3-NH4) r	0.06	DMR-0406-2009-NH3-9	2.60	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0406-7-2009	194	122 - 226		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379		
DCO mg/L	< 2	Std-DMR-0406-9-2009	301	239 - 379	68	68
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306	190	288
M.E.S. mg/L	<1	MES 16-06-2009	244	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0406-2009-3-NO2-NO3	7.4	6.0 - 8.2	1.6	1.7
pH		Std pH 7.00	7.02	6.96 - 7.04	5.69	5.65
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38	1.6	1.7
Phosphore total (P) mg P/L	0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38		

Reported on: July 03, 2009

Lab number: 64659:64665

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-48023

Sampling date: June 29, 2009
Sampling hour: N/D
Date received: June 30, 2009
Sampling location: STP-OUT
Sampled by: N.Saucier/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	39 000 CFU/ml	M-BHAA-1,0	June 30, 2009
Fecal coliforms	30 CFU/100ml	M-COLI-1,0	June 30, 2009
Total coliforms	<10 000 CFU/100ml	M-COLI-2,0	June 30, 2009
Atypical colonies	320 000 CFU/100ml	M-COLI-2,0	June 30, 2009
Temperature	12.8 °C	M-TEMP-1.0	June 30, 2009

Reported on: July 03, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64924

Sampling date: June 29, 2009
Sampling hour: 06:30
Date received: June 30, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	20.7 mg N/L	M-NH3-2.0	July 01, 2009
BOD-5	16 mg/L	M-DBO-1.0	July 07, 2009
COD	81 mg/L	M-DCO-1.0	July 03, 2009
Total Suspended Solids	21 mg/L	M-SOLI-1.0	July 08, 2009
Nitrite-Nitrate	42.9 mg N/L	M-NITR-2.0	July 02, 2009
pH	5.78	M-PH-2.0	June 30, 2009
Total Phosphorus (P)	18.0 mg P/L	M-P-2.0	July 03, 2009
Turbidity	16.6 NTU	M-TURB-1.0	June 30, 2009

Reported on: July 08, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64924
Sampling date: June 29, 2009
Sampling hour: 06:30
Date received: June 30, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier/Jamie Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: July 08, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-48182
Sampling date: July 06, 2009
Sampling hour: N/D
Date received: July 07, 2009
Sampling location: STP-OUT
Sampled by: M. Theriault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	123 000 CFU/ml	M-BHAA-1,0	July 07, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	July 07, 2009
Total coliforms	<10 000 CFU/100ml	M-COLI-2,0	July 07, 2009
Atypical colonies	1 130 000 CFU/100ml	M-COLI-2,0	July 07, 2009
Temperature	15.0 °C	M-TEMP-1.0	July 07, 2009

Reported on: July 21, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-65259

Sampling date: July 06, 2009
Sampling hour: 09:00
Date received: July 07, 2009
Sampling location: STP-OUT
Sampled by: M. Thériault/J. Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	17.6 mg N/L	M-NH3-2.0	July 08, 2009
BOD-5	22 mg/L	M-DBO-1.0	July 13, 2009
COD	69 mg/L	M-DCO-1.0	July 13, 2009
Total Suspended Solids	49 mg/L	M-SOLI-1.0	July 08, 2009
Nitrite-Nitrate	39.6 mg N/L	M-NITR-2.0	July 09, 2009
pH	5.87	M-PH-2.0	July 08, 2009
Total Phosphorus (P)	19.0 mg P/L	M-P-2.0	July 10, 2009

Reported on: August 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-65259
Sampling date: July 06, 2009
Sampling hour: 09:00
Date received: July 07, 2009
Sampling location: STP-OUT
Sampled by: M. Thériault/J. Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: August 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-65259
Sampling date: July 06, 2009
Sampling hour: 09:00
Date received: July 07, 2009
Sampling location: STP-OUT
Sampled by: M. Thériault/J. Kataluk
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0406-2009-NH ₃ -9	2.50	2.10 - 2.84		
BOD-5 mg/L	< 1	Std-DMR-0406-7-2009	174	122 - 226		
COD mg/L	< 2	Std-DMR-0524-9	310	239 - 379		
Total Suspended Solids mg/L	<1	MES 16-06-2009	253	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	MR-0406-2009-3-NO ₂ -N	7.6	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0406-2009-Ptot	1.30	1.02 - 1.38		

Reported on: August 18, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-48473

Sampling date: July 13, 2009
Sampling hour: N/D
Date received: July 14, 2009
Sampling location: STP-OUT
Sampled by: M. Theriault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	20 000 CFU/ml	M-BHAA-1,0	July 14, 2009
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	July 14, 2009
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	July 14, 2009
Atypical colonies	49 000 CFU/100ml	M-COLI-2,0	July 14, 2009
Temperature	10.4 °C	M-TEMP-1.0	July 14, 2009

Reported on: August 06, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 14, 2009

Sampled by: Martin Thériault et Jamie Kataluk

Matrix: Waste Water

Lab number:	65690	65691	65692	65693	65694	65695
Sample name:	STP-OUT	STP-IN	G. Water Nova	G. Water Kitchen	Lift Station	Grease trap
Sampling date:	13-07-2009	13-07-2009	13-07-2009	13-07-2009	13-07-2009	13-07-2009
Ammonia (NH ₃ -NH ₄) mg N/L	19.7	128	13.3	2.9	2.8	4.1
BOD-5 mg/L	23	268	29	619	1653	2727
Total Suspended Solids mg/L	80	72	98	284	396	1310
Nitrite-Nitrate mg N/L	35.4	0.01	0.02	0.01	0.01	0.01
pH	6.24	7.91	8.06	6.38	5.19	4.33
Total Phosphorus (P) mg P/L	16.5	15.8	1.2	9.2	12.1	16.0
Ammonia (NH ₃ -NH ₄) mg N/LM-N	19.7	128	13.3	2.9	2.8	4.1
BOD-5 mg/LM-DBO-1.0	23	268	29	619	1653	2727
Total Suspended Solids mg/LM-S	80	72	98	284	396	1310
Nitrite-Nitrate mg N/LM-NITR-2.0	35.4	0.01	0.02	0.01	0.01	0.01
pH M-PH-2.0	6.24	7.91	8.06	6.38	5.19	4.33
Total Phosphorus (P) mg P/LM-P	16.5	15.8	1.2	9.2	12.1	16.0
COD mg/L	103	756	293	2032	1957	3755

Corrected certificat, replacing the multiple certificat done on july 22nd 2009.

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 14, 2009
Sampled by: Martin Thériault et Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0
COD	2	mg/L	M-DCO-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 14, 2009
Sampled by: M. Thériault/J. Kataluk
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0524-2009-NH ₃	2.40	2.10 - 2.84	
DBO ₅ mg/L	< 1	Std-DMR-0524-7-2009	195	122 - 226	
DBO ₅ mg/L	< 1	Std-DMR-0524-7-2009	171	122 - 226	
DCO mg/L	< 2	Std-DMR-0524-9	301	239 - 379	
M.E.S. mg/L	<1	MES 09-07-2009	252	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	DMR-0524-2009-NO ₂ -NO ₃	7.60	6.04 - 8.17	
Nitrites-Nitrates mg N/L	<0.01	DMR-0524-2009-NO ₂ -NO ₃	7.60	6.04 - 8.17	0.02 0.01
Nitrites-Nitrates mg N/L	0.01	DMR-0524-2009-NO ₂ -NO ₃	7.50	6.04 - 8.17	
pH		Std pH 7.00	7.04	6.96 - 7.04	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0524-2009-Ptot	1.30	1.02 - 1.38	
Phosphore total (P) mg P/L	<0.01	DMR-0524-2009-Ptot	1.30	1.02 - 1.38	16.0 17.2

Reported on: August 03, 2009
Lab number: 65690:65695

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-48716
Sampling date: July 20, 2009
Sampling hour: N/D
Date received: July 21, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	200 000 CFU/ml	M-BHAA-1,0	July 21, 2009
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	July 21, 2009
Total coliforms	<100 000 CFU/100ml	M-COLI-2,0	July 21, 2009
Atypical colonies	2 600 000 CFU/100ml	M-COLI-2,0	July 21, 2009
Temperature	15.4 °C	M-TEMP-1.0	July 21, 2009

Reported on: August 10, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 21, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	66067	66068	66069	66070
Sample name:	STP-OUT	Grey Water Nova	Grey Water Kitchen	STP-IN
Sampling date:	20-07-2009	20-07-2009	20-07-2009	20-07-2009
Ammonia (NH ₃ -NH ₄) mg N/L	30.8	17.9	2.0	168
BOD-5 mg/L	17	201	12165	406
COD mg/L	92	366	13824	512
Total Suspended Solids mg/L	30	90	3660	157
Nitrite-Nitrate mg N/L	56.8	<0.01	0.01	<0.01
pH	5.92	8.05	4.70	7.84
Total Phosphorus (P) mg P/L	19.4	2.0	14.4	21.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 21, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0524-2009-NH3	2.40	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0524-2009-NH3	2.40	2.10 - 2.84	2.0	1.8
DBO5 mg/L	< 1	Std-DMR-0524-7-2009	171	122 - 226		
DCO mg/L	<2	Std-DMR-0524-9	308	239 - 379	512	483
DCO mg/L	<2	Std-DMR-0524-9	308	239 - 379		
M.E.S. mg/L	<1	MES 09-07-2009	247	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0524-2009-NO ₂ -NC	7.10	6.04 - 8.17		
pH		Std pH 7.00	7.01	6.96 - 7.04		
pH		Std pH 7.00	7.01	6.96 - 7.04	5.92	5.88
Phosphore total (P) mg P/L	0.01	DMR-0524-2009-Ptot	1.20	1.02 - 1.38		

Reported on: July 28, 2009
Lab number: 66067:66070

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-48973

Sampling date: July 27, 2009
Sampling hour: N/D
Date received: July 28, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	102 000 CFU/ml	M-BHAA-1,0	July 28, 2009
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	July 28, 2009
Total coliforms	<10 000 CFU/100ml	M-COLI-2,0	July 28, 2009
Atypical colonies	1 560 000 CFU/100ml	M-COLI-2,0	July 28, 2009
Temperature	17.6 °C	M-TEMP-1.0	July 28, 2009

Reported on: July 31, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-49142

Sampling date: August 03, 2009
Sampling hour: 08:00
Date received: August 04, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	24 600 CFU/ml	M-BHAA-1,0	August 04, 2009
Fecal coliforms	40 CFU/100ml	M-COLI-1,0	August 04, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	August 04, 2009
Atypical colonies	111 000 CFU/100ml	M-COLI-2,0	August 04, 2009
Temperature	12.8 °C	M-TEMP-1.0	August 04, 2009

Reported on: August 10, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 04, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	66928	66929	66930	66931
Sample name:	STP-OUT	STP-IN	G Water N camp	G Water Kitchen
Sampling date:	03-08-2009	03-08-2009	03-08-2009	03-08-2009
Ammonia (NH ₃ -NH ₄) mg N/L	36.8	131	15.4	1.1
BOD-5 mg/L	12	305	168	696
COD mg/L	139	1045	699	1630
Total Suspended Solids mg/L	26	146	59	385
Nitrite-Nitrate mg N/L	56.5	<0.01	<0.01	<0.01
pH	5.72	7.58	7.53	5.95
Total Phosphorus (P) mg P/L	17.9	16.6	1.8	2.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 11, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 04, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 11, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 04, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0524-2009-NH3	2.40	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0524-7-2009	172	122 - 226		
DBO5 mg/L	< 1	Std-DMR-0524-7-2009	186	122 - 226		
DCO mg/L	<2	Std-DMR-0524-9	366	239 - 379		
DCO mg/L	<2	Std-DMR-0524-9	366	239 - 379	1045	1027
M.E.S. mg/L	<1	Mes 03-08-2009	231	194 - 306		
M.E.S. mg/L	<1	Mes 03-08-2009	231	194 - 306	385	371
Nitrites-Nitrates mg N/L	<0.01	MR-0524-2009-NO2-NC	7.50	6.04 - 8.17	56.5	57.4
Nitrites-Nitrates mg N/L	<0.01	MR-0524-2009-NO2-NC	7.50	6.04 - 8.17		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0524-2009-Ptot	1.20	1.02 - 1.38		

Reported on: August 11, 2009

Lab number: 66928:66931

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-49470

Sampling date: August 10, 2009
Sampling hour: N/D
Date received: August 11, 2009
Sampling location: STP-OUT
Sampled by: Martin Theriault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	39 000 CFU/ml	M-BHAA-1,0	August 11, 2009
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	August 11, 2009
Total coliforms	<10 000 CFU/100ml	M-COLI-2,0	August 11, 2009
Atypical colonies	60 000 CFU/100ml	M-COLI-2,0	August 11, 2009
Temperature	12.7 °C	M-TEMP-1.0	August 11, 2009

* : Deposit in bottom of the bottle

Reported on: August 14, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 11, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	67435	67436	67437	67438
Sample name:	STP-OUT	Grey Water Nova	Grey Water Kitchen	STP-IN
Sampling date:	10-08-2009	10-08-2009	10-08-2009	10-08-2009
Ammonia (NH ₃ -NH ₄) mg N/L	32.6	17.1	0.58	153
BOD-5 mg/L	19	166	890	416
COD mg/L	113	339	1294	1107
Total Suspended Solids mg/L	31	112	302	146
Nitrite-Nitrate mg N/L	56.2	0.03	0.02	<0.01
pH	5.48	7.88	8.69	7.87
Total Phosphorus (P) mg P/L	18.0	1.7	2.4	21.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 11, 2009

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3	2.30	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3	2.30	2.10 - 2.84	153	159
DBO5 mg/L	< 1	DMR-0581-7-2009	203	122 - 226		
DCO mg/L	<2					
M.E.S. mg/L	<1	Mes 03-08-2009	250	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO ₂ -NC	7.2	6.0 - 8.2	56.2	56.4
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO ₂ -NC	7.2	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0581-2009Ptot	1.30	1.02 - 1.38		
Phosphore total (P) mg P/L	<0.01	DMR-0581-2009Ptot	1.30	1.02 - 1.38	21.5	22.0

Reported on: August 17, 2009

Lab number: 67435:67438

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-49945

Sampling date: August 18, 2009
Sampling hour: N/D
Date received: August 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	36 000 CFU/ml	M-BHAA-1,0	August 19, 2009
Fecal coliforms	72 CFU/100ml	M-COLI-1,0	August 19, 2009
Total coliforms	3 000 CFU/100ml	M-COLI-2,0	August 19, 2009
Atypical colonies	85 000 CFU/100ml	M-COLI-2,0	August 19, 2009
Temperature	13.0 °C	M-TEMP-1.0	August 19, 2009

Reported on: August 24, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-67997

Sampling date: August 18, 2009
Sampling hour: 08:30
Date received: August 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	30.0 mg N/L	M-NH3-2.0	August 24, 2009
BOD-5	23 mg/L	M-DBO-1.0	August 25, 2009
COD	131 mg/L	M-DCO-1.0	August 24, 2009
Total Suspended Solids	31 mg/L	M-SOLI-1.0	August 21, 2009
Nitrite-Nitrate	47.8 mg N/L	M-NITR-2.0	August 20, 2009
pH	5.19	M-PH-2.0	August 20, 2009
Total Phosphorus (P)	20.5 mg P/L	M-P-2.0	August 21, 2009

Reported on: August 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-67997

Sampling date: August 18, 2009
Sampling hour: 08:30
Date received: August 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: August 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-67997
Sampling date: August 18, 2009
Sampling hour: 08:30
Date received: August 19, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0581-2009-NH ₃ -1	2.30	2.10 - 2.84	
BOD-5 mg/L	< 1	DMR-0581-7-2009	180	122 - 226	
COD mg/L	< 2	Std-DMR-0581-9-2009	309	239 - 379	
Total Suspended Solids mg/L	<1	Mes 03-08-2009	242	194 - 306	
Nitrite-Nitrate mg N/L	0.02	DMR-0581-2009-NO ₂ -NO ₃	6.7	6.0 - 8.2	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Total Phosphorus (P) mg P/L	0.01	DMR-0581-2009Ptot	1.30	1.02 - 1.38	

Reported on: August 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-50078

Sampling date: August 24, 2009
Sampling hour: N/D
Date received: August 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	259 000 CFU/ml	M-BHAA-1,0	August 25, 2009
Fecal coliforms	1 000 CFU/100ml	M-COLI-1,0	August 25, 2009
Total coliforms	10 000 CFU/100ml	M-COLI-2,0	August 25, 2009
Atypical colonies	220 000 CFU/100ml	M-COLI-2,0	August 25, 2009
Temperature	19.2 °C	M-TEMP-1.0	August 25, 2009

Reported on: August 31, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-68184

Sampling date: August 24, 2009
Sampling hour: 08:00
Date received: August 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	27.3 mg N/L	M-NH3-2.0	August 26, 2009
BOD-5	15 mg/L	M-DBO-1.0	September 01, 2009
COD	137 mg/L	M-DCO-1.0	August 28, 2009
Total Suspended Solids	54 mg/L	M-SOLI-1.0	August 26, 2009
Nitrite-Nitrate	53.2 mg N/L	M-NITR-2.0	August 27, 2009
pH	4.85	M-PH-2.0	August 26, 2009
Total Phosphorus (P)	19.9 mg P/L	M-P-2.0	August 28, 2009

Reported on: September 01, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-68184

Sampling date: August 24, 2009
Sampling hour: 08:00
Date received: August 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: September 01, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-68184
Sampling date: August 24, 2009
Sampling hour: 08:00
Date received: August 25, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84	
BOD-5 mg/L	< 1	DMR-0581-7-2009	184	122 - 226	
COD mg/L	< 2	Std-DMR-0581-9-2009	306	239 - 379	
Total Suspended Solids mg/L	<1	Mes 03-08-2009	242	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	MR-0581-2009-NO2-NC	7.3	6.0 - 8.2	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0581-2009Ptot	1.30	1.02 - 1.38	

Reported on: September 01, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-50317

Sampling date: August 31, 2009
Sampling hour: N/D
Date received: September 01, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	172 000 CFU/ml	M-BHAA-1,0	September 02, 2009
Fecal coliforms	1 200 CFU/100ml	M-COLI-1,0	September 02, 2009
Total coliforms	20 000 CFU/100ml	M-COLI-2,0	September 02, 2009
Atypical colonies	800 000 CFU/100ml	M-COLI-2,0	September 02, 2009
Temperature	12.0 °C	M-TEMP-1.0	September 01, 2009

Reported on: September 08, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2009

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Waste Water

Lab number:	68694	68695	68696	68697
Sample name:	STP-IN	STP-OUT	G. Water Kitchen	G. Water Nova
Sampling date:	31-08-2009	31-08-2009	31-08-2009	31-08-2009
Ammonia (NH ₃ -NH ₄) mg N/L	128	20.9	0.35	13.0
BOD-5 mg/L	329	18	491	178
COD mg/L	531	108	626	336
Total Suspended Solids mg/L	136	32	89	57
Nitrite-Nitrate mg N/L	0.02	44.1	0.01	0.05
pH	7.61	5.24	5.94	7.35
Total Phosphorus (P) mg P/L	18.1	18.4	1.6	1.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2009
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2009

Sampled by: N. Saucier/M. Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84		
DBO5 mg/L	<1	DMR-0581-7-2009	171	122 - 226		
DCO mg/L	< 2	Std-DMR-0581-9-2009	350	239 - 379		
M.E.S. mg/L	<1	MES 31-08-2009	251	194 - 306	89	91
M.E.S. mg/L	<1	MES 31-08-2009	251	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO2-NC	6.9	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO2-NC	6.9	6.0 - 8.2	0.05	0.04
pH		Std pH 7.00	7.00	6.96 - 7.04		
pH		Std pH 7.00	7.00	6.96 - 7.04	5.94	5.98
Phosphore total (P) mg P/L	<0.01	DMR-0581-2009Ptot	1.20	1.02 - 1.38		

Reported on: September 08, 2009

Lab number: 68694:68697

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-50431

Sampling date: September 07, 2009
Sampling hour: N/D
Date received: September 08, 2009
Sampling location: STP-OUT
Sampled by: N. Saucier/M. Thériault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	41 000 CFU/ml	M-BHAA-1,0	September 08, 2009
Fecal coliforms	84 CFU/100ml	M-COLI-1,0	September 08, 2009
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	September 08, 2009
Atypical colonies	96 000 CFU/100ml	M-COLI-2,0	September 08, 2009
Temperature	15.3 °C	M-TEMP-1.0	September 08, 2009

Reported on: September 11, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 08, 2009

Sampled by: N.Saucier/M.Thériault

Matrix: Waste Water

Lab number:	69035	69036	69037	69038	69039
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	07-09-2009	07-09-2009	07-09-2009	07-09-2009	07-09-2009
Ammonia (NH ₃ -NH ₄) mg N/L	121	26.1	1.5	2.6	10.2
BOD-5 mg/L	235	14	688	721	104
COD mg/L	711	101	1172	1342	231
Total Suspended Solids mg/L	114	32	144	460	104
Nitrite-Nitrate mg N/L	<0.01	45.6	0.01	0.09	0.01
pH	7.68	5.82	4.47	6.54	7.42
Total Phosphorus (P) mg P/L	13.5	15.2	3.1	4.2	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 15, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 08, 2009
Sampled by: N.Saucier/M.Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 15, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 08, 2009
Sampled by: N.Saucier/M.Thériault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84	1.5	1.5
DBO5 mg/L	< 1	Std-DMR-0659-7-2009	406	280 - 520		
DCO mg/L	< 2	Std-DMR-0581-9-2009	304	239 - 379		
M.E.S. mg/L	<1	MES 31-08-2009	250	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO2-NC	7.3	6.0 - 8.2		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0581-2009Ptot	1.10	1.02 - 1.38		

Reported on: September 15, 2009
Lab number: 69035:69039

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-50678

Sampling date: September 14, 2009
Sampling hour: N/D
Date received: September 15, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	80 000 CFU/ml	M-BHAA-1,0	September 15, 2009
Fecal coliforms	510 CFU/100ml	M-COLI-1,0	September 15, 2009
Total coliforms	3 000 CFU/100ml	M-COLI-2,0	September 15, 2009
Atypical colonies	183 000 CFU/100ml	M-COLI-2,0	September 15, 2009
Temperature	13.1 °C	M-TEMP-1.0	September 15, 2009

Reported on: September 18, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 15, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	69516	69517	69518	69519	69520
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	14-09-2009	14-09-2009	14-09-2009	14-09-2009	14-09-2009
Ammonia (NH ₃ -NH ₄) mg N/L	170	29.3	2.8	1.8	10.0
BOD-5 mg/L	384	28	3615	1239	104
COD mg/L	704	96	7326	1721	204
Total Suspended Solids mg/L	168	108	1304	512	80
Nitrite-Nitrate mg N/L	<0.01	53.3	0.04	0.02	0.01
pH	8.08	5.55	4.12	5.43	7.13
Total Phosphorus (P) mg P/L	22.6	19.9	9.6	3.5	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 22, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 15, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 22, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 15, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84	170	167
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0581-2009-NH3-1	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	DMR-0659-7-2009	401	280 - 520		
DCO mg/L	< 2	Std-DMR-0581-9-2009	336	239 - 379	1721	1728
DCO mg/L	< 2	Std-DMR-0581-9-2009	336	239 - 379		
M.E.S. mg/L	<1	MES 11-09-2009	245	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO2-NC	6.8	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0581-2009-NO2-NC	6.8	6.0 - 8.2	0.04	0.04
pH		Std pH 7.00	7.01	6.96 - 7.04	8.08	8.07
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0581-2009Ptot	1.30	1.02 - 1.38		

Reported on: September 22, 2009
Lab number: 69516:69520

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-50960

Sampling date: September 21, 2009
Sampling hour: 08:00
Date received: September 22, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	93 000 CFU/ml	M-BHAA-1,0	September 22, 2009
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	September 22, 2009
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	September 22, 2009
Atypical colonies	140 000 CFU/100ml	M-COLI-2,0	September 22, 2009
Temperature	16.1 °C	M-TEMP-1.0	September 22, 2009

Reported on: September 28, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 22, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	70019	70020	70021	70022	70023	70024
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova	Laundry lift stat.
Sampling date:	21-09-2009	21-09-2009	21-09-2009	21-09-2009	21-09-2009	21-09-2009
Ammonia (NH ₃ -NH ₄) mg N/L	161	26.7	0.94	0.48	6.0	0.53
BOD-5 mg/L	407	18	2542	1812	184	719
COD mg/L	1136	141	4677	2307	346	1126
Total Suspended Solids mg/L	142	20	812	440	78	328
Nitrite-Nitrate mg N/L	<0.01	47.2	0.15	0.02	<0.01	0.18
pH	7.65	5.83	4.17	4.64	7.34	10.16
Total Phosphorus (P) mg P/L	21.9	21.1	12.1	7.0	0.92	3.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 01, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 22, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 01, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 22, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.20	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.20	2.10 - 2.84	26.7	27.8
DBO5 mg/L	< 1	DMR-0659-7-2009	400	280 - 520		
DBO5 mg/L	< 1	DMR-0659-7-2009	430	280 - 520		
DCO mg/L	< 2	Std-DMR-0581-9-2009	356	239 - 379		
M.E.S. mg/L	<1	MES 11-09-2009	240	194 - 306		
Nitrites-Nitrates mg N/L		MR-0659-2009-NO2-NC	7.1	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.6	2.0 - 2.6	<0.01	0.01
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.6	2.0 - 2.6		
pH		Std pH 7.00	6.96	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: October 01, 2009

Lab number: 70019:70024

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-51255

Sampling date: September 28, 2009
Sampling hour: N/D
Date received: September 29, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	28 900 CFU/ml	M-BHAA-1,0	September 30, 2009
Fecal coliforms	30 CFU/100ml	M-COLI-1,0	September 30, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	September 30, 2009
Atypical colonies	23 000 CFU/100ml	M-COLI-2,0	September 30, 2009
Temperature	11.1 °C	M-TEMP-1.0	September 29, 2009

Reported on: October 05, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 30, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Lab number:	70460	70461	70462	70464
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Nova
Sampling date:	28-09-2009	28-09-2009	28-09-2009	28-09-2009
Ammonia (NH ₃ -NH ₄) mg N/L	138	28.6	0.79	10.1
BOD-5 mg/L	326	30	1500	169
COD mg/L	605	116	4200	811
Total Suspended Solids mg/L	675	44	724	156
Nitrite-Nitrate mg N/L	0.01	55.5	<0.01	<0.01
pH	7.56	5.45	5.23	7.84
Total Phosphorus (P) mg P/L	19.2	20.3	9.6	0.99

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 13, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 30, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.10	2.10 - 2.84	
Azote ammoniacal (NH ₃ -NH ₄) r	0.05	DMR-0659-2009-NH3	2.10	2.10 - 2.84	
DBO5 mg/L	< 1	DMR-0659-7-2009	409	280 - 520	
DBO5 mg/L	< 1	DMR-0659-7-2009	407	280 - 520	
DCO mg/L	<2	DMR-0659-9-2009	336	239 - 379	
M.E.S. mg/L	<1	MES 11-09-2009	265	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.3	2.0 - 2.6	
Nitrites-Nitrates mg N/L		MR-0659-2009-NO2-NC	7.0	6.0 - 8.2	
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.3	2.0 - 2.6	55.5 55.6
pH		Std pH 7.00	7.02	6.96 - 7.04	
Phosphore total (P) mg P/L	0.02	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4	
Phosphore total (P) mg P/L	0.02	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4	9.6 9.6

Reported on: October 13, 2009
Lab number: 70460:70462,70464

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-51382

Sampling date: October 05, 2009
Sampling hour: N/D
Date received: October 06, 2009
Sampling location: STP-OUT
Sampled by: M. Thériault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	65 000 CFU/ml	M-BHAA-1,0	October 06, 2009
Fecal coliforms	<100 CFU/100ml	M-COLI-1,0	October 06, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	October 06, 2009
Atypical colonies	31 000 CFU/100ml	M-COLI-2,0	October 06, 2009
Temperature	14.5 °C	M-TEMP-1.0	October 06, 2009

Reported on: October 09, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 06, 2009

Sampled by: M.Thériault

Matrix: Waste Water

Lab number:	70676	70677	70678	70679
Sample name:	STP-OUT	Grey Water Kitchen	Grey Water Nova	STP-IN
Sampling date:	05-10-2009	05-10-2009	05-10-2009	05-10-2009
Ammonia (NH ₃ -NH ₄) mg N/L	28.5	1.6	12.6	117
BOD-5 mg/L	14	1413	164	228
COD mg/L	120	2288	234	237
Total Suspended Solids mg/L	38	230	119	144
Nitrite-Nitrate mg N/L	49.0	<0.01	<0.01	<0.01
pH	5.52	7.07	8.59	7.90
Total Phosphorus (P) mg P/L	17.7	8.6	1.6	17.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 14, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 06, 2009

Sampled by: M.Thériault

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH3-NH4) r	<0.05	DMR-0659-2009-NH3	2.20	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0731-7-2009	415	280 - 520		
DCO mg/L	< 2	DMR-0659-9-2009	320	239 - 379		
DCO mg/L	< 2	DMR-0659-9-2009	320	239 - 379	120	117
M.E.S. mg/L	<1	MES 11-09-2009	255	194 - 306	119	121
M.E.S. mg/L	<1	MES 11-09-2009	251	194 - 306	230	228
M.E.S. mg/L	<1	MES 11-09-2009	255	194 - 306		
M.E.S. mg/L	<1	MES 11-09-2009	251	194 - 306		
Nitrites-Nitrates mg N/L		MR-0659-2009-NO2-NC	7.2	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.4	2.0 - 2.6	<0.01	<0.01
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.4	2.0 - 2.6		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	0.04	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: October 14, 2009
Lab number: 70676:70679

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-51544

Sampling date: October 12, 2009
Sampling hour: 08:00
Date received: October 13, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	11 300 CFU/ml	M-BHAA-1,0	October 13, 2009
Fecal coliforms	<10 CFU/100ml	M-COLI-1,0	October 13, 2009
Total coliforms	200 CFU/100ml	M-COLI-2,0	October 13, 2009
Atypical colonies	4 600 CFU/100ml	M-COLI-2,0	October 13, 2009
Temperature	8.1 °C	M-TEMP-1.0	October 13, 2009

Reported on: October 19, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 13, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	71010	71011	71012	71013	71014
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	12-10-2009	12-10-2009	12-10-2009	12-10-2009	12-10-2009
Ammonia (NH ₃ -NH ₄) mg N/L	181	33.3	2.4	1.1	13.9
BOD-5 mg/L	355	12	1728	1161	167
COD mg/L	663	95	3114	1884	363
Total Suspended Solids mg/L	188	44	1169	71	114
Nitrite-Nitrate mg N/L	<0.01	2.4	0.01	0.01	0.01
pH	8.18	5.83	4.88	5.98	7.57
Total Phosphorus (P) mg P/L	24.4	21.3	14.0	5.3	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 20, 2009

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 13, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 20, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 13, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0731-7-2009	395	280 - 520		
DCO mg/L	< 2	DMR-0731-7-DCO-2009	308	239 - 379		
M.E.S. mg/L	<1	MES 11-09-2009	245	194 - 306		
Nitrites-Nitrates mg N/L		MR-0659-2009-NO2-NC	7.3	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	DMR-0659-2009-NO2	2.5	2.0 - 2.6		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	0.02	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4	5.3	5.2

Reported on: October 20, 2009

Lab number: 71010:71014

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-51793

Sampling date: October 19, 2009
Sampling hour: N/D
Date received: October 20, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	>500 000 CFU/ml	M-BHAA-1,0	October 20, 2009
Fecal coliforms	300 CFU/100ml	M-COLI-1,0	October 20, 2009
Total coliforms	3 000 CFU/100ml	M-COLI-2,0	October 20, 2009
Atypical colonies	83 000 CFU/100ml	M-COLI-2,0	October 20, 2009
Temperature	8.3 °C	M-TEMP-1.0	October 20, 2009

Reported on: October 23, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 20, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	71362	71363	71364	71365	71366
Sample name:	Grease trap	G. Water Nova	STP-OUT	STP-IN	G. Water Kitchen
Sampling date:	19-10-2009	19-10-2009	19-10-2009	19-10-2009	19-10-2009
Ammonia (NH ₃ -NH ₄) mg N/L	3.4	10.4	37.1	169	2.1
BOD-5 mg/L	2380	168	23	379	794
COD mg/L	4249	291	144	1057	1600
Total Suspended Solids mg/L	884	170	46	160	400
Nitrite-Nitrate mg N/L	0.01	<0.01	63.3	0.01	0.01
pH	3.83	7.28	6.16	7.96	6.61
Total Phosphorus (P) mg P/L	14.2	1.8	23.8	23.7	4.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 20, 2009
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 20, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	<1	Std-DMR-0731-7-2009	419	280 - 520		
DBO5 mg/L	< 1	Std-DMR-0731-7-2009	449	280 - 520		
DCO mg/L	<1	DMR-0731-7-DCO-2009	321	239 - 379		
M.E.S. mg/L	<1	MES 11-09-2009	246	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0731-2009-NO2	2.3	2.0 - 2.6	63.3	63.8
Nitrites-Nitrates mg N/L	<0.01	DMR-0731-2009-NO2	2.3	2.0 - 2.6		
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	7.6	6.0 - 8.2		
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	7.5	6.0 - 8.2		
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0659-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: October 27, 2009

Lab number: 71362:71366

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-52012

Sampling date: October 26, 2009
Sampling hour: 08:00
Date received: October 27, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	7 600 CFU/ml	M-BHAA-1,0	October 27, 2009
Fecal coliforms	<10 CFU/100ml	M-COLI-1,0	October 27, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	October 27, 2009
Atypical colonies	2 000 CFU/100ml	M-COLI-2,0	October 27, 2009
Temperature	6.7 °C	M-TEMP-1.0	October 27, 2009

Reported on: November 11, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 27, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	71709	71710	71711	71712	71713
Sample name:	STP-IN	STP-OUT	Grease trap	G. W. Kitchen	G. W Nova
Sampling date:	26-10-2009	26-10-2009	26-10-2009	26-10-2009	26-10-2009
Ammonia (NH ₃ -NH ₄) mg N/L	143	34.3	4.0	1.7	15.0
BOD-5 mg/L	300	15	2870	855	172
COD mg/L	1348	156	7009	2400	626
Total Suspended Solids mg/L	116	40	1125	1260	108
Nitrite-Nitrate mg N/L	<0.01	57.2	0.55	0.51	<0.01
pH	8.00	5.38	3.77	9.79	7.88
Total Phosphorus (P) mg P/L	21.5	22.4	21.0	7.3	1.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 03, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 27, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 03, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 27, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0731-7-2009	427	280 - 520		
DCO mg/L	<1	DMR-0731-7-DCO-2009	329	239 - 379	156	157
DCO mg/L	<1	DMR-0731-7-DCO-2009	329	239 - 379		
M.E.S. mg/L	<1	MES 22-10-2009	246	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0731-2009-NO2	2.4	2.0 - 2.6		
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	7.1	6.0 - 8.2		
pH		Std pH 7.00	7.03	6.96 - 7.04	5.38	5.41
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: November 03, 2009

Lab number: 71709:71713

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-52230

Sampling date: November 02, 2009
Sampling hour: 09:30
Date received: November 03, 2009
Sampling location: STP-OUT
Sampled by: Martin Thériault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	369 000 CFU/ml	M-BHAA-1,0	November 03, 2009
Fecal coliforms	300 CFU/100ml	M-COLI-1,0	November 03, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	November 03, 2009
Atypical colonies	119 000 CFU/100ml	M-COLI-2,0	November 03, 2009
Temperature	9.1 °C	M-TEMP-1.0	November 03, 2009

Reported on: November 06, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Waste Water

Lab number:	72061	72062	72063	72064	72065
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	02-11-2009	02-11-2009	02-11-2009	02-11-2009	02-11-2009
Ammonia (NH ₃ -NH ₄) mg N/L	170	37.0	1.0	0.94	14.0
BOD-5 mg/L	370	23	1310	858	175
COD mg/L	826	138	3409	1655	408
Total Suspended Solids mg/L	123	43	468	313	86
Nitrite-Nitrate mg N/L	<0.01	64.0	0.01	<0.01	<0.01
pH	7.55	5.71	4.35	6.29	7.16
Total Phosphorus (P) mg P/L	20.8	20.2	8.6	2.9	1.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 16, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 16, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 03, 2009

Sampled by: M.Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.40	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.40	2.10 - 2.84	14.0	14.2
DBO5 mg/L	< 1	Std-DMR-0731-7-2009	419	280 - 520		
DCO mg/L	<1	DMR-0731-7-DCO-2009	330	239 - 379		
M.E.S. mg/L	<1	MES 22-10-2009	249	194 - 306	313	323
M.E.S. mg/L	<1	MES 22-10-2009	249	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0731-2009-NO2	2.3	2.0 - 2.6		
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	8.0	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
pH		Std pH 7.00	7.02	6.96 - 7.04	7.16	7.21
Phosphore total (P) mg P/L	<0.01	DMR-0659-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: November 16, 2009

Lab number: 72061:72065

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-52585

Sampling date: November 10, 2009
Sampling hour: N/D
Date received: November 12, 2009
Sampling location: STP-OUT
Sampled by: Steve Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 800 CFU/ml	M-BHAA-1,0	November 12, 2009
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	November 12, 2009
Total coliforms	9 000 CFU/100ml	M-COLI-2,0	November 12, 2009
Atypical colonies	26 000 CFU/100ml	M-COLI-2,0	November 12, 2009
Temperature	5.9 °C	M-TEMP-1.0	November 12, 2009

Reported on: November 16, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 12, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	72683	72684	72685	72686	72687
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	10-11-2009	10-11-2009	10-11-2009	10-11-2009	10-11-2009
Ammonia (NH ₃ -NH ₄) mg N/L	149	30.8	4.3	0.64	19.6
BOD-5 mg/L	343	11	2341	1329	158
COD mg/L	691	90	4209	1540	736
Total Suspended Solids mg/L	126	48	2760	764	116
Nitrite-Nitrate mg N/L	0.04	56.9	0.08	0.05	0.04
pH	7.79	4.86	5.18	9.49	7.66
Total Phosphorus (P) mg P/L	19.1	20.7	11.8	2.6	3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 20, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 12, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 20, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 12, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.40	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0659-2009-NH3	2.40	2.10 - 2.84	4.3	4.2
DBO5 mg/L	< 1	Std-DMR-0796-2009-7	425	280 - 520		
DCO mg/L	<1	Std-DMR-0796-2009-9	310	239 - 379		
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306		
Nitrites-Nitrates mg N/L	0.01	DMR-0731-2009-NO2	2.4	2.0 - 2.6	56.9	59.5
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	7.7	6.0 - 8.2		
Nitrites-Nitrates mg N/L	0.01	DMR-0731-2009-NO2	2.4	2.0 - 2.6		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: November 20, 2009

Lab number: 72683:72687

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-52647

Sampling date: November 16, 2009
Sampling hour: N/D
Date received: November 17, 2009
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	260 000 CFU/ml	M-BHAA-1,0	November 17, 2009
Fecal coliforms	30 CFU/100ml	M-COLI-1,0	November 17, 2009
Total coliforms	<1 000 CFU/100ml	M-COLI-2,0	November 17, 2009
Atypical colonies	85 000 CFU/100ml	M-COLI-2,0	November 17, 2009
Temperature	14.3 °C	M-TEMP-1.0	November 17, 2009

Reported on: November 20, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 17, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Lab number:	72847	72848	72850	72851
Sample name:	STP-IN	STP-OUT	G. Water Kitchen	G. Water Nova
Sampling date:	16-11-2009	16-11-2009	16-11-2009	16-11-2009
Ammonia (NH ₃ -NH ₄) mg N/L	165	32.8	1.7	26.8
BOD-5 mg/L	309	9	1099	160
COD mg/L	1147	126	2333	400
Total Suspended Solids mg/L	188	41	148	156
Nitrite-Nitrate mg N/L	0.04	56.8	0.09	0.05
pH	8.05	5.97	6.55	8.13
Total Phosphorus (P) mg P/L	21.1	19.6	3.5	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 24, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 17, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 24, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 17, 2009

Sampled by: Steve Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.30	2.10 - 2.84	165	162
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0796-2009-7	404	280 - 520		
DCO mg/L	< 1	Std-DMR-0796-2009-9	319	239 - 379		
M.E.S. mg/L	<1	MES 05-11-2009	247	194 - 306		
Nitrites-Nitrates mg N/L	0.01	DMR-0731-2009-NO2	2.5	2.0 - 2.6		
Nitrites-Nitrates mg N/L		MR-0731-2009-NO2-NC	7.7	6.0 - 8.2		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0659-2009-Ptotal	1.3	1.0 - 1.4	19.6	19.8

Reported on: November 24, 2009

Lab number: 72847:72848,72850:72851

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-52814

Sampling date: November 23, 2009
Sampling hour: 08:45
Date received: November 24, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 820 000 CFU/ml	M-BHAA-1,0	November 24, 2009
Fecal coliforms	<100 CFU/100ml	M-COLI-1,0	November 24, 2009
Total coliforms	<100 CFU/100ml	M-COLI-2,0	November 24, 2009
Atypical colonies	2 600 CFU/100ml	M-COLI-2,0	November 24, 2009
Temperature	11.8 °C	M-TEMP-1.0	November 24, 2009

Reported on: December 08, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	73196	73197	73198	73199	73200
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	23-11-2009	23-11-2009	23-11-2009	23-11-2009	23-11-2009
Ammonia (NH ₃ -NH ₄) mg N/L	159	38.6	4.3	2.7	52.8
BOD-5 mg/L	371	13	2631	1575	212
COD mg/L	1092	103	4720	2065	387
Total Suspended Solids mg/L	196	24	1844	748	74
Nitrite-Nitrate mg N/L	0.01	54.9	0.07	<0.01	<0.01
pH	8.09	5.76	5.17	5.88	8.34
Total Phosphorus (P) mg P/L	22.0	18.7	9.5	7.3	3.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2009

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 24, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.40	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.40	2.10 - 2.84	2.7	2.7
DBO5 mg/L	< 1	Std-DMR-0796-2009-7	424	280 - 520		
DCO mg/L	<2	Std-DMR-0796-2009-9	307	239 - 379		
M.E.S. mg/L	<1	MES 05-11-2009	242	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0796-2009-NO2-NC	7.2	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0796-2009-NO2-NC	7.2	6.0 - 8.2	0.01	0.01
pH		Std pH 7.00	7.02	6.96 - 7.04		
pH		Std pH 7.00	7.02	6.96 - 7.04	5.76	5.79
Phosphore total (P) mg P/L	<0.01	DMR-0796-2009-Ptotal	1.10	1.02 - 1.38	9.5	9.0
Phosphore total (P) mg P/L	<0.01	DMR-0796-2009-Ptotal	1.10	1.02 - 1.38		

Reported on: November 30, 2009

Lab number: 73196:73200

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-53055

Sampling date: December 01, 2009
Sampling hour: 08:45
Date received: December 02, 2009
Sampling location: STP-OUT
Sampled by: Nicolas Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	>500 000 CFU/ml	M-BHAA-1,0	December 02, 2009
Fecal coliforms	190 CFU/100ml	M-COLI-1,0	December 02, 2009
Total coliforms	2 000 CFU/100ml	M-COLI-2,0	December 02, 2009
Atypical colonies	136 000 CFU/100ml	M-COLI-2,0	December 02, 2009
Temperature	11.1 °C	M-TEMP-1.0	December 02, 2009

Reported on: December 07, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 02, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Lab number:	73664	73665	73666	73667	73668
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	01-12-2009	01-12-2009	01-12-2009	01-12-2009	01-12-2009
Ammonia (NH ₃ -NH ₄) mg N/L	165	33.4	1.4	1.2	26.3
BOD-5 mg/L	367	19	1369	1254	136
COD mg/L	1288	158	5023	2512	474
Total Suspended Solids mg/L	168	9	750	1016	88
Nitrite-Nitrate mg N/L	0.05	48.1	0.39	0.04	0.03
pH	7.99	6.74	4.94	6.08	7.92
Total Phosphorus (P) mg P/L	23.9	25.0	6.9	4.8	1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 09, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 02, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 09, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 02, 2009

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0796-2009-7	349	280 - 520		
DCO mg/L	<2	Std-DMR-0796-2009-9	331	239 - 379		
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306		
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306	750	720
Nitrites-Nitrates mg N/L	<0.01	MR-0796-2009-NO2-NC	7.6	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0796-2009-NO2-NC	7.6	6.0 - 8.2	0.04	0.04
pH		Std pH 7.00	7.03	6.96 - 7.04		
pH		Std pH 7.00	7.03	6.96 - 7.04	7.99	8.01
Phosphore total (P) mg P/L	0.02	DMR-0796-2009-Ptotal	1.20	1.02 - 1.38		

Reported on: December 09, 2009

Lab number: 73664:73668

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-53161

Sampling date: December 07, 2009
Sampling hour: N/D
Date received: December 08, 2009
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	142 000 CFU/ml	M-BHAA-1,0	December 08, 2009
Fecal coliforms	350 CFU/100ml	M-COLI-1,0	December 08, 2009
Total coliforms	6 000 CFU/100ml	M-COLI-2,0	December 08, 2009
Atypical colonies	18 000 CFU/100ml	M-COLI-2,0	December 08, 2009
Temperature	9.3 °C	M-TEMP-1.0	December 08, 2009

Reported on: December 11, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 08, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	73855	73856	73858	73859
Sample name:	STP-IN	STP-OUT	G. Water Kitchen	G. Water Nova
Sampling date:	07-12-2009	07-12-2009	07-12-2009	07-12-2009
Ammonia (NH ₃ -NH ₄) mg N/L	139	31.0	0.72	6.7
BOD-5 mg/L	362	16	779	146
COD mg/L	415	81	879	254
Total Suspended Solids mg/L	164	37	536	90
Nitrite-Nitrate mg N/L	0.04	49.7	0.04	0.04
pH	8.14	6.52	5.11	7.88
Total Phosphorus (P) mg P/L	19.0	18.2	2.4	1.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 08, 2009
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2009

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 08, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.30	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0796-2009-7	407	280 - 520		
DCO mg/L	<2	Std-DMR-0796-2009-9	312	239 - 379		
M.E.S. mg/L	<1	MES 05-11-2009	250	194 - 306		
Nitrites-Nitrates mg N/L	0.02	MR-0796-2009-NO2-NC	8.1	6.0 - 8.2		
Nitrites-Nitrates mg N/L	0.02	MR-0796-2009-NO2-NC	8.1	6.0 - 8.2	49.7	50.1
pH		Std pH 7.00	7.03	6.96 - 7.04		
pH		Std pH 7.00	7.03	6.96 - 7.04	6.52	6.46
Phosphore total (P) mg P/L	0.01	DMR-0796-2009-Ptotal	1.20	1.02 - 1.38	19.0	18.0
Phosphore total (P) mg P/L	0.01	DMR-0796-2009-Ptotal	1.20	1.02 - 1.38		

Reported on: December 14, 2009

Lab number: 73855:73856,73858:73859

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-53411

Sampling date: December 14, 2009
Sampling hour: 08:00
Date received: December 15, 2009
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	225 000 CFU/ml	M-BHAA-1,0	December 15, 2009
Fecal coliforms	1 700 CFU/100ml	M-COLI-1,0	December 15, 2009
Total coliforms	6 000 CFU/100ml	M-COLI-2,0	December 15, 2009
Atypical colonies	70 000 CFU/100ml	M-COLI-2,0	December 15, 2009
Temperature	11.9 °C	M-TEMP-1.0	December 15, 2009

Reported on: December 18, 2009

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 15, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	74217	74218	74219	74220
Sample name:	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	14-12-2009	14-12-2009	14-12-2009	14-12-2009
Ammonia (NH ₃ -NH ₄) mg N/L	36.7	1.7	1.6	13.1
BOD-5 mg/L	22	1195	2172	132
COD mg/L	126	3010	2728	324
Total Suspended Solids mg/L	46	436	1008	248
Nitrite-Nitrate mg N/L	49.4	0.06	0.03	0.03
pH	6.33	6.65	5.41	7.74
Total Phosphorus (P) mg P/L	20.1	14.8	12.0	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 22, 2009

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 15, 2009

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Value		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 22, 2009

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 15, 2009

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.60	2.10 - 2.84		
DBO5 mg/L	<1	Std-DMR-0899-2009-7	397	280 - 520		
DCO mg/L	<2	Std-DMR-0796-2009-9	310	239 - 379	324	331
DCO mg/L	<2	Std-DMR-0796-2009-9	310	239 - 379		
M.E.S. mg/L	<1	MES 09-12-2009	249	194 - 306		
Nitrites-Nitrates mg N/L	0.02	DMR-0796-2009-NO ₂ -NO ₃	8.0	6.0 - 8.2		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0796-2009-Ptotal	1.20	1.02 - 1.38		

Reported on: December 22, 2009

Lab number: 74217:74220

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 26, 2009
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 03, 2009

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-69040

Sampling date: September 07, 2009
Sampling hour: 08:00
Date received: September 08, 2009
Sampling location: MBK Tankfarm
Sampled by: N.Saucier/M.Thériault
Matrix: Waste Water
Sample name: MBK Tankfarm

Parameter	Result	Method name	Date analyzed
B.T.E.X.		Sous-traitance\Maxxam	
- Benzène	<0.2 µg/L	Sous-traitance\Maxxam	September 14, 2009
- Toluène	<0.1 µg/L	Sous-traitance\Maxxam	September 14, 2009
- Éthylbenzène	<0.1 µg/L	Sous-traitance\Maxxam	September 14, 2009
- Xylenes (o,m,p)	<0.47 µg/L	Sous-traitance\Maxxam	September 14, 2009
Total oil and grease	<2 mg/L	M-HYD-1.0	September 11, 2009
Hydrocarbons (C10-C50)	<0.1 mg/L	M-HYD-2.0	September 15, 2009
Arsenic (As)	0.0056 mg/L	M-MET-3.0	September 10, 2009
Copper (Cu)	0.0034 mg/L	M-MET-3.0	September 10, 2009
Iron (Fe)	0.15 mg/L	M-MET-3.0	September 10, 2009
Nickel (Ni)	0.0048 mg/L	M-MET-3.0	September 10, 2009
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	September 10, 2009
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	September 10, 2009

Reported on: September 23, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-69040

Sampling date: September 07, 2009
Sampling hour: 08:00
Date received: September 08, 2009
Sampling location: MBK Tankfarm
Sampled by: N.Saucier/M.Thériault
Matrix: Waste Water
Sample name: MBK Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Total oil and grease	2 mg/L		M-HYD-1.0
Hydrocarbons (C10-C50)	0.1 mg/L		M-HYD-2.0
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: September 23, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-69040
Sampling date: September 07, 2009
Sampling hour: 08:00
Date received: September 08, 2009
Sampling location: MBK Tankfarm
Sampled by: N.Saucier/M.Thériault
Matrix: Waste Water
Sample name: MBK Tankfarm

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0524-09-18	0.266	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	EU DMR-0524-09-18	1.13	1.04 - 1.40		
Iron (Fe) mg/L	<0.01	EU DMR-0524-09-18	9.3	8.8 - 12.0		
Total oil and grease mg/L	<2					
Hydrocarbons (C10-C50) mg/L	<0.1	dmr-0581-2009-14	19.7	14.6 - 27.2		
Hydrocarbons (C10-C50) mg/L		DMR-0659-2009-14	17.5	14.6 - 27.2		
Nickel (Ni) mg/L	<0.0005	EU DMR-0524-09-18	1.05	0.98 - 1.32		
Lead (Pb) mg/L	<0.0005	EU DMR-0524-09-18	1.067	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	EU DMR-0524-09-18	3.99	3.83 - 5.19		

Reported on: September 23, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64666

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	9 mg/L	M-SOLI-1.0	June 25, 2009
pH	7.65	M-PH-2.0	June 24, 2009

Reported on: June 25, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64666
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: June 25, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64666
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-06-2009	244	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	

Reported on: June 25, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64667

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
Hydrocarbures (C10-C50)	<0.1 mg/L	M-HYD-2.0	June 30, 2009

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64667
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Hydrocarbures (C10-C50)	0.1 mg/L		M-HYD-2.0

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64667
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Hydrocarbures (C10-C50) mg/L	<0.1	DMR-0406-2009-14	15.5	14.6 - 27.2	

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64668

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
Composés Organiques Volatiles		Sous-traitance\Maxxam	
- Benzène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Chlorobenzène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,2-Dichlorobenzène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,3-Dichlorobenzène	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,4-dichlorobenzène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Ethylbenzène	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Styrène	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Toluène	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Xylènes Totaux	<0.4 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Chloroforme	<1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Chlorure de vinyle	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,2-dichloroéthane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,1-Dichloroéthylène	<1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- cis-1,2-dichloroéthylène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- trans-1,2-Dichloroéthylène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,2-dichloroéthylène (cis+trans)	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Dichlorométhane	<0.9 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,2-dichloropropane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,3-dichloropropane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009

Reported on: July 03, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64668

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
- 1,3-dichloropropène (cis+trans)	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,1,2,2-tétrachloroéthane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Tétrachloroéthylène	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Tétrachlorure de Carbone	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,1,1-Trichloroéthane	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,1,2-Trichloroéthane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Trichloroéthylène	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Pentachloroéthane	<0.4 µg/L	Sous-traitance\Maxxam	June 29, 2009
- Hexachloroéthane	<0.1 µg/L	Sous-traitance\Maxxam	June 29, 2009
- 1,1-Dichloroéthane	<0.2 µg/L	Sous-traitance\Maxxam	June 29, 2009

Reported on: July 03, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64669

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
Total oil and grease	2 mg/L	M-HYD-1.0	June 25, 2009

Reported on: June 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64669
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Total oil and grease	2 mg/L		M-HYD-1.0

Reported on: June 26, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64670

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0013 mg/L	M-MET-3.0	June 29, 2009
Copper (Cu)	0.0019 mg/L	M-MET-3.0	June 29, 2009
Iron (Fe)	0.51 mg/L	M-MET-3.0	June 29, 2009
Nickel (Ni)	0.0011 mg/L	M-MET-3.0	June 29, 2009
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	June 29, 2009
Zinc (Zn)	0.010 mg/L	M-MET-3.0	June 29, 2009

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64670

Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-64670
Sampling date: June 22, 2009
Sampling hour: 09:00
Date received: June 23, 2009
Sampling location: BL Tankfarm
Sampled by: Ryan VanEngen
Matrix: Water
Sample name: BL Tankfarm

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0316-18	0.258	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	Met EU DMR-0316-18	1.22	1.04 - 1.40		
Iron (Fe) mg/L	<0.01	Met EU DMR-0316-18	10.9	8.8 - 12.0		
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0316-18	1.07	0.98 - 1.32		
Lead (Pb) mg/L	<0.0005	Met EU DMR-0316-18	0.821	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	Met EU DMR-0316-18	4.84	3.83 - 5.19		

Reported on: June 30, 2009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.