

RECEIVED

By Licensing Administrator at 11:17 am, May 06, 2011

Appendix F1

Document: *Certificates of Analysis*

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 29, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water

Lab number:	83006	83007
Sample name:	BL Tankfarm	Meadowbank Tankfarm
Sampling date:	22-06-2010	22-06-2010
BTEX (L)		
- Benzène µg/L	<0.3	<0.3
- Toluène µg/L	<0.3	<0.3
- Éthylbenzène µg/L	<0.3	<0.3
- Xylènes µg/L	<0.3	<0.3
Hydrocarbons (C10-C50) mg/L	0.1	<0.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83646

Sampling date: July 08, 2010
Sampling hour: 09:15
Date received: July 12, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: B.L. Tank farm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	July 12, 2010
BTEX (L)		Sous-traitance\Multilab Val d'Or	
- Benzène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 12, 2010
- Toluène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 12, 2010
- Éthylbenzène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 12, 2010
- Xylènes Totaux	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 12, 2010
Copper (Cu)	0.0030 mg/L	M-MET-3.0	July 12, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	July 12, 2010
Iron (Fe)	0.67 mg/L	M-MET-3.0	July 12, 2010
Total oil and grease	<1 mg/L	Sous-traitance\Multilab Val d'Or	July 13, 2010
Total Suspended Solids	11 mg/L	M-SOLI-1.0	July 13, 2010
Nickel (Ni)	0.0008 mg/L	M-MET-3.0	July 12, 2010
Nitrite-Nitrate	0.13 mg N/L	M-NITR-2.0	July 15, 2010
pH	7.24	M-PH-2.0	July 12, 2010
Lead (Pb)	0.0058 mg/L	M-MET-3.0	July 12, 2010
Zinc (Zn)	0.009 mg/L	M-MET-3.0	July 12, 2010

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83646
Sampling date: July 08, 2010
Sampling hour: 09:15
Date received: July 12, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: B.L. Tank farm

Commentaire

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83646
Sampling date: July 08, 2010
Sampling hour: 09:15
Date received: July 12, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: B.L. Tank farm

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83646
Sampling date: July 08, 2010
Sampling hour: 09:15
Date received: July 12, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: B.L. Tank farm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.264	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.21	1.04 - 1.40	
Total Cyanide (CNt) mg/L	<0.005	DMR-0444-2010-2	1.54	1.41 - 1.91	
Iron (Fe) mg/L	<0.01 M EU	DMR-0347-10-18	10.4	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 07-07-2010	250	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.16	0.98 - 1.32	
Nitrite-Nitrate mg N/L	<0.01 M EU	DMR-0444-2010-NO2-NO3	7.2	6.0 - 8.2	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.100	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.71	3.83 - 5.19	

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Benzène (µg/L)	<0.3	30juin2010_MR12.5	13.6	8.75 - 16.2		
Benzène (µg/L)	<0.3	30juin2010_MR12.2	13.6	8.75 - 16.2		
Ethylbenzène (µg/L)	<0.3	30juin2010_MR12.5	11.7	8.75 - 16.2		
Éthylbenzène (µg/L)	<0.3	30juin2010_12.5	11.7	8.75 - 16.2		
Hydrocarbure (C10C50) mg/L	<0.1	dmr-0444-2010-14	19.6	14.6 - 27.2		
Hydrocarbure (C10-C50) mg/L	<0.1	dmr-0444-2010-14	20.7	14.6 - 27.2		
Toluène (µg/L)	<0.3	30juin2010_12.5	12.6	8.75 - 16.2		
Toluène (µg/L)	<0.3	30juin2010_MR12.5	12.6	8.75 - 16.2		
Xylènes Totaux (µg/L)	<0.3	30juin2010_12.5	33.0	26.5 - 48.7		
Xylènes Totaux (µg/L)	<0.3	30juin2010_MR12.5	33.0	26.25 - 48.7		

Reported on: February 14, 2011
Lab number: 83006:83007

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306	12	13
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	7	7
M.E.S. mg/L	<1	MES 09-12-2009	250	194 - 306		
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	17	15
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	7.6	7.7
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7		
Turbidité UTN		DMR-0796-2009-Turb	7.2	5.5 - 8.7		

Reported on: January 06, 2010

Lab number: 74823:74837,74840:74848

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74823	74824	74825	74826	74827	74828	74829	74830
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	22-12-2009	22-12-2009	23-12-2009	23-12-2009	23-12-2009	24-12-2009	24-12-2009	25-12-2009
Total Suspended Solids mg/L	2	3	2	3	<1	3	17	<1
Turbidity NTU	1.5	2.3	3.7	8.0	0.65	6.7	11.8	7.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74831	74832	74833	74834	74835	74836	74837	74840
Sample name:	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL
Sampling date:	25-12-2009	26-12-2009	26-12-2009	27-12-2009	27-12-2009	28-12-2009	28-12-2009	30-12-2009
Total Suspended Solids mg/L	3	18	9	3	2	<1	2	<1
Turbidity NTU	7.6	8.1	7.5	6.0	6.3	3.0	7.6	0.50

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74841	74842	74843	74844	74845	74846	74847	74848
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	31-12-2009	31-12-2009	01-01-2010	01-01-2010	02-01-2010	02-01-2010	03-01-2010	03-01-2010
Total Suspended Solids mg/L	2	2	7	12	7	3	14	2
Turbidity NTU	2.8	3.8	2.2	3.2	2.0	1.2	1.9	2.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet C-74823 to C-74837

Delay du for the following parameters, results anr only indicatif : T.S.S.and Turbidity.

Projet C-74840 to C-74846

Delay du for the following parameters, results anr only indicatif : Turbidity.

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.79	5.27 - 7.13	
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	

Reported on: January 15, 2010
Lab number: 74821:74822

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74821	74822
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	04-01-2010	04-01-2010
Aluminium (Al) mg/L	0.464	0.323
Total Suspended Solids mg/L	3	1
Turbidity NTU	2.3	1.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.79	5.27 - 7.13	
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306	
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	

Reported on: January 15, 2010
Lab number: 74821:74822

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	74821	74822
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	04-01-2010	04-01-2010
Aluminium (Al) mg/L	0.464	0.323
Total Suspended Solids mg/L	3	1
Turbidity NTU	2.3	1.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	74838	74839
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	30-12-2009	30-12-2009
Aluminium (Al) mg/L	0.217	0.270
Total Suspended Solids mg/L	3	6
Turbidity NTU	5.4	5.7

Commentary:

Projet 74838

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 74839

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 15, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Name	Standard		Sample duplicate	
			Result	Limit	1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.79	5.27 - 7.13		
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306		
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7		
Turbidité UTN		DMR-0796-2009-Turb	7.4	5.5 - 8.7	5.7	5.8

Reported on: January 15, 2010
Lab number: 74838:74839

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 08, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	75084	75085	75086	75087	75088	75089	75090
Sample name:	DD-WTP-02	BG-HVH-5	BGE-4	BGE-1	TPL-Receive.-Drill	DD-TPL	DD-WTP-02
Sampling date:	05-01-2010	05-01-2010	05-01-2010	05-01-2010	06-01-2010	06-01-2010	06-01-2010
Total Suspended Solids mg/L	<1	<1	<1	<1	20	<1	2
Turbidity NTU	1.86	2.12	2.12	2.28	14.5	0.26	2.25

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 08, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 12, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 04-01-2010	250	194 - 306	
Turbidité UTN		DMR-0796-2009-Turb	6.8	5.5 - 8.7	

Reported on: January 13, 2010
Lab number: 75145:75149

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 12, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	75145	75146	75147	75148	75149
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-02
Sampling date:	07-01-2010	08-01-2010	09-01-2010	09-01-2010	10-01-2010
Total Suspended Solids mg/L	2	8	3	3	8
Turbidity NTU	1.82	1.52	1.14	1.13	1.68

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 12, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Commentaire

Sampling date:

Projet 75145

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 75146

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 75147

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 75148

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 13, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 12, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75150
Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-02
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-02

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.22	5.27 - 7.13		
Total Suspended Solids mg/L	<1	MES 04-01-2010	250	194 - 306		
Turbidity UTN		DMR-0796-2009-Turb	6.8	5.5 - 8.7		

Reported on: January 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75150

Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-02
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.202 mg/L	M-MET-3.0	January 20, 2010
Total Suspended Solids	5 mg/L	M-SOLI-1.0	January 13, 2010
Turbidity	1.57 NTU	M-TURB-1.0	January 12, 2010

Reported on: January 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75150

Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-02
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: January 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 20, 2010
Sampled by: N. Saucier/M. Thériault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 04-01-2010	256	194 - 306		
M.E.S. mg/L	<1	MES 04-01-2010	256	194 - 306	2	1
Turbidité UTN		DMR-0899-2009-Turb	7.3	5.6 - 8.8	2.1	2.0
Turbidité UTN		DMR-0899-2009-Turb	7.3	5.6 - 8.8		

Reported on: January 21, 2010
Lab number: 75548:75557

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 20, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	75548	75549	75550	75551	75552	75553	75554	75555
Sample name:	DD-WTP-02	DD-WTP-02	DD-TPL	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	12-01-2010	13-01-2010	13-01-2010	14-01-2010	15-01-2010	15-01-2010	16-01-2010	16-01-2010
Total Suspended Solids mg/L	4	8	<1	2	2	3	4	4
Turbidity NTU	1.1	3.8	0.51	1.2	2.1	1.5	1.2	1.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	75556	75557
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	17-01-2010	17-01-2010
Total Suspended Solids mg/L	4	3
Turbidity NTU	2.9	2.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Commentaire

Sampling date:

Projet 75548

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S. et Turbidité.

Projet 75549 to 75557

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	75616	75617
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	19-01-2010	19-01-2010
Aluminium (Al) mg/L	0.433	0.472
Total Suspended Solids mg/L	3	3
pH	7.05	7.07
Turbidity NTU	1.7	1.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 28, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 28, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 20, 2010

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.48	5.27 - 7.13	
M.E.S. mg/L	<1	MES 20-01-2010	236	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	7.2	5.6 - 8.8	

Reported on: January 28, 2010
Lab number: 75616:75617

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 22, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	75695	75696
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	20-01-2010	20-01-2010
Total Suspended Solids mg/L	3	4
Turbidity NTU	2.25	1.52

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 22, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 25, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75697
Sampling date: January 20, 2010
Sampling hour: N/D
Date received: January 22, 2010
Sampling location: DD-TPL-ENV
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 20-01-2010	241	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidity UTN		DMR-0899-2009-Turb	7.1	5.6 - 8.8	

Reported on: January 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75697

Sampling date: January 20, 2010
Sampling hour: N/D
Date received: January 22, 2010
Sampling location: DD-TPL-ENV
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	January 25, 2010
pH	7.25	M-PH-2.0	January 25, 2010
Turbidity	0.27 NTU	M-TURB-1.0	January 22, 2010

Reported on: January 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75697

Sampling date: January 20, 2010
Sampling hour: N/D
Date received: January 22, 2010
Sampling location: DD-TPL-ENV
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: January 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 22, 2010

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	241	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	7.1	5.6 - 8.8	

Reported on: January 25, 2010
Lab number: 75695:75696

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 28, 2010
Sampled by: N. Saucier/M. Thériault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 20-01-2010	246	194 - 306		
M.E.S. mg/L	<1	MES 20-01-2010	248	194 - 306	7	6
M.E.S. mg/L	<1	MES 20-01-2010	246	194 - 306	8	9
M.E.S. mg/L	<1	MES 20-01-2010	248	194 - 306		
Turbidité UTN		DMR-0899-2009-Turb	6.7	5.6 - 8.8		

Reported on: January 29, 2010
Lab number: 75850:75861

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 28, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	75850	75851	75852	75853	75854	75855	75856	75857
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	21-01-2010	21-01-2010	22-01-2010	22-01-2010	23-01-2010	23-01-2010	24-01-2010	24-01-2010
Total Suspended Solids mg/L	7	6	8	7	5	9	6	5
Turbidity NTU	3.2	1.8	1.6	2.0	3.2	4.4	6.0	2.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 29, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 28, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	75858	75859	75860	75861
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	25-01-2010	25-01-2010	26-01-2010	26-01-2010
Total Suspended Solids mg/L	9	6	5	6
Turbidity NTU	2.7	2.2	3.3	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 29, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 28, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Commentary

Projet 75850 to 75859

Delay is du for the following parameter, results are only indicatives: turbidity.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 29, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 28, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 29, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 28, 2010
Sampled by: N.Saucier/Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.15	5.27 - 7.13	
M.E.S. mg/L	<1	MES 20-01-2010	248	194 - 306	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	6.7	5.6 - 8.8	

Reported on: February 02, 2010
Lab number: 75862:75863

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 28, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	75862	75863
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	27-01-2010	27-01-2010
Aluminium (Al) mg/L	0.735	0.721
Total Suspended Solids mg/L	8	7
pH	7.27	7.26
Turbidity NTU	3.6	4.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 02, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 28, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 02, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 29, 2010

Sampled by: Nicolas Saucier

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	258	194 - 306	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	6.7	5.6 - 8.8	

Reported on: February 01, 2010
Lab number: 75907:75909

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 29, 2010
Sampled by: Nicolas Saucier
Matrix: Waste Water

Lab number:	75907	75908	75909
Sample name:	DD-TPL	DD-WTP-01	DD-WTP-02
Sampling date:	28-01-2010	28-01-2010	28-01-2010
Total Suspended Solids mg/L	6	12	10
pH	6.75	---	---
Turbidity NTU	0.90	1.2	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 01, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 29, 2010
Sampled by: Nicolas Saucier
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 01, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 03, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 20-01-2010	237	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	1.4 1.3

Reported on: February 05, 2010
Lab number: 76095:76100

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 03, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	76095	76096	76097	76098	76099	76100
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	29-01-2010	29-01-2010	30-01-2010	30-01-2010	01-02-2010	01-02-2010
Total Suspended Solids mg/L	8	6	3	3	6	3
Turbidity NTU	2.0	3.3	1.4	1.4	1.7	1.4

Commentary

Project 76095 to 76098

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 05, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 03, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 05, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 03, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.96	5.27 - 7.13	
M.E.S. mg/L	<1	MES 20-01-2010	237	194 - 306	
pH		Std pH 7.00	7.01	6.96 - 7.04	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	

Reported on: February 05, 2010
Lab number: 76101:76102

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 03, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76101	76102
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	02-02-2010	02-02-2010
Aluminium (Al) mg/L	0.835	0.427
Total Suspended Solids mg/L	18	13
pH	7.28	7.26
Turbidity NTU	4.3	3.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 05, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 03, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 05, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 20-01-2010	249	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	7.6	5.6 - 8.8	
Turbidité UTN		DMR-0899-2009-Turb	7.6	5.6 - 8.8	4.9 4.4

Reported on: February 11, 2010
Lab number: 76273:76281

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76273	76274	76275	76276	76277	76278	76279	76280
Sample name:	DD-WTP-01	DD-WTP-02	DD-TPL-ENV	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	03-02-2010	03-02-2010	03-02-2010	05-02-2010	05-02-2010	06-02-2010	06-02-2010	07-02-2010
Total Suspended Solids mg/L	2	3	<1	6	4	13	9	6
Turbidity NTU	3.7	2.3	0.43	4.1	4.9	4.2	3.3	3.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76281
Sample name:	DD-WTP-02
Sampling date:	07-02-2010
Total Suspended Solids mg/L	1
Turbidity NTU	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 11, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	M EU DMR-0796-09-18	6.25	5.27 - 7.13		
M.E.S. mg/L	<1	MES 20-01-2010	249	194 - 306		
M.E.S. mg/L	<1	MES 20-01-2010	249	194 - 306	1	2
pH		Std pH 7.00	7.01	6.96 - 7.04		
Turbidité UTN		DMR-0899-2009-Turb	7.6	5.6 - 8.8		

Reported on: February 12, 2010
Lab number: 76282:76283

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76282	76283
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	08-02-2010	08-02-2010
Aluminium (Al) mg/L	0.467	0.454
Total Suspended Solids mg/L	1	3
pH	7.33	7.27
Turbidity NTU	3.4	2.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 12, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 12, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 11, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76503	76504	76505	76506
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	09-02-2010	09-02-2010	10-02-2010	10-02-2010
Total Suspended Solids mg/L	12	7	17	9
Turbidity NTU	12.0	4.0	11.8	2.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 11, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 12, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 11, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	265	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	6.5	5.6 - 8.8	

Reported on: February 12, 2010
Lab number: 76503:76506

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76596	76597	76598	76599	76600	76601	76602
Sample name:	DD-WTP-01	DD-WTP-02	DD-TPL-ENV	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	11-02-2010	11-02-2010	10-02-2010	12-02-2010	12-02-2010	13-02-2010	13-02-2010
Total Suspended Solids mg/L	12	2	<1	2	3	4	4
Turbidity NTU	14.1	2.1	0.21	4.58	2.45	7.35	6.56

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 17, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 76596 à 76602

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: February 17, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 17, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	0.21 0.29

Reported on: February 17, 2010
Lab number: 76596:76602

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	6.9	5.6 - 8.8	

Reported on: February 19, 2010
Lab number: 76603:76604

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76603	76604
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	15-02-2010	15-02-2010
Total Suspended Solids mg/L	11	4
pH	7.41	7.42
Turbidity NTU	8.76	4.81

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 19, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 19, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 18, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	255	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	6.8	5.6 - 8.8	

Reported on: February 19, 2010
Lab number: 76779:76780

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 18, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	76779	76780
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	16-02-2010	16-02-2010
Total Suspended Solids mg/L	6	13
Turbidity NTU	1.8	3.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 19, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 18, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 19, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 18, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Water

Lab number:	76781	76782
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	17-02-2010	17-02-2010
Aluminium (Al) mg/L	0.455	0.628
Total Suspended Solids mg/L	7	10
pH	7.29	7.25
Turbidity NTU	3.2	10.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 18, 2010
Sampled by: N. Saucier/M. Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 23, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 18, 2010

Sampled by: N. Saucier /M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	7.07	5.27 - 7.13	
M.E.S. mg/L	<1	MES 20-01-2010	251	194 - 306	
M.E.S. mg/L	<1	MES 20-01-2010	255	194 - 306	7 9
pH		Std pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	6.8	5.6 - 8.8	

Reported on: February 23, 2010
Lab number: 76781:76782

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 19, 2010

Sampled by: Nicolas Saucier

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 20-01-2010	255	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	6.3	5.6 - 8.8	

Reported on: February 22, 2010
Lab number: 76825:76826

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 19, 2010

Sampled by: Nicolas Saucier

Matrix: Water

Lab number:	76825	76826
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	18-02-2010	18-02-2010
Total Suspended Solids mg/L	5	6
Turbidity NTU	4.1	5.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 22, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 19, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 22, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 23, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	7.2	5.6 - 8.8	
Turbidité UTN		DMR-0899-2009-Turb	7.2	5.6 - 8.8	5.7 5.3

Reported on: February 24, 2010
Lab number: 76881:76885

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 23, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	76881	76882	76883	76884	76885
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	19-02-2010	20-02-2010	20-02-2010	21-02-2010	21-02-2010
Total Suspended Solids mg/L	2	6	7	6	8
Turbidity NTU	2.6	4.8	2.9	5.7	8.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 24, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 23, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 24, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 23, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	7.09	5.27 - 7.13	
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0899-2009-Turb	7.2	5.6 - 8.8	

Reported on: February 25, 2010
Lab number: 76886:76887

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 23, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	76886	76887
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	22-02-2010	22-02-2010
Aluminium (Al) mg/L	0.299	0.341
Total Suspended Solids mg/L	4	4
pH	7.00	7.06
Turbidity NTU	3.3	3.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 23, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 25, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 26, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 24-02-2010	243	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	7.1	5.6 - 8.8	

Reported on: March 02, 2010
Lab number: 77054:77057

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 26, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77054	77055	77056	77057
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	24-02-2010	24-02-2010	23-02-2010	23-02-2010
Total Suspended Solids mg/L	2	4	4	2
Turbidity NTU	2.1	2.6	1.6	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 26, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Commentaire

Sampling date:

Projet 77054

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77055

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77056

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77057

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: March 02, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 26, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 26, 2010

Sampled by: N. Saucier/ M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 24-02-2010	243	194 - 306	
Turbidité UTN		DMR-0899-2009-Turb	7.1	5.6 - 8.8	

Reported on: March 02, 2010
Lab number: 77062:77063

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 26, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	77062	77063
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	25-02-2010	25-02-2010
Total Suspended Solids mg/L	4	4
Turbidity NTU	3.6	3.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 26, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 02, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES 24-02-2010	253	194 - 306		
Turbidité UTN	<0.02	DMR-0103-2010-4	5.60	4.65 - 7.35		
Turbidité UTN	<0.02	DMR-0103-2010-4	5.60	4.65 - 7.35	2.1	2.0

Reported on: March 03, 2010
Lab number: 77126:77127

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77126	77127
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	26-02-2010	26-02-2010
Total Suspended Solids mg/L	6	4
Turbidity NTU	2.0	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 02, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	7.06	5.27 - 7.13	
M.E.S. mg/L	<1	MES 24-02-2010	253	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
pH		Std pH 7.00	7.02	6.96 - 7.04	7.03
Turbidité UTN	<0.02	DMR-0103-2010-4	5.60	4.65 - 7.35	7.06

Reported on: March 04, 2010
Lab number: 77124:77125

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77124	77125
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	01-03-2010	01-03-2010
Aluminium (Al) mg/L	0.416	0.580
Total Suspended Solids mg/L	7	16
pH	6.95	7.03
Turbidity NTU	4.5	16.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 04, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 04, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 24-02-2010	245	194 - 306		
M.E.S. mg/L	<1	MES 24-02-2010	245	194 - 306	5	5
Turbidité UTN		DMR-0103-2010-4	6.60	4.65 - 7.35		

Reported on: March 10, 2010
Lab number: 77486:77496

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77486	77487	77488	77489	77490	77491	77492	77493
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	02-03-2010	02-03-2010	03-03-2010	03-03-2010	04-03-2010	04-03-2010	05-03-2010	05-03-2010
Total Suspended Solids mg/L	3	22	3	8	3	5	4	9
Turbidity NTU	3.0	7.9	2.3	4.8	2.5	4.6	2.8	3.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77494	77495	77496
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-02
Sampling date:	06-03-2010	06-03-2010	07-03-2010
Total Suspended Solids mg/L	8	29	5
Turbidity NTU	4.6	7.2	7.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 09, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Commentaire

Sampling date:

Projet 77486

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77487

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77488

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77489

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: March 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 09, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Commentaire

Sampling date:

Projet 77490

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77491

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77492

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77493

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: March 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 10, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	7.01	5.27 - 7.13	
M.E.S. mg/L	<1	MES 24-02-2010	245	194 - 306	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	6.60	4.65 - 7.35	
Turbidité UTN		DMR-0103-2010-4	6.60	4.65 - 7.35	21.1 21.4

Reported on: March 17, 2010
Lab number: 77497:77498

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77497	77498
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	08-03-2010	08-03-2010
Aluminium (Al) mg/L	0.306	0.836
Total Suspended Solids mg/L	8	20
pH	7.03	7.09
Turbidity NTU	3.1	21.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 11, 2010

Sampled by: S.Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 24-02-2010	247	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.20	4.65 - 7.35	1.2 1.4
Turbidité UTN		DMR-0103-2010-4	6.20	4.65 - 7.35	

Reported on: March 12, 2010
Lab number: 77647:77650

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 11, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77647	77648	77649	77650
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	09-03-2010	09-03-2010	10-03-2010	10-03-2010
Total Suspended Solids mg/L	2	15	5	7
Turbidity NTU	1.2	11.2	3.1	3.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 11, 2010
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 12, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77651

Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: DD-TPL-ENV
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	March 12, 2010
pH	6.83	M-PH-2.0	March 12, 2010
Turbidity	1.9 NTU	M-TURB-1.0	March 11, 2010

Reported on: March 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77651

Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: DD-TPL-ENV
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: March 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77651

Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: DD-TPL-ENV
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 24-02-2010	247	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Turbidity UTN		DMR-0103-2010-4	6.20	4.65 - 7.35	

Reported on: March 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 24-02-2010	257	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	14.0 14.8

Reported on: March 17, 2010
Lab number: 77777:77783

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	77777	77778	77779	77780	77781	77782	77783
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	11-03-2010	11-03-2010	12-03-2010	12-03-2010	13-03-2010	13-03-2010	14-03-2010
Total Suspended Solids mg/L	8	22	7	11	7	12	13
Turbidity NTU	8.8	14.0	7.2	6.6	3.8	4.7	10.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 77777

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77778

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77779

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77780

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 77781

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 77782

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: March 17, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	6.28	5.27 - 7.13	
M.E.S. mg/L	<1	MES 24-02-2010	257	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: March 19, 2010
Lab number: 77784:77785

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	77784	77785
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	15-03-2010	15-03-2010
Aluminium (Al) mg/L	0.318	0.724
Total Suspended Solids mg/L	7	18
pH	7.51	7.44
Turbidity NTU	5.5	14.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 19, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 19, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 18, 2010

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	239	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.30	4.65 - 7.35	

Reported on: March 19, 2010
Lab number: 77938:77941

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 18, 2010
Sampled by: Martin Thériault
Matrix: Water

Lab number:	77938	77939	77940	77941
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	16-03-2010	16-03-2010	17-03-2010	17-03-2010
Total Suspended Solids mg/L	2	6	4	9
Turbidity NTU	3.2	8.2	6.4	4.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 19, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 18, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 19, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77942

Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	March 19, 2010
pH	6.71	M-PH-2.0	March 18, 2010
Turbidity	0.83 NTU	M-TURB-1.0	March 18, 2010

Reported on: March 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77942

Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: March 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77942

Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL-ENV

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	239	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Turbidity UTN		DMR-0103-2010-4	6.30	4.65 - 7.35	

Reported on: March 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 24, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	78073	78074	78075	78076	78077	78078
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	18-03-2010	18-03-2010	19-03-2010	19-03-2010	20-03-2010	20-03-2010
Total Suspended Solids mg/L	8	8	6	27	6	6
Turbidity NTU	5.8	8.1	9.8	10.7	6.1	8.8

Commentaire

Sampling date:

Projet 78073 : 78078

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 25, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 24, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 24, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	78079	78080
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	22-03-2010	22-03-2010
Aluminium (Al) mg/L	0.388	0.535
Total Suspended Solids mg/L	6	9
pH	7.15	7.05
Turbidity NTU	4.6	6.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 24, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 25, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 24, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	6.07	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	253	194 - 306	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	5.90	4.65 - 7.35	

Reported on: March 25, 2010
Lab number: 78079:78080

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 26, 2010
Sampled by: Martin Thériault
Matrix: Water

Lab number:	78207	78208	78210	78211
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	25-03-2010	25-03-2010	23-03-2010	23-03-2010
Total Suspended Solids mg/L	3	2	7	8
Turbidity NTU	4.6	3.8	6.7	13.0

Commentaire

Sampling date:

Projet 78210 : 78211

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 31, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 26, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 31, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 26, 2010

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	249	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: March 31, 2010

Lab number: 78207:78208,78210:78211

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 26, 2010
Sampled by: Martin Thériault
Matrix: Water

Lab number:	78212	78213	78214	78215	78216	78217	78209
Sample name:	BGC-1	BGC-2	BGC-3	BGC-4	BGC-5	BGC-6	DD-TPL-ENV
Sampling date:	23-03-2010	23-03-2010	23-03-2010	23-03-2010	23-03-2010	23-03-2010	24-03-2010
Total Suspended Solids mg/L	3	5	29	10	2	3	2
pH	6.61	6.57	6.57	6.67	6.66	6.67	6.63
Turbidity NTU	4.8	7.7	41.2	9.1	3.3	4.3	0.74

Commentaire

Sampling date:

Projet 78212 : 78217, 78209

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 26, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 26, 2010

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	249	194 - 306	
pH		Std pH 7.00	6.97	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	4.8 4.7
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: March 30, 2010
Lab number: 78209,78212:78217

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78447	78448
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	26-03-2010	26-03-2010
Total Suspended Solids mg/L	4	4
Turbidity NTU	2.9	4.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 06, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 78447:78448

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 02, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 06, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 02, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	249	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.40	4.65 - 7.35	

Reported on: April 06, 2010
Lab number: 78447:78448

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 31, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78349	78350	78351	78352	78353	78354
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	26-03-2010	26-03-2010	27-03-2010	27-03-2010	28-03-2010	28-03-2010
Total Suspended Solids mg/L	9	18	8	8	6	16
Turbidity NTU	7.0	18.6	4.8	6.1	4.1	23.6

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 31, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 31, 2010

Sampled by: S.Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306		
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306	8	7
Turbidité UTN		DMR-0103-2010-4	5.80	4.65 - 7.35		

Reported on: April 02, 2010
Lab number: 78349:78354

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 31, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	78355	78356
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	29-03-2010	29-03-2010
Aluminium (Al) mg/L	0.445	0.589
Total Suspended Solids mg/L	4	4
pH	7.21	7.17
Turbidity NTU	3.6	4.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 31, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 02, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 31, 2010

Sampled by: S.Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	6.65	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	5.80	4.65 - 7.35	

Reported on: April 02, 2010
Lab number: 78355:78356

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78475

Sampling date: March 31, 2010
Sampling hour: 08:00
Date received: April 06, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	7 mg/L	M-SOLI-1.0	April 07, 2010
pH	7.79	M-PH-2.0	April 06, 2010
Turbidity	3.1 NTU	M-TURB-1.0	April 06, 2010

Reported on: April 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78475
Sampling date: March 31, 2010
Sampling hour: 08:00
Date received: April 06, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Commentaire

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité, pH.

Reported on: April 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78475

Sampling date: March 31, 2010
Sampling hour: 08:00
Date received: April 06, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: April 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78475

Sampling date: March 31, 2010
Sampling hour: 08:00
Date received: April 06, 2010
Sampling location: DD-TPL
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	MES 16-03-2010	251	194 - 306		
pH		Std pH 7.00	6.99	6.96 - 7.04		
Turbidity UTN		DMR-0103-2010-4	5.80	4.65 - 7.35	3.1	3.2

Reported on: April 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 06, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	78465	78466	78467	78468	78469	78470	78471	78472
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	01-04-2010	01-04-2010	02-04-2010	02-04-2010	03-04-2010	03-04-2010	04-04-2010	04-04-2010
Total Suspended Solids mg/L	6	6	6	4	3	2	6	6
Turbidity NTU	4.0	2.6	4.4	4.0	2.3	2.3	7.7	6.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78481	78482	78483	78484	78485	78486
Sample name:	BGC-1	BGC-2	BGC-3	BGC-4	BGC-5	BGC-6
Sampling date:	30-03-2010	30-03-2010	30-03-2010	30-03-2010	30-03-2010	30-03-2010
Total Suspended Solids mg/L	2	9	20	28	8	<1
Turbidity NTU	4.6	14.1	26.7	24.6	9.5	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 78465 : 78470

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 78481 : 78486

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 07, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 06, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	78465	78466	78467	78468	78469	78470	78471	78472
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	01-04-2010	01-04-2010	02-04-2010	02-04-2010	03-04-2010	03-04-2010	04-04-2010	04-04-2010
Total Suspended Solids mg/L	6	6	6	4	3	2	6	6
Turbidity NTU	4.0	2.6	4.4	4.0	2.3	2.3	7.7	6.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78481	78482	78483	78484	78485	78486
Sample name:	BGC-1	BGC-2	BGC-3	BGC-4	BGC-5	BGC-6
Sampling date:	30-03-2010	30-03-2010	30-03-2010	30-03-2010	30-03-2010	30-03-2010
Total Suspended Solids mg/L	2	9	20	28	8	<1
Turbidity NTU	4.6	14.1	26.7	24.6	9.5	3.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 78465 : 78470

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 78481 : 78486

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: April 07, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 07, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 06, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-18	7.13	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	5.80	4.65 - 7.35	

Reported on: April 13, 2010
Lab number: 78473:78474

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78473	78474
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	05-04-2010	05-04-2010
Aluminium (Al) mg/L	0.278	0.606
Total Suspended Solids mg/L	8	9
pH	8.28	7.86
Turbidity NTU	3.8	8.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	247	194 - 306	
Turbidité UTN		DMR-0103-2010-4	5.80	4.65 - 7.35	

Reported on: April 12, 2010
Lab number: 78853:78856

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78853	78854	78855	78856
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	06-04-2010	06-04-2010	07-04-2010	07-04-2010
Total Suspended Solids mg/L	7	8	8	9
Turbidity NTU	4.2	4.3	4.1	4.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78916

Sampling date: April 07, 2010
Sampling hour: 08:00
Date received: April 13, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	April 14, 2010
pH	6.78	M-PH-2.0	April 14, 2010
Turbidity	4.4 NTU	M-TURB-1.0	April 13, 2010

Reported on: April 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78916
Sampling date: April 07, 2010
Sampling hour: 08:00
Date received: April 13, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: April 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78916

Sampling date: April 07, 2010
Sampling hour: 08:00
Date received: April 13, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	251	194 - 306	
pH		Std pH 7.00	6.98	6.96 - 7.04	
Turbidity UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: April 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 13, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: April 14, 2010
Lab number: 78917:78920

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 13, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	78917	78918	78919	78920
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	10-04-2010	10-04-2010	11-04-2010	11-04-2010
Total Suspended Solids mg/L	11	4	8	4
Turbidity NTU	10.6	2.0	7.4	3.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 14, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 13, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 14, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 13, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	6.08	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306	
pH		Std pH 7.00	6.97	6.96 - 7.04	
Turbidité UTN		DMR-0103-2010-4	6.00	4.65 - 7.35	

Reported on: April 20, 2010
Lab number: 78921:78922

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 13, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	78921	78922
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	12-04-2010	12-04-2010
Total Suspended Solids mg/L	6	7
Turbidity NTU	4.1	6.6
Aluminium (Al) mg/L	0.524	0.586
pH	7.00	6.95

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 13, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 15, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	247	194 - 306	
M.E.S. mg/L	<1	MES 16-03-2010	247	194 - 306	11 9
Turbidité UTN		DMR-0175-2010-turb	5.90	4.65 - 7.35	

Reported on: April 16, 2010
Lab number: 79131:79132

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 15, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Lab number:	79131	79132
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	13-04-2010	13-04-2010
Total Suspended Solids mg/L	7	11
Turbidity NTU	4.9	4.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 15, 2010
Sampled by: Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 16, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 16, 2010
Sampled by: M.Thériault/N.Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	249	194 - 306	
pH		Std pH 7.00	6.97	6.96 - 7.04	
Turbidité UTN		DMR-0175-2010-turb	6.00	4.65 - 7.35	

Reported on: April 20, 2010
Lab number: 79205:79209

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 16, 2010

Sampled by: Martin Thériault/Nicolas Saucier

Matrix: Water

Lab number:	79205	79206	79207	79208	79209
Sample name:	DD-WTP-01	DD-WTP-02	DD-TPL	DD-WTP-01	DD-WTP-02
Sampling date:	15-04-2010	15-04-2010	15-04-2010	14-04-2010	14-04-2010
Total Suspended Solids mg/L	11	7	2	8	5
Turbidity NTU	7.9	3.7	0.80	2.7	3.0
pH	---	---	6.87	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 20, 2010
Sampled by: M. Thériault/N. Saucier
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	244	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	5.90	4.65 - 7.35	4.3 4.6
Turbidité UTN		DMR-0175-2010-turb	5.90	4.65 - 7.35	

Reported on: April 21, 2010
Lab number: 79256:79261

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 20, 2010
Sampled by: Martin Thériault/Nicolas Saucier
Matrix: Water

Lab number:	79256	79257	79258	79259	79260	79261
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	16-04-2010	16-04-2010	17-04-2010	17-04-2010	18-04-2010	18-04-2010
Total Suspended Solids mg/L	4	9	5	<1	5	9
Turbidity NTU	4.3	9.2	5.5	2.5	3.0	8.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 20, 2010
Sampled by: Martin Thériault/Nicolas Saucier
Matrix: Water

Commentaire

Sampling date:

Projet 79256 : 79259

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 20, 2010
Sampled by: Martin Thériault/Nicolas Saucier
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 21, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	79423	79424
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	19-04-2010	19-04-2010
Total Suspended Solids mg/L	5	7
Turbidity NTU	10.6	12.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 23, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 23, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 16-03-2010	246	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	12.8 12.1

Reported on: April 23, 2010
Lab number: 79423:79424

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Lab number:	79425	79426
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	20-04-2010	20-04-2010
Aluminium (Al) mg/L	0.480	0.487
Total Suspended Solids mg/L	4	2
pH	6.95	7.04
Turbidity NTU	11.7	10.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 27, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 27, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2010

Sampled by: N.Saucier/M. Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	6.38	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	246	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	

Reported on: April 27, 2010
Lab number: 79425:79426

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2010

Sampled by: Martin Thériault

Matrix: Water

Lab number:	79433	79434
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	21-04-2010	21-04-2010
Total Suspended Solids mg/L	4	4
Turbidity NTU	7.1	7.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 23, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 23, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	246	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	

Reported on: April 23, 2010
Lab number: 79433:79434

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79435

Sampling date: April 21, 2010
Sampling hour: 10:15
Date received: April 22, 2010
Sampling location: DD-TPL
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	April 23, 2010
pH	6.64	M-PH-2.0	April 23, 2010
Turbidity	0.76 NTU	M-TURB-1.0	April 22, 2010

Reported on: April 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79435

Sampling date: April 21, 2010
Sampling hour: 10:15
Date received: April 22, 2010
Sampling location: DD-TPL
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: April 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79435
Sampling date: April 21, 2010
Sampling hour: 10:15
Date received: April 22, 2010
Sampling location: DD-TPL
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	246	194 - 306	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Turbidity UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	

Reported on: April 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	79604	79605	79606	79607	79608	79609
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	22-04-2010	22-04-2010	24-04-2010	24-04-2010	25-04-2010	25-04-2010
Total Suspended Solids mg/L	4	6	10	10	13	22
Turbidity NTU	10.2	8.6	16.3	7.7	10.6	14.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 79604 : 79607

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 16-03-2010	225	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	5.80	4.65 - 7.35	
Turbidité UTN		DMR-0175-2010-turb	5.80	4.65 - 7.35	8.6 8.5

Reported on: April 28, 2010
Lab number: 79604:79609

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	79610	79611
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	26-04-2010	26-04-2010
Aluminium (Al) mg/L	0.771	0.727
Total Suspended Solids mg/L	7	16
pH	7.17	7.18
Turbidity NTU	6.5	10.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met	EU DMR-0008-10-11	7.13	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	225	194 - 306	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0175-2010-turb	5.80	4.65 - 7.35	

Reported on: May 03, 2010
Lab number: 79610:79611

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 30, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	79823	79824	79825	79826	79827	79828
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	27-04-2010	27-04-2010	28-04-2010	28-04-2010	29-04-2010	29-04-2010
Total Suspended Solids mg/L	10	2	3	4	3	4
Turbidity NTU	17.7	9.2	8.7	7.3	8.0	6.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 30, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 79823 to 79824

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 30, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 16-03-2010	245	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	6.30	4.65 - 7.35	
Turbidité UTN		DMR-0175-2010-turb	6.30	4.65 - 7.35	7.3 7.5

Reported on: May 03, 2010
Lab number: 79823:79828

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79822

Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	18 mg/L	M-SOLI-1.0	April 30, 2010
pH	7.78	M-PH-2.0	May 03, 2010
Turbidity	2.7 NTU	M-TURB-1.0	April 30, 2010

Reported on: May 05, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79822

Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 05, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79822
Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: S.Gaudreault/J.Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	268	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		DMR-0175-2010-turb	6.30	4.65 - 7.35	

Reported on: May 05, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 04, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	

Reported on: May 05, 2010
Lab number: 79933:79938

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	79933	79934	79935	79936	79937	79938
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	30-04-2010	30-04-2010	01-05-2010	01-05-2010	02-05-2010	02-05-2010
Total Suspended Solids mg/L	8	8	7	5	6	9
Turbidity NTU	8.5	10.5	4.0	3.5	4.5	8.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 05, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 79933 to 79936

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 05, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 04, 2010

Sampled by: S.Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	7.09	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	4.6
Turbidité UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	4.7

Reported on: May 10, 2010
Lab number: 79939:79940

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 04, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	79939	79940
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	03-05-2010	03-05-2010
Aluminium (Al) mg/L	0.440	0.387
Total Suspended Solids mg/L	6	8
pH	7.47	7.16
Turbidity NTU	4.6	6.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 10, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 07, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	80239	80244	80246
Sample name:	DD-WTP-01	BGC-2	BGC-4
Sampling date:	04-05-2010	04-05-2010	04-05-2010
Total Suspended Solids mg/L	5	2	<1
Turbidity NTU	0.87	1.4	1.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 10, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 07, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	248	194 - 306	
Turbidité UTN		DMR-0175-2010-turb	5.80	4.65 - 7.35	

Reported on: May 10, 2010
Lab number: 80239,80244,80246

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 07, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	248	194 - 306	
Turbidité UTN		DMR-0282-2010-Turb	6.30	4.65 - 7.35	

Reported on: May 12, 2010
Lab number: 80240:80242

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 07, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	80240	80241	80242
Sample name:	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	04-05-2010	05-05-2010	05-05-2010
Total Suspended Solids mg/L	8	3	3
Turbidity NTU	8.1	3.8	4.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80251

Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	8 mg/L	M-SOLI-1.0	May 10, 2010
pH	5.83	M-PH-2.0	May 06, 2010
Turbidity	5.6 NTU	M-TURB-1.0	May 12, 2010

Reported on: May 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80251
Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80251
Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	248	194 - 306	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Turbidity UTN		DMR-0282-2010-Turb	6.30	4.65 - 7.35	

Reported on: May 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 16-03-2010	238	194 - 306		
M.E.S. mg/L	<1	MES 16-03-2010	238	194 - 306	1	2
Turbidité UTN		DMR-0282-2010-Turb	5.80	4.65 - 7.35	8.7	8.8
Turbidité UTN		DMR-0282-2010-Turb	5.80	4.65 - 7.35		

Reported on: May 12, 2010
Lab number: 80287:80294

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Lab number:	80287	80288	80289	80290	80291	80292	80293	80294
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	06-05-2010	06-05-2010	07-05-2010	07-05-2010	08-05-2010	08-05-2010	09-05-2010	09-05-2010
Total Suspended Solids mg/L	4	2	5	5	4	7	1	2
Turbidity NTU	8.5	6.8	8.7	8.1	7.9	8.7	5.8	5.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Commentaire

Sampling date:

Projet 80287 : 80292

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 12, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	7.13	5.27 - 7.13	
M.E.S. mg/L	<1	MES 16-03-2010	238	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0282-2010-Turb	5.80	4.65 - 7.35	

Reported on: May 14, 2010
Lab number: 80295:80296

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 11, 2010

Sampled by: Martin Thériault

Matrix: Water

Lab number:	80295	80296
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	10-05-2010	10-05-2010
Aluminium (Al) mg/L	0.554	0.478
Total Suspended Solids mg/L	8	6
pH	7.00	7.05
Turbidity NTU	8.8	7.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 14, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 11, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 14, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 13, 2010

Sampled by: Martin Thériault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 16-03-2010	247	194 - 306	
Turbidité UTN		DMR-0282-2010-Turb	6.10	4.65 - 7.35	
Turbidité UTN		DMR-0282-2010-Turb	6.10	4.65 - 7.35	2.0 1.9

Reported on: May 14, 2010
Lab number: 80535:80542

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 13, 2010
Sampled by: Martin Thériault
Matrix: Water

Lab number:	80535	80536	80537	80538	80539	80540	80541	80542
Sample name:	DD-WTP-01	DD-WTP-02	BGC-1	BGC-2	BGC-3	BGC-4	BGC-5	BGC-6
Sampling date:	11-05-2010	11-05-2010	11-05-2010	11-05-2010	11-05-2010	11-05-2010	11-05-2010	11-05-2010
Total Suspended Solids mg/L	6	14	1	2	<1	<1	<1	<1
Turbidity NTU	6.5	12.1	1.4	2.6	0.61	2.0	2.0	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 14, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 13, 2010
Sampled by: Martin Thériault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 14, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 18, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	80674	80675	80676
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	12-05-2010	12-05-2010	15-05-2010
Total Suspended Solids mg/L	11	12	14
Turbidity NTU	10.5	15.1	5.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 19, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 18, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 14-05-2010	251	194 - 306	
Turbidité UTN		DMR-0282-2010-Turb	5.90	4.65 - 7.35	10.5 11.2
Turbidité UTN		DMR-0282-2010-Turb	5.90	4.65 - 7.35	

Reported on: May 19, 2010
Lab number: 80674:80676

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80543

Sampling date: May 12, 2010
Sampling hour: 09:00
Date received: May 13, 2010
Sampling location:
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	May 14, 2010
pH	6.94	M-PH-2.0	May 13, 2010
Turbidity	1.5 NTU	M-TURB-1.0	May 13, 2010

Reported on: May 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80543

Sampling date: May 12, 2010
Sampling hour: 09:00
Date received: May 13, 2010
Sampling location:
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80543

Sampling date: May 12, 2010
Sampling hour: 09:00
Date received: May 13, 2010
Sampling location:
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 16-03-2010	247	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Turbidity UTN		DMR-0282-2010-Turb	6.10	4.65 - 7.35	

Reported on: May 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80878

Sampling date: May 19, 2010
Sampling hour: 09:00
Date received: May 20, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	May 21, 2010
pH	6.54	M-PH-2.0	May 20, 2010
Turbidity	0.58 NTU	M-TURB-1.0	May 20, 2010

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80878

Sampling date: May 19, 2010
Sampling hour: 09:00
Date received: May 20, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80878
Sampling date: May 19, 2010
Sampling hour: 09:00
Date received: May 20, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 14-05-2010	257	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidity UTN		DMR-0282-2010-Turb	5.90	4.65 - 7.35	

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 07, 2010
Sampled by: S.Tapp/J. Kataluk
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 31-05-2010	250	194 - 306	

Reported on: June 11, 2010
Lab number: 81753:81761

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 07, 2010
Sampled by: Samuel Tapp/Jamie Kataluk
Matrix: Water

Lab number:	81753	81754	81755	81756	81757	81758	81759	81760
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-02	DD-WTP-01	BGC-1	BGC-2	BGC-3	BGC-1
Sampling date:	27-05-2010	27-05-2010	29-05-2010	30-05-2010	28-05-2010	28-05-2010	28-05-2010	30-05-2010
Total Suspended Solids mg/L	7	7	4	<1	14	<1	<1	9
Turbidity NTU	2.6	5.2	<0.1	0.4	4.6	0.5	0.2	3.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 07, 2010
Sampled by: Samuel Tapp/Jamie Kataluk
Matrix: Water

Lab number:	81761
Sample name:	BGC-3
Sampling date:	30-05-2010
Total Suspended Solids mg/L	<1
Turbidity NTU	0.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 07, 2010
Sampled by: Samuel Tapp/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 81753 : 81761

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S. et Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 07, 2010
Sampled by: Samuel Tapp/Jamie Kataluk
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 04, 2010

Sampled by: N/D

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Conductivité µmhos/cm		Std-Cond-03/06/2010	1423	1204 - 1630		
M.E.S. mg/L	<1	MES 31-05-2010	247	194 - 306		
M.E.S. mg/L	<1	MES 31-05-2010	247	194 - 306	14	14
pH		Std pH 7.00	7.01	6.96 - 7.04		

Reported on: June 11, 2010
Lab number: 81667:81674

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 04, 2010

Sampled by: N/D

Matrix: Water

Lab number:	81667	81668	81669	81670	81671	81672	81673	81674
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	BGC-3
Sampling date:	28-05-2010	28-05-2010	29-05-2010	30-05-2010	30-05-2010	31-05-2010	31-05-2010	29-05-2010
Conductivity $\mu\text{mhos/cm}$	95	91	94	89	89	95	94	23
Total Suspended Solids mg/L	7	6	7	22	14	15	11	2
pH	6.91	6.92	6.89	6.94	7.01	6.90	6.94	6.42
Turbidity NTU	0.2	<0.1	<0.1	<0.1	0.2	<0.1	<0.1	0.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 04, 2010
Sampled by: N/D
Matrix: Water

Commentaire

Sampling date:

Projet 81667

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81668

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81669

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81670

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 04, 2010

Sampled by: N/D

Matrix: Water

Commentaire

Sampling date:

Projet 81671

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81672

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81673

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

Projet 81674

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH et Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 11, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 04, 2010
Sampled by: N/D
Matrix: Water

Parameter	Detection limit		
	Valeur		
Conductivity	1	µmhos/cm	M-COND-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 04, 2010

Sampled by: N/D

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	5.82	5.27 - 7.13	

Reported on: June 10, 2010
Lab number: 81676:81677

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 04, 2010
Sampled by: N/D
Matrix: Water

Lab number:	81676	81677
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	31-05-2010	31-05-2010
Aluminium (Al) mg/L	0.369	0.380

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 04, 2010
Sampled by: N/D
Matrix: Water

Detection limit			
Parameter	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 03, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES 31-05-2010	239	194 - 306		
M.E.S. mg/L	<1	MES 31-05-2010	239	194 - 306	2	1
pH		Std pH 7.00	6.99	6.96 - 7.04	6.53	6.51
pH		Std pH 7.00	6.99	6.96 - 7.04		

Reported on: June 11, 2010

Lab number: 81585:81588,81590,81592:81599

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 03, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	81585	81586	81587	81588	81590	81592	81593	81594
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-TPL	BGC-1	BGC-3	BGC-1
Sampling date:	02-06-2010	02-06-2010	01-06-2010	01-06-2010	02-06-2010	01-06-2010	01-06-2010	01-06-2010
Total Suspended Solids mg/L	19	9	13	12	1	22	<1	15
pH	6.98	6.97	6.92	6.96	6.43	6.54	6.37	6.53
Turbidity NTU	0.5	0.5	0.2	0.3	<0.1	5.9	0.6	5.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Lab number:	81595	81596	81597	81598	81599
Sample name:	BGC-3	BGC-1	BGC-3	BGC-1	BGC-3
Sampling date:	01-06-2010	31-05-2010	31-05-2010	31-05-2010	31-05-2010
Total Suspended Solids mg/L	<1	17	<1	37	2
pH	6.37	6.54	6.37	6.58	6.40
Turbidity NTU	0.8	3.5	0.6	13	0.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 08, 2010

Sampled by: Samuel Tapp/Philip Roy/Sylvain Doire

Matrix: Water

Lab number:	81876	81877	81878	81879	81880	81881	81882	81883
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	03-06-2010	03-06-2010	04-06-2010	04-06-2010	05-06-2010	05-06-2010	06-06-2010	06-06-2010
Total Suspended Solids mg/L	25	19	11	14	11	19	8	11
Turbidity NTU	<0.1	<0.1	<0.1	<0.1	0.1	0.4	<0.1	0.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 08, 2010
Sampled by: Samuel Tapp/Philip Roy/Sylvain Doire
Matrix: Water

Lab number:	81886	81887	81888	81889	81890	81891	81892
Sample name:	BGC-1	BGC-3	BGC-1	BGC-3	BGC-1	BGC-3	BGC-1
Sampling date:	02-06-2010	02-06-2010	03-06-2010	03-06-2010	04-06-2010	04-06-2010	05-06-2010
Total Suspended Solids mg/L	25	4	28	1	20	5	16
Turbidity NTU	2.7	0.7	7.7	0.4	2.7	0.8	4.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 08, 2010
Sampled by: Samuel Tapp/Philip Roy/Sylvain Doire
Matrix: Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 10, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Water

Lab number:	82120	82121	82126	82128	82129	82130	82131	82132
Sample name:	DD-WTP-01	DD-WTP-02	DD-TPL	BGC-1	BGC-2	BGC-3	BGC-1	BGC-2
Sampling date:	08-06-2010	08-06-2010	09-06-2010	07-06-2010	07-06-2010	07-06-2010	08-06-2010	08-06-2010
Total Suspended Solids mg/L	10	20	2	13	9	2	21	13
Turbidity NTU	8.5	5.3	1.2	15.1	13.1	0.17	22.1	21.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water

Lab number:	82133
Sample name:	BGC-3
Sampling date:	08-06-2010
Total Suspended Solids mg/L	2
Turbidity NTU	2.6

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 10, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	6.58	5.27 - 7.13	

Reported on: June 15, 2010
Lab number: 82122:82123

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Lab number:	82122	82123
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	09-06-2010	09-06-2010
Aluminium (Al) mg/L	1.31	1.10

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 10, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 31-05-2010	253	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Turbidité UTN		DMR-0347-2010-4	5.4	4.7 - 7.4	

Reported on: June 11, 2010
Lab number: 82124:82125

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Lab number:	82124	82125
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	09-06-2010	09-06-2010
Total Suspended Solids mg/L	14	20
pH	6.73	6.82
Turbidity NTU	11.5	8.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 10, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 11, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82126

Sampling date: June 09, 2010
Sampling hour: 09:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	June 11, 2010
Turbidity	1.2 NTU	M-TURB-1.0	June 10, 2010
pH	8.17	M-PH-2.0	June 14, 2010

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82126
Sampling date: June 09, 2010
Sampling hour: 09:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		M-TURB-1.0
pH	N.D.		M-PH-2.0

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82126
Sampling date: June 09, 2010
Sampling hour: 09:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: S.Tapp/P. Roy
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 31-05-2010	253	194 - 306	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Turbidity UTN		DMR-0347-2010-4	5.4	4.7 - 7.4	

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 15, 2010

Sampled by: Martin Thériault/Philip Roy

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES 31-05-2010	260	194 - 306	13	12
M.E.S. mg/L	<1	MES 31-05-2010	260	194 - 306		
Turbidité UTN		DMR-0347-2010-4	5.3	4.7 - 7.4		
Turbidité UTN		DMR-0347-2010-4	5.3	4.7 - 7.4	10.4	10.1

Reported on: June 16, 2010
Lab number: 82290:82295

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 15, 2010
Sampled by: Martin Thériault/Philip Roy
Matrix: Water

Lab number:	82290	82291	82292	82293	82294	82295
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-02	DD-WTP-02
Sampling date:	10-06-2010	10-06-2010	11-06-2010	11-06-2010	12-06-2010	13-06-2010
Total Suspended Solids mg/L	13	18	11	15	15	18
Turbidity NTU	5.5	6.1	5.8	7.4	10.4	9.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 16, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 15, 2010
Sampled by: Martin Thériault/Philip Roy
Matrix: Water

Commentaire

Sampling date:

Projet 82290 : 82294

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 16, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 15, 2010
Sampled by: Martin Thériault/Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 16, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82296

Sampling date: June 14, 2010
Sampling hour: 08:00
Date received: June 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Thériault/Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.06 mg/L	M-MET-3.0	June 16, 2010
Total Suspended Solids	22 mg/L	M-SOLI-1.0	June 16, 2010
pH	6.54	M-PH-2.0	June 15, 2010
Turbidity	12.2 NTU	M-TURB-1.0	June 15, 2010

Reported on: June 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82296
Sampling date: June 14, 2010
Sampling hour: 08:00
Date received: June 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Thériault/Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: June 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82296
Sampling date: June 14, 2010
Sampling hour: 08:00
Date received: June 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Thériault/Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M	EU DMR-0347-10-18	6.58	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 31-05-2010	260	194 - 306	
pH		Std pH 7.00	6.98	6.96 - 7.04	
Turbidity UTN		DMR-0347-2010-4	5.3	4.7 - 7.4	

Reported on: June 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 17, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Lab number:	82467	82468	82469	82470	82471	82472	82474	82476
Sample name:	DD-WTP-02	BGC-1	BGC-2	BGC-3	Dup-1 BGC-1	Dup-2 WTP-2	DD-WTP-02	Dup-1 WTP-2
Sampling date:	15-06-2010	15-06-2010	15-06-2010	15-06-2010	15-06-2010	15-06-2010	16-06-2010	16-06-2010
Total Suspended Solids mg/L	13	15	10	2	13	13	17	18
Turbidity NTU	9.5	25.6	14.2	2.5	24.9	10.1	14.4	8.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 18, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 17, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 18, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 17, 2010

Sampled by: M.Theriault / P.Roy

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 31-05-2010	243	194 - 306		
M.E.S. mg/L	<1	MES 17-06-2010	224	194 - 306		
M.E.S. mg/L	<1	MES 31-05-2010	243	194 - 306	17	17
Turbidité UTN		DMR-0444-2010-4	5.40	4.65 - 7.35		
Turbidité UTN		DMR-0444-2010-4	5.40	4.65 - 7.35	25.6	26.0

Reported on: June 18, 2010

Lab number: 82467:82472,82474,82476

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 17, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Lab number:	82473	82477
Sample name:	DD-TPL	Dup-2 TPL
Sampling date:	16-06-2010	16-06-2010
Total Suspended Solids mg/L	2	<1
pH	6.45	6.35
Turbidity NTU	0.62	0.64

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 18, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 17, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 18, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 17, 2010

Sampled by: M. Theriault / P. Roy

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 31-05-2010	243	194 - 306	
M.E.S. mg/L	<1	MES 17-06-2010	224	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0444-2010-4	5.40	4.65 - 7.35	

Reported on: June 18, 2010
Lab number: 82473,82477

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 22, 2010
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	82734	82735	82736	82737	82738	82739	82740	82741
Sample name:	DD-WTP-02	DD-WTP-02	up-01 (WTP-0	up-01 (WTP-0	up-01 (WTP-0	DD-WTP-02	up-01 (WTP-0	DD-WTP-02
Sampling date:	20-06-2010	18-06-2010	20-06-2010	18-06-2010	19-06-2010	19-06-2010	17-06-2010	17-06-2010
Total Suspended Solids mg/L	18	32	20	35	17	22	18	18
Turbidity NTU	15.0	17.7	17.3	14.0	13.4	12.7	11.5	10.9

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 22, 2010
Sampled by: Steve Gaudreault
Matrix: Water

Lab number:	82744	82745	82746	82750	82752
Sample name:	BGC-1	BGC-2	BGC-3	DD-TPL	Dup-01 (TPL)
Sampling date:	21-06-2010	21-06-2010	21-06-2010	21-06-2010	21-06-2010
Total Suspended Solids mg/L	34	6	5	2	4
Turbidity NTU	59.5	6.5	2.6	0.55	0.82

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 22, 2010
Sampled by: Steve Gaudreault
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 23, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82742

Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: DD-WTP-02
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.687 mg/L	M-MET-3.0	June 28, 2010
Total Suspended Solids	12 mg/L	M-SOLI-1.0	June 23, 2010
Turbidity	14.1 NTU	M-TURB-1.0	June 22, 2010

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82742
Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: DD-WTP-02
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82742
Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: DD-WTP-02
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M	EU DMR-0347-10-18	6.29	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 17-06-2010	246	194 - 306	
Turbidity UTN		DMR-0444-2010-4	5.50	4.65 - 7.35	

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 29, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Lab number:	82995	82996	82997	82998	82999	83000
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02
Sampling date:	22-06-2010	23-06-2010	24-06-2010	25-06-2010	26-06-2010	27-06-2010
Total Suspended Solids mg/L	13	13	11	13	13	19
Turbidity NTU	5.5	3.4	5.7	6.5	6.6	7.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 30, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 29, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306		
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306	13	13
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35		
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	5.5	5.5

Reported on: June 30, 2010
Lab number: 82995:83000

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	7.09	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.344	0.248 - 0.392	
Cuivre (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.35	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0444-2010-2	1.41	1.41 - 1.91	
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.31	0.98 - 1.32	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.088	0.819 - 1.109	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.95	3.83 - 5.19	

Reported on: July 05, 2010

Lab number: 83001:83002,83004:83005

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Lab number:	83001	83002	83004	83005
Sample name:	DD-WTP-02	Dup-01 (WTP-02)	MMER-1	Dup-01 (MMER)
Sampling date:	28-06-2010	28-06-2010	28-06-2010	28-06-2010
Aluminium (Al) mg/L	1.00	1.07	---	---
Total Suspended Solids mg/L	12	10	20	22
pH	6.68	6.66	6.36	6.43
Turbidity NTU	9.2	8.7	16.0	16.1
Arsenic (As) mg/L	---	---	<0.0005	<0.0005
Copper (Cu) mg/L	---	---	0.0033	0.0026
Total Cyanide (CNt) mg/L	---	---	0.013	<0.005
Nickel (Ni) mg/L	---	---	0.0043	0.0047
Lead (Pb) mg/L	---	---	<0.0003	0.0067
Zinc (Zn) mg/L	---	---	0.013	0.012

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Cyanide (CNt)	0.005	mg/L	M-CN-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
Lead (Pb)	0.0003	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 07-07-2010	249	194 - 306	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	5.8 5.7

Reported on: July 12, 2010
Lab number: 83468:83472

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2010
Sampled by: Martin Theriault / Philip Roy/Sylvain Doire
Matrix: Waste Water

Lab number:	83468	83469	83470	83471	83472
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02
Sampling date:	29-06-2010	30-06-2010	02-07-2010	03-07-2010	04-07-2010
Total Suspended Solids mg/L	8	3	11	11	4
Turbidity NTU	8.2	5.8	5.5	6.7	8.6

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 12, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2010
Sampled by: Martin Theriault / Philip Roy/Sylvain Doire
Matrix: Waste Water

Commentaire

Sampling date:

Projet 83468

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S. et Turbidité.

Projet 83469 à 83472

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 12, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	MES 07-07-2010	249	194 - 306	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	5.8 5.7

Reported on: July 12, 2010
Lab number: 83468:83472

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2010

Sampled by: Martin Theriault / Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	83468	83469	83470	83471	83472
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02
Sampling date:	29-06-2010	30-06-2010	02-07-2010	03-07-2010	04-07-2010
Total Suspended Solids mg/L	8	3	11	11	4
Turbidity NTU	8.2	5.8	5.5	6.7	8.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 12, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2010

Sampled by: Martin Theriault / Philip Roy/Sylvain Doire

Matrix: Waste Water

Commentaire

Sampling date:

Projet 83468

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : M.E.S. et Turbidité.

Projet 83469 à 83472

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 12, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83473

Sampling date: July 05, 2010
Sampling hour: 09:15
Date received: July 07, 2010
Sampling location: DD-WTP-02
Sampled by: M. Theriault / P.Roy/S.Doire
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.483 mg/L	M-MET-3.0	July 08, 2010
Total Suspended Solids	13 mg/L	M-SOLI-1.0	July 09, 2010
Turbidity	11.4 NTU	M-TURB-1.0	July 08, 2010
pH	7.23	M-PH-2.0	July 13, 2010

Reported on: July 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83473

Sampling date: July 05, 2010
Sampling hour: 09:15
Date received: July 07, 2010
Sampling location: DD-WTP-02
Sampled by: M. Theriault / P.Roy/S.Doire
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		M-TURB-1.0
pH	N.D.		M-PH-2.0

Reported on: July 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83473
Sampling date: July 05, 2010
Sampling hour: 09:15
Date received: July 07, 2010
Sampling location: DD-WTP-02
Sampled by: M. Theriault / P.Roy/S.Doire
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M	EU DMR-0347-10-18	6.29	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 07-07-2010	249	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	

Reported on: July 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2010

Sampled by: M. Theriault / P.Roy/S. Doire

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002 M	EU DMR-0347-10-18	6.29	5.27 - 7.13		
M.E.S. mg/L	<1	MES 07-07-2010	249	194 - 306		
M.E.S. mg/L	<1	MES 07-07-2010	249	194 - 306	12	14
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35		

Reported on: July 12, 2010
Lab number: 83473:83474

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2010
Sampled by: Martin Theriault / Philip Roy/Sylvain Doire
Matrix: Waste Water

Lab number:	83473	83474
Sample name:	DD-WTP-02	2010-07-05 DUP2
Sampling date:	05-07-2010	05-07-2010
Aluminium (Al) mg/L	0.483	0.414
Total Suspended Solids mg/L	13	12
Turbidity NTU	11.4	9.2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 07, 2010
Sampled by: Martin Theriault / Philip Roy/Sylvain Doire
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 12, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83533

Sampling date: July 06, 2010
Sampling hour: 15:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	8 mg/L	M-SOLI-1.0	July 09, 2010
Turbidity	8.5 NTU	M-TURB-1.0	July 08, 2010

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83533

Sampling date: July 06, 2010
Sampling hour: 15:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83533
Sampling date: July 06, 2010
Sampling hour: 15:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 07-07-2010	238	194 - 306	
Turbidity UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 08, 2010

Sampled by: Martin Theriault / Philip Roy

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES 07-07-2010	238	194 - 306		
M.E.S. mg/L	<1	MES 07-07-2010	238	194 - 306	<1	<1
pH		Std pH 7.00	6.99	6.96 - 7.04		
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35		

Reported on: July 13, 2010
Lab number: 83534,83536

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 08, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Lab number:	83534	83536
Sample name:	DD-TPL	2010-07-07 DUP2
Sampling date:	07-07-2010	07-07-2010
Total Suspended Solids mg/L	<1	<1
pH	6.52	6.49
Turbidity NTU	0.85	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 08, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 12, 2010
Sampled by: M. Theriault / P.Roy
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 07-07-2010	250	194 - 306	
Turbidité UTN		DMR-0444-2010-4	5.20	4.65 - 7.35	

Reported on: July 13, 2010
Lab number: 83647:83649

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 12, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water

Lab number:	83647	83648	83649
Sample name:	2010-07-07-DUP 1	DD-WTP-02	DD-WTP-02
Sampling date:	07-07-2010	07-07-2010	08-07-2010
Total Suspended Solids mg/L	12	13	16
Turbidity NTU	4.8	4.4	4.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 12, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water

Commentaire

Sampling date:

Projet 83647 : 83649

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 12, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 13, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water

Lab number:	83721	83722
Sample name:	DD-WTP-02	DD-WTP-02
Sampling date:	10-07-2010	11-07-2010
Total Suspended Solids mg/L	14	6
Turbidity NTU	7.3	4.8

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 13, 2010
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 13, 2010

Sampled by: Martin Theriault / Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	MES 07-07-2010	250	194 - 306	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	

Reported on: July 15, 2010
Lab number: 83721:83722

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83723

Sampling date: July 12, 2010
Sampling hour: N/D
Date received: July 13, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	July 14, 2010
pH	6.88	M-PH-2.0	July 13, 2010
Turbidity	2.9 NTU	M-TURB-1.0	July 13, 2010
Aluminium (Al)	0.418 mg/L	M-MET-3.0	July 14, 2010

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83723
Sampling date: July 12, 2010
Sampling hour: N/D
Date received: July 13, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0
Aluminium (Al)	0.002 mg/L		M-MET-3.0

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83723
Sampling date: July 12, 2010
Sampling hour: N/D
Date received: July 13, 2010
Sampling location: DD-WTP-02
Sampled by: M. Theriault / P. Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 M	EU DMR-0347-10-18	7.13	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 07-07-2010	250	194 - 306	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10177

Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault /Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2.4 mg/L	M-SOLI-1.0	July 19, 2010
Turbidity	0.52 NTU	Sous-traitance\Multilab Direct	July 19, 2010

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10177

Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault /Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10177
Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault /P. Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	264	194 - 306		

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 15, 2010
Sampled by: Martin Theriault/ P.Roy
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	264	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: July 19, 2010
Lab number: 10180:10182

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 15, 2010

Sampled by: Martin Theriault/ Philip Roy

Matrix: Waste Water

Lab number:	10180	10181	10182
Sample name:	DD-TPL	DD-WTP-02	Dup-01(DD-WTP-02)
Sampling date:	14-07-2010	13-07-2010	13-07-2010
Total Suspended Solids mg/L	<1	8	6
pH	6.27	---	---
Turbidity NTU	0.39	0.44	0.69

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 19, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10234

Sampling date: July 15, 2010
Sampling hour: N/D
Date received: July 16, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault/Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	8 mg/L	M-SOLI-1.0	July 19, 2010
Turbidity	1.3 NTU	Sous-traitance\Multilab Direct	July 19, 2010

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10234

Sampling date: July 15, 2010
Sampling hour: N/D
Date received: July 16, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault/Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10234
Sampling date: July 15, 2010
Sampling hour: N/D
Date received: July 16, 2010
Sampling location: DD-WTP-02
Sampled by: Martin Theriault/P.Roy
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	264	194 - 306		

Reported on: July 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 20, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10239	10240	10241	10242	10243	10244	10245	10246
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-02	BGS-3	BGS-5	BGE-2	BGS-1	BG-HVH-4
Sampling date:	18-07-2010	17-07-2010	16-07-2010	18-07-2010	18-07-2010	18-07-2010	18-07-2010	18-07-2010
Total Suspended Solids mg/L	11	10	14	1	1	2	4	<1
Turbidity NTU	2.7	1.5	1.7	2.0	1.8	1.9	6.8	1.6
Total Cyanide (CNT) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 21, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 20, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10247	10248	10249	10250	10251	10252	10253
Sample name:	BGS-2	BGE-3	BGS-4	BGE-1	BG-HVH-5	BGS-6	Reclaim pond
Sampling date:	18-07-2010	18-07-2010	18-07-2010	18-07-2010	18-07-2010	18-07-2010	19-07-2010
Total Suspended Solids mg/L	2	<1	<1	<1	<1	1	---
Turbidity NTU	2.1	1.8	1.7	2.0	1.7	2.0	---
Total Cyanide (CNT) mg/L	---	---	---	---	---	---	0.423

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 21, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10238

Sampling date: July 19, 2010
Sampling hour: N/D
Date received: July 20, 2010
Sampling location: DD-WTP-02
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.251 mg/L	Sous-traitance\Multilab Direct	July 22, 2010
Total Suspended Solids	12 mg/L	M-SOLI-1.0	July 21, 2010
pH	5.93	M-PH-2.0	July 20, 2010
Turbidity	3.0 NTU	Sous-traitance\Multilab Direct	July 20, 2010

Reported on: July 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10238
Sampling date: July 19, 2010
Sampling hour: N/D
Date received: July 20, 2010
Sampling location: DD-WTP-02
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	267	194 - 306	
pH		STD pH 7.00	7.01	6.96 - 7.04	

Reported on: July 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 27, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	259	194 - 306	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: July 30, 2010
Lab number: 10322:10323

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 27, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Waste Water

Lab number:	10322	10323
Sample name:	DD-WTP-02	DD-WTP-02
Sampling date:	20-07-2010	21-07-2010
Total Suspended Solids mg/L	36	9
Turbidity NTU	6.3	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 27, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	18.9	15.7 - 21.3	
M.E.S. mg/L	<1	STD-MES-11-08-2009	259	194 - 306	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: July 30, 2010
Lab number: 10327:10334

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 27, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	10327	10328	10329	10330	10331	10332	10333	10334
Sample name:	TPL-1	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02	Reclaim Pond
Sampling date:	21-07-2010	22-07-2010	23-07-2010	24-07-2010	25-07-2010	26-07-2010	26-07-2010	26-07-2010
Total Suspended Solids mg/L	<1	9	1	5	6	4	---	---
pH	5.43	---	---	---	---	6.07	---	---
Turbidity NTU	0.58	1.5	1.6	1.6	2.0	1.6	---	---
Aluminium (Al) mg/L	---	---	---	---	---	---	0.880	---
Total Cyanide (CNT) mg/L	---	---	---	---	---	---	---	0.798

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 27, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Commentaire

Sampling date:

Projet 10327 to 10330

délais dépassé, résultats a titre indicatif pour turbidité

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35	

Reported on: August 04, 2010
Lab number: 10478:10479

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Water

Lab number:	10478	10479
Sample name:	DD-WTP-02	DD-WTP-02
Sampling date:	27-07-2010	28-07-2010
Total Suspended Solids mg/L	10	11
Turbidity NTU	2.4	7.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 04, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 04, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10491	10492	10493	10494	10495
Sample name:	DD-WTP-02	2010-08-01DUP1	DD-WTP-IN	DD-WTP-02	DD-WTP-02
Sampling date:	01-08-2010	01-08-2010	01-08-2010	31-07-2010	30-07-2010
Total Suspended Solids mg/L	13	12	320	14	14
Turbidity NTU	1.6	1.4	311	1.5	1.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 04, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10491	10492	10493	10494	10495
Sample name:	DD-WTP-02	2010-08-01DUP1	DD-WTP-IN	DD-WTP-02	DD-WTP-02
Sampling date:	01-08-2010	01-08-2010	01-08-2010	31-07-2010	30-07-2010
Total Suspended Solids mg/L	13	12	320	14	14
Turbidity NTU	1.6	1.4	311	1.5	1.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 04, 2010

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	320	304
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35	1.2	1.2

Reported on: August 04, 2010
Lab number: 10491:10495

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	320	304
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35	1.2	1.2

Reported on: August 04, 2010
Lab number: 10491:10495

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	<0.0005 <0.0005
Arsenic (As) mg/L	<0.0005				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	0.0006 0.0007
Cuivre (Cu) mg/L	<0.0005				
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	
DBO5 mg/L	<1	DMR-0488-7-2010	212	154 - 286	
DBO5 mg/L	<1	DMR-0488-7-2010	227	154 - 286	
DCO mg/L	<2				
DCO mg/L	<2	DMR-0488-09-2010	320	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	0.0035 0.0033
Nickel (Ni) mg/L	<0.0005				

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010
 Sampled by: MT/PR
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2	0.03	0.03
Nitrites-Nitrates mg N/L	<0.01					
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	6.97	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01					
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109	<0.0003	<0.0003
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109		
Plomb (Pb) mg/L	<0.0003					
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19	<0.001	<0.001
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19		

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10477	10480	10481	10482	10483	10484	10485	10486
Sample name:	MMER-1	MMER-1 dup	STP-IN	STP-OUT	Grease trap	Grey water kitchen	Grey Water Nova	2010-08-02-DUP-1
Sampling date:	28-07-2010	28-07-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010
Arsenic (As) mg/L	<0.0005	<0.0005	---	---	---	---	---	---
Copper (Cu) mg/L	0.0008	0.0006	---	---	---	---	---	---
Total Cyanide (CNT) mg/L	<0.005	<0.005	---	---	---	---	---	---
Total Suspended Solids mg/L	14	13	135	27	345	595	150	22
Nickel (Ni) mg/L	0.0034	0.0035	---	---	---	---	---	---
pH	6.37	6.51	7.92	6.16	3.92	4.21	8.17	6.19
Lead (Pb) mg/L	<0.0003	<0.0003	---	---	---	---	---	---
Zinc (Zn) mg/L	0.004	<0.001	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---	136	22.5	2.0	3.1	14.2	27.2
BOD-5 mg/L	---	---	310	8	2890	2097	145	8
COD mg/L	---	---	592	80	13184	2973	372	70
Nitrite-Nitrate mg N/L	---	---	0.02	41.9	0.03	0.02	0.02	42.2
Total Phosphorus (P) mg P/L	---	---	16.5	16.3	6.6	8.0	1.9	15.7
Turbidity NTU	---	---	---	---	---	---	133	---
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10489	10490
Sample name:	DD-WTP-02	2010-08-02-DUP-3
Sampling date:	02-08-2010	02-08-2010
Arsenic (As) mg/L	---	---
Copper (Cu) mg/L	---	---
Total Cyanide (CNT) mg/L	---	---
Total Suspended Solids mg/L	11	13
Nickel (Ni) mg/L	---	---
pH	6.47	6.70
Lead (Pb) mg/L	---	---
Zinc (Zn) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
BOD-5 mg/L	---	---
COD mg/L	---	---
Nitrite-Nitrate mg N/L	---	---
Total Phosphorus (P) mg P/L	---	---
Turbidity NTU	3.0	1.7
Aluminium (Al) mg/L	0.682	0.649

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Waste Water

Commentaire

Sampling date:

Projet 10477

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 06, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: August 10, 2010
Lab number: 10545,10547:10549

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 06, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Water

Lab number:	10545	10547	10548	10549
Sample name:	DDWTP-02	WTP intake	WTP pump	DD-WTP-02
Sampling date:	04-08-2010	04-08-2010	04-08-2010	05-08-2010
Total Suspended Solids mg/L	11	---	---	20
pH	6.47	6.78	6.90	---
Turbidity NTU	3.3	---	---	2.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 06, 2010
Sampled by: Martin Theriault/Philip Roy
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	10592	10593	10594	10595
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	MMER
Sampling date:	07-08-2010	08-08-2010	09-08-2010	09-08-2010
Total Suspended Solids mg/L	8	8	8	7
Turbidity NTU	1.0	1.1	1.6	---
Aluminium (Al) mg/L	---	---	1.15	---
pH	---	---	6.51	6.53
Arsenic (As) mg/L	---	---	---	<0.0005
Copper (Cu) mg/L	---	---	---	0.0020
Total Cyanide (CNt) mg/L	---	---	---	0.005
Iron (Fe) mg/L	---	---	---	0.19
Nickel (Ni) mg/L	---	---	---	0.0034
Lead (Pb) mg/L	---	---	---	<0.0003
Zinc (Zn) mg/L	---	---	---	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 10, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.42	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3914	0.248 - 0.392	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.362	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	18.1	15.7 - 21.3	
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.7	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.294	0.98 - 1.32	
pH		STD pH 7.00	6.96	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9766	0.819 - 1.109	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.09	3.83 - 5.19	

Reported on: August 13, 2010
Lab number: 10592:10595

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 11, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: August 13, 2010
Lab number: 10635:10636

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 11, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Water

Lab number:	10635	10636
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	08-08-2010	08-08-2010
Total Suspended Solids mg/L	7	1
Turbidity NTU	1.5	0.77
pH	---	5.30

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 11, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 12, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	10661	10663
Sample name:	DD-WTP-01	DD-WTP-01-DUP-1
Sampling date:	11-08-2010	11-08-2010
Total Suspended Solids mg/L	9	10
Turbidity NTU	3.1	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 12, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: August 13, 2010
Lab number: 10661,10663

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10722

Sampling date: August 12, 2010
Sampling hour: N/D
Date received: August 13, 2010
Sampling location: DD-WTP-01
Sampled by: non-disponible
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	10 mg/L	M-SOLI-1.0	August 16, 2010
Turbidity	1.6 NTU	Sous-traitance\Multilab Direct	August 13, 2010

Reported on: August 18, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10722

Sampling date: August 12, 2010
Sampling hour: N/D
Date received: August 13, 2010
Sampling location: DD-WTP-01
Sampled by: non-disponible
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: August 18, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10722
Sampling date: August 12, 2010
Sampling hour: N/D
Date received: August 13, 2010
Sampling location: DD-WTP-01
Sampled by: non-disponible
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	251	194 - 306	
Turbidity UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	

Reported on: August 18, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 17, 2010

Sampled by: S.G./I.C./S.A.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Acidité mg CaCO ₃ /L					
Alcalinité mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	6.8	5.27 - 7.13	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Chlorure (Cl) mg/L	<0.5				
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.8	47 - 59	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0488-2010-2	1.50	1.41 - 1.91	
Cyanures totaux (CNt) mg/L	<0.005				
Dureté mg CaCO ₃ /L					
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	<1
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	<1
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	
Nitrates (NO ₃) mg N/L	<0.01				3.5
Nitrites (NO ₂) mg N/L	<0.01	DMR-0488-2010-NO2	2.4	2.0 - 2.6	0.09
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2	0.09
Nitrites-Nitrates mg N/L	<0.01				

Reported on: August 24, 2010

Lab number: 10497,10546,10733:10742

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 17, 2010
 Sampled by: S.G./I.C./S.A.
 Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
pH		STD pH 7.00	7.00	6.96 - 7.04		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1					
Sulfate (SO4) mg SO4/L	<1	DMR-0488-2010-SO4	58	47 - 63		
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	415	414 - 620		
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.2	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.2	4.65 - 7.35	6.6	6.6

Reported on: August 24, 2010
 Lab number: 10497,10546,10733:10742

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10497	10546	10733	10734	10735	10736	10737	10738
Sample name:	SW2a	Reclaim Pond	DD-WTP-01	DD-WTP-01	DD-WTP-01	BGE-1	BGS-1	BGS-2
Sampling date:	31-07-2010	04-08-2010	13-08-2010	14-08-2010	15-08-2010	14-08-2010	14-08-2010	14-08-2010
Alkalinity mg CaCO ₃ /L	63	---	---	---	---	---	---	---
Dissolved Aluminium (Al) mg/L	<0.01	---	---	---	---	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Arsenic (As) mg/L	0.143	---	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	27.5	---	---	---	---	---	---	---
Dissolved Barium (Ba) mg/L	0.022	---	---	---	---	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	---	---	---	---	---	---	---
Chloride mg/L	264	---	---	---	---	---	---	---
Dissolved Copper (Cu) mg/L	2.16	---	---	---	---	---	---	---
Total Cyanide (CNt) mg/L	0.136	---	---	---	---	---	---	---
Hardness mg CaCO ₃ /L	381	---	---	---	---	---	---	---
Dissolved Iron (Fe) mg/L	0.28	---	---	---	---	---	---	---
Fluoride (F) mg/L	0.4	---	---	---	---	---	---	---
Dissolved Manganese (Mn) mg/L	0.100	---	---	---	---	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	---	---	---	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	0.072	---	---	---	---	---	---	---
Dissolved Nickel (Ni) mg/L	0.050	---	---	---	---	---	---	---
Nitrate (NO ₃) mg N/L	3.5	---	---	---	---	---	---	---
Nitrite (NO ₂) mg N/L	0.09	---	---	---	---	---	---	---
pH	7.63	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10497	10546	10733	10734	10735	10736	10737	10738
Sample name:	SW2a	Reclaim Pond	DD-WTP-01	DD-WTP-01	DD-WTP-01	BGE-1	BGS-1	BGS-2
Sampling date:	31-07-2010	04-08-2010	13-08-2010	14-08-2010	15-08-2010	14-08-2010	14-08-2010	14-08-2010
Dissolved Lead (Pb) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Selenium (Se) mg/L	0.009	---	---	---	---	---	---	---
Sulfate (SO4) mg SO4/L	800	---	---	---	---	---	---	---
Thallium dissous (Tl) mg/L	<0.01	---	---	---	---	---	---	---
Turbidity NTU	1.8	---	1.7	0.82	0.84	3.2	6.6	2.5
Dissolved Zinc mg/L	0.010	---	---	---	---	---	---	---
Dissolved Solids mg/L	1178	---	---	---	---	---	---	---
Acidity mg CaCO3/L	7	---	---	---	---	---	---	---
Thiocyanate (SCN) mg SCN/L	107	---	---	---	---	---	---	---
Sulfite (SO3) mg S2O3/L	---	71.2	---	---	---	---	---	---
Thiosulfates (S2O3) mg S2O3/L	---	11.1	---	---	---	---	---	---
Total Suspended Solids mg/L	---	---	13	11	16	<1	8	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10739	10740	10741	10742
Sample name:	BGS-3	BGS-4	BGS-5	BGS-6
Sampling date:	14-08-2010	14-08-2010	14-08-2010	14-08-2010
Alkalinity mg CaCO ₃ /L	---	---	---	---
Dissolved Aluminium (Al) mg/L	---	---	---	---
Dissolved Silver (Ag) mg/L	---	---	---	---
Dissolved Arsenic (As) mg/L	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---	---	---
Dissolved Barium (Ba) mg/L	---	---	---	---
Dissolved Cadmium (Cd) mg/L	---	---	---	---
Chloride mg/L	---	---	---	---
Dissolved Copper (Cu) mg/L	---	---	---	---
Total Cyanide (CNt) mg/L	---	---	---	---
Hardness mg CaCO ₃ /L	---	---	---	---
Dissolved Iron (Fe) mg/L	---	---	---	---
Fluoride (F) mg/L	---	---	---	---
Dissolved Manganese (Mn) mg/L	---	---	---	---
Dissolved Mercury (Hg) mg/L	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	---	---	---	---
Dissolved Nickel (Ni) mg/L	---	---	---	---
Nitrate (NO ₃) mg N/L	---	---	---	---
Nitrite (NO ₂) mg N/L	---	---	---	---
pH	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10739	10740	10741	10742
Sample name:	BGS-3	BGS-4	BGS-5	BGS-6
Sampling date:	14-08-2010	14-08-2010	14-08-2010	14-08-2010
Dissolved Lead (Pb) mg/L	---	---	---	---
Dissolved Selenium (Se) mg/L	---	---	---	---
Sulfate (SO4) mg SO4/L	---	---	---	---
Thallium dissous (Tl) mg/L	---	---	---	---
Turbidity NTU	2.8	2.5	2.3	2.5
Dissolved Zinc mg/L	---	---	---	---
Dissolved Solids mg/L	---	---	---	---
Acidity mg CaCO3/L	---	---	---	---
Thiocyanate (SCN) mg SCN/L	---	---	---	---
Sulfite (SO3) mg S2O3/L	---	---	---	---
Thiosulfates (S2O3) mg S2O3/L	---	---	---	---
Total Suspended Solids mg/L	1	2	2	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 17, 2010
Sampled by: SteveG./IsabelleC./StuartA
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 19, 2010

Sampled by: S.Tapp/S.Allen

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.13	5.27 - 7.13	
M.E.S. mg/L	<1				
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Turbidité UTN		DMR-0488-2010-4	5.2	4.65 - 7.35	
Turbidité UTN		DMR-0488-2010-4	4.9	4.65 - 7.35	

Reported on: August 25, 2010
Lab number: 10769,10797

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 19, 2010

Sampled by: S.Tapp/S.Allen

Matrix: Waste Water

Lab number:	10769	10797
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	16-08-2010	17-08-2010
Aluminium (Al) mg/L	0.867	---
Total Suspended Solids mg/L	14	12
pH	6.85	---
Turbidity NTU	1.5	2.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 19, 2010
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 24, 2010

Sampled by: Jamie K.

Matrix: Waste Water

Lab number:	10824	10825	10826	10827
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	18-08-2010	19-08-2010	20-08-2010	22-08-2010
Total Suspended Solids mg/L	13	65	9	16
Turbidity NTU	2.6	1.5	1.6	1.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 24, 2010
Sampled by: Jamie K.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 24, 2010

Sampled by: Jamie K.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	233	194 - 306	
Turbidité UTN		DMR-0488-2010-4	4.9	4.65 - 7.35	

Reported on: August 25, 2010
Lab number: 10824:10827

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2010
Sampled by: Jamie K/ Martin T
Matrix: Waste Water

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35		

Reported on: August 30, 2010
Lab number: 10847,10852

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2010

Sampled by: Jamie K/ Martin T

Matrix: Waste Water

Lab number:	10847	10852
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	23-08-2010	25-08-2010
Total Suspended Solids mg/L	10	<1
Turbidity NTU	1.1	0.32
pH	---	5.97

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 26, 2010
Sampled by: Jamie K/ Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2010
Sampled by: Jamie K/ Martin T
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.13	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2980	0.248 - 0.392	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.321	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3	
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.255	0.98 - 1.32	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9277	0.819 - 1.109	
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.72	3.83 - 5.19	

Reported on: August 31, 2010
Lab number: 10848,10851

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2010

Sampled by: Jamie K/ Martin T

Matrix: Waste Water

Lab number:	10848	10851
Sample name:	DD-WTP-01	MMER-1
Sampling date:	24-08-2010	25-08-2010
Aluminium (Al) mg/L	0.370	---
Total Suspended Solids mg/L	5	---
pH	6.21	6.28
Turbidity NTU	1.2	1.0
Arsenic (As) mg/L	---	0.0024
Copper (Cu) mg/L	---	0.0017
Total Cyanide (CNt) mg/L	---	0.005
Nickel (Ni) mg/L	---	0.0038
Lead (Pb) mg/L	---	<0.0003
Zinc (Zn) mg/L	---	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 31, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 26, 2010
Sampled by: Jamie K/ Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 31, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306	
Turbidité UTN		MR-0572-2010-Turbidit	5.6	5 - 7	

Reported on: September 01, 2010
Lab number: 10893:10896

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2010
Sampled by: Martin T
Matrix: Waste Water

Lab number:	10893	10894	10895	10896
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	26-08-2010	27-08-2010	28-08-2010	29-08-2010
Total Suspended Solids mg/L	15	12	7	12
Turbidity NTU	3.2	1.6	1.4	2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 01, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	5.60	5.27 - 7.13		
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2980	0.248 - 0.392		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.321	1.04 - 1.40		
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3		
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.255	0.98 - 1.32		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9277	0.819 - 1.109		
Turbidité UTN		DMR-0572-2010-Turbidit	5.6	5 - 7		
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.72	3.83 - 5.19		

Reported on: September 03, 2010
Lab number: 10846,10851,10897

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10846	10851	10897
Sample name:	DD-FD1	MMER-1	DD-WTP-01
Sampling date:	24-08-2010	25-08-2010	30-08-2010
Aluminium (Al) mg/L	0.484	---	0.624
Ammonia (NH3-NH4) mg N/L	0.47	---	---
Calcium (Ca) mg/L	11.4	---	---
Iron (Fe) mg/L	0.33	---	---
Mercury (Hg) mg/L	<0.00001	---	---
Molybdenum (Mo) mg/L	0.0036	---	---
Nitrite (NO2) mg N/L	0.03	---	---
Arsenic (As) mg/L	---	0.0024	---
Copper (Cu) mg/L	---	0.0017	---
Total Cyanide (CNt) mg/L	---	0.005	---
Nickel (Ni) mg/L	---	0.0038	---
pH	---	6.28	6.70
Lead (Pb) mg/L	---	<0.0003	---
Turbidity NTU	---	1.0	3.8
Zinc (Zn) mg/L	---	<0.001	---
Total Suspended Solids mg/L	---	1	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2010
Sampled by: Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	

Reported on: September 03, 2010
Lab number: 10958:10960

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	

Reported on: September 03, 2010
Lab number: 10958:10960

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10958	10959	10960
Sample name:	TPL	DD-WTP-01	DD-WTP-01
Sampling date:	31-08-2010	31-08-2010	01-09-2010
Total Suspended Solids mg/L	2	11	9
pH	5.63	---	---
Turbidity NTU	0.33	3.1	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Lab number:	10958	10959	10960
Sample name:	TPL	DD-WTP-01	DD-WTP-01
Sampling date:	31-08-2010	31-08-2010	01-09-2010
Total Suspended Solids mg/L	2	11	9
pH	5.63	---	---
Turbidity NTU	0.33	3.1	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 07, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
Turbidité UTN		DMR-0572-2010-Turbidité	5.5	5 - 7	1.2	1.2
Turbidité UTN		DMR-0572-2010-Turbidité	5.5	5 - 7		

Reported on: September 08, 2010
Lab number: 10989:10992

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 07, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10989	10990	10991	10992
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	02-09-2010	03-09-2010	04-09-2010	05-09-2010
Total Suspended Solids mg/L	12	10	10	7
Turbidity NTU	1.2	0.70	0.96	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10993

Sampling date: September 06, 2010
Sampling hour: N/D
Date received: September 07, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	5.65	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Turbidity UTN		MR-0572-2010-Turbidit	5.5	5 - 7		

Reported on: September 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10993

Sampling date: September 06, 2010
Sampling hour: N/D
Date received: September 07, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.20 mg/L	Sous-traitance\Multilab Direct	September 10, 2010
Total Suspended Solids	11 mg/L	M-SOLI-1.0	September 08, 2010
pH	6.30	M-PH-2.0	September 07, 2010
Turbidity	1.6 NTU	Sous-traitance\Multilab Direct	September 08, 2010

Reported on: September 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10993

Sampling date: September 06, 2010
Sampling hour: N/D
Date received: September 07, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: September 14, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 09, 2010
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water

Lab number:	11041	11042	11044
Sample name:	DD-WTP-01	DD-WTP-01	DD-TPL
Sampling date:	07-09-2010	08-09-2010	08-09-2010
Total Suspended Solids mg/L	13	8	<1
Turbidity NTU	1.0	1.8	0.37
pH	---	---	6.19

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 10, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 09, 2010

Sampled by: M.Theriault/P.Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		MR-0572-2010-Turbidit	5.3	5 - 7	

Reported on: September 10, 2010
Lab number: 11041:11042,11044

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 10, 2010

Sampled by: M.Theriault/P.Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Hydrocarbures (C10-C50) mg/K	<80	dmr-0102-2010-1	15566	13515 - 18285		
Hydrocarbures (C10-C50) mg/K	<80	dmr-0102-2010-1	15566	13515 - 18285	<80	<80
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7		

Reported on: September 14, 2010
Lab number: 11046:11056

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 10, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Waste Water

Lab number:	11046	11047	11048	11049	11050	11051	11052	11053
Sample name:	Explo West	Explo North	Explo South	Explo East	ExpCampWestfaceS	ExpCampWestfaceN	ExpCampEastface S	Exp Camp East face C
Sampling date:	14-08-2010	14-08-2010	14-08-2010	14-08-2010	28-08-2010	28-08-2010	28-08-2010	28-08-2010
Hydrocarbons (C10-C50) mg/Kg	<80 (< A)	95 (< A)	142 (< A)	182 (< A)	<80 (< A)	80 (< A)	<80 (< A)	<80 (< A)
% of humidity %	5.4	6.8	12.6	5.7	5.4	6.2	1.1	1.0
Total Suspended Solids mg/L	---	---	---	---	---	---	---	---
Turbidity NTU	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 10, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Waste Water

Lab number:	11054	11055	11056
Sample name:	ExpCampEastfaceN	ExpCampNorthface	DD-WTP-01
Sampling date:	28-08-2010	28-08-2010	09-09-2010
Hydrocarbons (C10-C50) mg/Kg	<80 (< A)	<80 (< A)	---
% of humidity %	2.9	2.8	---
Total Suspended Solids mg/L	---	---	8
Turbidity NTU	---	---	1.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 10, 2010

Sampled by: Martin Theriault/Philip Roy

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Hydrocarbons (C10-C50)	80	mg/Kg	M-HYD-2.0
% of humidity	0.01	%	M-HUM-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 14, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Acidité mg CaCO ₃ /L						
Alcalinité mg CaCO ₃ /L		std Alk	160	123 - 167		
Alcalinité mg CaCO ₃ /L		std Alk	149	123 - 167		
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.96	5.27 - 7.13		
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.57	5.27 - 7.13		
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13		
Argent dissous (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392		
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.294	0.248 - 0.392		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.3	2.0 - 2.8		
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.16	1.91 - 2.59		
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.79099	0.708 - 0.958		
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.793	0.708 - 0.958		
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.7	47 - 59		
Conductivité µmhos/cm		STD maison KCl	1594	1200 - 1624		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40		
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.30	1.04 - 1.40		
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3		
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3		

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
 Sampled by: Philip Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dureté mg CaCO ₃ /L						
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.9	8.8 - 12.0		
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	12.0	8.8 - 12.0		
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68		
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	239	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	<1	<1
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.64	3.20 - 4.32		
Mercuré (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-18	0.04692	0.0405 - 0.0639		
Mercuré dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0492	0.0405 - 0.0639		
Molybdène dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.562	0.562 - 0.760		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32		
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.24	0.98 - 1.32		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO ₂	2.4	2.0 - 2.6		
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	7.03	6.96 - 7.04		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109		
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	0.905	0.819 - 1.109		

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
 Sampled by: Philip Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Radium (RA 226) Becquerels	<0.003	STD 0.050	0.048	0.039 - 0.061	
Radium (RA 226) Becquerels		STD 0.100	0.091	0.078 - 0.123	
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.36	1.21 - 1.63	
Solides dissous mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	58	47 - 63	1003 1024
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	456	414 - 620	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	0.88 0.90
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	4.70	3.83 - 5.19	

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Acidity mg CaCO ₃ /L	9	---	---	---	---	---	---	---
Alkalinity mg CaCO ₃ /L	61	5	---	---	---	---	---	---
Dissolved Aluminium (Al) mg/L	0.02	---	---	---	---	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Arsenic (As) mg/L	0.075	---	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	13.7	0.06	---	---	---	---	---	---
Dissolved Barium (Ba) mg/L	0.022	---	---	---	---	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	---	---	---	---	---	---	---
Chloride mg/L	281	---	---	---	---	---	---	---
Dissolved Copper (Cu) mg/L	1.35	---	---	---	---	---	---	---
Hardness mg CaCO ₃ /L	611	5	---	---	---	---	---	---
Dissolved Iron (Fe) mg/L	0.27	---	---	---	---	---	---	---
Fluoride (F) mg/L	0.54	---	---	---	---	---	---	---
Dissolved Manganese (Mn) mg/L	0.089	---	---	---	---	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	---	---	---	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Nickel (Ni) mg/L	0.024	---	---	---	---	---	---	---
Nitrate (NO ₃) mg N/L	3.9	0.05	---	---	---	---	---	---
Nitrite (NO ₂) mg N/L	0.11	---	---	---	---	---	---	---
pH	7.40	5.09	---	---	---	---	6.61	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Dissolved Lead (Pb) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Selenium (Se) mg/L	0.008	---	---	---	---	---	---	---
Dissolved Solids mg/L	1012	---	---	---	---	---	---	---
Sulfate (SO4) mg SO4/L	1003	---	---	---	---	---	---	---
Dissolved thallium (Tl) mg/L	<0.01	---	---	---	---	---	---	---
Thiocyanate (SCN) mg SCN/L	164	---	---	---	---	---	---	---
Turbidity NTU	2.6	0.36	0.82	0.99	0.88	0.99	1.0	3.2
Dissolved Zinc mg/L	0.008	---	---	---	---	---	---	---
Conductivity µmhos/cm	1518	---	---	---	---	---	---	---
Total Cyanide (CNt) mg/L	0.340	<0.005	---	---	---	---	---	---
Aluminium (Al) mg/L	---	0.018	---	---	---	---	1.10	---
Arsenic (As) mg/L	---	<0.0005	---	---	---	---	---	---
Cadmium (Cd) mg/L	---	<0.00008	---	---	---	---	---	---
Copper (Cu) mg/L	---	<0.0005	---	---	---	---	---	---
Iron (Fe) mg/L	---	<0.01	---	---	---	---	---	---
Total Suspended Solids mg/L	---	<1	7	8	8	7	8	7
Mercury (Hg) mg/L	---	<0.00001	---	---	---	---	---	---
Molybdenum (Mo) mg/L	---	<0.001	---	---	---	---	---	---
Nickel (Ni) mg/L	---	0.0013	---	---	---	---	---	---
Dissolved oxygen mg/L	---	9.72	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Lead (Pb) mg/L	---	0.0069	---	---	---	---	---	---
Radium (Ra 226) Becquerels/L	---	0.003	---	---	---	---	---	---
Zinc (Zn) mg/L	---	<0.001	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Acidity mg CaCO ₃ /L	---	---
Alkalinity mg CaCO ₃ /L	---	---
Dissolved Aluminium (Al) mg/L	---	---
Dissolved Silver (Ag) mg/L	---	---
Dissolved Arsenic (As) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
Dissolved Barium (Ba) mg/L	---	---
Dissolved Cadmium (Cd) mg/L	---	---
Chloride mg/L	---	---
Dissolved Copper (Cu) mg/L	---	---
Hardness mg CaCO ₃ /L	---	---
Dissolved Iron (Fe) mg/L	---	---
Fluoride (F) mg/L	---	---
Dissolved Manganese (Mn) mg/L	---	---
Dissolved Mercury (Hg) mg/L	---	---
Dissolved Molybdenum (Mo) mg/L	---	---
Dissolved Nickel (Ni) mg/L	---	---
Nitrate (NO ₃) mg N/L	---	---
Nitrite (NO ₂) mg N/L	---	---
pH	---	6.23

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Dissolved Lead (Pb) mg/L	---	---
Dissolved Selenium (Se) mg/L	---	---
Dissolved Solids mg/L	---	---
Sulfate (SO4) mg SO4/L	---	---
Dissolved thallium (Tl) mg/L	---	---
Thiocyanate (SCN) mg SCN/L	---	---
Turbidity NTU	3.3	0.41
Dissolved Zinc mg/L	---	---
Conductivity µmhos/cm	---	---
Total Cyanide (CNt) mg/L	---	---
Aluminium (Al) mg/L	---	---
Arsenic (As) mg/L	---	---
Cadmium (Cd) mg/L	---	---
Copper (Cu) mg/L	---	---
Iron (Fe) mg/L	---	---
Total Suspended Solids mg/L	10	<1
Mercury (Hg) mg/L	---	---
Molybdenum (Mo) mg/L	---	---
Nickel (Ni) mg/L	---	---
Dissolved oxygen mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Lead (Pb) mg/L	---	---
Radium (Ra 226) Becquerels/L	---	---
Zinc (Zn) mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Commentaire

Sampling date:

Projet 10955

pas reçu de température pour l'échantillon

not received the sample temperature

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Conductivity	1	µmhos/cm	M-COND-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Radium (Ra 226)	0.003	Becquerels/L	M-RA-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.7	15.7 - 21.3	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		MR-0618-2010-Turbidit	5.8	4.65 - 7.35	

Reported on: September 23, 2010
Lab number: 11172:11174,11176

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Water

Lab number:	11172	11173	11174	11176
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	Reclaim Pond
Sampling date:	17-09-2010	18-09-2010	19-09-2010	20-09-2010
Total Suspended Solids mg/L	8	14	8	---
pH	6.73	6.80	6.92	---
Turbidity NTU	1.9	2.6	1.6	---
Total Cyanide (CNT) mg/L	---	---	---	0.600

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 21, 2010
Sampled by: N.D.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 28, 2010

Sampled by: P.Roy/M.Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.28	5.27 - 7.13	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH ₃	2.5	2.0 - 2.8	
DBO ₅ mg/L	<1	DMR-0572-7-2010	214	154 - 286	
DBO ₅ mg/L	<1	DMR-0572-7-2010	219	154 - 286	
DCO mg/L	<2	DMR-0572-9-2010	326	236 - 374	
DCO mg/L	<2	DMR-0572-9-2010	236	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0618-2010-NO ₂ -NC	9.1	7.53 - 10.19	
Nitrites-Nitrates mg N/L	<0.01	MR-0618-2010-NO ₂ -NC	9.0	7.53 - 10.19	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.4	1.0 - 1.4	
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.2	1.0 - 1.4	
Turbidité UTN		DMR-0618-2010-Turbidit	5.8	4.65 - 7.35	

Reported on: October 05, 2010

Lab number: 11119,11170,11175,11267

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 28, 2010

Sampled by: P.Roy/M.Theriault

Matrix: Waste Water

Lab number:	11119	11170	11175	11267
Sample name:	Reclaim Pond	Grey Water Nova	DD-WTP-01	STP-OUT
Sampling date:	14-09-2010	20-09-2010	20-09-2010	27-09-2010
Sulfite (SO ₃) mg S ₂ O ₃ /L	112	---	---	---
Thiocyanate (SCN) mg SCN/L	200	---	---	---
Thiosulfates (S ₂ O ₃) mg S ₂ O ₃ /L	71	---	---	---
BOD-5 mg/L	---	71	---	32
COD mg/L	---	136	---	98
Total Suspended Solids mg/L	---	144	9	7
Nitrite-Nitrate mg N/L	---	0.01	---	39.2
pH	---	7.05	6.66	6.56
Total Phosphorus (P) mg P/L	---	2.0	---	14.5
Turbidity NTU	---	124	2.5	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	10.9	---	23.9
Aluminium (Al) mg/L	---	---	1.25	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
Alkalinity mg CaCO ₃ /L	73	31	---	---
Dissolved Aluminium (Al) mg/L	0.02	0.10	---	---
Dissolved Silver (Ag) mg/L	0.005	<0.005	---	---
Dissolved Arsenic (As) mg/L	0.107	<0.005	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	33.8	1.0	---	---
Dissolved Barium (Ba) mg/L	0.025	0.025	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005	---	---
Chloride mg/L	338	4.6	---	---
Dissolved Copper (Cu) mg/L	1.57	<0.005	---	---
Total Cyanide (CNt) mg/L	0.250	---	---	---
Hardness mg CaCO ₃ /L	728	61	---	---
Dissolved Iron (Fe) mg/L	<0.05	<0.05	---	---
Fluoride (F) mg/L	0.64	0.25	---	---
Dissolved Manganese (Mn) mg/L	0.062	0.126	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005	---	---
Dissolved Molybdenum (Mo) mg/L	0.10	<0.01	---	---
Dissolved Nickel (Ni) mg/L	0.061	0.007	---	---
Nitrate (NO ₃) mg N/L	3.8	0.8	---	---
Nitrite (NO ₂) mg N/L	0.12	0.09	---	---
Nitrite-Nitrate mg N/L	4.3	1.0	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
pH	7.56	7.07	---	---
Dissolved Lead (Pb) mg/L	0.017	0.009	---	---
Dissolved Selenium (Se) mg/L	0.007	<0.005	---	---
Dissolved Solids mg/L	1190	115	---	---
Sulfate (SO4) mg SO4/L	1255	39	---	---
Dissolved thallium (Tl) mg/L	<0.01	<0.01	---	---
Turbidity NTU	4.0	138	2.7	2.5
Dissolved Zinc mg/L	0.009	0.007	---	---
Total Suspended Solids mg/L	---	---	11	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Argent dissous (Ag) mg/L	<0.005				
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.281	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.2	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.10	1.91 - 2.59	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.814	0.708 - 0.958	
Chlorure (Cl) mg/L	<0.5	DMR-0572-2010-CL	57.9	47 - 59	
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.31	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.6	15.7 - 21.3	
Dureté mg CaCO ₃ /L					
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	9.1	8.8 - 12.0	
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68	
M.E.S. mg/L	<1	STD-MES-11-08-2009	253	194 - 306	
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.72	3.20 - 4.32	
Mercure dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0501	0.0405 - 0.0639	
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.17	0.98 - 1.32	
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6	
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO2-NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: September 27, 2010

Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.10	0.819 - 1.109		
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.48	1.21 - 1.63		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	55	47 - 63		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7		
Turbidité UTN		MR-0618-2010-Turbidit	5.8	4.65 - 7.35		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	138	133
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	5.14	3.83 - 5.19		

Reported on: September 27, 2010
Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 28, 2010

Sampled by: P.Roy/M.Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306	
Turbidité UTN		MR-0618-2010-Turbidit	5.4	4.65 - 7.35	0.74 0.72
Turbidité UTN		MR-0618-2010-Turbidit	5.4	4.65 - 7.35	

Reported on: September 30, 2010
Lab number: 11263:11266

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 28, 2010
Sampled by: P.Roy/M.Theriault
Matrix: Waste Water

Lab number:	11263	11264	11265	11266
Sample name:	DD-WTP-01	DUP-1	DD-WTP-01	DD-TPL
Sampling date:	23-09-2010	24-09-2010	24-09-2010	22-09-2010
Total Suspended Solids mg/L	11	12	12	2
Turbidity NTU	0.74	0.69	0.88	0.32

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 28, 2010
Sampled by: P.Roy/M.Theriault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 30, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 02, 2010

Sampled by: P.Roy/ J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306	
Turbidité UTN		MR-0704-2010-Turbitdit	5.5	4.65 - 7.35	
Turbidité UTN		MR-0704-2010-Turbitdit	5.5	4.65 - 7.35	0.53 0.57

Reported on: November 05, 2010
Lab number: 11763:11767

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 19, 2010
Sampled by: M. Theriault/P. Roy
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	DMR-0672-2010-1	109	88 - 140		
Turbidité UTN		DMR-0704-2010-Turbitdit	5.8	4.65 - 7.35		

Reported on: October 21, 2010
Lab number: 11502:11503

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2010

Sampled by: martin theriault/Philip Roy

Matrix: Waste Water

Lab number:	11502	11503
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	16-10-2010	17-10-2010
Total Suspended Solids mg/L	5	10
Turbidity NTU	0.29	0.93

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 21, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2010

Sampled by: martin theriault/Philip Roy

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 21, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11504

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: DD-WTP-01
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.409 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
Total Suspended Solids	6 mg/L	M-SOLI-1.0	October 20, 2010
pH	7.26	M-PH-2.0	October 19, 2010
Turbidity	1.3 NTU	Sous-traitance\Multilab Direct	October 20, 2010

Reported on: October 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11504

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: DD-WTP-01
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: October 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11504

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: DD-WTP-01
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.43	5.27 - 7.13		
Total Suspended Solids mg/L	<1	DMR-0672-2010-1	109	88 - 140		
pH		STD pH 7.00	7.01	6.96 - 7.04		
Turbidity UTN		DMR-0704-2010-Turbidit	5.8	4.65 - 7.35		

Reported on: October 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 22, 2010

Sampled by: Martin Theriault Philip Roy

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306	
Turbidité UTN		MR-0704-2010-Turbitdit	5.7	4.65 - 7.35	

Reported on: October 27, 2010
Lab number: 11599:11601

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 22, 2010

Sampled by: Martin Theriault Philip Roy

Matrix: Water

Lab number:	11599	11600	11601
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	19-10-2010	20-10-2010	21-10-2010
Total Suspended Solids mg/L	4	4	9
Turbidity NTU	0.84	0.51	1.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 26, 2010
Sampled by: M.Theriault/P.Roy
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306	
Turbidité UTN		MR-0704-2010-Turbitdit	5.6	4.65 - 7.35	

Reported on: October 27, 2010
Lab number: 11625:11627

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 26, 2010

Sampled by: M.Theriault/P.Roy

Matrix: Water

Lab number:	11625	11626	11627
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	22-10-2010	23-10-2010	24-10-2010
Total Suspended Solids mg/L	7	5	3
Turbidity NTU	0.41	0.38	1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11628

Sampling date: October 25, 2010
Sampling hour: 05:00
Date received: October 26, 2010
Sampling location: DD-WTP-01
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.04 mg/L	Sous-traitance\Multilab Direct	October 28, 2010
Total Suspended Solids	2 mg/L	M-SOLI-1.0	October 27, 2010
pH	6.94	M-PH-2.0	October 26, 2010
Turbidity	0.95 NTU	Sous-traitance\Multilab Direct	October 27, 2010

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11628

Sampling date: October 25, 2010
Sampling hour: 05:00
Date received: October 26, 2010
Sampling location: DD-WTP-01
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11628
Sampling date: October 25, 2010
Sampling hour: 05:00
Date received: October 26, 2010
Sampling location: DD-WTP-01
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.86	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Turbidity UTN		MR-0704-2010-Turbidit	5.6	4.65 - 7.35		

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 28, 2010

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306	
Turbidité UTN		MR-0704-2010-Turbitdit	5.5	4.65 - 7.35	

Reported on: November 01, 2010
Lab number: 11659:11660

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 28, 2010

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	11659	11660
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	26-10-2010	27-10-2010
Total Suspended Solids mg/L	4	3
Turbidity NTU	0.25	0.51

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 01, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 02, 2010

Sampled by: P.Roy/ J. Kataluk

Matrix: Waste Water

Lab number:	11763	11764	11765	11766	11767
Sample name:	DD-WTP-01	DD-WTP-01	Dup-1DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	28-10-2010	29-10-2010	29-10-2010	30-10-2010	31-10-2010
Total Suspended Solids mg/L	5	6	5	2	3
Turbidity NTU	0.42	0.37	0.35	0.45	0.53

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 05, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11768

Sampling date: November 01, 2010
Sampling hour: N/D
Date received: November 02, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/ J. Kataluk
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.926 mg/L	Sous-traitance\Multilab Direct	November 05, 2010
Total Suspended Solids	3 mg/L	M-SOLI-1.0	November 04, 2010
pH	6.56	M-PH-2.0	November 02, 2010
Turbidity	0.40 NTU	Sous-traitance\Multilab Direct	November 03, 2010

Reported on: November 08, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 09, 2010

Sampled by: Philip Roy / J. Kataluk

Matrix: Waste Water

Lab number:	11866	11867	11868	11869
Sample name:	DD-WTP-01-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	05-11-2010	06-11-2010	07-11-2010	08-11-2010
Total Suspended Solids mg/L	2	<1	4	1
Turbidity NTU	0.35	0.29	0.30	0.38
Aluminium (Al) mg/L	---	---	---	0.649
pH	---	---	---	6.55

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 12, 2010

Sampled by: Philip Roy/Ricardo Gamez

Matrix: Waste Water

Lab number:	11916	11917	11918
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	11-11-2010	09-11-2010	10-11-2010
Total Suspended Solids mg/L	<1	1	<1
Turbidity NTU	0.37	0.26	0.33

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 12, 2010

Sampled by: Philip Roy/Ricardo Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Turbidité UTN		MR-0704-2010-Turbitdit	5.5	4.65 - 7.35	

Reported on: November 17, 2010
Lab number: 11916:11918

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 16, 2010

Sampled by: P.Roy/ J.Kataluk

Matrix: Waste Water

Lab number:	11937	11938	11939	11940
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	12-11-2010	13-11-2010	14-11-2010	15-11-2010
Total Suspended Solids mg/L	<1	2	<1	<1
Turbidity NTU	0.37	0.39	0.68	0.96
pH	---	---	---	6.63

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 16, 2010

Sampled by: P.Roy/ J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		MR-0704-2010-Turbitdit	5.4	4.65 - 7.35	

Reported on: November 17, 2010
Lab number: 11937:11940

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	228	194 - 306	
Turbidité UTN		MR-0781-2010-Turbidit	5.7	5.10 - 6.90	

Reported on: November 24, 2010
Lab number: 11941,11976

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Lab number:	11941	11976
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	15-11-2010	16-11-2010
Aluminium (Al) mg/L	0.617	---
Total Suspended Solids mg/L	---	3
Turbidity NTU	---	0.17

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 24, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 25, 2010

Sampled by: Steve.J & Jamie.K

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.70	5.27 - 7.13	
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0781-2010-Turbidité	5.4	5.10 - 6.90	

Reported on: December 02, 2010
Lab number: 12000:12001

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 25, 2010

Sampled by: Steve.J & Jamie.K

Matrix: Waste Water

Lab number:	12000	12001
Sample name:	DD-TPL-01	DD-WTP-01
Sampling date:	24-11-2010	24-11-2010
Total Suspended Solids mg/L	<1	2
pH	6.20	6.59
Turbidity NTU	0.19	1.3
Aluminium (Al) mg/L	---	0.682

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 02, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Turbidité UTN		MR-0781-2010-Turbidit	5.3	5.10 - 6.90	

Reported on: December 01, 2010
Lab number: 12026:12027

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Lab number:	12026	12027
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	28-11-2010	25-11-2010
Total Suspended Solids mg/L	4	3
Turbidity NTU	1.0	0.95

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 01, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12027

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: December 01, 2010

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006					
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.48	5.27 - 7.13		
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Turbidité UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		

Reported on: January 12, 2011
Lab number: 12024:12025

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Lab number:	12024	12025
Sample name:	DD-WTP-01	DD-WTP-01-DUP-2
Sampling date:	29-11-2010	29-11-2010
Aluminium (Al) mg/L	0.582	0.566
Total Suspended Solids mg/L	1	3
pH	6.65	6.65
Turbidity NTU	1.0	0.98

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 12, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 02, 2010

Sampled by: P.Roy/J.Kataluk/R.Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES-11-08-2009	261	194 - 306	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		MR-0781-2010-Turbidit	5.2	5.10 - 6.90	

Reported on: December 06, 2010
Lab number: 12041:12043

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 02, 2010

Sampled by: P.Roy/J.Kataluk/R.Gamez

Matrix: Waste Water

Lab number:	12041	12042	12043
Sample name:	DD-TPL-01	DD-WTP-01	DD-WTP-01
Sampling date:	01-12-2010	01-12-2010	30-11-2010
Total Suspended Solids mg/L	<1	2	2
pH	5.90	---	---
Turbidity NTU	0.32	1.4	1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 06, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 02, 2010

Sampled by: P.Roy/J.Kataluk/R.Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	261	194 - 306	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		MR-0781-2010-Turbidit	5.2	5.10 - 6.90	

Reported on: December 06, 2010
Lab number: 12041:12043

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 02, 2010

Sampled by: P.Roy/J.Kataluk/R.Gamez

Matrix: Waste Water

Lab number:	12041	12042	12043
Sample name:	DD-TPL-01	DD-WTP-01	DD-WTP-01
Sampling date:	01-12-2010	01-12-2010	30-11-2010
Total Suspended Solids mg/L	<1	2	2
pH	5.90	---	---
Turbidity NTU	0.32	1.4	1.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 06, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12052

Sampling date: December 02, 2010
Sampling hour: N/D
Date received: December 03, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	December 06, 2010
Turbidity	1.1 NTU	Sous-traitance\Multilab Direct	December 06, 2010

Reported on: December 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12052

Sampling date: December 02, 2010
Sampling hour: N/D
Date received: December 03, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	261	194 - 306	
Turbidity UTN		MR-0781-2010-Turbidit	5.3	5.10 - 6.90	

Reported on: December 07, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 07, 2010

Sampled by: P.Roy/R.Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES-11-08-2009	217	194 - 306	
Turbidité UTN		MR-0781-2010-Turbidit	5.3	5.10 - 6.90	

Reported on: December 08, 2010
Lab number: 12068:12070

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 07, 2010

Sampled by: P.Roy/R.Gamez

Matrix: Waste Water

Lab number:	12068	12069	12070
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	05-12-2010	04-12-2010	03-12-2010
Total Suspended Solids mg/L	1	1	<1
Turbidity NTU	0.60	1.0	1.2

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 08, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 07, 2010

Sampled by: P.Roy/R.Gamez

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12069

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12070

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: December 08, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12067

Sampling date: December 06, 2010
Sampling hour: N/D
Date received: December 07, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.892 mg/L	Sous-traitance\Multilab Direct	December 14, 2010
Total Suspended Solids	6 mg/L	M-SOLI-1.0	December 08, 2010
pH	6.48	M-PH-2.0	December 07, 2010
Turbidity	1.0 NTU	Sous-traitance\Multilab Direct	December 08, 2010

Reported on: December 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12067

Sampling date: December 06, 2010
Sampling hour: N/D
Date received: December 07, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.78	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	217	194 - 306		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Turbidity UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		

Reported on: December 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12078

Sampling date: December 07, 2010
Sampling hour: N/D
Date received: December 08, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	December 10, 2010
Turbidity	1.0 NTU	Sous-traitance\Multilab Direct	December 09, 2010

Reported on: December 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12078

Sampling date: December 07, 2010
Sampling hour: N/D
Date received: December 08, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: December 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12078

Sampling date: December 07, 2010
Sampling hour: N/D
Date received: December 08, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1				
Turbidity UTN		MR-0781-2010-Turbidit	5.3	5.10 - 6.90	

Reported on: December 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14	31.0	31.8
DBO5 mg/L	<1	DMR-0781-2010-7	205	171 - 270		
DCO mg/L	<2	DMR-0781-2010-9	323	255 - 403	54	56
DCO mg/L	<2	DMR-0781-2010-9	323	255 - 403		
M.E.S. mg/L	<1	STD-MES-11-08-2009	217	194 - 306		
M.E.S. mg/L	<1					
Nitrites-Nitrates mg N/L	<0.01	MR-0781-2010-NO2-NC	8.3	7.53 - 10.19		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.9	1.68 - 2.14		
Turbidité UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		

Reported on: December 14, 2010

Lab number: 12040,12064,12066,12097,12098

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Lab number:	12040	12064	12065	12066	12097	12098
Sample name:	DD-FD1 (MM2)	BB STP-OUT	LJ(1) STP-OUT	LJ(2) STP-OUT	DD-WTP-01	DD-TPL-01
Sampling date:	01-12-2010	06-12-2010	06-12-2010	06-12-2010	08-12-2010	08-12-2010
Daphnia Magna		---	---	---	---	---
- Toxic unit	<1	---	---	---	---	---
- CL50 à 48 heures % v/v	>100	---	---	---	---	---
Rainbow trout		---	---	---	---	---
- Toxic unit	<1	---	---	---	---	---
- CL-50 à 96 heures % v/v	>100	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	25.2	31.0	30.8	---	---
BOD-5 mg/L	---	2	22	28	---	---
COD mg/L	---	39	54	61	---	---
Total Suspended Solids mg/L	---	7	16	6	4	2
Nitrite-Nitrate mg N/L	---	44.5	42.7	44.1	---	---
pH	---	3.72	5.56	5.79	---	5.61
Total Phosphorus (P) mg P/L	---	15.5	13.5	14.2	---	---
Turbidity NTU	---	---	---	---	1.1	0.35

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1				
Turbidité UTN		DMR-0781-2010-Turbidité	5.5	5.10 - 6.90	
Turbidité UTN		DMR-0781-2010-Turbidité	5.5	5.10 - 6.90	0.23 0.28

Reported on: December 15, 2010
Lab number: 12127:12130

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	12127	12128	12129	12130
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-03	DD-WTP-04
Sampling date:	09-12-2010	10-12-2010	11-12-2010	12-12-2010
Total Suspended Solids mg/L	7	9	5	7
Turbidity NTU	0.84	0.23	0.18	0.23

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 15, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.29	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2248	0.224 - 0.416	
Cuivre (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.234	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0844-2010-3	0.348	0.259 - 0.351	
Fer (Fe) mg/L	<0.01	DMR-0781-2010-18	10.1	8.8 - 12.0	
M.E.S. mg/L	<1				
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.111	0.98 - 1.32	
pH		STD pH 7.00	7.02	6.96 - 7.04	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.032	0.819 - 1.109	
Turbidité UTN		DMR-0781-2010-Turbidit	5.5	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.65	3.83 - 5.19	

Reported on: December 16, 2010

Lab number: 12099,12126

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	12099	12126
Sample name:	MMER	DD-WTP-01
Sampling date:	08-12-2010	13-12-2010
Arsenic (As) mg/L	0.0061	---
Copper (Cu) mg/L	0.0013	---
Total Cyanide (CNT) mg/L	<0.005	---
Iron (Fe) mg/L	0.19	---
Total Suspended Solids mg/L	5	12
Nickel (Ni) mg/L	0.0079	---
pH	6.38	6.38
Lead (Pb) mg/L	<0.0003	---
Zinc (Zn) mg/L	<0.001	---
Aluminium (Al) mg/L	---	0.601
Turbidity NTU	---	0.31

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 15, 2010

Sampled by: Martin Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES	265	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0781-2010-Turbidité	5.5	5.10 - 6.90	

Reported on: December 16, 2010
Lab number: 12140:12141

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 15, 2010

Sampled by: Martin Thériault

Matrix: Waste Water

Lab number:	12140	12141
Sample name:	DD-TPL-01	DD-WTP-01
Sampling date:	14-12-2010	14-12-2010
Total Suspended Solids mg/L	7	10
pH	5.48	---
Turbidity NTU	0.15	0.58

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12144

Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: DD-WTP-01
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	17 mg/L	M-SOLI-1.0	December 17, 2010
Turbidity	0.41 NTU	Sous-traitance\Multilab Direct	December 16, 2010

Reported on: December 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12144

Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: DD-WTP-01
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: December 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12144

Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: DD-WTP-01
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	267	194 - 306	
Turbidity UTN		DMR-0781-2010-Turbidité	5.5	5.10 - 6.90	

Reported on: December 17, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 21, 2010

Sampled by: Martin T.

Matrix: Waste Water

Lab number:	12192	12193	12194	12195
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	16-12-2010	17-12-2010	18-12-2010	19-12-2010
Total Suspended Solids mg/L	6	7	4	4
Turbidity NTU	0.19	0.25	0.27	0.24

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 22, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 21, 2010

Sampled by: Martin T.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES	277	194 - 306	
Turbidité UTN		MR-0781-2010-Turbidit	5.6	5.10 - 6.90	

Reported on: December 22, 2010
Lab number: 12192:12195

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12196

Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.48	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES	277	194 - 306		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Turbidity UTN		DMR-0781-2010-Turbidit	5.6	5.10 - 6.90		

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12196

Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12196

Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: DD-WTP-01
Sampled by: Martin T.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.684 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
Total Suspended Solids	12 mg/L	M-SOLI-1.0	December 22, 2010
pH	6.39	M-PH-2.0	December 21, 2010
Turbidity	0.61 NTU	Sous-traitance\Multilab Direct	December 21, 2010

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12199

Sampling date: December 21, 2010
Sampling hour: N/D
Date received: December 22, 2010
Sampling location: DD-TPL-01
Sampled by: M.Theriault/SteveG.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	226	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidity UTN		MR-0781-2010-Turbidit	5.6	5.10 - 6.90	

Reported on: December 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12199

Sampling date: December 21, 2010
Sampling hour: N/D
Date received: December 22, 2010
Sampling location: DD-TPL-01
Sampled by: M.Theriault/SteveG.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	5 mg/L	M-SOLI-1.0	December 23, 2010
pH	5.66	M-PH-2.0	December 22, 2010
Turbidity	0.11 NTU	Sous-traitance\Multilab Direct	December 23, 2010

Reported on: December 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12199

Sampling date: December 21, 2010
Sampling hour: N/D
Date received: December 22, 2010
Sampling location: DD-TPL-01
Sampled by: M.Theriault/SteveG.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: December 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 29, 2010

Sampled by: Philip Roy / Samuel Tapp

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate		
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	MES-25-11-2010	257	220 - 280		
M.E.S. mg/L	<1	MES-25-11-2010	257	220 - 280	2	2
M.E.S. mg/L	<1	MES-25-11-2010	257	220 - 280	4	4
Turbidité UTN		MR-0781-2010-Turbidit	5.60	5.10 - 6.90	0.39	0.35
Turbidité UTN		MR-0781-2010-Turbidit	5.60	5.10 - 6.90		

Reported on: January 06, 2011
Lab number: 91365:91376

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 29, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Lab number:	91365	91366	91367	91368	91369	91370	91371	91372
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	22-12-2010	22-12-2010	23-12-2010	23-12-2010	24-12-2010	24-12-2010	25-12-2010	25-12-2010
Total Suspended Solids mg/L	4	1	4	2	3	2	2	<1
Turbidity NTU	0.80	0.63	0.72	0.50	0.82	0.46	0.79	0.31

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 29, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Lab number:	91373	91374	91375	91376
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	26-12-2010	26-12-2010	27-12-2010	27-12-2010
Total Suspended Solids mg/L	3	2	3	2
Turbidity NTU	0.39	0.36	0.34	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 29, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Commentaire

Sampling date:

Projet 91365 à 91374

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 06, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 29, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 06, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 29, 2010

Sampled by: Philip Roy / Samuel Tapp

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.79	5.27 - 7.13	
M.E.S. mg/L	<1	MES-25-11-2010	257	220 - 280	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidité UTN		DMR-0781-2010-Turbidit	5.60	5.10 - 6.90	

Reported on: January 11, 2011
Lab number: 91377:91378

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 29, 2010

Sampled by: Philip Roy / Samuel Tapp

Matrix: Waste Water

Lab number:	91377	91378
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	28-12-2010	28-12-2010
Aluminium (Al) mg/L	0.531	0.502
Total Suspended Solids mg/L	4	2
pH	6.84	6.69
Turbidity NTU	0.44	0.65

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 29, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.006	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.	--	M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91381

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	January 04, 2011
pH	6.36	M-PH-2.0	December 30, 2010
Turbidity	0.44 NTU	M-TURB-1.0	December 30, 2010

Reported on: January 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91381

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: January 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91381

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES-25-11-2010	257	220 - 280	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		MR-0781-2010-Turbidit	5.60	5.10 - 6.90	

Reported on: January 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Lab number:	12235	12236	12237	12238	12239	12240	12241	12242
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	29-12-2010	29-12-2010	30-12-2010	30-12-2010	31-12-2010	31-12-2010	01-01-2011	01-01-2011
Total Suspended Solids mg/L	7	4	5	2	1	<1	<1	<1
Turbidity NTU	0.71	0.69	0.16	0.28	0.20	0.27	0.24	0.28

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Lab number:	12243	12244
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	02-01-2011	02-01-2011
Total Suspended Solids mg/L	1	<1
Turbidity NTU	0.35	0.34

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 05, 2011
Sampled by: Samuel Tapp
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81065

Sampling date: May 24, 2010
Sampling hour: 14:55
Date received: May 26, 2010
Sampling location: DD-WTP-01
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.814 mg/L	M-MET-3.0	May 28, 2010
Total Suspended Solids	8 mg/L	M-SOLI-1.0	May 27, 2010
pH	7.09	M-PH-2.0	May 26, 2010
Turbidity	2.1 NTU	M-TURB-1.0	May 26, 2010

Reported on: May 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81065

Sampling date: May 24, 2010
Sampling hour: 14:55
Date received: May 26, 2010
Sampling location: DD-WTP-01
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81065
Sampling date: May 24, 2010
Sampling hour: 14:55
Date received: May 26, 2010
Sampling location: DD-WTP-01
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	M EU DMR-0347-10-18	6.94	5.27 - 7.13	
Total Suspended Solids mg/L	<1	MES 14-05-2010	236	194 - 306	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Turbidity UTN		DMR-0282-2010-Turb	5.90	4.65 - 7.35	

Reported on: May 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 27, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	MES 14-05-2010	250	194 - 306		
M.E.S. mg/L	<1	MES 14-05-2010	249	194 - 306	3	3
M.E.S. mg/L	<1	MES 14-05-2010	250	194 - 306	4	5
M.E.S. mg/L	<1	MES 14-05-2010	249	194 - 306		
Turbidité UTN		DMR-0282-2010-Turb	6.00	4.65 - 7.35		

Reported on: May 28, 2010
Lab number: 81173:81177

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 27, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	81173	81174	81175	81176	81177
Sample name:	DD-WTP-01	DD-WTP-02	BGC-1	BGC-2	BGC-3
Sampling date:	25-05-2010	25-05-2010	25-05-2010	25-05-2010	25-05-2010
Total Suspended Solids mg/L	3	4	3	2	1
Turbidity NTU	3.0	4.3	2.3	0.84	0.95

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 28, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81180

Sampling date: May 26, 2010
Sampling hour: 08:00
Date received: May 27, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	May 28, 2010
pH	6.57	M-PH-2.0	May 27, 2010
Turbidity	0.83 NTU	M-TURB-1.0	May 27, 2010

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81180
Sampling date: May 26, 2010
Sampling hour: 08:00
Date received: May 27, 2010
Sampling location: DD-TPL
Sampled by: S.Gaudreault/J.Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		M-TURB-1.0

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81180
Sampling date: May 26, 2010
Sampling hour: 08:00
Date received: May 27, 2010
Sampling location: DD-TPL
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	MES 14-05-2010	249	194 - 306	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Turbidity UTN		DMR-0282-2010-Turb	6.00	4.65 - 7.35	

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11768

Sampling date: November 01, 2010
Sampling hour: N/D
Date received: November 02, 2010
Sampling location: DD-WTP-01
Sampled by: P.Roy/ J. Kataluk
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.87	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Turbidity UTN		MR-0704-2010-Turbitdit	5.5	4.65 - 7.35		

Reported on: November 08, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 09, 2010

Sampled by: Philip Roy / J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	EU DMR-0488-10-18	6.47	5.27 - 7.13	
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		MR-0704-2010-Turbitdit	5.1	4.65 - 7.35	

Reported on: November 11, 2010
Lab number: 11866:11869

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12050

Sampling date: December 02, 2010
Sampling hour: N/D
Date received: December 03, 2010
Sampling location: East Dike Sea-Page
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: East Dike Sea-Page

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.72	5.27 - 7.13		
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2691	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.390	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.9	10.2 - 13.8		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	261	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.223	0.98 - 1.32		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.020	0.819 - 1.109		
Turbidity UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.70	3.83 - 5.19		

Reported on: December 08, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12050

Sampling date: December 02, 2010
Sampling hour: N/D
Date received: December 03, 2010
Sampling location: East Dike Sea-Page
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: East Dike Sea-Page

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.347 mg/L	Sous-traitance\Multilab Direct	December 07, 2010
Arsenic (As)	0.0011 mg/L	Sous-traitance\Multilab Direct	December 07, 2010
Copper (Cu)	0.0043 mg/L	Sous-traitance\Multilab Direct	December 07, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	December 03, 2010
Total Suspended Solids	45 mg/L	M-SOLI-1.0	December 06, 2010
Nickel (Ni)	0.0015 mg/L	Sous-traitance\Multilab Direct	December 07, 2010
pH	6.91	M-PH-2.0	December 03, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 07, 2010
Turbidity	16.4 NTU	Sous-traitance\Multilab Direct	December 06, 2010
Zinc (Zn)	0.023 mg/L	Sous-traitance\Multilab Direct	December 07, 2010

Reported on: December 08, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.


All samples will be disposed of after 30 days following analysis.

Quebec, 20 septembre 2010

Maxxam Job # : B044951
Report # : 15301
Order # : N/A
Laboratory # : L49763-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test of reproduction and survival using the cladoceran
Ceriodaphnia dubia
Sample Type : Wastewater
Sample Appearance : Incolore and translucide
Brief description of Sampling Location : Projet #10845 / DD-FD1 (DD-FD1)
Sampling Date/Time : 2010-08-24 / 10:30
Date/Time Received : 2010-08-27 / 09:30
Starting Date/Time : 2010-08-27 / 14:20
Ending Date/Time : 2010-09-03 / 14:20
Volume obtained : 10 litres
Sampled by : Jamie K. and Martin T.
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature upon arrival : 17,3 °C
IC₂₅ (C. L. at 95%) : >100 % v/v
LC₅₀ (C. L. at 95%) : >100 % v/v
Sample Condition at reception : Compliant
Test Performed by : R. Debes / J. Côté / J. Rondeau / D. Gagnon / A. Dionne



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Ceriodaphnia dubia*

Source of Tested Species: Maxxam Analytics. Single brood.

Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25^{\circ}\text{C} \pm 1$; lighting $16\text{h} \pm 1$ light, $8\text{h} \pm 1$ dark). Feeding with unicellular algae and YCT.

Age of test organisms: <24 hours (6:20 to 13:20)

Health of culture: No unusual treatment or appearance of the test organisms. No ephippia present in the culture. An average of at least 15 young per adult must be produced during the first 3 broods within the week preceding the test. At least 8 young must be produced by each brood organism in their third or subsequent brood, and in the brood to be used in a test.

Mean mortality rate of brood in 7 days preceding the test: 0%

Mean # of surviving live young produced per female during the first 3 broods within 7 days preceding the test: 21,2

Mean # of surviving live young produced per female during the last brood: 11,9

TEST CONDITIONS AND PROCEDURES

Lighting: 16 hours light and 8 hours dark

Temperature: incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution water type: same than culture water

Test Vessels: 20 mL disposable glass test tubes

Volume/Depth of test solutions: 15 mL / 10 cm

Number of organisms per test vessel : 1

Number of replicates per treatment: 10

3 subsamples: subsample A used on days 1 and 2
subsample B used on days 3 and 4
subsample C used at days 5, 6 and 7

Concentrations/test solutions (% v/v): 0; 1.58; 3.16; 6.25; 12.5; 25; 50; 100

Aeration: pre-aeration of 20 minutes before the solutions preparation at day 1, 2, 3, 4, 5, 6 and 7 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during the test and no deviation was made to the test m

When applicable, any neonates produced as a fourth or subsequent brood must not be included in the final counting.

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

Day 1

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,7	24,8	7,7	7,4	290	7,9	7,0
1.58	24,8	24,8	7,7	7,5	291	8,0	7,4
12.5	24,7	24,8	7,7	7,5	275	8,1	7,2
100	24,8	24,8	7,8	7,3	137	8,2	7,2
Avant	24,8		7,5		138	8,8	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,7	24,9	7,8	7,6	283	8,1	8,0
1.58	24,7	24,9	7,7	7,6	287	8,0	8,1
12.5	24,8	24,9	7,7	7,6	273	8,0	8,1
100	26,0	24,9	7,6	7,4	138	7,9	8,2
Avant	25,5		7,4		140	8,4	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,9	24,8	7,7	7,6	288	8,1	6,9
1.58	25,1	24,8	7,7	7,7	290	8,0	6,7
12.5	25,3	24,8	7,6	7,6	276	8,0	6,7
100	26,0	24,8	7,6	7,6	141	8,0	6,8
Avant	26,0		7,3		142	9,6	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,4	24,8	7,8	7,6	295	7,7	7,9
1.58	24,6	24,8	7,8	7,5	294	7,7	7,7
12.5	24,6	24,8	7,8	7,6	279	7,7	7,9
100	25,5	24,8	7,8	7,4	148	7,9	8,0
Avant	24,9		7,6		145	8,5	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)

Day 5

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	26,0	24,6	7,7	7,5	318	8,1	6,3
1.58	26,0	24,6	7,7	7,5	317	8,0	6,3
12.5	25,9	24,6	7,7	7,5	298	8,1	6,4
100	25,6	24,6	7,5	7,4	143	8,1	6,8
Avant	25,6		7,4		147	8,9	
¹ Incubator temperature Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	25,3	24,8	7,5	7,5	296	7,4	6,8
1.58	25,2	24,8	7,8	7,5	293	7,6	6,8
12.5	25,3	24,8	7,8	7,5	279	7,5	6,7
100	25,2	24,8	7,9	7,6	140	7,8	6,9
Avant	25,5		7,6		147	8,4	
¹ Incubator temperature Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Day 7

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	25,3	25,1	7,6	7,4	300	7,8	6,3
1.58	25,3	25,1	7,5	7,4	304	7,7	6,1
12.5	25,0	25,1	7,6	7,3	288	7,8	5,9
100	25,0	25,1	7,7	7,3	142	7,9	6,3
Avant	25,6		7,1		146	9,2	
¹ Incubator temperature Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Hardness (mg/L of CaCO₃): Dilution water : 109 mg/L
Sample at 100% : 43 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULT

Conc. (%v/v)	Daily mortality Rate								Mean number of neonates (St. Dev.)	Cumulative Mortality Rate
	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8		
0	0	0	0	0	0	0	0	-	33,1 (7,4)	0
1.58	0	0	0	0	0	0	0	-	36,3 (2,7)	0
3.16	0	0	0	0	0	0	0	-	35,0 (2,2)	0
6.25	0	0	0	10	0	0	0	-	29,5 (10,0)	10
12.5	0	0	0	0	0	0	0	-	33,8 (5,4)	0
25	0	0	0	0	0	0	0	-	35,0 (4,6)	0
50	0	0	0	0	0	0	0	-	31,8 (2,4)	0
100	0	0	0	0	0	10	0	-	29,2 (6,0)	10

IC₂₅ (C.L. at 95%) : >100 % v/v

T. U.c (100/IC₂₅) : <1

Statistical Method : -----

LC₅₀ (C.L. at 95%) : >100 % v/v

Statistical Method : -----

Comments : Test terminated on Day 7 as 60% of the controls produced 3 broods.

The incubator temperature is linked to the one of the glass tubes temperature each day.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0.0141; 0.0255; 0.0458; 0.0824; 0.1485; 0.2672; 0.4808

Test Date : September 8th, 2010

Test duration 6 days

Obtained Value IC₂₅ (C.L. at 95%) *Ceriodaphnia dubia* : **0.078 mg/L (0.061 - 0.096)**

Anterior Geometric Mean ($\pm$ 2 standard deviations) : **0.066 mg/L (0.023 - 0.185)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00402/6

Reference method : Biological Test Method: Test of Reproduction and Survival Using the Cladoceran *Ceriodaphnia Dubia*. EPS 1/RM/21 - Environment Canada. 2007.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 7 septembre 2010

Maxxam Job # : B044951
Report # : 15304
Order # : N/D
Laboratory # : L49763-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test for Measuring the Inhibition of Growth using *Lemna minor*, 7 days
Sample Type : Wastewater
Sample Appearance : Incolore et translucide
Brief description of Sampling Location : Projet #10845 / DD-FD1 (DD-FD1)
Sampling Date/Time : 2010-08-24 / 10:30
Date/Time Received : 2010-08-27 / 09:30
Starting Date/Time : 2010-08-27 / 12:25
Ending Date/Time : 2010-09-03 / 12:25
Volume obtained : 10 litres
Sampled by : Jamie K. and Martin T.
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature upon arrival : 17,3 °C
IC_{25 - 7d} (C.L. at 95%) Dry Weight : >97% v/v
IC_{25 - 7d} (C.L. at 95%) Frond Number : 81,4% v/v (40,0 - n.-c.)
Sample Condition at reception : Compliant
Test Performed by : R. Debes / J. Rondeau / I. Parenteau / A. Dionne



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organism: *Lemna minor*

Source of Tested Species: University of Toronto Culture Collection, maintained by Maxxam Analytics.

Stain number: UTCC 492, Landolt 7730

Age of culture at test start: 9 days, axenic culture.

Culture Medium: Sterile, modified Hoagland's E+ medium

Acclimatation Period in Culture Medium: *Lemna* was transferred to at least 2 cm of fresh medium for 18 to 24 hours before testing.

Health of Test Organisms: The fronds number increased to at least 8 times in 7 days. Plants in test culture must be healthy.

There was no unusual treatment or appearance of test organisms before their use.

TEST CONDITIONS AND PROCEDURES

Lighting: Continuous

Temperature: Incubator controlled at $25^{\circ}\text{C} \pm 2$

Control/Dilution Water type: Sterile ultra-pure water. Modified APHA medium. No chemical added.

Test Vessels: 300 mL Erlenmeyer flasks with Kimcaps

Volume/Depth of test solution: 150 mL / 5 cm

Number of Lemna/fronds at the beginning: 2 Lemna with 3 fronds / test vessel (6 fronds at $T = 0$)

Number of replicates per treatment: 4

Use of Sample: Static test with none renewal.

Concentrations of the solutions used and corrected for the volume of nutrient stock (% v/v) : 0; 0.97; 2.1; 4.5; 9.7; 21; 45; 97

Aeration: pre-aeration of 20 minutes before starting the solutions preparation at a rate of 100 bubbles/min

Sample Treatment: Modified APHA medium, no pH and hardness adjustments and no filtration.

There was nothing unusual observed during the test and no deviation was made to the test method.

The fronds number in the controls must have increased to at least 8-times the original number of fronds by the end of the 7-day test period.

CHEMICAL DATA OF TEST CONCENTRATIONS

Day 0 and 7

Concentration (%v/v)	Temperature (°C)		pH		Light Intensity Klux		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	23,0	25,1	8,1	9,2	4,6	4,8	-
0.97	23,1	24,9	8,1	9,2	4,7	4,7	-
9.7	23,0	25,1	8,1	9,3	4,7	4,6	-
97	23,0	24,9	8,1	9,1	4,8	4,8	-
Before	23,0		7,2		-		122

Day 1 - 2 - 3 - 4 - 5 - 6

Concentration (%v/v)	Temperature (°C)					
	1	2	3	4	5	6
0	24,0	24,5	24,7	25,6	24,9	25,0
0.97	24,8	24,7	25,5	25,8	25,3	25,0
9.7	24,8	24,5	25,5	26,5	25,8	25,5
97	24,7	24,8	25,5	26,6	25,9	25,7

Hardness (mg/L of CaCO₃) : Sample at 100% : 41 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

#15304

	Frond increase at the end of the test								Dry weight at the end of the test (µg)						
	# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.		# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.
Control	46	46	50	42	46,0	3,3	7,1		3910	3960	3860	3940	3918	43,5	1,1
0.97	38	40	38	39	38,8	1,0	2,5		3900	3600	3880	4040	3855	184,3	4,8
2.1	37	36	41	45	39,8	4,1	10,3		4240	3500	4390	4030	4040	389,1	9,6
4.5	45	36	49	43	43,3	5,4	12,6		5180	3880	5020	4020	4525	669,6	14,8
9.7	40	44	49	44	44,3	3,7	8,3		4090	4320	4230	4520	4290	180,2	4,2
21	36	41	41	42	40,0	2,7	6,8		4010	4990	4510	3980	4373	478,1	10,9
45	36	47	51	36	42,5	7,7	18,1		3940	4710	5090	4200	4485	514,7	11,5
97	36	20	33	41	32,5	9,0	27,6		3750	2890	4000	4660	3825	732,1	19,1

IC₂₅ (C. L. at 95%) Dry weight : >97% v/v

Statistical Method : -----

IC₂₅ (C.L. at 95%) Frond Increase : 81,4% v/v (40,0 - n.-c.)

Statistical Method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

Comments :

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Chloride

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (g/L de Cr) : 0; 0.514; 0.922; 1.65; 3.01; 5.43; 9.7; 17.5

Test Date : 2010-08-19

Test Duration: 7 days

Obtained Value IC_{25} (C.L. at 95%) - Dry Weight - 7days : **4,53 g/L (3,33 - 5.71)**
with *Lemna minor*

Anterior geometric mean (± 2 standard deviations) : **4,12 g/L (2,55 - 6,64)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00407/8


Reference method : Biological Test Method: Test for Measuring the Inhibition of Growth Using the Freshwater Macrophyte, *Lemna minor*. EPS 1/RM/37 - Second Edition, january 2007.

Quebec, 30 août 2010

Maxxam Job # : B044951
Report # : 15302
Order # : N/A
Laboratory # : L49763-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Growth inhibition test using a Freshwater alga (*Pseudokirchneriella subcapitata*), 72 hours
Sample Type : Wastewater
Sample Appearance : Incolore et translucide
Brief description of Sampling Location : Projet #10845 / DD-FD1 (DD-FD1)
Sampling Date/Time : 2010-08-24 / 10:30
Date/Time Received : 2010-08-27 / 09:30
Starting Date/Time : 2010-08-27 / 10:40
Ending Date/Time : 2010-08-30 / 10:40
Volume Obtained : 1 litre
Sampled by : Jamie K. and Martin T.
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature upon Arrival : 17,3 °C
IC₂₅ (I. C. à 95%) : >90.90% v/v
Sample Condition at reception : Compliant
Test Performed by : J. Côté / J. Rondeau



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Pseudokirchneriella subcapitata*

Culture origin : Canadian Phycological Culture Centre, maintained by Maxxam Analytics

Culture number : CPCC #37

Age of culture : 4 days old

Inoculum prepared less than 3 hours before the test microplate incubation and harvested in logarithmic phase of growth.

Inoculum cell count: $22,5 \times 10^4$ cells / ml

Initial cell density of inoculum: $10\,000 \pm 1\,000$ cells / ml

Health of test organisms: No unusual treatment or appearance of test organisms.

Algal growth curve, starting with an inoculum of the algal stock, is determined over an 8 to 10 day period, using an Erlenmeyer flask (at least 4 times/year).

TEST CONDITIONS AND PROCEDURES

Photoperiod: continuous

Temperature: Incubator controlled at $24^\circ\text{C} \pm 2$

Control/Dilution Water Type: sterile demineralized water. No chemical added

Test vessels: microplate Costar 96 U-shaped wells.

Microplate Final Volume: $220\ \mu\text{l}$ / well ($200\ \mu\text{l}$ of test sample, $10\ \mu\text{l}$ of enrichment medium, $10\ \mu\text{l}$ of *algal inoculum*)

Number of replicates per treatment: 3 (10 for the blank, 2 of which are used for the pH measurement)

Concentrations of the solutions used and corrected

to take into account the volume of algal inoculum : 0; 0.63*; 1.36; 2.72; 5.45; 10.90; 22.72; 45.45; 90.90
and enrichment media (% v/v)

Aeration: none

Sample Treatment: a subsample was filtered through a preconditioned membrane of $0.45\ \mu\text{m}$ pore diameter

There was nothing unusual observed during the test and no deviation was made to the test method

The number of algal cells measured for standard controls must have increased by a factor greater than 16 in 72h

* The cells count was not made at these concentrations, $IC_{25} > 0,63\%$ v/v

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS**Before the Sample Preparation**

Temperature (°C) :	22,1
Dissolved Oxygen (mg/L) :	9,1
pH :	7,1
Conductivity (µS/cm) :	130

Temperature¹ during the test

Time	Temperature (°C)
0	23,7
24	24,1
48	23,9
72	24,4

¹ Incubator temperature**pH² of the test concentration**

Concentration	Initial pH	Final pH
0	6,7	7,3
0.63	-	-
1.36	-	7,4
2.72	-	7,4
5.45	-	7,4
10.9	-	7,5
22.72	-	7,6
45.45	-	7,8
90.9	-	8,8

² Initial and final pH of the controls measured in the median microplate wells

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (% v/v)	Cells Count X 10 ⁴ (cells / ml)*							
	Rep. 1	Rep. 2	Rep. 3	Rep. 4	Rep. 5	Rep. 6	Rep. 7	Rep. 8
0	19,7	18,7	20,3	21,0	20,7	22,3	24,7	19,3
0.63	-	-	-	-	-	-	-	-
1.36	23,0	20,3	22,3	-	-	-	-	-
2.72	22,3	20,3	18,3	-	-	-	-	-
5.45	20,7	21,3	19,7	-	-	-	-	-
10.9	21,0	23,7	19,7	-	-	-	-	-
22.75	30,7	27,7	32,3	-	-	-	-	-
45.45	45,0	54,0	48,3	-	-	-	-	-
90.9	25,3	31,0	34,0	-	-	-	-	-

Conc. (% v/v)	Mean cells count X 10 ⁴ (cells / ml)	Standard Deviation	Coefficient of Variation	% Inhibition (-) or Stimulation (+)
0	20,8	1,9	9,2	-
0.63	-	-	-	-
1.36	21,9	1,4	6,4	+4,9
2.72	20,3	2,0	9,9	-2,6
5.45	20,6	0,8	3,9	-1,3
10.9	21,5	2,0	9,5	+3,0
22.75	30,2	2,3	7,7	+45,1
45.45	49,1	4,6	9,3	+135,6
90.9	30,1	4,4	14,7	+44,5

* Cell count made in the counting chamber on the last day of the test end

No gradient of effect (α 0.05) in the standard control wells

Probability¹ = -- ⁽¹⁾ The Mann-Kendall test was not performed, as the c.v. is < 10%.

IC₂₅ (I.C. at 95%) : >90.90 %v/v

Statistical method : -----

Comments : The dilutions $\geq$ 22,72% v/v has a stimulating effect that significantly deviate (ANOVA - CETIS 2001-2007) from the one observed in the blank.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Anhydrous zinc sulfate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentrations (ug/L of zinc) : 0; 2.9355; 5.2922; 9.5301; 17.158; 30.802; 55.403; 100.056

Test date : 2010-08-20

Obtained Value IC_{25} (C.L.. at 95%) : 17,98 ug/L de Zn (15,65 - 20,25)

Anterior geometric mean (± 2 standard deviations) : : **18.58 $\mu\text{g/L}$ de Zn (8.59 - 40,18)**

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00400/7

Reference Method : **Biological Test Method: Growth Inhibition Test using a Freshwater Alga. EPS1/RM/25 - Second Edition. Environment Canada. March 2007.**


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 7 septembre 2010

Maxxam Job # : B044951
Report # : 15303
Order # : N/A
Laboratory # : L49763-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test of larval growth and survival using fathead minnows
(*Pimephales promelas*), 7 days
Sample Type : Wastewater
Sample Appearance : Incolore and translucide
Brief Description of Sampling Location : Projet #10845 / DD-FD1 (DD-FD1)
Sampling Date/Time : 2010-08-24 / 10:30
Date/Time Received : 2010-08-27 / 09:30
Starting Date/Time : 2010-08-27 / 13:30
Ending Date/Time : 2010-09-03 / 13:30
Volume obtained : 10 litres
Sampled by : Jamie K. and Martin T.
Sampling Method : Grab
Storage Temperature : 4.0 °C
Sample Temperature upon arrival : 13.6 °C
IC₂₅ (C. L. at 95%) : >100% v/v
LC₅₀ (C. L. at 95%) : >100% v/v
Sample condition at Reception ? : Compliant
Test Performed by : R. Debes / J. Côté / J. Rondeau / I. Parenteau / D. Gagnon



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms : *Pimephales promelas* ; fathead minnow

Source of test Species: Maxxam Analytics. All from the same batch.

Source of Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25 \pm 2^{\circ}\text{C}$; lighting $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark).
Feeding with frozen brine shrimp supplemented by flaked food.

Age of test organisms: <24 hours old larvae. Their swim bladders are inflated.

Health of test Organisms: No unusual treatment or appearance of test organisms.

Mortality rate in culture 7 days preceding collection of eggs: 0,2%

TEST CONDITIONS AND PROCEDURES

Lighting: $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark

Temperature: room controlled at $25 \pm 1^{\circ}\text{C}$

Control/Dilution Water type: same of culture water

Test Vessels: 400 mL beakers of borosilicate glass

Volume and Depth of test solution: 250 mL / 7 cm depth

Number of larvae per test vessel: 10

Number of replicates per concentration: 3

3 Subsamples: subsample A used on days 1 and 2
subsample B used on days 3 and 4
subsample C used on days 5, 6 and 7

Concentrations/test solutions (% v/v) : 0; 1.5; 3; 6; 12; 25; 50; 100

Aeration : pre-aeration of 20 minutes before starting the solutions preparation at day 1, 2, 3, 4, 5, 6 and 7 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during about the test and no deviation was made to the from test method.

The test end at the 7th day

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS**Day 1**

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,2	24,0	7,9	7,3	263	8,0	5,6
1.5	25,2	24,9	8,0	7,3	262	7,9	5,4
12	25,3	25,0	8,0	7,3	252	8,0	5,5
100	25,1	25,0	7,6	7,0	137	8,1	5,4
Before	25,0		7,4		140	8,9	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,5	24,9	7,9	7,5	271	7,6	6,2
1.5	25,5	24,6	7,8	7,5	276	7,4	6,3
12	25,8	25,0	7,9	7,5	259	7,4	6,2
100	26,0	24,7	7,5	7,3	193	7,5	6,4
Before	25,5		7,3		140	8,5	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,1	25,4	7,9	7,4	268	7,8	4,8
1.5	25,1	24,9	7,9	7,5	266	7,8	5,1
12	25,2	25,6	7,9	7,5	260	7,8	5,1
100	25,9	25,6	7,6	7,3	142	7,9	5,1
Before	26,0		7,3		138	9,9	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,5	24,9	8,0	7,4	283	7,8	5,8
1.5	25,5	25,1	8,1	7,4	284	7,8	6,0
12	25,5	25,5	8,1	7,4	271	7,7	5,6
100	25,2	25,5	7,9	7,2	146	7,7	5,9
Before	25,0		7,8		147	8,5	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)**Day 5**

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,9	24,2	7,9	7,4	292	7,7	5,4
1.5	26,0	24,5	7,9	7,5	293	7,9	5,6
12	26,0	25,0	7,9	7,4	279	7,9	5,4
100	25,0	24,8	7,6	7,3	148	8,2	5,7
Before	25,6		7,3		147	9,2	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,9	25,1	8,0	7,5	271	7,5	5,9
1.5	26,0	25,6	8,0	7,5	272	7,6	6,2
12	25,9	25,4	8,0	7,5	259	7,6	5,6
100	25,7	24,8	7,9	7,4	141	7,9	6,1
Before	25,7		7,5		146	9,2	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 7

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	26,0	24,8	7,8	7,6	280	7,7	6,5
1.5	26,0	25,0	7,9	7,5	283	7,7	6,1
12	26,0	25,1	7,9	7,5	269	7,8	6,2
100	25,3	24,5	7,9	7,4	145	8,0	6,5
Before	25,3		7,2		147	9,1	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Hardness (mg/L of CaCO₃) : Dilution water : 103 mg/L
 Sample at 100% : 41 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (%v/v)	Daily mortality Rate														Cumulative mortality rate (St. Dev.)	Biomass	
	day 1		day 2		day 3		day 4		day 5		day 6		day 7			Mean (ug)	St. Dev.
	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%			
0	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	3,3 (5,8)	683	79,9
1.5	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	616	53,5
3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	1	3,3	3,3 (5,8)	693	35,1
6	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	660	47,3
12	1	3,3	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	6,7 (11,5)	720	29,6
25	0	0,0	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	3,3 (5,8)	604	5,6
50	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	659	21,1
100	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	615	30,9

IC₂₅ (C.L. at 95%) : >100% v/v

T. U.c (100/IC₂₅) : <1

Statistical Method : -----

LC₅₀ (C.L. at 95%) : >100% v/v

Statistical Method : -----

Comments :

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant: Pentachlorophenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (µg/L): 0; 9; 13; 20; 30; 44; 67; 100

Test Date: 2010-08-27

Test duration: 7 days

Obtained value IC₂₅ (C.L. at 95%) at 7 days with *Fathead minnow* : **50,58 µg/L (43,62 - 56,94)**

Anterior geometric mean (± 2 standard deviations) : **51,31 µg/L (28,61 - 92,01)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00401/6

Reference method : Biological Test Method: Test of Larval Growth and Survival using Fathead Minnows. EPS 1/RM/22 - Environment Canada. 1992. (including September 2008 Amendments)

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2010
 Sampled by: N. Saucier/M. Thériault
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		Std-Alcalinité-8/042010	139	123 - 167	
Aluminium (Al) mg/L	<0.002	Met EU DMR-0008-10-11	6.38	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.298	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0282-2010-NH ₃	2.40	2.04 - 2.76	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0282-2010-NH ₃	2.40	2.04 - 2.76	0.17 0.16
Cadmium (Cd) mg/L	<0.00008	Met EU DMR-0008-10-11	0.717	0.708 - 0.958	
Cuivre (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.19	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.05	CNT DMR-0406-2	1.58	1.41 - 1.91	
Dureté mg CaCO ₃ /L		Met EU DMR-0008-10-11	72.0	60.4 - 81.7	
Fer (Fe) mg/L	<0.01	Met EU DMR-0008-10-11	8.8	8.8 - 12.0	
M.E.S. mg/L	<1	MES 16-03-2010	246	194 - 306	
Mercuré (Hg) mg/L	<0.00001	DMR-0282-2010-13	0.0533	0.0405 - 0.0639	
Molybdène (Mo) mg/L	<0.0005	Met EU DMR-0008-10-11	0.566	0.562 - 0.760	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.06	0.98 - 1.32	
Nitrates (NO ₃) mg N/L					
pH		Std pH 7.00	7.03	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	Met EU DMR-0008-10-11	0.926	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.68	3.83 - 5.19	

Reported on: May 11, 2010
 Lab number: 79419:79420

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Lab number:	79419	79420
Sample name:	TPS (EEM-REF.1)	TPN (EEM-Dscharge 1)
Sampling date:	19-04-2010	19-04-2010
Alkalinity mg CaCO ₃ /L	7	6
Aluminium (Al) mg/L	0.019	0.026
Arsenic (As) mg/L	0.0033	0.0023
Ammonia (NH ₃ -NH ₄) mg N/L	0.17	0.16
Cadmium (Cd) mg/L	<0.00008	<0.00008
Copper (Cu) mg/L	<0.0005	<0.0005
Total Cyanide (CNt) mg/L	0.020	0.008
Hardness mg CaCO ₃ /L	4	5
Iron (Fe) mg/L	<0.01	<0.01
Total Suspended Solids mg/L	<1	<1
Mercury (Hg) mg/L	<0.00001	<0.00001
Molybdenum (Mo) mg/L	<0.0005	<0.0005
Nickel (Ni) mg/L	<0.0005	<0.0005
Nitrate (NO ₃) mg N/L	<0.01	0.01
Dissolved oxygen mg/L	9.48	10.16
pH	6.73	6.64
Lead (Pb) mg/L	<0.0003	<0.0003
Radium (Ra 226) Becquerels/L	<0.002	<0.002
Zinc (Zn) mg/L	<0.001	<0.001

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 22, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water

Commentaire

Sampling date:

Projet 79419 : 79420

résultats à titre indicatif seulement, pour les paramètres suivant(s) : Oxygène dissous. contenant non conforme

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
Cadmium (Cd)	0.00008	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Cyanide (CNt)	0.005	mg/L	M-CN-1.0
Hardness	1	mg CaCO ₃ /L	M-MET-3.0
Iron (Fe)	0.01	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Mercury (Hg)	0.00001	mg/L	M-MET-3.0
Molybdenum (Mo)	0.0005	mg/L	M-MET-3.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
Nitrate (NO ₃)	0.01	mg N/L	M-NITR-2.0
Dissolved oxygen	N.D.	mg/L	M-OXY-1.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79421

Sampling date: April 19, 2010
Sampling hour: 17:30
Date received: April 22, 2010
Sampling location: EEM 1
Sampled by: N. Saucier/M. Thériault
Matrix: Water
Sample name: EEM 1

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.630 mg/L	M-MET-3.0	April 23, 2010
Ammonia (NH ₃ -NH ₄)	0.17 mg N/L	M-NH3-2.0	April 26, 2010
Cadmium (Cd)	<0.00008 mg/L	M-MET-3.0	April 23, 2010
Iron (Fe)	0.15 mg/L	M-MET-3.0	April 23, 2010
Mercury (Hg)	<0.00001 mg/L	M-MET-3.0	April 23, 2010
Molybdenum (Mo)	0.0014 mg/L	M-MET-3.0	April 23, 2010
Nitrate (NO ₃)	0.52 mg N/L	M-NITR-2.0	April 22, 2010

Reported on: April 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79421
Sampling date: April 19, 2010
Sampling hour: 17:30
Date received: April 22, 2010
Sampling location: EEM 1
Sampled by: N. Saucier/M. Thériault
Matrix: Water
Sample name: EEM 1

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		M-MET-3.0
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH ₃ -2.0
Cadmium (Cd)	0.00008 mg/L		M-MET-3.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Mercury (Hg)	0.00001 mg/L		M-MET-3.0
Molybdenum (Mo)	0.0005 mg/L		M-MET-3.0
Nitrate (NO ₃)	0.01 mg N/L		M-NITR-2.0

Reported on: April 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79421

Sampling date: April 19, 2010
Sampling hour: 17:30
Date received: April 22, 2010
Sampling location: EEM 1
Sampled by: N. Saucier/M. Thériault
Matrix: Water
Sample name: EEM 1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002 Met EU DMR-0008-10-11		6.38	5.27 - 7.13	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05 DMR-0282-2010-NH ₃		2.40	2.04 - 2.76	
Cadmium (Cd) mg/L	<0.00008 Met EU DMR-0008-10-11		0.717	0.708 - 0.958	
Iron (Fe) mg/L	<0.01 Met EU DMR-0008-10-11		8.8	8.8 - 12.0	
Mercury (Hg) mg/L	<0.00001 DMR-0282-2010-13		0.0533	0.0405 - 0.0639	
Molybdenum (Mo) mg/L	<0.0005 Met EU DMR-0008-10-11		0.566	0.562 - 0.760	
Nitrate (NO ₃) mg N/L					

Reported on: April 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.


All samples will be disposed of after 30 days following analysis.

Quebec, June 3, 2010

Maxxam Job # : B018448
Report # : 14369
Order # : n/d
Laboratory # : K33333-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of bioassay : Test of larval growth and survival using fathead minnows
(*Pimephales promelas*), 7 days
Sample type : Wastewater
Sample appearance : Clear and translucent
Brief Description of Sampling Location : Projet #79422 / DD - FD1
Sampling Date/Time : 2010-04-19 / 17:30
Date/Time Received : 2010-04-22 / 09:00
Starting Date/Time : 2010-04-22 / 14:20
Ending Date/Time : 2010-04-29 / 14:20
Volume obtained : 10 litres
Sampled by : Nicolas Saucier and Martin Thériault
Sampling Method : Grab
Storage Temperature : 4.0 °C
Sample Temperature upon arrival : 13.6 °C
IC₂₅ (C. L. at 95%) : >100% v/v
LC₅₀ (C. L. at 95%) : >100% v/v
Sample condition at Reception ? : Compliant
Test Performed by : R. Debes / J. Côté / J. Rondeau / I. Parenteau / A. Dionne



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms : *Pimephales promelas* ; fathead minnow

Source of test Species: Maxxam Analytics. All from the same batch.

Source of Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25 \pm 2^{\circ}\text{C}$; lighting $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark).
Feeding with frozen brine shrimp supplemented by flaked food.

Age of test organisms: <24 hours old larvae. Their swim bladders are inflated.

Health of test Organisms: No unusual treatment or appearance of test organisms.

Mortality rate in culture 7 days preceding collection of eggs: 0,2%

TEST CONDITIONS AND PROCEDURES

Lighting: $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark

Temperature: room controlled at $25 \pm 1^{\circ}\text{C}$

Control/Dilution Water type: same of culture water

Test Vessels: 400 ml borosilicate glass beakers

Volume and Depth of test solution: 250 mL / 7 cm depth

Number of larvae per test vessel: 10

Number of replicates per concentration: 3

3 Subsamples: subsample A used on days 1 and 2
subsample B used on days 3 and 4
subsample C used on days 5, 6 and 7

Concentrations/test solutions (% v/v) : 0; 1.5; 3; 6; 12; 25; 50; 100

Aeration : pre-aeration of 20 minutes before starting the solutions preparation at day 1, 2, 3, 4, 5, 6 and 7 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during about the test and no deviation was made to the from test method.

The test end at the 7th day

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

Day 1

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24.7	24.2	7.8	7.4	213	7.9	6.3
1.5	24.6	24.1	7.8	7.4	215	7.8	5.9
12	24.5	24.2	7.7	7.3	203	7.9	6.0
100	24.0	24.0	7.6	7.2	69	8.2	6.6
Before	24.0		7.3		68	10.4	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	26.0	24.5	7.6	7.5	232	7.7	5.9
1.5	26.0	24.9	7.6	7.5	232	7.7	6.0
12	25.9	24.7	7.6	7.4	217	7.7	6.0
100	25.8	24.4	7.5	7.4	74	7.9	5.9
Before	25.0		7.3		68	9.0	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24.0	24.0	7.7	7.3	221	8.1	5.7
1.5	24.0	24.0	7.8	7.3	220	8.1	6.2
12	24.3	24.8	7.8	7.2	206	8.2	5.0
100	25.1	24.3	7.6	7.1	72	8.2	6.1
Before	25.8		7.3		73	9.5	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25.0	24.7	7.7	7.2	231	7.7	5.4
1.5	25.1	24.8	7.7	7.2	229	7.7	5.6
12	25.2	24.7	7.7	7.3	210	7.7	5.7
100	25.4	24.8	7.5	7.4	76	7.8	5.9
Before	25.7		7.3		79	9.4	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)

Day 5

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24.8	24.1	7.5	7.4	232	7.5	5.9
1.5	24.8	24.2	7.5	7.4	232	7.5	6.2
12	24.7	24.5	7.6	7.4	216	7.6	6.1
100	25.0	25.1	7.4	7.0	71	7.4	5.9
Before	25.3		7.1		69	9.5	

no pre-aeration of the solutions

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25.4	24.8	7.7	7.3	233	7.7	5.8
1.5	25.4	25.0	7.7	7.3	234	7.7	5.4
12	25.2	24.8	7.7	7.3	218	7.8	5.8
100	24.2	25.0	7.6	7.2	70	7.9	5.8
Before	25.4		6.9		70	9.6	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 7

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24.5	24.6	7.6	7.5	233	7.8	6.4
1.5	24.6	24.0	7.7	7.5	233	7.7	6.3
12	24.4	24.9	7.7	7.5	215	7.7	6.4
100	24.8	24.1	7.5	7.4	69	8.0	6.5
Before	26.0		6.7		71	9.4	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Hardness (mg/L of CaCO₃) : Dilution water : 86 mg/L
 Sample at 100% : 25 mg/L

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (%v/v)	Daily mortality Rate														Cumulative mortality rate (St. Dev.)	Biomass	
	day 1		day 2		day 3		day 4		day 5		day 6		day 7			Mean (ug)	St. Dev.
	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%			
0	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	3,3 (5,8)	609	22.7
1.5	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 0,0	732	64.1
3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	743	43.6
6	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	689	84.0
12	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	716	3.5
25	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	720	117.1
50	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	716	41.5
100	0	0,0	0	0,0	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	3,3 (5,8)	654	109.0

IC₂₅ (C.L. at 95%) : >100% v/v

T. U.c (100/IC₂₅) : <1

Statistical Method : -----

LC₅₀ (C.L. at 95%) : >100% v/v

Statistical Method : -----

Comments : The fish was killed by accident. The statistics were calculated with n=9.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant: Pentachlorophenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (µg/L): 0; 9; 13; 20; 30; 44; 67; 100

Test Date: 2010-04-12

Test duration: 7 days

Obtained value IC₂₅ (C.L. at 95%) at 7 days with *Fathead minnow* : **36.40 µg/L (29.86 - 39.08)**

Anterior geometric mean (± 2 standard deviations) : **47.61 µg/L (29.38 - 77.16)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00401/6

Reference method : Biological Test Method: Test of Larval Growth and Survival using Fathead Minnows. EPS 1/RM/22 - Environment Canada. 1992. (including September 2008 Amendments)


This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 9 juin 2010

Maxxam Job # : B018448
Report # : 14370
Order # : n/d
Laboratory # : K33333-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Growth inhibition test using a Freshwater alga (*Pseudokirchneriella subcapitata*), 72 hours
Sample Type : Wastewater
Sample Appearance : Clear and Translucent
Brief description of Sampling Location : Projet #79422 / DD - FD1 (EEM - 1)
Sampling Date/Time : 2010-04-19 / 17:30
Date/Time Received : 2010-04-22 / 10:00
Starting Date/Time : 2010-04-22 / 16:40
Ending Date/Time : 2010-04-25 / 16:40
Volume Obtained : 1 litre
Sampled by : Nicolas Saucier and Martin Thériault
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature upon Arrival : 13.6 °C
IC₂₅ (I. C. à 95%) : >90.90% v/v
Sample Condition at reception : Compliant
Test Performed by : J. Côté / J. Rondeau



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Pseudokirchneriella subcapitata*

Culture origin : Canadian Phycological Culture Centre, maintained by Maxxam Analytics

Culture number : CPCC #37

Age of culture : 3 days old

Inoculum prepared less than 3 hours before the test microplate incubation and harvested in logarithmic phase of growth.

Inoculum cell count: $22,5 \times 10^4$ cells / ml

Initial cell density of inoculum: $10\,000 \pm 1\,000$ cells / ml

Health of test organisms: No unusual treatment or appearance of test organisms.

Algal growth curve, starting with an inoculum of the algal stock, is determined over an 8 to 10 day period, using an Erlenmeyer flask (at least 4 times/year).

TEST CONDITIONS AND PROCEDURES

Photoperiod: continuous

Temperature: Incubator controlled at $24^\circ\text{C} \pm 2$

Control/Dilution Water Type: sterile demineralized water. No chemical added

Test vessels: microplate Costar 96 U-shaped wells.

Microplate Final Volume: $220\ \mu\text{l}$ / well ($200\ \mu\text{l}$ of test sample, $10\ \mu\text{l}$ of enrichment medium, $10\ \mu\text{l}$ of *algal inoculum*)

Number of replicates per treatment: 3 (10 for the blank, 2 of which are used for the pH measurement)

Concentrations of the solutions used and corrected

to take into account the volume of algal inoculum : 0; 0.63*; 1.36; 2.72; 5.45; 10.90; 22.72; 45.45; 90.90 and enrichment media (% v/v)

Aeration: none

Sample Treatment: a subsample was filtered through a preconditioned membrane of $0.45\ \mu\text{m}$ pore diameter

There was nothing unusual observed during the test and no deviation was made to the test method

The number of algal cells measured for standard controls must have increased by a factor greater than 16 in 72h

* The cells count was not made at these concentrations, $IC_{25} > 0,63\%$ v/v

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS**Before the Sample Preparation**

Temperature (°C) :	23.0
Dissolved Oxygen (mg/L) :	9.9
pH :	7.2
Conductivity (µS/cm) :	61

Temperature¹ during the test

Time	Temperature (°C)
0	23.6
24	23.7
48	24.1
72	23.2

¹ Incubator temperature**pH² of the test concentration**

Concentration	Initial pH	Final pH
0	7.6	7.7
0.63	-	-
1.36	-	7.7
2.72	-	7.6
5.45	-	7.6
10.9	-	7.6
22.72	-	7.5
45.45	-	7.6
90.9	-	8.6

² Initial and final pH of the controls measured in the median microplate wells

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (% v/v)	Cells Count X 10 ⁴ (cells / ml)*							
	Rep. 1	Rep. 2	Rep. 3	Rep. 4	Rep. 5	Rep. 6	Rep. 7	Rep. 8
0	23,3	20,7	22,3	24,7	25,3	26,3	19,7	21,7
0.63	-	-	-	-	-	-	-	-
1.36	23,7	20,0	21,3	-	-	-	-	-
2.72	21,7	23,3	23,3	-	-	-	-	-
5.45	25,0	29,3	27,3	-	-	-	-	-
10.9	23,7	26,3	30,0	-	-	-	-	-
22.75	33,0	36,0	33,7	-	-	-	-	-
45.45	32,0	37,7	40,3	-	-	-	-	-
90.9	42,0	50,7	50,0	-	-	-	-	-

Conc. (% v/v)	Mean cells count X 10 ⁴ (cells / ml)	Standard Deviation	Coefficient of Variation	% Inhibition (-) or Stimulation (+)
0	23,0	2,3	10,1	-
0.63	-	-	-	-
1.36	21,7	1,9	8,7	-5,8
2.72	22,8	0,9	4,1	-1,0
5.45	27,2	2,2	7,9	+18,3
10.9	26,7	3,2	11,9	+15,9
22.75	34,2	1,6	4,6	+48,8
45.45	36,7	4,2	11,6	+59,4
90.9	47,6	4,8	10,2	+106,8

* Cell count made in the counting chamber on the last day of the test end

No gradient of effect (α 0.05) in the standard control wells

Probability¹ = 0.452 ⁽¹⁾ The Mann-Kendall test was not performed, as the c.v. is < 10%.

IC₂₅ (I.C. at 95%) : >90.90 %v/v

Statistical method : -----

Comments : The dilutions $\geq$ 22,75% v/v has a stimulating effect that significantly deviate (ANOVA - CETIS 2001-2007) from the one observed in the blank.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Anhydrous zinc sulfate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentrations (ug/L of zinc) : 0; 2.9355; 5.2922; 9.5301; 17.158; 30.802; 55.403; 100.056

Test date : 2010-04-09

Obtained Value IC_{25} (C.L.. at 95%) : 19.83 ug/L de Zn (15.68 - 24.05)

Anterior geometric mean (± 2 standard deviations) : : **18.24 $\mu\text{g/L}$ de Zn (8.58 - 38.80)**

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00400/7

Reference Method : **Biological Test Method: Growth Inhibition Test using a Freshwater Alga. EPS1/RM/25 - Second Edition. Environment Canada. March 2007.**


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 9 juin 2010

Maxxam Job # : B018448
Report # : 14371
Order # : N/D
Laboratory # : K33333-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test of reproduction and survival using the cladoceran
Ceriodaphnia dubia
Sample Type : Wastewater
Sample Appearance : Clear and translucent
Brief description of Sampling Location : Projet #79422 / DD - FD1 (EEM - 1)
Sampling Date/Time : 2010-04-19 / 17:30
Date/Time Received : 2010-04-22 / 10:00
Starting Date/Time : 2010-04-22 / 12:45
Ending Date/Time : 2010-04-29 / 12:45
Volume obtained : 10 litres
Sampled by : Nicolas Saucier and Martin Thériault
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature upon arrival : 13,6 °C
IC₂₅ (C. L. at 95%) : >100 % v/v
LC₅₀ (C. L. at 95%) : >100 % v/v
Sample Condition at reception : Compliant
Test Performed by : R. Debes / J. Côté / I. Parenteau



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Ceriodaphnia dubia*

Source of Tested Species: Maxxam Analytics. Single brood.

Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25^{\circ}\text{C} \pm 1$; lighting $16\text{h} \pm 1$ light, $8\text{h} \pm 1$ dark). Feeding with unicellular algae and YCT.

Age of test organisms: <24 hours (3.5 to 12.25h)

Health of culture: No unusual treatment or appearance of the test organisms. No ephippia present in the culture. An average of at least 15 young per adult must be produced during the first 3 broods within the week preceding the test. At least 8 young must be produced by each brood organism in their third or subsequent brood, and in the brood to be used in a test.

Mean mortality rate of brood in 7 days preceding the test: 3.3%

Mean # of surviving live young produced per female during the first 3 broods within 7 days preceding the test: 25.5

Mean # of surviving live young produced per female during the last brood: 11.2

TEST CONDITIONS AND PROCEDURES

Lighting: 16 hours light and 8 hours dark

Temperature: incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution water type: same than culture water

Test Vessels: 20 mL disposable glass test tubes

Volume/Depth of test solutions: 15 mL / 10 cm

Number of organisms per test vessel : 1

Number of replicates per treatment: 10

3 subsamples: subsample A used on days 1 and 2
subsample B used on days 3 and 4
subsample C used at days 5, 6 and 7

Concentrations/test solutions (% v/v): 0; 1.58; 3.16; 6.25; 12.5; 25; 50; 100

Aeration: pre-aeration of 20 minutes before the solutions preparation at day 1, 2, 3, 4, 5, 6 and 7 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during the test and no deviation was made to the test m

When applicable, any neonates produced as a fourth or subsequent brood must not be included in the final counting.

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

Day 1

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	25.5	24.0	7.3	7.5	240	8.1	7.1
1.58	25.7	24.0	7.3	7.5	243	8.0	7.2
12.5	25.8	24.0	7.3	7.4	225	8.0	7.1
100	26.0	24.0	7.4	7.3	73	7.9	7.3
Avant	24.2		7.2		68	10.4	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.2	24.6	7.6	7.5	235	8.4	7.3
1.58	24.2	24.6	7.6	7.5	234	8.3	7.2
12.5	24.3	24.6	7.6	7.5	218	8.3	7.1
100	25.0	24.6	7.6	7.3	70	8.0	7.3
Avant	24.0		6.9		70	9.2	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.1	24.1	7.6	7.4	230	8.4	7.2
1.58	24.1	24.1	7.5	7.4	230	8.4	7.0
12.5	24.2	24.1	7.5	7.4	214	8.3	7.3
100	25.3	24.1	7.5	7.2	71	8.0	7.5
Avant	24.5		6.8		71	10.4	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.2	24.4	7.5	7.3	232	8.1	6.6
1.58	24.2	24.4	7.6	7.3	231	8.1	6.6
12.5	24.3	24.4	7.6	7.3	217	8.3	6.6
100	24.6	24.4	7.6	7.1	77	8.2	6.4
Avant	25.2		7.5		77	9.1	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)

Day 5

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.1	24.2	7.3	7.3	233	8.4	7.3
1.58	24.1	24.2	7.3	7.3	233	8.4	6.8
12.5	24.2	24.2	7.3	7.3	217	8.3	7.2
100	25.8	24.2	7.4	7.2	67	8.1	7.2
Avant	26.0		7.1		71	9.1	
¹ Incubator temperature							
Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.5	25.1	7.4	7.4	242	8.2	6.9
1.58	24.6	25.1	7.5	7.4	243	8.2	7.1
12.5	24.5	25.1	7.5	7.4	226	8.2	6.9
100	25.2	25.1	7.4	7.3	67	8.2	7.1
Avant	25.3		6.8		69	9.6	
¹ Incubator temperature							
Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Day 7

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24.1	24.4	7.6	7.2	247	8.4	6.9
1.58	24.1	24.4	7.7	7.2	246	8.4	6.6
12.5	24.2	24.4	7.7	7.2	228	8.4	6.4
100	24.9	24.4	7.5	7.2	66	8.2	7.2
Avant	25.7		6.7		69	9.4	
¹ Incubator temperature							
Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Hardness (mg/L of CaCO₃): Dilution water : 89 mg/L
Sample at 100% : 25 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULT

Conc. (%v/v)	Daily mortality Rate								Mean number of neonates (St. Dev.)	Cumulative Mortality Rate
	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8		
0	0	0	0	10	0	0	0	-	30.4 (3.9)	10
1.8	0	0	0	0	0	0	0	-	31.0 (4.2)	0
3.16	0	0	0	0	0	0	0	-	31.9 (5.5)	0
6.25	0	0	0	0	0	0	0	-	32.4 (6.3)	0
12.5	0	0	0	0	0	0	0	-	32.1 (3.8)	0
25	0	0	0	0	0	0	0	-	31.5 (5.8)	0
50	0	0	0	0	0	0	0	-	31.9 (3.4)	0
100	0	0	0	0	0	0	0	-	25.2 (5.8)	0

IC₂₅ (C.L. at 95%) : >100 % v/v

T. U.c (100/IC₂₅) : <1

Statistical Method : -----

LC₅₀ (C.L. at 95%) : >100 % v/v

Statistical Method : -----

Comments : Test ended on Day 7, i.e. when 60% of the test controls produced 3 broods.
The incubator temperature is linked to the one of the glass tubes temperature each day.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0.0141; 0.0255; 0.0458; 0.0824; 0.1485; 0.2672; 0.4808

Test Date : 2010-04-28

Test duration 7 days

Obtained Value IC₂₅ (C.L. at 95%) *Ceriodaphnia dubia* : **0.090 mg/L (0.044 - 0.099)**

Anterior Geometric Mean ($\pm$ 2 standard deviations) : **0.057 mg/L (0.017 - 0.194)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00402/6

Reference method : Biological Test Method: Test of Reproduction and Survival Using the Cladoceran *Ceriodaphnia Dubia*. EPS 1/RM/21 - Environment Canada. 2007.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, June 3, 2010

Maxxam Job # : B018448
Report # : 14372
Order # : n/d
Laboratory # : K33333-01R
Project : Sample Characterization
Client Name and Address : MULTILAB DIRECT
a/s M. Roger Turmel
125, boulevard Industriel
Rouyn-Noranda (Québec)
J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test for Measuring the Inhibition of Growth using *Lemna minor*, 7 days
Sample Type : Wastewater
Sample Appearance : Clear and Translucent
Brief description of Sampling Location : Projet #79422 / DD - FD1 (EEM - 1)
Sampling Date/Time : 2010-04-19 / 17:30
Date/Time Received : 2010-04-22 / 10:00
Starting Date/Time : 2010-04-22 / 14:00
Ending Date/Time : 2010-06-29 / 14:00
Volume obtained : 10 litres
Sampled by : Nicolas Saucier and Martin Thériault
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample temperature upon arrival : 13.6 °C
IC_{25 - 7d} (C.L. at 95%) Dry Weight : >97% v/v
IC_{25 - 7d} (C.L. at 95%) Frond Number : >97% v/v
Sample Condition at reception : Compliant
Test performed by : R. Debes / J. Rondeau / I. Parenteau



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organism: *Lemna minor*

Source of Test Species: University of Toronto Culture Collection, maintained by Maxxam Analytics.

Stain number: UTCC 492, Landolt 7730

Age of culture at test start: 8 days, axenic culture.

Culture Medium: Sterile, modified Hoagland's E+ medium

Acclimation Period in Culture Medium: *Lemna* was transferred to at least 2 cm of fresh medium for 18 to 24 hours before testing.

Health of Test Organisms: The fronds number increased to at least 8 times in 7 days. Plants in test culture must be healthy.

There was no unusual treatment or appearance of test organisms before their use.

TEST CONDITIONS AND PROCEDURES

Lighting: Continuous

Temperature: Incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution Water type: Sterile ultra-pure water. Modified APHA medium. No chemicals added.

Test Vessels: 300 mL Erlenmeyer flasks with Kimcaps

Volume/Depth of test solution: 150 mL / 5 cm

Number of Lemna/fronds at the beginning: 2 Lemna with 3 fronds / test vessel (6 fronds at $T = 0$)

Number of replicates per treatment: 4

Use of Sample: Static test with none renewal.

Concentrations of the solutions used and corrected for the volume of nutrient stock (% v/v) : 0; 0.97; 2.1; 4.5; 9.7; 21; 45; 97

Aeration: pre-aeration of 20 minutes before starting the solutions preparation at a rate of 100 bubbles/min

Sample Treatment: Modified APHA medium, no pH and hardness adjustments and no filtration.

There was nothing unusual observed during the test and no deviation was made to the test method.

The fronds number in the controls must have increased to at least 8-times the original number of fronds by the end of the 7-day test period.

#14372

CHEMICAL DATA OF TEST CONCENTRATIONS

Day 0 and 7

Concentration (%v/v)	Temperature (°C)		pH		Light Intensity Klux		Conductivity (μS/cm)
	Start	End	Start	End	Start	End	Start
0	23.4	25.6	8.3	8.9	5.0	5.0	-
0.97	23.4	25.6	8.3	8.4	5.1	5.1	-
9.7	23.4	26.0	8.2	8.7	4.9	5.0	-
97	23.5	25.7	7.9	8.3	5.1	5.3	-
Before	23.4		7.7		-		773

Day 1 - 2 - 3 - 4 - 5 - 6

Concentration (%v/v)	Temperature (°C)					
	1	2	3	4	5	6
0	24.6	24.5	25.8	25.8	25.4	25.7
0.97	25.4	25.0	25.7	26.0	25.0	26.0
9.7	25.8	25.5	25.8	25.8	25.7	26.4
97	25.5	25.2	25.6	25.5	25.6	26.2

Hardness (mg/L of CaCO₃) : Sample at 100% : 159 mg/L

TEST RESULTS

#14372

	Frond increase at the end of the test								Dry weight at the end of the test (µg)						
	# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.		# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.
Control	80	101	86	87	88,5	8,9	10,0		6770	8450	7300	7570	7523	702,0	9,3
0.97	79	74	73	78	76,0	2,9	3,9		6700	6380	5460	6390	6233	536,0	8,6
2.1	69	92	70	88	79,8	12,0	15,0		5740	7600	6100	7080	6630	859,5	13,0
4.5	79	99	91	84	88,3	8,7	9,9		6640	8080	7670	8020	7603	666,7	8,8
9.7	87	109	83	83	90,5	12,5	13,8		7830	9010	7790	7330	7990	716,8	9,0
21	88	86	97	91	90,5	4,8	5,3		7630	7660	7590	8290	7793	332,9	4,3
45	72	82	59	80	73,3	10,4	14,2		6430	7460	5270	7380	6635	1023,2	15,4
97	64	116	85	49	78,5	29,0	37,0		6970	10570	7940	4970	7613	2327,4	30,6

IC₂₅ (C. L. at 95%) Dry weight : >97% v/v

Statistical Method : -----

IC₂₅ (C.L. at 95%) Frond Increase : >97% v/v

Statistical Method : -----

Comment :

#14372

QUALITY CONTROL

Reference toxicant : Potassium Chloride

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (g/L de Cr) : 0; 0.514; 0.922; 1.65; 3.01; 5.43; 9.7; 17.5

Test Date : 2010-04-28

Test duration: 7 days

Obtained value IC₂₅ (C.L. at 95%) - dry weight - 7days : **4.10 g/L (2.94 - 5.25)**
with *Lemna minor*

Anterior geometric mean ($\pm$ 2 standard deviations) : **3.60 g/L (2.23 - 5.82)**

ANALYTICAL METHOD

Analytical method : QUE SOP - 00407/8

Reference method : **Biological Test Method: Test for Measuring the Inhibition of Growth Using the Freshwater Macrophyte, *Lemna minor*. EPS 1/RM/37 - Second Edition, January 2007.**

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples anlyzed.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: May 25, 2010
 Sampled by: S.Gaudreault/J. Kataluk
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		Std-Alcalinité-8/042010	153	123 - 167	
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	6.59	5.27 - 7.13	0.027 0.030
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	6.59	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.295	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.295	0.248 - 0.392	<0.0005 <0.0005
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0347-2010-NH3	2.4	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00008 M EU	DMR-0347-10-18	0.830	0.708 - 0.958	<0.00008 <0.00008
Cadmium (Cd) mg/L	<0.00008 M EU	DMR-0347-10-18	0.830	0.708 - 0.958	
Cuivre (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.39	1.04 - 1.40	<0.0005 <0.0005
Cuivre (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.39	1.04 - 1.40	
Dureté mg CaCO ₃ /L					6 6
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01 M EU	DMR-0347-10-18	10.6	8.8 - 12.0	<0.01 <0.01
Fer (Fe) mg/L	<0.01 M EU	DMR-0347-10-18	10.6	8.8 - 12.0	
M.E.S. mg/L	<1	MES 14-05-2010	240	194 - 306	
Mercuré (Hg) mg/L	<0.00001	Hg DMR-0347-10-13	0.0453	0.0405 - 0.0639	
Molybdène (Mo) mg/L	<0.0005 M EU	DMR-0347-10-18	0.700	0.562 - 0.760	
Molybdène (Mo) mg/L	<0.0005 M EU	DMR-0347-10-18	0.700	0.562 - 0.760	<0.0005 <0.0005
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.22	0.98 - 1.32	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.22	0.98 - 1.32	0.0006 0.0006

Reported on: June 10, 2010
 Lab number: 81018:81019

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 25, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrates (NO3) mg N/L	<0.01					
Plomb (Pb) mg/L	<0.0003 M EU DMR-0347-10-18		1.012	0.819 - 1.109	0.0068	0.0071
Plomb (Pb) mg/L	<0.0003 M EU DMR-0347-10-18		1.012	0.819 - 1.109		
Turbidité UTN		DMR-0282-2010-Turb	6.00	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001 M EU DMR-0347-10-18		4.95	3.83 - 5.19		
Zinc (Zn) mg/L	<0.001 M EU DMR-0347-10-18		4.95	3.83 - 5.19	0.006	0.006

Reported on: June 10, 2010
Lab number: 81018:81019

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 25, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	81018	81019
Sample name:	EEM-TPS	EEM-TPN
Sampling date:	22-05-2010	22-05-2010
Alkalinity mg CaCO ₃ /L	4	6
Aluminium (Al) mg/L	0.024	0.027
Arsenic (As) mg/L	<0.0005	<0.0005
Ammonia (NH ₃ -NH ₄) mg N/L	0.29	0.31
Cadmium (Cd) mg/L	<0.00008	<0.00008
Copper (Cu) mg/L	<0.0005	<0.0005
Hardness mg CaCO ₃ /L	5	6
Iron (Fe) mg/L	<0.01	<0.01
Total Suspended Solids mg/L	<1	<1
Mercury (Hg) mg/L	<0.00001	<0.00001
Molybdenum (Mo) mg/L	<0.0005	<0.0005
Nickel (Ni) mg/L	0.0005	0.0006
Nitrate (NO ₃) mg N/L	<0.01	0.08
Lead (Pb) mg/L	0.0108	0.0068
Radium (Ra 226) Becquerels/L	0.003	<0.002
Turbidity NTU	0.13	0.20
Zinc (Zn) mg/L	0.006	0.006

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 25, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Commentaire

Sampling date:

Projet 81018: 81019

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité. L

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 25, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
Cadmium (Cd)	0.00008	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Hardness	1	mg CaCO ₃ /L	M-MET-3.0
Iron (Fe)	0.01	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Mercury (Hg)	0.00001	mg/L	M-MET-3.0
Molybdenum (Mo)	0.0005	mg/L	M-MET-3.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
Nitrate (NO ₃)	0.01	mg N/L	M-NITR-2.0
Lead (Pb)	0.0003	mg/L	M-MET-3.0
Turbidity	0.02	NTU	M-TURB-1.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2010

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	0.07 0.06
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.89846	0.708 - 0.958	
Cadmium (Cd) mg/L	<0.00008				
Cuivre (Cu) mg/L	<0.0005				
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	8.9	8.8 - 12.0	
Fer (Fe) mg/L	<0.01				
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
Mercure (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.04846	0.0405 - 0.0639	
Mercure (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.05438	0.0405 - 0.0639	
Mercure (Hg) mg/L	<0.00001				

Reported on: August 17, 2010
Lab number: 10473:10475

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Molybdene (Mo) mg/L	<0.0005	EU DMR-0488-10-18	0.5989	0.562 - 0.760	
Molybdene (Mo) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	
Nitrates (NO3) mg N/L					
pH		STD pH 7.00	6.97	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003				
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109	
Radium (RA 226) Becquerels		STD 0.100	0.122	0.078 - 0.123	
Radium (RA 226) Becquerels	<0.003	STD 0.050	0.059	0.039 - 0.061	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19	
Zinc (Zn) mg/L	<0.001				

Reported on: August 17, 2010
Lab number: 10473:10475

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Water

Lab number:	10473	10474	10475
Sample name:	TPN	TPN-Dup	TPS
Sampling date:	28-07-2010	28-07-2010	28-07-2010
Alkalinity mg CaCO ₃ /L	40	44	27
Aluminium (Al) mg/L	0.019	0.013	<0.002
Arsenic (As) mg/L	<0.0005	<0.0005	<0.0005
Ammonia (NH ₃ -NH ₄) mg N/L	0.07	<0.05	0.07
Cadmium (Cd) mg/L	<0.00008	<0.00008	<0.00008
Copper (Cu) mg/L	<0.0005	<0.0005	<0.0005
Total Cyanide (CNt) mg/L	<0.005	<0.005	<0.005
Hardness mg CaCO ₃ /L	5	5	5
Iron (Fe) mg/L	<0.01	<0.01	<0.01
Total Suspended Solids mg/L	<1	1	1
Mercury (Hg) mg/L	<0.00001	<0.00001	<0.00001
Molybdenum (Mo) mg/L	<0.0005	<0.0005	<0.0005
Nickel (Ni) mg/L	0.0012	0.0006	<0.0005
pH	6.21	6.32	6.33
Lead (Pb) mg/L	<0.0003	0.0067	<0.0003
Radium (Ra 226) Becquerels/L	<0.003	<0.003	<0.003
Zinc (Zn) mg/L	<0.001	<0.001	0.003
Nitrate (NO ₃) mg N/L	0.03	---	0.03

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Water

Commentaire

Sampling date:

Projet 10473

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

Projet 10474

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

Projet 10475

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 17, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Radium (Ra 226)	0.003	Becquerels/L	M-RA-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	5.60	5.27 - 7.13		
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2980	0.248 - 0.392		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.321	1.04 - 1.40		
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3		
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.255	0.98 - 1.32		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9277	0.819 - 1.109		
Turbidité UTN		DMR-0572-2010-Turbidit	5.6	5 - 7		
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.72	3.83 - 5.19		

Reported on: September 03, 2010
Lab number: 10846,10851,10897

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10846	10851	10897
Sample name:	DD-FD1	MMER-1	DD-WTP-01
Sampling date:	24-08-2010	25-08-2010	30-08-2010
Aluminium (Al) mg/L	0.484	---	0.624
Ammonia (NH ₃ -NH ₄) mg N/L	0.47	---	---
Calcium (Ca) mg/L	11.4	---	---
Iron (Fe) mg/L	0.33	---	---
Mercury (Hg) mg/L	<0.00001	---	---
Molybdenum (Mo) mg/L	0.0036	---	---
Nitrite (NO ₂) mg N/L	0.03	---	---
Arsenic (As) mg/L	---	0.0024	---
Copper (Cu) mg/L	---	0.0017	---
Total Cyanide (CNt) mg/L	---	0.005	---
Nickel (Ni) mg/L	---	0.0038	---
pH	---	6.28	6.70
Lead (Pb) mg/L	---	<0.0003	---
Turbidity NTU	---	1.0	3.8
Zinc (Zn) mg/L	---	<0.001	---
Total Suspended Solids mg/L	---	1	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2010
Sampled by: Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10956

Sampling date: August 31, 2010
Sampling hour: 09:10
Date received: September 01, 2010
Sampling location: EEM-3(TPN)
Sampled by: M Theriault/D Cote-Latreille
Matrix: Water
Sample name: EEM-3(TPN)

Parameter	Result	Method name	Date analyzed
Alkalinity	6 mg CaCO ₃ /L	M-ALCA-2.0	September 02, 2010
Aluminium (Al)	0.010 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Ammonia (NH ₃ -NH ₄)	0.06 mg N/L	Sous-traitance\Multilab Direct	September 08, 2010
Cadmium (Cd)	<0.00008 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Copper (Cu)	0.0006 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 02, 2010
Hardness	5 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 08, 2010
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	September 03, 2010
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Molybdenum (Mo)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Nickel (Ni)	0.0013 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Nitrate (NO ₃)	0.03 mg N/L	Sous-traitance\Multilab Direct	September 04, 2010
Dissolved oxygen	9.48 mg/L	Sous-traitance\Multilab Direct	September 02, 2010
pH	5.32	M-PH-2.0	September 02, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	September 08, 2010
Radium (Ra 226)	<0.003 Becquerels/L	M-RA-1.0	September 21, 2010
Turbidity	0.39 NTU	Sous-traitance\Multilab Direct	September 02, 2010
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 08, 2010

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10956
Sampling date: August 31, 2010
Sampling hour: 09:10
Date received: September 01, 2010
Sampling location: EEM-3(TPN)
Sampled by: M Theriault/D Cote-Latreille
Matrix: Water
Sample name: EEM-3(TPN)

Commentaire

not received the sample temperature
pas reçu de température pour l'échantillon

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10956

Sampling date: August 31, 2010
Sampling hour: 09:10
Date received: September 01, 2010
Sampling location: EEM-3(TPN)
Sampled by: M Theriault/D Cote-Latreille
Matrix: Water
Sample name: EEM-3(TPN)

Parameter	Detection limit		Method name
	Valeur	Unité	
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Radium (Ra 226)	0.003 Becquerels/L		M-RA-1.0

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10956
Sampling date: August 31, 2010
Sampling hour: 09:10
Date received: September 01, 2010
Sampling location: EEM-3(TPN)
Sampled by: M Theriault/D C-Latreille
Matrix: Water
Sample name: EEM-3(TPN)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	160	123 - 167	
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.57	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0572-2010-NH ₃	2.3	2.0 - 2.8	0.06 0.06
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.79099	0.708 - 0.958	
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.9	8.8 - 12.0	
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	252	194 - 306	<1 2
Mercury (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-18	0.04692	0.0405 - 0.0639	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109	
Radium (Ra 226) Becquerels/L		STD 0.100	0.093	0.078 - 0.123	
Radium (Ra 226) Becquerels/L	<0.003	STD 0.050	0.045	0.039 - 0.061	
Turbidity UTN		DMR-0572-2010-Turbidity	5.4	5 - 7	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Acidité mg CaCO ₃ /L					
Alcalinité mg CaCO ₃ /L		std Alk	160	123 - 167	
Alcalinité mg CaCO ₃ /L		std Alk	149	123 - 167	
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.96	5.27 - 7.13	
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.57	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392	
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.294	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.3	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.16	1.91 - 2.59	
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.79099	0.708 - 0.958	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.793	0.708 - 0.958	
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.7	47 - 59	
Conductivité µmhos/cm		STD maison KCl	1594	1200 - 1624	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40	
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.30	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dureté mg CaCO ₃ /L						
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.9	8.8 - 12.0		
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	12.0	8.8 - 12.0		
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68		
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	239	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	<1	<1
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.64	3.20 - 4.32		
Mercuré (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.04692	0.0405 - 0.0639		
Mercuré dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0492	0.0405 - 0.0639		
Molybdène dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.562	0.562 - 0.760		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32		
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.24	0.98 - 1.32		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6		
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	7.03	6.96 - 7.04		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109		
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	0.905	0.819 - 1.109		

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
 Sampled by: Philip Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Radium (RA 226) Becquerels	<0.003	STD 0.050	0.048	0.039 - 0.061	
Radium (RA 226) Becquerels		STD 0.100	0.091	0.078 - 0.123	
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.36	1.21 - 1.63	
Solides dissous mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	58	47 - 63	1003 1024
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	456	414 - 620	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	0.88 0.90
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	4.70	3.83 - 5.19	

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Acidity mg CaCO ₃ /L	9	---	---	---	---	---	---	---
Alkalinity mg CaCO ₃ /L	61	5	---	---	---	---	---	---
Dissolved Aluminium (Al) mg/L	0.02	---	---	---	---	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Arsenic (As) mg/L	0.075	---	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	13.7	0.06	---	---	---	---	---	---
Dissolved Barium (Ba) mg/L	0.022	---	---	---	---	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	---	---	---	---	---	---	---
Chloride mg/L	281	---	---	---	---	---	---	---
Dissolved Copper (Cu) mg/L	1.35	---	---	---	---	---	---	---
Hardness mg CaCO ₃ /L	611	5	---	---	---	---	---	---
Dissolved Iron (Fe) mg/L	0.27	---	---	---	---	---	---	---
Fluoride (F) mg/L	0.54	---	---	---	---	---	---	---
Dissolved Manganese (Mn) mg/L	0.089	---	---	---	---	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	---	---	---	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Nickel (Ni) mg/L	0.024	---	---	---	---	---	---	---
Nitrate (NO ₃) mg N/L	3.9	0.05	---	---	---	---	---	---
Nitrite (NO ₂) mg N/L	0.11	---	---	---	---	---	---	---
pH	7.40	5.09	---	---	---	---	6.61	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Dissolved Lead (Pb) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Selenium (Se) mg/L	0.008	---	---	---	---	---	---	---
Dissolved Solids mg/L	1012	---	---	---	---	---	---	---
Sulfate (SO ₄) mg SO ₄ /L	1003	---	---	---	---	---	---	---
Dissolved thallium (Tl) mg/L	<0.01	---	---	---	---	---	---	---
Thiocyanate (SCN) mg SCN/L	164	---	---	---	---	---	---	---
Turbidity NTU	2.6	0.36	0.82	0.99	0.88	0.99	1.0	3.2
Dissolved Zinc mg/L	0.008	---	---	---	---	---	---	---
Conductivity µmhos/cm	1518	---	---	---	---	---	---	---
Total Cyanide (CNt) mg/L	0.340	<0.005	---	---	---	---	---	---
Aluminium (Al) mg/L	---	0.018	---	---	---	---	1.10	---
Arsenic (As) mg/L	---	<0.0005	---	---	---	---	---	---
Cadmium (Cd) mg/L	---	<0.00008	---	---	---	---	---	---
Copper (Cu) mg/L	---	<0.0005	---	---	---	---	---	---
Iron (Fe) mg/L	---	<0.01	---	---	---	---	---	---
Total Suspended Solids mg/L	---	<1	7	8	8	7	8	7
Mercury (Hg) mg/L	---	<0.00001	---	---	---	---	---	---
Molybdenum (Mo) mg/L	---	<0.001	---	---	---	---	---	---
Nickel (Ni) mg/L	---	0.0013	---	---	---	---	---	---
Dissolved oxygen mg/L	---	9.72	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Lead (Pb) mg/L	---	0.0069	---	---	---	---	---	---
Radium (Ra 226) Becquerels/L	---	0.003	---	---	---	---	---	---
Zinc (Zn) mg/L	---	<0.001	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Acidity mg CaCO ₃ /L	---	---
Alkalinity mg CaCO ₃ /L	---	---
Dissolved Aluminium (Al) mg/L	---	---
Dissolved Silver (Ag) mg/L	---	---
Dissolved Arsenic (As) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
Dissolved Barium (Ba) mg/L	---	---
Dissolved Cadmium (Cd) mg/L	---	---
Chloride mg/L	---	---
Dissolved Copper (Cu) mg/L	---	---
Hardness mg CaCO ₃ /L	---	---
Dissolved Iron (Fe) mg/L	---	---
Fluoride (F) mg/L	---	---
Dissolved Manganese (Mn) mg/L	---	---
Dissolved Mercury (Hg) mg/L	---	---
Dissolved Molybdenum (Mo) mg/L	---	---
Dissolved Nickel (Ni) mg/L	---	---
Nitrate (NO ₃) mg N/L	---	---
Nitrite (NO ₂) mg N/L	---	---
pH	---	6.23

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Dissolved Lead (Pb) mg/L	---	---
Dissolved Selenium (Se) mg/L	---	---
Dissolved Solids mg/L	---	---
Sulfate (SO4) mg SO4/L	---	---
Dissolved thallium (Tl) mg/L	---	---
Thiocyanate (SCN) mg SCN/L	---	---
Turbidity NTU	3.3	0.41
Dissolved Zinc mg/L	---	---
Conductivity μ mhos/cm	---	---
Total Cyanide (CNt) mg/L	---	---
Aluminium (Al) mg/L	---	---
Arsenic (As) mg/L	---	---
Cadmium (Cd) mg/L	---	---
Copper (Cu) mg/L	---	---
Iron (Fe) mg/L	---	---
Total Suspended Solids mg/L	10	<1
Mercury (Hg) mg/L	---	---
Molybdenum (Mo) mg/L	---	---
Nickel (Ni) mg/L	---	---
Dissolved oxygen mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Lead (Pb) mg/L	---	---
Radium (Ra 226) Becquerels/L	---	---
Zinc (Zn) mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Commentaire

Sampling date:

Projet 10955

pas reçu de température pour l'échantillon

not received the sample temperature

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Conductivity	1	µmhos/cm	M-COND-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Radium (Ra 226)	0.003	Becquerels/L	M-RA-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11661

Sampling date: October 27, 2010
Sampling hour: 07:15
Date received: October 28, 2010
Sampling location: EEM-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: EEM-1

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.50 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Ammonia (NH ₃ -NH ₄)	2.7 mg N/L	Sous-traitance\Multilab Direct	November 01, 2010
Cadmium (Cd)	0.00013 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Iron (Fe)	0.51 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Molybdenum (Mo)	0.0069 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Nitrate (NO ₃)	1.2 mg N/L	Sous-traitance\Multilab Direct	November 04, 2010

Reported on: November 05, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Water

Lab number:	12028	12029
Sample name:	DD-FD1 (EEM-1)	DD-FD1 (EEM-1) DUP-1
Sampling date:	29-11-2010	29-11-2010
Aluminium (Al) mg/L	0.619	0.521
Ammonia (NH ₃ -NH ₄) mg N/L	4.8	4.9
Cadmium (Cd) mg/L	<0.00008	<0.00008
Iron (Fe) mg/L	<0.01	<0.01
Mercury (Hg) mg/L	0.00001	<0.00001
Molybdenum (Mo) mg/L	0.0112	0.0112
Nitrate (NO ₃) mg N/L	1.7	1.6

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11661

Sampling date: October 27, 2010
Sampling hour: 07:15
Date received: October 28, 2010
Sampling location: EEM-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: EEM-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.84	5.27 - 7.13	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0704-2010-NH ₃	1.90	1.58 - 2.14	
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.743	0.708 - 0.958	
Iron (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.2	8.8 - 12.0	
Mercury (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.0467	0.0405 - 0.0639	
Molybdenum (Mo) mg/L	<0.0005	EN DMR-0488-10-18	0.584	0.562 - 0.760	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: February 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.79	5.27 - 7.13		
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Turbidité UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		

Reported on: December 03, 2010
Lab number: 12024:12025,12028:12029

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 29, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Water

Lab number:	83006	83007
Sample name:	BL Tankfarm	Meadowbank Tankfarm
Sampling date:	22-06-2010	22-06-2010
BTEX (L)		
- Benzène µg/L	<0.3	<0.3
- Toluène µg/L	<0.3	<0.3
- Éthylbenzène µg/L	<0.3	<0.3
- Xylènes µg/L	<0.3	<0.3
Hydrocarbons (C10-C50) mg/L	0.1	<0.1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83668

Sampling date: July 07, 2010
Sampling hour: 17:15
Date received: July 13, 2010
Sampling location: Meadowbank Tankfarm
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: Meadowbank Tankfarm

Parameter	Result	Method name	Date analyzed
BTEX (L)		Sous-traitance\Multilab Val d'Or	
- Benzène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 14, 2010
- Toluène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 14, 2010
- Éthylbenzène	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 14, 2010
- Xylènes Totaux	<0.3 µg/L	Sous-traitance\Multilab Val d'Or	July 14, 2010
Total oil and grease	1 mg/L	Sous-traitance\Multilab Val d'Or	July 15, 2010
Lead (Pb)	0.0012 mg/L	M-MET-3.0	July 14, 2010

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83668

Sampling date: July 07, 2010
Sampling hour: 17:15
Date received: July 13, 2010
Sampling location: Meadowbank Tankfarm
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: Meadowbank Tankfarm

Parameter	Detection limit		Method name
	Valeur	Unité	
Lead (Pb)	0.0003 mg/L		M-MET-3.0

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83668

Sampling date: July 07, 2010
Sampling hour: 17:15
Date received: July 13, 2010
Sampling location: Meadowbank Tankfarm
Sampled by: Martin Theriault / Philip Roy
Matrix: Waste Water
Sample name: Meadowbank Tankfarm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total oil and grease mg/L	<1				
Lead (Pb) mg/L	<0.0003 M EU DMR-0347-10-18		1.100	0.819 - 1.109	

Reported on: July 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Benzène (µg/L)	<0.3	30juin2010_MR12.5	13.6	8.75 - 16.2		
Benzène (µg/L)	<0.3	30juin2010_MR12.2	13.6	8.75 - 16.2		
Ethylbenzène (µg/L)	<0.3	30juin2010_MR12.5	11.7	8.75 - 16.2		
Éthylbenzène (µg/L)	<0.3	30juin2010_12.5	11.7	8.75 - 16.2		
Hydrocarbure (C10C50) mg/L	<0.1	dmr-0444-2010-14	19.6	14.6 - 27.2		
Hydrocarbure (C10-C50) mg/L	<0.1	dmr-0444-2010-14	20.7	14.6 - 27.2		
Toluène (µg/L)	<0.3	30juin2010_12.5	12.6	8.75 - 16.2		
Toluène (µg/L)	<0.3	30juin2010_MR12.5	12.6	8.75 - 16.2		
Xylènes Totaux (µg/L)	<0.3	30juin2010_12.5	33.0	26.5 - 48.7		
Xylènes Totaux (µg/L)	<0.3	30juin2010_MR12.5	33.0	26.25 - 48.7		

Reported on: February 14, 2011
Lab number: 83006:83007

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.


Quebec, 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B055952
 Report # : 18025
 Order # : N/D
 Laboratory # : L98141-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : Transparent, translucent
 Brief Description on the
 Sampling location : Projet #11505 / MMER
 Sampling Date/Time : 2010-10-18 / 05:00
 Date/Time Received : 2010-10-20 / 10:00
 Starting Date/Time : 2010-10-20 / 14:50
 Volume obtained : 1 litre
 Sampled by : M. Martin Thériault and M. Philip Roy
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 15,1 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Côté / A. Dionne



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,8 Days

Average number of neonates per brood: 17,2

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	18,0	20,9	7,8	7,7	386	9,4	8,5
6,25	18,0	20,5	7,8	7,7	380	9,4	8,4
12,5	18,1	20,5	7,8	7,7	372	9,4	8,5
25	18,2	20,6	7,8	7,6	359	9,4	8,5
50	18,5	20,6	7,7	7,5	325	9,3	8,2
100	19,0	20,6	7,5	7,6	274	9,2	8,9
Sample at 100% before the test	19,9		7,3		277	10,4	

Hardness (mg/L of CaCO₃) : Water dilution : 167 mg/L
 Sample at 100% : 81 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical Method -----

Toxicity unit : <1

Comment: Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in percent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical Method : -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2010-10-18

*Obtained value LC50 (C.L. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :*

0,2070 mg/L (0,1900 - 0,2250)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2270 mg/L (0,1698 - 0,3034)

Statistical method: binominal

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 6

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.


Quebec 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B055952
 Report # : 18034
 Order # : N/D
 Laboratory # : L98141-02R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
 Sample Type : Waste water
 Sample appearance : Transparent, translucent
 Brief Description on the
 Sampling location : Projet #11505 / MMER
 Sampling Date/Time : 2010-10-18 / 05:00
 Date/Time Received : 2010-10-20 / 10:00
 Starting Date/Time : 2010-10-21 / 11:30
 Volume obtained : 30 liters
 Sampled by : M. Martin Thériault and M. Philip Roy
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 15,1 °C
 LC50 at 96 hours with rainbow trout
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Rondeau / A. Dionne



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (*O. mykiss*)

Source of test species: Pisciculture Aquamérik, T247

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days : 0,00 %

Mean weight of fish: 0,36 g SD: 0,09

Mean fork length of fish: 34,2 mm SD: 2,7 Min: 29 Max: 39

Number of individuals used: 50

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,23 g/L

Concentrations of test : (% v/v) : 0, 12,5; 25; 50; 100

Aeration : 6.5 ± 1 mL/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,6	14,3	7,8	7,8	190	9,8	10,1
6,25	-	-	-	-	-	-	-
12,5	14,6	14,9	7,8	7,8	198	9,7	9,8
25	14,7	14,8	7,8	7,8	205	9,8	9,9
50	14,7	14,4	7,7	7,8	220	9,8	9,7
100	14,7	14,6	7,6	7,6	250	9,8	9,2
Sample at 100% before the test	14,5		7,5		250	10,2	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25		-	-	-	-
12,5	10	0	0	0	0
25	10	0	0	1	10
50	10	0	0	1	10
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample
Not enough volume for 6,25% v/v

QUALITY CONTROL

Reference toxicant : Phenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2010-10-20

*Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :*

11,20 mg/L (9,00 - 13,00)

Anterior geometric mean (± 2 standard deviations) :

10,44 mg/L (8,11 - 13,43)

Statistical Method Binomial

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 4

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B061662
 Report # : 18232
 Order # : N/D
 Laboratory # : M24977-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : transparent, translucent
 Brief Description on the :
 Sampling location : Projet #11914 / MM1a-MMER (DD-FD-1)(pails)
 Sampling Date/Time : 2010-11-11 /
 Date/Time Received : 2010-11-15 / 09:00
 Starting Date/Time : 2010-11-15 / 13:00
 Volume obtained : 1 litre
 Sampled by : P. Roy/J. Kataluk
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 8,3 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Rondeau / I. Parenteau



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,7 Days

Average number of neonates per brood: 18,8

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	19,8	20,2	7,7	7,9	412	9,0	9,0
6,25	19,7	19,9	7,8	7,8	410	9,1	8,4
12,5	19,5	20,1	7,8	7,8	409	9,1	8,9
25	19,5	20,0	7,8	7,8	407	9,1	8,9
50	19,1	20,0	7,7	7,6	401	9,1	8,4
100	18,8	20,1	7,4	7,4	400	9,2	8,5
Sample at 100% before the test	18,0		6,5		395	10,8	

Hardness (mg/L of CaCO₃) : Water dilution : 183 mg/L
 Sample at 100% : 109 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in percent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2010-11-08

Obtained value LC50 (C.L. at 95%) at 48 hours with *Daphnia magna*
(confidence level at 95%) computed :

0,2320 mg/L (0,1767 - 0,3535)

Anterior geometric mean (± 2 standard deviations) :

0,2276 mg/L (0,1692 - 0,3061)

Statistical Method Binomial

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 6

Reference Method : Reference Method for Determining Acute Lethality of Effluents to *Daphnia Magna*. EPS1/RM/14. Second edition. December 2000.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B061662
 Report # : 18233
 Order # : N/D
 Laboratory # : M24977-02R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
 Sample Type : Waste water
 Sample appearance : transparent, translucent
 Brief Description on the :
 Sampling location : Projet #11914 / MM1a-MMER (DD-FD-1) (pails)
 Sampling Date/Time : 2010-11-11 /
 Date/Time Received : 2010-11-15 / 09:00
 Starting Date/Time : 2010-11-15 / 16:00
 Volume obtained : 40 litres
 Sampled by : P. Roy/J. Kataluk
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 8,3 °C
 LC50 at 96 hours with rainbow trout
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : A. Dionne



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (*O. mykiss*)

Source of test species: Pisciculture de la Jacques-Cartier, T249

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: 0,00 %

Mean weight of fish: 0,34 g SD: 0,13

Mean fork length of fish: 32,2 mm SD: 3,3 Min: 28 Max: 39

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,21 g/L

Concentrations of test : (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5 ± 1 ml/min/L (120 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	15,0	14,3	7,9	7,5	193	10,0	10,0
6,25	14,4	14,3	7,9	7,6	202	10,2	10,2
12,5	14,3	14,4	7,8	7,6	213	10,2	10,0
25	14,7	14,5	7,8	7,6	238	10,0	10,0
50	14,3	14,6	7,7	7,6	281	10,3	10,0
100	14,4	14,1	7,6	7,6	371	10,2	10,2
Sample at 100% before the test	14,1		7,6		369	10,9	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

QUALITY CONTROL

Reference toxicant : Phenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2010-11-10

*Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :*

11,50 mg/L (9,63 - 13,60)

Anterior geometric mean (± 2 standard deviations) :

10,50 mg/L (8,18 - 13,47)

Statistical Method probit method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 4

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

Quebec, 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B065816
 Report # : 18355
 Order # : N/D
 Laboratory # : M44531-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : Transparent, translucent
 Brief Description on the
 Sampling location : Projet #12040 / DD-FD1 (MM2)
 Sampling Date/Time : 2010-12-01 /
 Date/Time Received : 2010-12-06 / 10:00
 Starting Date/Time : 2010-12-06 / 13:10
 Volume obtained : 1 litre
 Sampled by : P. Roy / J. Kataluk / R. Gamez
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 8,4 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Rondeau / I. Parenteau



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,7 Days

Average number of neonates per brood: 18,8

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	18,6	19,6	7,8	7,9	382	9,1	8,9
6,25	18,7	19,6	7,8	7,8	387	9,2	8,9
12,5	18,7	20,3	7,8	7,8	391	9,2	8,8
25	18,6	19,6	7,8	7,8	399	9,2	8,8
50	18,6	19,7	7,7	7,7	414	9,2	8,8
100	18,6	19,8	7,5	7,6	454	9,2	8,9
Sample at 100% before the test	18,5		6,9		454	10,3	

Hardness (mg/L of CaCO₃) : Water dilution : 169 mg/L
 Sample at 100% : 122 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	1	5
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	1	5

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in percent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2010-11-29

*Obtained value LC50 (C.L. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :*

0,1910 mg/L (0,1720 - 0,2110)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2290 mg/L (0,1696 - 0,3092)

Statistical Method Probit method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 7

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 25 janvier 2011

This report supersedes all previous reports with the same Maxxam job number.

Maxxam Job # : B065816
 Report # : 18354
 Order # : N/D
 Laboratory # : M44531-02R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
 Sample Type : Waste water
 Sample appearance : Transparent, translucent
 Brief Description on the :
 Sampling location : Projet #12040 / DD-FD1 (MM2)
 Sampling Date/Time : 2010-12-01 /
 Date/Time Received : 2010-12-06 / 10:00
 Starting Date/Time : 2010-12-06 / 13:15
 Volume obtained : 40 litres
 Sampled by : P. Roy / J. Kataluk / R. Gamez
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 8,4 °C
 LC50 at 96 hours with rainbow trout
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Côté



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (*O. mykiss*)

Source of test species: Pisciculture Aquamérik, T250

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimatation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: 0,00 %

Mean weight of fish: 0,52 g SD: 0,19

Mean fork length of fish: 39,3 mm SD: 2,6 Min: 37 Max: 45

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,33 g/L

Concentrations of test : (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5 ± 1 mL/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,0	14,0	7,9	7,9	171	10,1	10,2
6,25	14,0	14,0	7,9	7,9	187	10,0	10,2
12,5	14,0	14,0	7,9	7,8	203	10,0	10,0
25	14,0	14,0	7,8	7,7	233	10,0	10,1
50	14,2	14,0	7,7	7,7	296	10,1	10,1
100	14,4	14,0	7,5	7,6	419	10,0	9,9
Sample at 100% before the test	14,5		7,3		421	10,1	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

QUALITY CONTROL

Reference toxicant : Phenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2010-12-01

*Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :*

10,40 mg/L (8,90 - 12,60)

Anterior geometric mean (± 2 standard deviations) :

10,51 mg/L (8,19 - 13,48)

Statistical Method Binomial

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 5

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75091
Sampling date: January 05, 2010
Sampling hour: 15:00
Date received: January 08, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.310	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.24	1.04 - 1.40		
Iron (Fe) mg/L	<0.01 M EU	DMR-0796-09-18	12.0	8.8 - 12.0		
Total Suspended Solids mg/L	<1	MES 04-01-2010	236	194 - 306		
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.13	0.98 - 1.32		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	1.022	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.41	3.83 - 5.19		

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75091

Sampling date: January 05, 2010
Sampling hour: 15:00
Date received: January 08, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	January 20, 2010
Copper (Cu)	<0.0005 mg/L	M-MET-3.0	January 20, 2010
Iron (Fe)	0.32 mg/L	M-MET-3.0	January 20, 2010
Total Suspended Solids	9 mg/L	M-SOLI-1.0	January 12, 2010
Nickel (Ni)	0.0012 mg/L	M-MET-3.0	January 20, 2010
pH	7.42	M-PH-2.0	January 25, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	January 20, 2010
Radium (Ra 226)	<0.002 Becquerels/L	Sous-traitance\Elliot Lake	February 01, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	January 20, 2010

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75091

Sampling date: January 05, 2010
Sampling hour: 15:00
Date received: January 08, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75151

Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.329	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.32	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.77	1.41 - 1.91		
Total Suspended Solids mg/L	<1	MES 04-01-2010	250	194 - 306		
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.20	0.98 - 1.32		
pH		Std pH 7.00	7.02	6.96 - 7.04	7.15	7.12
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	0.997	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.34	3.83 - 5.19		

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75151

Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	January 20, 2010
Copper (Cu)	0.0017 mg/L	M-MET-3.0	January 20, 2010
Total Cyanide (CNT)	0.010 mg/L	M-CN-1.0	January 15, 2010
Daphnies		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	January 15, 2010
- Unité toxique	<1	Sous-traitance\Écotox	January 15, 2010
Total Suspended Solids	16 mg/L	M-SOLI-1.0	January 13, 2010
Nickel (Ni)	0.0021 mg/L	M-MET-3.0	January 20, 2010
pH	7.15	M-PH-2.0	January 12, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	January 20, 2010
Radium (Ra 226)	0.007 Becquerels/L	Sous-traitance\Elliot Lake	February 01, 2010
Truites Arc-en-ciel		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	January 13, 2010
- Unité toxique	<1	Sous-traitance\Écotox	January 13, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	January 20, 2010

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75151

Sampling date: January 11, 2010
Sampling hour: 06:45
Date received: January 12, 2010
Sampling location: DD-WTP-out-MMER
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: February 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75615
Sampling date: January 19, 2010
Sampling hour: 10:00
Date received: January 20, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.335	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.35	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.63	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 20-01-2010	236	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.28	0.98 - 1.32	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	1.096	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.91	3.83 - 5.19	

Reported on: February 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75615

Sampling date: January 19, 2010
Sampling hour: 10:00
Date received: January 20, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	January 27, 2010
Copper (Cu)	0.0008 mg/L	M-MET-3.0	January 27, 2010
Total Cyanide (CNT)	0.007 mg/L	M-CN-1.0	January 26, 2010
Total Suspended Solids	4 mg/L	M-SOLI-1.0	January 22, 2010
Nickel (Ni)	0.0010 mg/L	M-MET-3.0	January 27, 2010
pH	7.07	M-PH-2.0	January 21, 2010
Lead (Pb)	0.0008 mg/L	M-MET-3.0	January 27, 2010
Radium (Ra 226)	<0.002 Becquerels/L	Sous-traitance\Elliot Lake	February 04, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	January 27, 2010

Reported on: February 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75864

Sampling date: January 27, 2010
Sampling hour: 10:00
Date received: January 28, 2010
Sampling location: Meadowbank
Sampled by: N. Saucier/M. Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.343	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.27	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.69	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 20-01-2010	248	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.12	0.98 - 1.32	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	0.989	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.90	3.83 - 5.19	

Reported on: February 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75864

Sampling date: January 27, 2010
Sampling hour: 10:00
Date received: January 28, 2010
Sampling location: Meadowbank
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	February 01, 2010
Copper (Cu)	0.0018 mg/L	M-MET-3.0	February 01, 2010
Total Cyanide (CNT)	0.019 mg/L	M-CN-1.0	February 01, 2010
Total Suspended Solids	7 mg/L	M-SOLI-1.0	January 29, 2010
Nickel (Ni)	0.0015 mg/L	M-MET-3.0	February 01, 2010
pH	7.06	M-PH-2.0	January 29, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	February 01, 2010
Radium (Ra 226)	0.003 Becquerels/L	Sous-traitance\Elliot Lake	February 12, 2010
Zinc (Zn)	0.004 mg/L	M-MET-3.0	February 01, 2010

Reported on: February 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-75864

Sampling date: January 27, 2010
Sampling hour: 10:00
Date received: January 28, 2010
Sampling location: Meadowbank
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: February 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76103

Sampling date: February 02, 2010
Sampling hour: 08:00
Date received: February 03, 2010
Sampling location: Meadowbank
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.318	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.25	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.57	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 20-01-2010	237	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.11	0.98 - 1.32	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	1.029	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.79	3.83 - 5.19	

Reported on: February 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76103

Sampling date: February 02, 2010
Sampling hour: 08:00
Date received: February 03, 2010
Sampling location: Meadowbank
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0034 mg/L	M-MET-3.0	February 04, 2010
Copper (Cu)	<0.0005 mg/L	M-MET-3.0	February 04, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	February 11, 2010
Daphnies		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	February 07, 2010
- Unité toxique	<1	Sous-traitance\Écotox	February 07, 2010
Total Suspended Solids	5 mg/L	M-SOLI-1.0	February 05, 2010
Nickel (Ni)	0.0014 mg/L	M-MET-3.0	February 04, 2010
pH	7.20	M-PH-2.0	February 04, 2010
Lead (Pb)	0.0162 mg/L	M-MET-3.0	February 04, 2010
Radium (Ra 226)	0.003 Becquerels/L	Sous-traitance\Elliot Lake	February 25, 2010
Truites Arc-en-ciel		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	February 06, 2010
- Unité toxique	<1	Sous-traitance\Écotox	February 06, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	February 04, 2010

Reported on: February 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76103

Sampling date: February 02, 2010
Sampling hour: 08:00
Date received: February 03, 2010
Sampling location: Meadowbank
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: DD-WTP-out-MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: February 26, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76502

Sampling date: February 10, 2010
Sampling hour: 09:00
Date received: February 11, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J.Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0796-09-18	0.373	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0796-09-18	1.38	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.65	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 20-01-2010	265	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0796-09-18	1.23	0.98 - 1.32	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005 M EU	DMR-0796-09-18	1.060	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0796-09-18	4.71	3.83 - 5.19	

Reported on: March 03, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76502

Sampling date: February 10, 2010
Sampling hour: 09:00
Date received: February 11, 2010
Sampling location: MMER-1
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	February 16, 2010
Copper (Cu)	0.0011 mg/L	M-MET-3.0	February 16, 2010
Total Cyanide (CNT)	0.010 mg/L	M-CN-1.0	February 17, 2010
Total Suspended Solids	10 mg/L	M-SOLI-1.0	February 12, 2010
Nickel (Ni)	0.0014 mg/L	M-MET-3.0	February 16, 2010
pH	7.24	M-PH-2.0	February 12, 2010
Lead (Pb)	0.0027 mg/L	M-MET-3.0	February 16, 2010
Radium (Ra 226)	0.005 Becquerels/L	Sous-traitance\Elliot Lake	March 03, 2010
Zinc (Zn)	0.006 mg/L	M-MET-3.0	February 16, 2010

Reported on: March 03, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76502

Sampling date: February 10, 2010
Sampling hour: 09:00
Date received: February 11, 2010
Sampling location: MMER-1
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: March 03, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76824

Sampling date: February 18, 2010
Sampling hour: 08:30
Date received: February 19, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.295	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.35	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.57	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 20-01-2010	255	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.21	0.98 - 1.32	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005	Met EU DMR-0008-10-11	1.097	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.81	3.83 - 5.19	

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76824

Sampling date: February 18, 2010
Sampling hour: 08:30
Date received: February 19, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	February 22, 2010
Copper (Cu)	0.0013 mg/L	M-MET-3.0	February 22, 2010
Total Cyanide (CNT)	0.007 mg/L	M-CN-1.0	February 24, 2010
Total Suspended Solids	7 mg/L	M-SOLI-1.0	February 22, 2010
Nickel (Ni)	0.0019 mg/L	M-MET-3.0	February 22, 2010
pH	7.21	M-PH-2.0	February 22, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	February 22, 2010
Radium (Ra 226)	0.008 Becquerels/L	Sous-traitance\Elliot Lake	March 12, 2010
Zinc (Zn)	0.006 mg/L	M-MET-3.0	February 22, 2010

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-76824

Sampling date: February 18, 2010
Sampling hour: 08:30
Date received: February 19, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77053

Sampling date: February 24, 2010
Sampling hour: 08:00
Date received: February 26, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.287	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.27	1.04 - 1.40	
Iron (Fe) mg/L	<0.01	Met EU DMR-0008-10-11	11.1	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 24-02-2010	243	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.15	0.98 - 1.32	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005	Met EU DMR-0008-10-11	0.876	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.24	3.83 - 5.19	

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77053

Sampling date: February 24, 2010
Sampling hour: 08:00
Date received: February 26, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0034 mg/L	M-MET-3.0	March 03, 2010
Copper (Cu)	0.0010 mg/L	M-MET-3.0	March 03, 2010
Total Suspended Solids	6 mg/L	M-SOLI-1.0	March 01, 2010
Nickel (Ni)	0.0019 mg/L	M-MET-3.0	March 03, 2010
pH	6.76	M-PH-2.0	February 26, 2010
Lead (Pb)	0.0037 mg/L	M-MET-3.0	March 03, 2010
Radium (Ra 226)	0.005 Becquerels/L	Sous-traitance\Elliot Lake	March 12, 2010
Zinc (Zn)	0.004 mg/L	M-MET-3.0	March 03, 2010

Commentaire

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77053

Sampling date: February 24, 2010
Sampling hour: 08:00
Date received: February 26, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

Reported on: March 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77353

Sampling date: March 03, 2010
Sampling hour: 09:15
Date received: March 05, 2010
Sampling location: DD-WTP-MMER
Sampled by: S. Gau./J. Kata./M. Thé.
Matrix: Water
Sample name: DD-WTP-MMER

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 met EU DMR-0008-10-11		0.287	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 met EU DMR-0008-10-11		1.26	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.59	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 24-02-2010	240	194 - 306	
Nickel (Ni) mg/L	<0.0005 met EU DMR-0008-10-11		1.11	0.98 - 1.32	
pH		Std pH 7.00	6.97	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005 met EU DMR-0008-10-11		0.908	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 met EU DMR-0008-10-11		4.86	3.83 - 5.19	

Reported on: April 02, 2010

Corrected certificate, replacing the certificate C-77353 done on March 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77353

Sampling date: March 03, 2010
Sampling hour: 09:15
Date received: March 05, 2010
Sampling location: DD-WTP-MMER
Sampled by: S. Gau./J. Kataluk /M.Thé.
Matrix: Water
Sample name: DD-WTP-MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0017 mg/L	M-MET-3.0	March 08, 2010
Copper (Cu)	0.0010 mg/L	M-MET-3.0	March 08, 2010
Total Cyanide (CNT)	0.005 mg/L	M-CN-1.0	March 11, 2010
Daphnia Magna		Sous-traitance\Écotox	
- CL50 à 48 heures	46.19 % v/v	Sous-traitance\Écotox	March 08, 2010
- Toxic unit	2.16	Sous-traitance\Écotox	March 08, 2010
Total Suspended Solids	4 mg/L	M-SOLI-1.0	March 08, 2010
Nickel (Ni)	0.0012 mg/L	M-MET-3.0	March 08, 2010
pH	7.07	M-PH-2.0	March 05, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	March 08, 2010
Radium (Ra 226)	<0.002 Becquerels/L	Sous-traitance\Elliott Lake	March 23, 2010
Rainbow trout		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	March 06, 2010
- Toxic unit	<1	Sous-traitance\Écotox	March 06, 2010
Zinc (Zn)	0.006 mg/L	M-MET-3.0	March 08, 2010

Reported on: April 02, 2010

Corrected certificate, replacing the certificate C-77353 done on March 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77353

Sampling date: March 03, 2010
Sampling hour: 09:15
Date received: March 05, 2010
Sampling location: DD-WTP-MMER
Sampled by: S. Gau./J. Kataluk /M.Thé.
Matrix: Water
Sample name: DD-WTP-MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: April 02, 2010

Corrected certificate, replacing the certificate C-77353 done on March 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77652

Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.273	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.21	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.68	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 24-02-2010	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.11	0.98 - 1.32	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005	Met EU DMR-0008-10-11	0.956	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.48	3.83 - 5.19	

Reported on: March 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77652

Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	March 16, 2010
Copper (Cu)	0.0008 mg/L	M-MET-3.0	March 16, 2010
Total Cyanide (CNT)	0.006 mg/L	M-CN-1.0	March 17, 2010
Total Suspended Solids	9 mg/L	M-SOLI-1.0	March 12, 2010
Nickel (Ni)	0.0015 mg/L	M-MET-3.0	March 16, 2010
pH	7.03	M-PH-2.0	March 12, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	March 16, 2010
Radium (Ra 226)	0.006 Becquerels/L	Sous-traitance\Elliot Lake	March 23, 2010
Zinc (Zn)	0.003 mg/L	M-MET-3.0	March 16, 2010

Reported on: March 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77652
Sampling date: March 10, 2010
Sampling hour: 09:00
Date received: March 11, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0005 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: March 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77937
Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-18	0.270	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-18	1.28	1.04 - 1.40	
Total Suspended Solids mg/L	<1	MES 16-03-2010	239	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-18	1.18	0.98 - 1.32	
pH		Std pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005	Met EU DMR-0008-10-18	1.063	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-18	4.49	3.83 - 5.19	

Reported on: April 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77937

Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	March 23, 2010
Copper (Cu)	0.0012 mg/L	M-MET-3.0	March 23, 2010
Total Suspended Solids	5 mg/L	M-SOLI-1.0	March 19, 2010
Nickel (Ni)	0.0015 mg/L	M-MET-3.0	March 23, 2010
pH	6.87	M-PH-2.0	March 18, 2010
Lead (Pb)	<0.0005 mg/L	M-MET-3.0	March 23, 2010
Radium (Ra 226)	0.004 Becquerels/L	Sous-traitance\Elliot Lake	April 12, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	March 23, 2010

Reported on: April 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-77937

Sampling date: March 17, 2010
Sampling hour: 09:00
Date received: March 18, 2010
Sampling location: Meadowbank
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: April 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78206

Sampling date: March 25, 2010
Sampling hour: 07:00
Date received: March 26, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.288	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.09	1.04 - 1.40	
Total Suspended Solids mg/L	<1	MES 16-03-2010	249	194 - 306	7 6
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.01	0.98 - 1.32	
pH		Std pH 7.00	6.97	6.96 - 7.04	
Lead (Pb) mg/L	<0.0005	Met EU DMR-0008-10-11	1.009	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.59	3.83 - 5.19	

Reported on: April 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78206

Sampling date: March 25, 2010
Sampling hour: 07:00
Date received: March 26, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0017 mg/L	M-MET-3.0	March 30, 2010
Copper (Cu)	0.0023 mg/L	M-MET-3.0	March 30, 2010
Total Suspended Solids	7 mg/L	M-SOLI-1.0	March 30, 2010
Nickel (Ni)	0.0016 mg/L	M-MET-3.0	March 30, 2010
pH	6.85	M-PH-2.0	March 29, 2010
Lead (Pb)	0.0028 mg/L	M-MET-3.0	March 30, 2010
Radium (Ra 226)	0.008 Becquerels/L	Sous-traitance\Elliot Lake	April 22, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	March 30, 2010

Reported on: April 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78206
Sampling date: March 25, 2010
Sampling hour: 07:00
Date received: March 26, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

Reported on: April 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78852

Sampling date: April 07, 2010
Sampling hour: 08:30
Date received: April 09, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	April 14, 2010
Copper (Cu)	0.0063 mg/L	M-MET-3.0	April 14, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	April 20, 2010
Daphnia Magna		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	April 14, 2010
- Toxic unit	<1	Sous-traitance\Écotox	April 14, 2010
Total Suspended Solids	58 mg/L	M-SOLI-1.0	April 12, 2010
Nickel (Ni)	0.0017 mg/L	M-MET-3.0	April 14, 2010
pH	6.89	M-PH-2.0	April 12, 2010
Lead (Pb)	0.0004 mg/L	M-MET-3.0	April 14, 2010
Radium (Ra 226)	0.038 Becquerels/L	Sous-traitance\Elliot Lake	April 27, 2010
Rainbow trout		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	April 12, 2010
- Toxic unit	<1	Sous-traitance\Écotox	April 12, 2010
Zinc (Zn)	0.029 mg/L	M-MET-3.0	April 14, 2010

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78852
Sampling date: April 07, 2010
Sampling hour: 08:30
Date received: April 09, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J.Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-78852
Sampling date: April 07, 2010
Sampling hour: 08:30
Date received: April 09, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.308	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.24	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.55	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 16-03-2010	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.28	0.98 - 1.32	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	Met EU DMR-0008-10-11	1.051	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	5.10	3.83 - 5.19	

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79130

Sampling date: April 13, 2010
Sampling hour: 08:00
Date received: April 15, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	April 19, 2010
Copper (Cu)	0.0010 mg/L	M-MET-3.0	April 19, 2010
Total Cyanide (CNT)	0.017 mg/L	M-CN-1.0	April 26, 2010
Total Suspended Solids	9 mg/L	M-SOLI-1.0	April 16, 2010
Nickel (Ni)	0.0019 mg/L	M-MET-3.0	April 19, 2010
pH	6.80	M-PH-2.0	April 15, 2010
Lead (Pb)	0.0029 mg/L	M-MET-3.0	April 19, 2010
Radium (Ra 226)	0.006 Becquerels/L	Sous-traitance\Elliot Lake	May 03, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	April 19, 2010

Reported on: May 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79130
Sampling date: April 13, 2010
Sampling hour: 08:00
Date received: April 15, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: May 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79130
Sampling date: April 13, 2010
Sampling hour: 08:00
Date received: April 15, 2010
Sampling location: MMER-1
Sampled by: Nicolas Saucier
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.297	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.20	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.58	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 16-03-2010	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.09	0.98 - 1.32	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	Met EU DMR-0008-10-11	0.991	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.78	3.83 - 5.19	

Reported on: May 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79432

Sampling date: April 21, 2010
Sampling hour: 09:45
Date received: April 22, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0420 mg/L	M-MET-3.0	April 27, 2010
Copper (Cu)	0.0020 mg/L	M-MET-3.0	April 27, 2010
Total Cyanide (CNT)	0.023 mg/L	M-CN-1.0	April 27, 2010
Total Suspended Solids	6 mg/L	M-SOLI-1.0	April 23, 2010
Nickel (Ni)	0.0026 mg/L	M-MET-3.0	April 27, 2010
pH	7.08	M-PH-2.0	April 23, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	April 27, 2010
Radium (Ra 226)	0.005 Becquerels/L	Sous-traitance\Elliot Lake	May 10, 2010
Turbidity	11.1 NTU	M-TURB-1.0	April 22, 2010
Zinc (Zn)	0.004 mg/L	M-MET-3.0	April 27, 2010

Reported on: May 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79432
Sampling date: April 21, 2010
Sampling hour: 09:45
Date received: April 22, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Turbidity	0.02 NTU		M-TURB-1.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: May 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79432
Sampling date: April 21, 2010
Sampling hour: 09:45
Date received: April 22, 2010
Sampling location: MMER-1
Sampled by: Martin Thériault
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-18	0.268	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-18	1.26	1.04 - 1.40	
Total Cyanide (CNt) mg/L	<0.05	CNT DMR-0406-2	1.58	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 16-03-2010	246	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-18	1.13	0.98 - 1.32	
pH		Std pH 7.00	7.04	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	Met EU DMR-0008-10-18	1.100	0.819 - 1.109	
Turbidity UTN		DMR-0175-2010-turb	6.10	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-18	4.97	3.83 - 5.19	

Reported on: May 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79821

Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	May 06, 2010
Copper (Cu)	0.0015 mg/L	M-MET-3.0	May 06, 2010
Total Cyanide (CNT)	0.029 mg/L	M-CN-1.0	May 04, 2010
Iron (Fe)	0.42 mg/L	M-MET-3.0	May 06, 2010
Total Suspended Solids	12 mg/L	M-SOLI-1.0	April 30, 2010
Nickel (Ni)	0.0027 mg/L	M-MET-3.0	May 06, 2010
pH	7.75	M-PH-2.0	May 03, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	May 06, 2010
Radium (Ra 226)	0.006 Becquerels/L	Sous-traitance\Elliot Lake	May 19, 2010
Zinc (Zn)	0.007 mg/L	M-MET-3.0	May 06, 2010

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79821

Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79821
Sampling date: April 28, 2010
Sampling hour: 08:30
Date received: April 30, 2010
Sampling location: Meadowbank
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.296	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.30	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.52	1.41 - 1.91	
Iron (Fe) mg/L	<0.01	Met EU DMR-0008-10-11	11.6	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 16-03-2010	268	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.20	0.98 - 1.32	
pH		Std pH 7.00	7.03	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	Met EU DMR-0008-10-11	1.083	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.85	3.83 - 5.19	

Reported on: May 25, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80250

Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	May 10, 2010
Copper (Cu)	0.0048 mg/L	M-MET-3.0	May 10, 2010
Total Cyanide (CNT)	0.006 mg/L	M-CN-1.0	May 10, 2010
Total Suspended Solids	13 mg/L	M-SOLI-1.0	May 10, 2010
Nickel (Ni)	0.0020 mg/L	M-MET-3.0	May 10, 2010
pH	6.59	M-PH-2.0	May 06, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	May 10, 2010
Radium (Ra 226)	0.007 Becquerels/L	Sous-traitance\Elliot Lake	May 27, 2010
Zinc (Zn)	0.008 mg/L	M-MET-3.0	May 10, 2010
Daphnia Magna		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	May 08, 2010
- Toxic unit	<1	Sous-traitance\Écotox	May 08, 2010
Rainbow trout		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	May 13, 2010
- Toxic unit	<1	Sous-traitance\Écotox	May 13, 2010

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80250
Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80250

Sampling date: May 05, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	Met EU DMR-0008-10-11	0.276	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	Met EU DMR-0008-10-11	1.18	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.67	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 16-03-2010	248	194 - 306	
Nickel (Ni) mg/L	<0.0005	Met EU DMR-0008-10-11	1.03	0.98 - 1.32	
pH		Std pH 7.00	7.01	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	Met EU DMR-0008-10-11	1.052	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	Met EU DMR-0008-10-11	4.85	3.83 - 5.19	

Reported on: May 28, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Client

Name :	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone :	819-797-0550
FAX :	819-797-2155

Sample

Date :	May 5th, 2010
Time:	08H00 A.M
Type:	Mine water effluent
Discharge point:	MMER-1, Agnico Eagle Meadow Bank
Sampling method:	Grab
Sample collector:	S. Gaudreault/ J. Kataluk
Client sample number:	80250
Carrier:	Multilab
Lab reception date:	May 7th, 2010
Lab reception time:	4:00 PM
Reception temperature (°C) :	7.0
Lab sample number:	201005050800
Appearance:	Clear

Test Conditions

Test name :	<i>Daphnia magna</i> survival test (48 hours)
Test type :	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/14 Second edition-December 2000
Organism :	<i>Daphnia magna</i> (daphnies < 24 hrs)
Origin :	CEAEQ
Water hardness (mg/l CaCO ₃) :	163.0
Test start date:	May 8th, 2010
Test start time:	1H16 PM
Test end date :	May 10th, 2010
Test end time:	1H08 PM
Deviation:	None
Loading density:	15ml/Daphnia

Conditions in sample at 100% before preparing test

pH :	7.56
Temperature (°C) :	20.01
Dissolved oxygen (%) :	106.6
Dissolved oxygen (mg/l):	9.69
Electrical conductivity (µmho/cm):	150

Sample modifications

pH :	None
Hardness without modification (mg/l CaCO ₃):	30.0
Hardness after modification (mg/l CaCO ₃) :	40.4
Aeration time (minutes):	None
Aeration output (ml/min) :	None

Results in this report are only for sample number: 201005050800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Daphnia descriptionLab *daphnia* lot number:

177

First generation time (days) :

8

Mean babies number by generation:

16

Weekly mortality (%):

2.70

Results**Conditions during test**

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	8.82	9.50	96.1	104.2	19.41	21.43	8.20	8.18	428	441
6,25	150	8.87	9.49	96.8	103.0	19.50	21.02	8.20	8.12	412	421
12,50	150	8.93	9.30	97.4	101.0	19.49	21.01	8.18	8.07	395	424
25,00	150	8.99	9.41	98.1	102.1	19.52	20.96	8.14	8.04	362	367
50,00	150	9.10	9.44	99.5	102.1	19.68	20.92	8.04	7.94	292	298
100,00	150	9.36	9.42	102.9	101.8	19.97	20.88	7.83	7.66	151	155

Mortality

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	0	1	0
6,25	10	0	0	0
12,50	10	0	1	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	2	2	0

Conclusion

Sample is :

LC₅₀ 48 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non-Lethal

> 100

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu):

Statistical method:

Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) :CuSO₄·5H₂OApril 30th, 2010

0.0959 (0.0711- 0.1300)

Probit

0.1090 (0.0360- 0.1820)

Lab team

Technician:

Verified by :

Date :

AA. Dupuis, É. Grenier, G. Fortier et G. Gosselin

Marjorie Bujold

May 12th, 2010

Results in this report are only for sample number: 201005050800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Client

Name:	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date:	May 5th, 2010
Time:	08:00 AM
Type:	Mine water effluent
Discharge point:	Agnico Eagle, MMER-1
Sampling method:	Grab
Sample collector:	J. Kataluk, S. Gaudreault
Client sample number:	80250
Carrier:	Multilab
Lab reception date:	May 7th, 2010
Lab reception time:	4:00 PM
Reception temperature (°C):	7.0
Lab sample number:	201005050800
Appearance:	Cloudy

Test Conditions

Test name:	Rainbow trout survival test (96 hours)
Test type:	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/13 Second edition – December 2000 (including 2007 modifications)
Organism:	<i>Oncorhynchus mykiss</i> (between 0.3 and 2.3g bw)
Test start date:	May 8th, 2010
Test start time:	10:25 AM
Deviation:	None

Conditions in sample at 100% before preparing test

pH :	7.16
Temperature (°C):	14.72
Dissolved oxygen (%):	113.7
Dissolved oxygen (mg/l):	11.92
Electrical conductivity (µmho/cm):	72

Sample modifications

pH :	No adjustment
Aeration time before (minutes):	30
Aeration rate before and during test (ml/min-L):	6.5 ± 1

Fish description

Lab trouts lot number:	42
Supplier :	Pisciculture des Arpents-Verts
Date reception in lab:	April 07th, 2010
Mean wet weight in control (g):	0.53
Loading density (g/l):	0.35
Upper range fork length in control (mm):	45
Lower range fork length in control (mm):	29
Mean fork length in control (mm):	34.5
Weekly mortality in stock tank (%):	0.19

Results in this report are only for sample number: 201005050800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Results**Conditions during test**

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	15	103.5	99.9	10.52	10.43	15.81	15.08	8.22	7.90	228	232
6,25	15	101.7	100.4	10.36	10.48	15.64	15.09	8.17	7.80	219	221
12,50	15	102.2	100.3	10.43	10.47	15.95	15.09	8.12	7.86	209	213
25,00	15	102.7	100.1	10.52	10.46	15.79	15.05	8.04	7.78	189	194
50,00	15	104.2	99.7	10.76	10.45	15.51	15.07	7.90	7.59	151	156
100,00	15	108.2	99.0	11.35	10.32	14.94	15.15	7.64	7.19	72	76

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative
		Dead	Dead	Dead	Dead	Dead
0,00	10	0	0	0	0	0
6,25	10	0	0	0	0	0
12,50	10	0	0	0	0	0
25,00	10	0	0	0	0	0
50,00	10	0	0	0	0	0
100,00	10	0	0	0	0	0

Conclusion

Sample is:
LC₅₀ 96 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non lethal
> 100%
None
< 1

Reference toxicant (QA/QC)

Chemical:
Date last reference toxicant test initiated:
LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu):

CuSO₄·5H₂O
April 30th, 2010
0.0959 (0.0711- 0.1300)
Probit
0.1090 (0.0360- 0.1820)

Lab team

Technician:
Verified by:
Date:

G. Fortier, É. Grenier and EL. Grenier
Marjorie Bujold
May 16th, 2010

Marc Lefebvre (B. Sc)
Biologist
Operation director

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80684

Sampling date: May 15, 2010
Sampling hour: N/D
Date received: May 18, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	May 21, 2010
Copper (Cu)	0.0016 mg/L	M-MET-3.0	May 21, 2010
Total Cyanide (CNT)	0.021 mg/L	M-CN-1.0	May 20, 2010
Iron (Fe)	0.19 mg/L	M-MET-3.0	May 21, 2010
Nickel (Ni)	0.0027 mg/L	M-MET-3.0	May 21, 2010
pH	6.43	M-PH-2.0	May 19, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	May 21, 2010
Zinc (Zn)	0.003 mg/L	M-MET-3.0	May 21, 2010
Total Suspended Solids	14 mg/L	M-SOLI-1.0	May 27, 2010

Reported on: May 27, 2010

Corrected certificate, replacing the certificate C-80684 done on May 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80684

Sampling date: May 15, 2010
Sampling hour: N/D
Date received: May 18, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: May 27, 2010

Corrected certificate, replacing the certificate C-80684 done on May 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80684

Sampling date: May 15, 2010
Sampling hour: N/D
Date received: May 18, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	M EU DMR-0347-10-18	0.264	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	M EU DMR-0347-10-18	1.32	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.73	1.41 - 1.91	
Iron (Fe) mg/L	<0.01	M EU DMR-0347-10-18	10.7	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 14-05-2010	252	194 - 306	
Nickel (Ni) mg/L	<0.0005	M EU DMR-0347-10-18	1.18	0.98 - 1.32	
pH		Std pH 7.00	6.96	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	M EU DMR-0347-10-18	1.056	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	M EU DMR-0347-10-18	4.68	3.83 - 5.19	

Reported on: May 27, 2010

Corrected certificate, replacing the certificate C-80684 done on May 25 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81263

Sampling date: May 27, 2010
Sampling hour: 08:00
Date received: May 28, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/S.Tapp
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	June 01, 2010
Copper (Cu)	0.0019 mg/L	M-MET-3.0	June 01, 2010
Total Cyanide (CNT)	0.012 mg/L	M-CN-1.0	June 01, 2010
Total Suspended Solids	12 mg/L	M-SOLI-1.0	May 31, 2010
Nickel (Ni)	0.0034 mg/L	M-MET-3.0	June 01, 2010
pH	6.98	M-PH-2.0	May 28, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	June 01, 2010
Zinc (Zn)	0.003 mg/L	M-MET-3.0	June 01, 2010

Reported on: June 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81263

Sampling date: May 27, 2010
Sampling hour: 08:00
Date received: May 28, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/S.Tapp
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: June 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81263

Sampling date: May 27, 2010
Sampling hour: 08:00
Date received: May 28, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/S. Tapp
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.329	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.29	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.58	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 14-05-2010	246	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.15	0.98 - 1.32	
pH		Std pH 7.00	7.00	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.096	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.89	3.83 - 5.19	

Reported on: June 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81589

Sampling date: June 02, 2010
Sampling hour: 09:00
Date received: June 03, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	June 07, 2010
Copper (Cu)	0.0031 mg/L	M-MET-3.0	June 07, 2010
Total Cyanide (CNT)	0.014 mg/L	M-CN-1.0	June 04, 2010
Iron (Fe)	0.70 mg/L	M-MET-3.0	June 07, 2010
Total Suspended Solids	25 mg/L	M-SOLI-1.0	June 04, 2010
Nickel (Ni)	0.0045 mg/L	M-MET-3.0	June 07, 2010
pH	6.97	M-PH-2.0	June 03, 2010
Lead (Pb)	0.0011 mg/L	M-MET-3.0	June 07, 2010
Turbidity	0.3 NTU	Sous-traitance\Maxxam	June 04, 2010
Zinc (Zn)	0.011 mg/L	M-MET-3.0	June 07, 2010

Reported on: June 11, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81589
Sampling date: June 02, 2010
Sampling hour: 09:00
Date received: June 03, 2010
Sampling location: MMER-1
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: June 11, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81589
Sampling date: June 02, 2010
Sampling hour: 09:00
Date received: June 03, 2010
Sampling location: MMER-1
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.380	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.31	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.55	1.41 - 1.91	
Iron (Fe) mg/L	<0.01 M EU	DMR-0347-10-18	8.8	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 31-05-2010	239	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.25	0.98 - 1.32	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.010	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.81	3.83 - 5.19	

Reported on: June 11, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82134

Sampling date: June 09, 2010
Sampling hour: 08:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0013 mg/L	M-MET-3.0	June 11, 2010
Copper (Cu)	0.0028 mg/L	M-MET-3.0	June 11, 2010
Total Cyanide (CNT)	0.012 mg/L	M-CN-1.0	June 14, 2010
Iron (Fe)	0.51 mg/L	M-MET-3.0	June 11, 2010
Total Suspended Solids	22 mg/L	M-SOLI-1.0	June 11, 2010
Nickel (Ni)	0.0040 mg/L	M-MET-3.0	June 11, 2010
pH	6.80	M-PH-2.0	June 10, 2010
Lead (Pb)	0.0004 mg/L	M-MET-3.0	June 11, 2010
Turbidity	17.0 NTU	M-TURB-1.0	June 10, 2010
Zinc (Zn)	0.001 mg/L	M-MET-3.0	June 11, 2010

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82134

Sampling date: June 09, 2010
Sampling hour: 08:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Iron (Fe)	0.01 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Turbidity	0.02 NTU		M-TURB-1.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82134
Sampling date: June 09, 2010
Sampling hour: 08:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.265	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.37	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	CNT DMR-0406-2	1.82	1.41 - 1.91	
Iron (Fe) mg/L	<0.01 M EU	DMR-0347-10-18	10.9	8.8 - 12.0	
Total Suspended Solids mg/L	<1	MES 31-05-2010	253	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.26	0.98 - 1.32	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.090	0.819 - 1.109	
Turbidity UTN		DMR-0347-2010-4	5.4	4.7 - 7.4	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.95	3.83 - 5.19	

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82135

Sampling date: June 09, 2010
Sampling hour: 08:00
Date received: June 10, 2010
Sampling location: Meadowbank
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water
Sample name: MMER-1 Pails

Parameter	Result	Method name	Date analyzed
Daphnia Magna		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	June 11, 2010
- Toxic unit	<1	Sous-traitance\Écotox	June 11, 2010
Rainbow trout		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	June 11, 2010
- Toxic unit	<1	Sous-traitance\Écotox	June 11, 2010

Reported on: June 16, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Client

Name :	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone :	819-797-0550
FAX :	819-797-2155

Sample

Date :	June 9th, 2010
Time:	8:00 A.M
Type:	Mine water effluent
Discharge point:	MMER-1, Agnico Eagle Pails
Sampling method:	Grab
Sample collector:	Samuel Tapp et Philip Roy
Client sample number:	82135
Carrier:	MB
Lab reception date:	June 10th, 2010
Lab reception time:	2:45 PM
Reception temperature (°C) :	15.0
Lab sample number:	201006090800
Appearance:	Clear, chemical odor

Test Conditions

Test name :	<i>Daphnia magna</i> survival test (48 hours)
Test type :	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/14 Second edition-December 2000
Organism :	<i>Daphnia magna</i> (daphnies < 24 hrs)
Origin :	CEAEQ
Water hardness (mg/l CaCO ₃) :	170.9
Test start date:	June 11th, 2010
Test start time:	1:07 PM
Test end date :	June 13th, 2010
Test end time:	1:10 PM
Deviation:	None
Loading density:	15ml/Daphnia

Conditions in sample at 100% before preparing test

pH :	7.39
Temperature (°C) :	21.18
Dissolved oxygen (%) :	111.0
Dissolved oxygen (mg/l):	9.85
Electrical conductivity (µmho/cm):	151

Sample modifications

pH :	None
Hardness without modification (mg/l CaCO ₃):	30.3
Hardness after modification (mg/l CaCO ₃) :	47.6
Aeration time (minutes):	None
Aeration output (ml/min) :	None

Results in this report are only for sample number: 201006090800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Daphnia description

Lab *daphnia* lot number: 184
First generation time (days) : 12
Mean babies number by generation: 17
Weekly mortality (%): 5.55

Results**Conditions during test**

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	99.2	94.9	9.03	8.38	19.87	21.46	7.76	7.98	405	406
6,25	150	100.0	95.9	9.10	8.47	19.95	21.44	7.75	8.04	391	394
12,50	150	100.4	95.6	9.12	8.42	20.05	21.57	7.73	8.04	374	376
25,00	150	101.4	95.3	9.17	8.42	20.19	21.45	7.68	8.04	343	347
50,00	150	103.3	95.7	9.28	8.45	20.49	21.46	7.56	7.96	280	283
100,00	150	106.9	96.3	9.52	8.43	21.06	21.55	7.34	7.75	157	151

Mortality

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	0	1	0
6,25	10	0	1	0
12,50	10	0	0	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	0	0	0

Conclusion

Sample is :
LC₅₀ 48 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non-Lethal
> 100
None
< 1

Reference toxicant (QA/QC)

Chemical:
Date last reference toxicant test initiated:
LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC50 mean ± 2 standard deviation (mg/l Cu) :

CuSO₄·5H₂O
June 10th, 2010
0.02796 (0.0200– 0.03355)
Probit
0,0302 (0.0181– 0.0423)

Lab team

Technician:
Verified by :
Date :

AA. Dupuis, É. Grenier, P. Grégoire et G. Gosselin
Marjorie Bujold
June 16th, 2010

Client

Name: Multilab-Direct
Address: 125, boulevard Industriel
City : Rouyn-Noranda, Québec
Postal code : J9X 6P2
Environment manager: Roger Turmel
Phone: 819-797-0550
FAX: 819-797-2155

Sample

Date: June 9th, 2010
Time: 08:00 AM
Type: Mine water effluent
Discharge point: Agnico Eagle, MMER-1, Meadowbank
Sampling method: Grab
Sample collector: Samuel Tapp et Philip Roy
Client sample number: 82135
Carrier: Multilab
Lab reception date: June 10th, 2010
Lab reception time: 2:45 PM
Reception temperature (°C): 15.0
Lab sample number: 201006090800
Appearance: Clear, grayish skin

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static, non renewal, no replication
Test method: Multi-concentration
Reference method: Environment Canada, EPS 1/RM/13 Second edition – December 2000 (including 2007 modifications)
Organism: *Oncorhynchus mykiss* (between 0.3 and 2.3g bw)
Test start date: June 11th, 2010
Test start time: 10:45 AM
Deviation: None

Conditions in sample at 100% before preparing test

pH : 6.69
Temperature (°C): 15.00
Dissolved oxygen (%): 106.6
Dissolved oxygen (mg/l): 11.41
Electrical conductivity (µmho/cm): 92

Sample modifications

pH : No adjustment
Aeration time before (minutes): 30
Aeration rate before and during test (ml/min-L): 6.5 ± 1

Fish description

Lab trouts lot number: 43
Supplier : Pisciculture des Arpents-Verts
Date reception in lab: May 21th, 2010
Mean wet weight in control (g): 0.37
Loading density (g/l): 0.31
Upper range fork length in control (mm): 33
Lower range fork length in control (mm): 26
Mean fork length in control (mm): 30.6
Weekly mortality in stock tank (%): 0.00

Results in this report are only for sample number: 201006090800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Results**Conditions during test**

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	12	105.1	102.8	11.19	11.05	15.20	14.78	7.50	7.47	226	232
6,25	12	104.3	101.5	11.11	10.91	15.19	14.81	7.40	7.38	219	224
12,50	12	104.7	101.9	11.17	10.95	15.16	14.77	7.33	7.41	210	216
25,00	12	103.8	99.8	11.07	10.70	15.15	14.90	7.27	7.29	194	201
50,00	12	105.1	100.1	11.24	10.75	15.08	14.87	7.09	7.22	161	167
100,00	12	106.4	100.4	11.41	10.78	15.01	14.89	6.80	7.03	93	100

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative
		Dead	Dead	Dead	Dead	Dead
0,00	10	0	0	0	0	0
6,25	10	0	0	0	0	0
12,50	10	0	0	0	0	0
25,00	10	0	0	0	0	0
50,00	10	0	0	0	0	0
100,00	10	0	0	0	0	0

Conclusion

Sample is:
LC₅₀ 96 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non lethal
> 100%
None
< 1

Reference toxicant (QA/QC)

Chemical:
Date last reference toxicant test initiated:
LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu):

CuSO₄·5H₂O
June 10th, 2010
0.0600 (0.04796- 0.07484)
Probit
0.1105 (0.0323- 0.1886)

Lab team

Technician:
Verified by:
Date:

É. Grenier, P. Grégoire, AA. Dupuis, G. Gosselin
Marjorie Bujold
June 16th, 2010

Marc Lefebvre (B. Sc)
Biologist
Operation director

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82475

Sampling date: June 16, 2010
Sampling hour: 10:00
Date received: June 17, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault / Philip Roy
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	June 18, 2010
Copper (Cu)	0.0035 mg/L	M-MET-3.0	June 18, 2010
Total Suspended Solids	25 mg/L	M-SOLI-1.0	June 18, 2010
Nickel (Ni)	0.0046 mg/L	M-MET-3.0	June 18, 2010
pH	6.81	M-PH-2.0	June 17, 2010
Lead (Pb)	0.0099 mg/L	M-MET-3.0	June 18, 2010
Zinc (Zn)	0.006 mg/L	M-MET-3.0	June 18, 2010
Total Cyanide (CNT)	0.015 mg/L	M-CN-1.0	July 12, 2010

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82475
Sampling date: June 16, 2010
Sampling hour: 10:00
Date received: June 17, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault / Philip Roy
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82475
Sampling date: June 16, 2010
Sampling hour: 10:00
Date received: June 17, 2010
Sampling location: MMER-1
Sampled by: M. Theriault / Philip Roy
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	M EU DMR-0347-10-18	0.285	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	M EU DMR-0347-10-18	1.36	1.04 - 1.40		
Total Cyanide (CNt) mg/L	<0.005	DMR-0444-2010-2	1.49	1.41 - 1.91		
Total Suspended Solids mg/L	<1	MES 17-06-2010	224	194 - 306	25	27
Nickel (Ni) mg/L	<0.0005	M EU DMR-0347-10-18	1.21	0.98 - 1.32		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	M EU DMR-0347-10-18	1.100	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	M EU DMR-0347-10-18	4.55	3.83 - 5.19		

Reported on: July 12, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82749

Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: MMER-1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	June 28, 2010
Copper (Cu)	0.0027 mg/L	M-MET-3.0	June 28, 2010
Total Cyanide (CNT)	0.008 mg/L	M-CN-1.0	June 25, 2010
Total Suspended Solids	18 mg/L	M-SOLI-1.0	June 23, 2010
Nickel (Ni)	0.0039 mg/L	M-MET-3.0	June 28, 2010
pH	6.67	M-PH-2.0	June 22, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	June 28, 2010
Zinc (Zn)	0.002 mg/L	M-MET-3.0	June 28, 2010

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82749
Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: MMER-1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-82749
Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: MMER-1
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.311	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.34	1.04 - 1.40	
Total Cyanide (CNt) mg/L	<0.005	DMR-0444-2010-2	1.42	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 17-06-2010	246	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.19	0.98 - 1.32	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.097	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.98	3.83 - 5.19	

Reported on: June 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002 M EU	DMR-0347-10-18	7.09	5.27 - 7.13		
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.344	0.248 - 0.392		
Cuivre (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.35	1.04 - 1.40		
Cyanures totaux (CNt) mg/L	<0.005	DMR-0444-2010-2	1.41	1.41 - 1.91		
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306		
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.31	0.98 - 1.32		
pH		Std pH 7.00	7.03	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.088	0.819 - 1.109		
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.95	3.83 - 5.19		

Reported on: July 05, 2010

Lab number: 83001:83002,83004:83005

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Lab number:	83001	83002	83004	83005
Sample name:	DD-WTP-02	Dup-01 (WTP-02)	MMER-1	Dup-01 (MMER)
Sampling date:	28-06-2010	28-06-2010	28-06-2010	28-06-2010
Aluminium (Al) mg/L	1.00	1.07	---	---
Total Suspended Solids mg/L	12	10	20	22
pH	6.68	6.66	6.36	6.43
Turbidity NTU	9.2	8.7	16.0	16.1
Arsenic (As) mg/L	---	---	<0.0005	<0.0005
Copper (Cu) mg/L	---	---	0.0033	0.0026
Total Cyanide (CNt) mg/L	---	---	0.013	<0.005
Nickel (Ni) mg/L	---	---	0.0043	0.0047
Lead (Pb) mg/L	---	---	<0.0003	0.0067
Zinc (Zn) mg/L	---	---	0.013	0.012

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 29, 2010

Sampled by: S.Tapp/P. Roy

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Aluminium (Al)	0.002	mg/L	M-MET-3.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02	NTU	M-TURB-1.0
Arsenic (As)	0.0005	mg/L	M-MET-3.0
Copper (Cu)	0.0005	mg/L	M-MET-3.0
Total Cyanide (CNt)	0.005	mg/L	M-CN-1.0
Nickel (Ni)	0.0005	mg/L	M-MET-3.0
Lead (Pb)	0.0003	mg/L	M-MET-3.0
Zinc (Zn)	0.001	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83535

Sampling date: July 07, 2010
Sampling hour: 09:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: M. Theriault / P. Roy
Matrix: Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	July 12, 2010
Copper (Cu)	0.0013 mg/L	M-MET-3.0	July 12, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	July 16, 2010
Daphnia Magna		Sous-traitance\Écotox	
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Écotox	July 08, 2010
- Toxic unit	<1	Sous-traitance\Écotox	July 08, 2010
Total Suspended Solids	17 mg/L	M-SOLI-1.0	July 09, 2010
Nickel (Ni)	0.0038 mg/L	M-MET-3.0	July 12, 2010
pH	6.94	M-PH-2.0	July 09, 2010
Lead (Pb)	0.0005 mg/L	M-MET-3.0	July 12, 2010
Radium (Ra 226)	0.013 Becquerels/L	Sous-traitance\Elliot Lake	July 15, 2010
Rainbow trout		Sous-traitance\Écotox	
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Écotox	July 09, 2010
- Toxic unit	<1	Sous-traitance\Écotox	July 09, 2010
Zinc (Zn)	<0.001 mg/L	M-MET-3.0	July 12, 2010

Reported on: July 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83535
Sampling date: July 07, 2010
Sampling hour: 09:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: M. Theriault / P. Roy
Matrix: Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: July 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83535
Sampling date: July 07, 2010
Sampling hour: 09:30
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: M. Theriault / P. Roy
Matrix: Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005 M EU	DMR-0347-10-18	0.281	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005 M EU	DMR-0347-10-18	1.30	1.04 - 1.40	
Total Cyanide (CNt) mg/L	<0.005	DMR-0444-2010-2	1.80	1.41 - 1.91	
Total Suspended Solids mg/L	<1	MES 07-07-2010	238	194 - 306	
Nickel (Ni) mg/L	<0.0005 M EU	DMR-0347-10-18	1.17	0.98 - 1.32	
pH		Std pH 7.00	6.99	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003 M EU	DMR-0347-10-18	1.100	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001 M EU	DMR-0347-10-18	4.53	3.83 - 5.19	

Reported on: July 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10178

Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault/ Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	July 16, 2010
Total Suspended Solids	9.2 mg/L	M-SOLI-1.0	July 19, 2010
pH	6.54	M-PH-2.0	July 16, 2010
Arsenic (As)	0.0039 mg/L	Sous-traitance\Multilab Direct	July 20, 2010
Copper (Cu)	0.0011 mg/L	Sous-traitance\Multilab Direct	July 20, 2010
Nickel (Ni)	0.0050 mg/L	Sous-traitance\Multilab Direct	July 20, 2010
Lead (Pb)	0.0163 mg/L	Sous-traitance\Multilab Direct	July 20, 2010
Turbidity	2 NTU	Sous-traitance\Multilab Direct	July 19, 2010
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	July 20, 2010

Reported on: August 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10178

Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault/ Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: August 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10178
Sampling date: July 14, 2010
Sampling hour: N/D
Date received: July 15, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	19.1	15.7 - 21.3	
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	264	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: August 02, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	<0.0005 <0.0005
Arsenic (As) mg/L	<0.0005				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	0.0006 0.0007
Cuivre (Cu) mg/L	<0.0005				
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	
DBO5 mg/L	<1	DMR-0488-7-2010	212	154 - 286	
DBO5 mg/L	<1	DMR-0488-7-2010	227	154 - 286	
DCO mg/L	<2				
DCO mg/L	<2	DMR-0488-09-2010	320	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	0.0035 0.0033
Nickel (Ni) mg/L	<0.0005				

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010
 Sampled by: MT/PR
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2	0.03	0.03
Nitrites-Nitrates mg N/L	<0.01					
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	6.97	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01					
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109	<0.0003	<0.0003
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109		
Plomb (Pb) mg/L	<0.0003					
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19	<0.001	<0.001
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19		

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10477	10480	10481	10482	10483	10484	10485	10486
Sample name:	MMER-1	MMER-1 dup	STP-IN	STP-OUT	Grease trap	Grey water kitchen	Grey Water Nova	2010-08-02-DUP-1
Sampling date:	28-07-2010	28-07-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010
Arsenic (As) mg/L	<0.0005	<0.0005	---	---	---	---	---	---
Copper (Cu) mg/L	0.0008	0.0006	---	---	---	---	---	---
Total Cyanide (CNT) mg/L	<0.005	<0.005	---	---	---	---	---	---
Total Suspended Solids mg/L	14	13	135	27	345	595	150	22
Nickel (Ni) mg/L	0.0034	0.0035	---	---	---	---	---	---
pH	6.37	6.51	7.92	6.16	3.92	4.21	8.17	6.19
Lead (Pb) mg/L	<0.0003	<0.0003	---	---	---	---	---	---
Zinc (Zn) mg/L	0.004	<0.001	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---	136	22.5	2.0	3.1	14.2	27.2
BOD-5 mg/L	---	---	310	8	2890	2097	145	8
COD mg/L	---	---	592	80	13184	2973	372	70
Nitrite-Nitrate mg N/L	---	---	0.02	41.9	0.03	0.02	0.02	42.2
Total Phosphorus (P) mg P/L	---	---	16.5	16.3	6.6	8.0	1.9	15.7
Turbidity NTU	---	---	---	---	---	---	133	---
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10489	10490
Sample name:	DD-WTP-02	2010-08-02-DUP-3
Sampling date:	02-08-2010	02-08-2010
Arsenic (As) mg/L	---	---
Copper (Cu) mg/L	---	---
Total Cyanide (CNT) mg/L	---	---
Total Suspended Solids mg/L	11	13
Nickel (Ni) mg/L	---	---
pH	6.47	6.70
Lead (Pb) mg/L	---	---
Zinc (Zn) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
BOD-5 mg/L	---	---
COD mg/L	---	---
Nitrite-Nitrate mg N/L	---	---
Total Phosphorus (P) mg P/L	---	---
Turbidity NTU	3.0	1.7
Aluminium (Al) mg/L	0.682	0.649

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Waste Water

Commentaire
Sampling date:

Projet 10477

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	10592	10593	10594	10595
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	MMER
Sampling date:	07-08-2010	08-08-2010	09-08-2010	09-08-2010
Total Suspended Solids mg/L	8	8	8	7
Turbidity NTU	1.0	1.1	1.6	---
Aluminium (Al) mg/L	---	---	1.15	---
pH	---	---	6.51	6.53
Arsenic (As) mg/L	---	---	---	<0.0005
Copper (Cu) mg/L	---	---	---	0.0020
Total Cyanide (CNt) mg/L	---	---	---	0.005
Iron (Fe) mg/L	---	---	---	0.19
Nickel (Ni) mg/L	---	---	---	0.0034
Lead (Pb) mg/L	---	---	---	<0.0003
Zinc (Zn) mg/L	---	---	---	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 10, 2010

Sampled by: M.Theriault/P.Roy/S.Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.42	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3914	0.248 - 0.392	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.362	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	18.1	15.7 - 21.3	
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.7	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.294	0.98 - 1.32	
pH		STD pH 7.00	6.96	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9766	0.819 - 1.109	
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.09	3.83 - 5.19	

Reported on: August 13, 2010

Lab number: 10592:10595

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10662

Sampling date: August 11, 2010
Sampling hour: 08:30
Date received: August 12, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy/S.Doire
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	August 16, 2010
Copper (Cu)	0.0036 mg/L	Sous-traitance\Multilab Direct	August 16, 2010
Total Cyanide (CNT)	0.006 mg/L	M-CN-1.0	August 12, 2010
Iron (Fe)	0.43 mg/L	Sous-traitance\Multilab Direct	August 16, 2010
Total Suspended Solids	8 mg/L	M-SOLI-1.0	August 13, 2010
Nickel (Ni)	0.0038 mg/L	Sous-traitance\Multilab Direct	August 16, 2010
pH	6.28	M-PH-2.0	August 12, 2010
Lead (Pb)	0.0159 mg/L	Sous-traitance\Multilab Direct	August 16, 2010
Zinc (Zn)	0.031 mg/L	Sous-traitance\Multilab Direct	August 16, 2010

Reported on: August 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10662

Sampling date: August 11, 2010
Sampling hour: 08:30
Date received: August 12, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy/S.Doire
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: August 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10662

Sampling date: August 11, 2010
Sampling hour: 08:30
Date received: August 12, 2010
Sampling location: MMER
Sampled by: MT/PR/SD
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3118	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.232	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	18.9	15.7 - 21.3		
Iron (Fe) mg/L	<0.01	EU DMR-0488-10-18	10.6	8.8 - 12.0		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	241	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.141	0.98 - 1.32		
pH		STD pH 7.00	6.97	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9780	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.93	3.83 - 5.19		

Reported on: August 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	5.60	5.27 - 7.13		
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2980	0.248 - 0.392		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.321	1.04 - 1.40		
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3		
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	241	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.255	0.98 - 1.32		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9277	0.819 - 1.109		
Turbidité UTN		DMR-0572-2010-Turbidit	5.6	5 - 7		
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.72	3.83 - 5.19		

Reported on: September 03, 2010
 Lab number: 10846,10851,10897

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10846	10851	10897
Sample name:	DD-FD1	MMER-1	DD-WTP-01
Sampling date:	24-08-2010	25-08-2010	30-08-2010
Aluminium (Al) mg/L	0.484	---	0.624
Ammonia (NH ₃ -NH ₄) mg N/L	0.47	---	---
Calcium (Ca) mg/L	11.4	---	---
Iron (Fe) mg/L	0.33	---	---
Mercury (Hg) mg/L	<0.00001	---	---
Molybdenum (Mo) mg/L	0.0036	---	---
Nitrite (NO ₂) mg N/L	0.03	---	---
Arsenic (As) mg/L	---	0.0024	---
Copper (Cu) mg/L	---	0.0017	---
Total Cyanide (CNt) mg/L	---	0.005	---
Nickel (Ni) mg/L	---	0.0038	---
pH	---	6.28	6.70
Lead (Pb) mg/L	---	<0.0003	---
Turbidity NTU	---	1.0	3.8
Zinc (Zn) mg/L	---	<0.001	---
Total Suspended Solids mg/L	---	1	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2010
Sampled by: Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 03, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Acidité mg CaCO ₃ /L					
Alcalinité mg CaCO ₃ /L		std Alk	160	123 - 167	
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.13	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	6.6	5.27 - 7.13	
Argent (Ag) mg/L	<0.0005				
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3119	0.248 - 0.392	
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.310	0.248 - 0.392	
Baryum (Ba) mg/L	<0.0005	EU DMR-0488-10-18	2.126	1.91 - 2.59	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.11	1.91 - 2.59	
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.78596	0.708 - 0.958	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.831	0.708 - 0.958	
Calcium (Ca) mg/L	<0.03	EU DMR-0488-10-18	12.4	9.2 - 12.4	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.367	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005				
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.29	1.04 - 1.40	
Cyanures disponibles (CNd) mg	<0.005				
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	

Reported on: September 09, 2010

Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.5	15.7 - 21.3	
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.8	8.8 - 12.0	
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	10.6	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	
Magnésium (Mg) mg/L	<0.02	EU DMR-0488-10-18	12.3	9.1 - 12.3	
Manganèse (Mn) mg/L	<0.0005	EU DMR-0488-10-18	3.684	3.20 - 4.32	
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.48	3.20 - 4.32	
Mercuré (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-18	0.04665	0.0405 - 0.0639	
Mercuré dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0629	0.0405 - 0.0639	
Molybdène (Mo) mg/L	<0.0005	EU DMR-0488-10-18	0.5892	0.562 - 0.760	
Molybdène dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.632	0.562 - 0.760	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.179	0.98 - 1.32	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32	
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.15	0.98 - 1.32	
pH		STD pH 7.00	7.03	6.96 - 7.04	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.100	0.819 - 1.109	
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.05	0.819 - 1.109	
Sélénium (Se) mg/L	<0.001	EU DMR-0488-10-18	1.52	1.21 - 1.63	

Reported on: September 09, 2010
Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.35	1.21 - 1.63	
Sulfites (SO3) mg S2O3/L	<0.1				
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	419	414 - 620	
Thiosulfates (S2O3) mg S2O3/L	<0.13	Thiosulfate 201ppm	169	141 - 261	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.07	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	5.08	3.83 - 5.19	

Reported on: September 09, 2010
Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Acidity mg CaCO ₃ /L	10	---
Alkalinity mg CaCO ₃ /L	58	---
Aluminium (Al) mg/L	0.240	---
Dissolved Aluminium (Al) mg/L	0.03	---
Silver (Ag) mg/L	0.0045	---
Dissolved Silver (Ag) mg/L	<0.005	---
Arsenic (As) mg/L	0.1057	<0.0005
Dissolved Arsenic (As) mg/L	0.087	---
Barium (Ba) mg/L	0.0201	---
Dissolved Barium (Ba) mg/L	0.020	---
Cadmium (Cd) mg/L	0.00011	---
Dissolved Cadmium (Cd) mg/L	<0.005	---
Calcium (Ca) mg/L	225	---
Copper (Cu) mg/L	1.431	0.0010
Dissolved Copper (Cu) mg/L	1.07	---
Cyanide W.A.D. mg/L	0.077	---
Total Cyanide (CNt) mg/L	0.475	<0.005
Iron (Fe) mg/L	0.83	---
Dissolved Iron (Fe) mg/L	0.30	---
Magnesium (Mg) mg/L	5.5	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Manganese (Mn) mg/L	0.0488	---
Dissolved Manganese (Mn) mg/L	0.045	---
Mercury (Hg) mg/L	0.00028	---
Dissolved Mercury (Hg) mg/L	<0.0005	---
Molybdenum (Mo) mg/L	0.0733	---
Dissolved Molybdenum (Mo) mg/L	0.073	---
Nickel (Ni) mg/L	0.0294	0.0055
Dissolved Nickel (Ni) mg/L	0.026	---
Dissolved oxygen mg/L	8.26	---
pH	7.47	6.36
Lead (Pb) mg/L	0.0014	<0.0003
Dissolved Lead (Pb) mg/L	<0.005	---
Selenium (Se) mg/L	0.007	---
Dissolved Selenium (Se) mg/L	<0.005	---
Sulfite (SO3) mg S2O3/L	116	---
Thallium (Tl) mg/L	<0.01	---
Dissolved thallium (Tl) mg/L	<0.01	---
Thiocyanate (SCN) mg SCN/L	146	---
Thiosulfates (S2O3) mg S2O3/L	12.5	---
Zinc (Zn) mg/L	0.005	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Dissolved Zinc mg/L	0.005	---
Total Suspended Solids mg/L	---	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Cyanide W.A.D.	0.005	mg/L	M-CN-1.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11043

Sampling date: September 08, 2010
Sampling hour: 08:30
Date received: September 09, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
Copper (Cu)	0.0009 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 10, 2010
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
Nickel (Ni)	0.0042 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
pH	6.33	M-PH-2.0	September 09, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	September 14, 2010
Total Suspended Solids	8 mg/L	M-SOLI-1.0	September 10, 2010

Reported on: September 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11043

Sampling date: September 08, 2010
Sampling hour: 08:30
Date received: September 09, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: September 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11043

Sampling date: September 08, 2010
Sampling hour: 08:30
Date received: September 09, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2992	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.398	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	18.0	15.7 - 21.3	
Iron (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.4	8.8 - 12.0	
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	243	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.225	0.98 - 1.32	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.069	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.95	3.83 - 5.19	

Reported on: September 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11123

Sampling date: September 15, 2010
Sampling hour: N/D
Date received: September 16, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 20, 2010
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 20, 2010
Total Cyanide (CNT)	0.005 mg/L	M-CN-1.0	September 16, 2010
Total Suspended Solids	8 mg/L	M-SOLI-1.0	September 17, 2010
Nickel (Ni)	0.0053 mg/L	Sous-traitance\Multilab Direct	September 20, 2010
pH	6.67	M-PH-2.0	September 16, 2010
Lead (Pb)	0.0004 mg/L	Sous-traitance\Multilab Direct	September 20, 2010
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	September 20, 2010

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11123

Sampling date: September 15, 2010
Sampling hour: N/D
Date received: September 16, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11123

Sampling date: September 15, 2010
Sampling hour: N/D
Date received: September 16, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2854	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.384	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	16.6	15.7 - 21.3		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	239	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.256	0.98 - 1.32		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.100	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.00	3.83 - 5.19		

Reported on: September 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11194

Sampling date: September 22, 2010
Sampling hour: N/D
Date received: September 23, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0029 mg/L	Sous-traitance\Multilab Direct	September 28, 2010
Copper (Cu)	0.0017 mg/L	Sous-traitance\Multilab Direct	September 28, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 23, 2010
Total Suspended Solids	10 mg/L	M-SOLI-1.0	September 27, 2010
Nickel (Ni)	0.0055 mg/L	Sous-traitance\Multilab Direct	September 28, 2010
pH	6.21	M-PH-2.0	September 23, 2010
Lead (Pb)	0.0030 mg/L	Sous-traitance\Multilab Direct	September 28, 2010
Zinc (Zn)	0.007 mg/L	Sous-traitance\Multilab Direct	September 28, 2010

Reported on: October 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11194

Sampling date: September 22, 2010
Sampling hour: N/D
Date received: September 23, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: October 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11194

Sampling date: September 22, 2010
Sampling hour: N/D
Date received: September 23, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2719	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.304	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	19.8	15.7 - 21.3		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	253	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.213	0.98 - 1.32		
pH		STD pH 7.00	6.98	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.025	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.79	3.83 - 5.19		

Reported on: October 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11505

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: MMER
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0016 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
Copper (Cu)	0.0020 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
Total Cyanide (CNT)	0.009 mg/L	M-CN-1.0	October 20, 2010
Total Suspended Solids	5 mg/L	M-SOLI-1.0	October 20, 2010
Nickel (Ni)	0.0074 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
pH	7.00	M-PH-2.0	October 19, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
Radium (Ra 226)	0.006 Becquerels/L	M-RA-1.0	November 01, 2010
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	October 21, 2010
Daphnia Magna		Sous-traitance\Maxxam	
- Toxic unit	<1	Sous-traitance\Maxxam	October 20, 2010
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Maxxam	October 20, 2010
Rainbow trout		Sous-traitance\Maxxam	
- Toxic unit	<1	Sous-traitance\Maxxam	October 21, 2010
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Maxxam	October 21, 2010

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11505

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: MMER
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Radium (Ra 226)	0.003 Becquerels/L		M-RA-1.0

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11505

Sampling date: October 18, 2010
Sampling hour: 05:00
Date received: October 19, 2010
Sampling location: MMER
Sampled by: martin theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3207	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.319	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	10.9	10.2 - 13.8	
Total Suspended Solids mg/L	<1	DMR-0672-2010-1	109	88 - 140	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.206	0.98 - 1.32	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.033	0.819 - 1.109	
Radium (Ra 226) Becquerels/L	<0.003	STD 0.100	0.079	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.86	3.83 - 5.19	

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11602

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: MMER
Sampled by: Martin Theriault Philip Roy
Matrix: Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0037 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Copper (Cu)	0.0016 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Total Cyanide (CNT)	0.013 mg/L	M-CN-1.0	October 26, 2010
Total Suspended Solids	10 mg/L	M-SOLI-1.0	October 27, 2010
Nickel (Ni)	0.0078 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
pH	6.32	M-PH-2.0	October 22, 2010
Lead (Pb)	0.0036 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	October 26, 2010

Reported on: October 27, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11602

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: MMER
Sampled by: Martin Theriault Philip Roy
Matrix: Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: October 27, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11602
Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: MMER
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: MMER

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3054	0.248 - 0.392	
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.279	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.6	10.2 - 13.8	
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	237	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.167	0.98 - 1.32	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.071	0.819 - 1.109	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.64	3.83 - 5.19	

Reported on: October 27, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11662

Sampling date: October 27, 2010
Sampling hour: 07:30
Date received: October 28, 2010
Sampling location: MMER
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0054 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Copper (Cu)	0.0020 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Total Cyanide (CNT)	0.018 mg/L	M-CN-1.0	October 29, 2010
Iron (Fe)	0.58 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Total Suspended Solids	5 mg/L	M-SOLI-1.0	October 29, 2010
Nickel (Ni)	0.0108 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
pH	6.33	M-PH-2.0	October 28, 2010
Lead (Pb)	0.0050 mg/L	Sous-traitance\Multilab Direct	November 03, 2010
Zinc (Zn)	0.027 mg/L	Sous-traitance\Multilab Direct	November 03, 2010

Reported on: November 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11662
Sampling date: October 27, 2010
Sampling hour: 07:30
Date received: October 28, 2010
Sampling location: MMER
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3295	0.248 - 0.392	0.0054	0.0039
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.310	1.04 - 1.40	0.0020	0.0018
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.5	10.2 - 13.8		
Iron (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.2	8.8 - 12.0	0.58	0.60
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	243	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.240	0.98 - 1.32	0.0108	0.0100
pH		STD pH 7.00	7.02	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.056	0.819 - 1.109	0.0050	<0.0003
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.05	3.83 - 5.19	0.027	0.025

Reported on: November 04, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 12, 2010

Sampled by: Philip Roy/Ricardo Gamez

Matrix: Waste Water

Lab number:	11913	11915
Sample name:	MM1a-MMER (DD-FD1)	MMER
Sampling date:	11-11-2010	10-11-2010
Arsenic (As) mg/L	0.0030	0.0026
Copper (Cu) mg/L	0.0015	0.0013
Total Cyanide (CNT) mg/L	0.014	0.013
Iron (Fe) mg/L	0.39	---
Total Suspended Solids mg/L	<1	3
Nickel (Ni) mg/L	0.0084	0.0086
pH	6.73	6.72
Lead (Pb) mg/L	<0.0003	<0.0003
Zinc (Zn) mg/L	<0.001	0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 12, 2010

Sampled by: Philip Roy/Ricardo Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2837	0.248 - 0.392		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.379	1.04 - 1.40		
Cyanures totaux (CNT) mg/L	<0.005	DMR-0672-2010-5	10.6	10.2 - 13.8		
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.2	8.8 - 12.0		
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.086	0.98 - 1.32		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9600	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.58	3.83 - 5.19		

Reported on: November 17, 2010

Lab number: 11913,11915

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11999

Sampling date: November 24, 2010
Sampling hour: N/D
Date received: November 25, 2010
Sampling location: MMER
Sampled by: Steve.J & Jamie.K
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0032 mg/L	Sous-traitance\Multilab Direct	November 30, 2010
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 30, 2010
Total Cyanide (CNT)	0.018 mg/L	M-CN-1.0	November 25, 2010
Iron (Fe)	0.02 mg/L	Sous-traitance\Multilab Direct	November 30, 2010
Total Suspended Solids	4 mg/L	M-SOLI-1.0	November 26, 2010
Nickel (Ni)	0.0101 mg/L	Sous-traitance\Multilab Direct	November 30, 2010
pH	6.52	M-PH-2.0	November 25, 2010
Lead (Pb)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 30, 2010
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	November 30, 2010

Reported on: December 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11999

Sampling date: November 24, 2010
Sampling hour: N/D
Date received: November 25, 2010
Sampling location: MMER
Sampled by: Steve.J & Jamie.K
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2646	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.187	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.9	10.2 - 13.8		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	8.8	8.8 - 12.0		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	240	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.080	0.98 - 1.32		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.091	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.64	3.83 - 5.19		

Reported on: December 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12039

Sampling date: December 01, 2010
Sampling hour: N/D
Date received: December 02, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0015 mg/L	Sous-traitance\Multilab Direct	December 03, 2010
Copper (Cu)	0.0019 mg/L	Sous-traitance\Multilab Direct	December 03, 2010
Total Cyanide (CNT)	0.018 mg/L	M-CN-1.0	December 03, 2010
Iron (Fe)	0.83 mg/L	Sous-traitance\Multilab Direct	December 03, 2010
Total Suspended Solids	2 mg/L	M-SOLI-1.0	December 06, 2010
Nickel (Ni)	0.0123 mg/L	Sous-traitance\Multilab Direct	December 03, 2010
pH	6.38	M-PH-2.0	December 02, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 03, 2010
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	December 03, 2010

Reported on: December 06, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12039

Sampling date: December 01, 2010
Sampling hour: N/D
Date received: December 02, 2010
Sampling location: DD-FD1 (MMER-1)
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2792	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.120	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.9	10.2 - 13.8		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	9.7	8.8 - 12.0		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	261	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.210	0.98 - 1.32		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.020	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.91	3.83 - 5.19		

Reported on: December 06, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.29	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2248	0.224 - 0.416	
Cuivre (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.234	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0844-2010-3	0.348	0.259 - 0.351	
Fer (Fe) mg/L	<0.01	DMR-0781-2010-18	10.1	8.8 - 12.0	
M.E.S. mg/L	<1				
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.111	0.98 - 1.32	
pH		STD pH 7.00	7.02	6.96 - 7.04	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.032	0.819 - 1.109	
Turbidité UTN		DMR-0781-2010-Turbidit	5.5	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.65	3.83 - 5.19	

Reported on: December 16, 2010

Lab number: 12099,12126

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	12099	12126
Sample name:	MMER	DD-WTP-01
Sampling date:	08-12-2010	13-12-2010
Arsenic (As) mg/L	0.0061	---
Copper (Cu) mg/L	0.0013	---
Total Cyanide (CNT) mg/L	<0.005	---
Iron (Fe) mg/L	0.19	---
Total Suspended Solids mg/L	5	12
Nickel (Ni) mg/L	0.0079	---
pH	6.38	6.38
Lead (Pb) mg/L	<0.0003	---
Zinc (Zn) mg/L	<0.001	---
Aluminium (Al) mg/L	---	0.601
Turbidity NTU	---	0.31

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 16, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12145

Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: MMER
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0014 mg/L	Sous-traitance\Multilab Direct	December 21, 2010
Copper (Cu)	0.0014 mg/L	Sous-traitance\Multilab Direct	December 21, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	December 16, 2010
Iron (Fe)	0.01 mg/L	Sous-traitance\Multilab Direct	December 21, 2010
Total Suspended Solids	14 mg/L	M-SOLI-1.0	December 17, 2010
Nickel (Ni)	0.0083 mg/L	Sous-traitance\Multilab Direct	December 21, 2010
pH	6.22	M-PH-2.0	December 16, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 21, 2010
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	December 21, 2010

Reported on: December 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12145

Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: MMER
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: December 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12145
Sampling date: December 15, 2010
Sampling hour: N/D
Date received: December 16, 2010
Sampling location: MMER
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2461	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.242	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	dmr-0844-2010-3	0.337	0.259 - 0.351		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	9.6	8.8 - 12.0		
Total Suspended Solids mg/L	<1	STD-MES	267	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.076	0.98 - 1.32		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	0.9275	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.82	3.83 - 5.19		

Reported on: December 22, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12197

Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: MMER
Sampled by: Martin T.
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12197

Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: MMER
Sampled by: Martin T.
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0028 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
Copper (Cu)	0.0010 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
Total Cyanide (CNT)	0.024 mg/L	M-CN-1.0	December 22, 2010
Iron (Fe)	0.32 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
Total Suspended Solids	6 mg/L	M-SOLI-1.0	December 22, 2010
Nickel (Ni)	0.0109 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
pH	6.42	M-PH-2.0	December 21, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 23, 2010
Zinc (Zn)	0.010 mg/L	Sous-traitance\Multilab Direct	December 23, 2010

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12197
Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 21, 2010
Sampling location: MMER
Sampled by: Martin T.
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2496	0.224 - 0.416	0.0028	0.0026
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.204	1.04 - 1.40	0.0010	0.0013
Total Cyanide (CNT) mg/L	<0.005	dmr-0844-2010-3	0.314	0.259 - 0.351		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	11.9	8.8 - 12.0	0.32	0.29
Total Suspended Solids mg/L	<1	STD-MES	277	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.091	0.98 - 1.32	0.0109	0.0099
pH		STD pH 7.00	7.04	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	0.9043	0.819 - 1.109	<0.0003	<0.0003
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.70	3.83 - 5.19	0.010	0.008

Reported on: December 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91382

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / S. Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	M-MET-3.0	January 07, 2011
Copper (Cu)	0.0009 mg/L	M-MET-3.0	January 07, 2011
Total Cyanide (CNT)	0.029 mg/L	M-CN-1.0	January 11, 2011
Total Suspended Solids	2 mg/L	M-SOLI-1.0	January 04, 2011
Nickel (Ni)	0.0085 mg/L	M-MET-3.0	January 07, 2011
pH	6.62	M-PH-2.0	December 30, 2010
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	January 07, 2011
Zinc (Zn)	0.009 mg/L	M-MET-3.0	January 07, 2011

Reported on: January 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91382

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / S. Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
pH	N.D.		M-PH-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0

Reported on: January 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-91382

Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 30, 2010
Sampling location: Meadowbank
Sampled by: Philip Roy / S. Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.307	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.32	1.04 - 1.40		
Total Cyanide (CNt) mg/L	<0.005	DMR-0858-2010-2cnt	1.55	1.26 - 1.70		
Total Suspended Solids mg/L	<1	MES-25-11-2010	257	220 - 280		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.25	0.98 - 1.32		
pH		Std pH 7.00	7.03	6.96 - 7.04	6.62	6.70
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.050	0.819 - 1.109		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.66	3.83 - 5.19		

Reported on: January 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Client:

Name	MultiLab-Direct
Adress:	125, boulevard Industriel
City:	Rouyn-Noranda, Québec
Postal code:	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample:

Date:	August 9, 2010
Time:	8h30 am
Type:	Mine water
Discharge point:	10596, Meadowbank
Sampling method:	Grab
Sample collector:	M. Thériault, P. Roy and S. Doire
Client sample number:	85293
Carrier:	M.B
Lab reception date:	August 11, 2010
Lab reception time:	1h00 pm
Reception temperature (°C):	13.0
Lab sample number:	201008090830
Appearance:	Clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%):	103.9
Dissolved oxygen (mg/l):	9.40
pH:	7.00
Temperature (°C):	20.24
Electrical conductivity (µmho/cm):	179

Results in this report are only for samle number: 201008090830

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Sample modifications

pH : None
Hardness without modification (mg/CaCO₃) 35.9
Hardness after modification(mg/CaCO₃) 56.5
Aeration time (minutes): 0,0
Aeration output (mL/min) None

Test Conditions

Test name: *Daphnia magna* survival test (48 hours)
Test length: 48 hours
Test type: Static
Test method: Multi-concentration
Reference method: EPS 1/RM/14 2nd edition. - Dec. 2000
Organism: *Daphnia magna* (daphnies < 24hrs)
Origin: CEAEQ
Water hardness (mg/l CaCO₃): 167.5
Test start date: August 12, 2010
Test start time: 12h00 pm
Test end date: August 14, 2010
Test end time: 11h56 am
Deviation: None
Loading density: 15 ml/Daphnia

Daphnia description

Lab *daphnia* lot number: 194
First generation time (days): 9
Mean babies number by generation: 18
Weekly mortality (%): 9.84

Conditions during test

Concentration (% V/V)	Vol (ml)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond.(µmho/cm)	
		0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	96 hrs
0,00	150	8.88	9.05	97.1	103.3	7.43	7.73	19.59	21.97	436	437
6,25	150	8.94	8.52	97.7	98.2	7.41	7.76	19.62	21.99	422	425
12,50	150	8.97	8.41	98.2	96.8	7.41	7.75	19.68	21.94	406	410
25,00	150	9.02	8.24	98.8	94.9	7.31	7.71	19.69	21.98	376	379
50,00	150	9.09	8.11	99.8	93.4	7.23	7.60	19.88	21.99	311	315
100,00	150	9.21	8.12	101.4	93.6	7.00	7.44	20.12	21.99	178	183

Mortality

Concentration (% V/V)	Daphnia per glass	24h	48h		
		Immobile	Immobile	Dead	Mortality (%)
0,00	10	0	0	0	0
6,25	10	0	0	0	0
12,50	10	0	0	0	0
25,00	10	0	0	0	0
50,00	10	1	0	3	30
100,00	10	1	0	2	20

Conclusion

Sample is:
LC₅₀ 48 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non-Lethal
> 100,0 %
None
< 1

Reference toxicant (QA/QC)


Chemical:
Date last reference toxicant test initiated:
LC₅₀ 48 hrs obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC₅₀ mean $\pm$ 2 standard deviation (mg/l Cu)

CuSO₄.5H₂O
August 11, 2010
0.02443 (0.02000 – 0.02921)
Probit
0,0298 (0.0173– 0.0423)

Lab team

Technician:
Verified by:
Date:

A.A Dupuis, É. Grenier, P. Grégoire et G. Fortier
Andrée-Anne Dupuis *AND*
17 août 2010


Marjorie Bujold (B. Sc.)
Biologist
Laboratory Coordinator

Écotox inc.
489 Avenue Larivière
Rouyn-Noranda, Québec
Téléphone: 819-762-5672
Télécopieur: 819-762-8724

16 AOÛT 2010

Certificate of Analysis
Daphnia magna survival test (48 hours)
Lab number: 482
Report number: 201007070930DM
Page 1 of 3

Client:

Name	MultiLab-Direct
Address:	125, boulevard Industriel
City:	Rouyn-Noranda, Québec
Postal code:	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample:

Date:	July 7th, 2010
Time:	9H30
Type:	Mine water
Discharge point:	Meadowbank-MMER-1
Sampling method:	Grab
Sample collector:	M.Thériault/P.Roy
Client sample number:	83535
Carrier:	M.Bujold
Lab reception date:	July 8th, 2010
Lab reception time:	16H00
Reception temperature (°C):	19.0
Lab sample number:	201007070930
Appearance:	clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%):	91,6
Dissolved oxygen (mg/l):	8,20
pH:	7,27
Temperature (°C):	20,74
Electrical conductivity (µmho/cm):	142

Results in this report are only for sample number: 201007070930

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Sample modifications

pH : None
Hardness without modification (mg/CaCO₃) 34,1
Hardness after modification(mg/CaCO₃) 48,6
Aeration time (minutes): 0,0
Aeration output (mL/min) None

Test Conditions

Test name: *Daphnia magna* survival test (48 hours)
Test length: 48 hours
Test type: Static
Test method: Multi-concentration
Reference method: EPS 1/RM/14 2nd edition. - Dec. 2000
Organism: *Daphnia magna* (daphnies < 24hrs)
Origin: CEAEQ
Water hardness (mg/l CaCO₃): 162,3
Test start date: July 9th, 2010
Test start time: 10H17
Test end date: July 11th, 2010
Test end time: 10H18
Deviation: None
Loading density: 15 ml/Daphnia

Daphnia description

Lab *daphnia* lot number: 186
First generation time (days): 12
Mean babies number by generation: 28
Weekly mortality (%): 5,56

Conditions during test

Concentration (% V/V)	Vol (ml)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond.(µmho/cm)	
		0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	96 hrs
0,00	150	8,27	8,46	91,0	93,0	7,68	7,77	19,99	20,01	379	384
6,25	150	8,22	8,58	90,6	94,5	7,69	7,77	20,05	20,05	366	374
12,50	150	8,26	8,43	91,1	93,2	7,67	7,69	20,08	20,24	351	359
25,00	150	8,32	8,44	91,9	93,4	7,63	7,69	20,15	20,12	324	330
50,00	150	8,26	8,46	91,5	93,7	7,51	7,63	20,28	20,09	265	270
100,00	150	8,20	8,48	91,2	93,4	7,38	7,44	20,56	20,09	143	152

Écotox inc.

489 Avenue Larivière
Rouyn-Noranda, Québec
Téléphone: 819-762-5672
Télécopieur: 819-762-8724

Certificate of Analysis
Daphnia magna survival test (48 hours)

Lab number: 482
Report number: 201007070930DM
Page 3 of 3

Mortality

Concentration (% V/V)	Daphnia per glass	24h	48h		
		Immobile	Immobile	Dead	Mortality (%)
0,00	10	0	0	0	0
6,25	10	0	0	0	0
12,50	10	0	0	0	0
25,00	10	0	0	0	0
50,00	10	0	0	0	0
100,00	10	0	0	0	0

Conclusion

Sample is:
LC₅₀ 48 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non-Lethal
> 100,0 %
None
< 1

Reference toxicant (QA/QC)


Chemical:
Date last reference toxicant test initiated:
LC₅₀ 48 hrs obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC₅₀ mean $\pm$ 2 standard deviation (mg/l Cu)

CuSO₄.5H₂O
6 juillet 2010
0.0200 (0.0200 – 0.0231)
Spearm. Karb.
0,0302 (0.0185– 0.0418)

Lab team

Technician:
Verified by:
Date:

P.Gregoire, G.Gosselin, M. Bujold
Marjorie Bujold 
July 11th 2010


Marjorie Bujold (B. Sc.)
Biologist
Laboratory coordinator

Client:

Name: MultiLab-Direct
Address: 125, boulevard Industriel
City: Rouyn-Noranda, Québec
Postal code: J9X 6P2
Environment manager: Roger Turmel
Phone: 819-797-0550
FAX: 819-797-2155

Sample:

Date: September 1st, 2010
Time: Unknown
Type: Mine water
Discharge point: MMER (Pails)
Sampling method: Grab
Sample collector: MT/PR/SD
Client sample number: 10962
Carrier: M. Bujold
Lab reception date: September 2nd, 2010
Lab reception time: 11H20
Reception temperature (°C): 20
Lab sample number: 201009010001
Appearance: Clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%): 101,5
Dissolved oxygen (mg/l): 9,27
pH: 6,53
Temperature (°C): 19,75
Electrical conductivity (µmho/cm): 218

		Dissolved oxygen		Dissolved oxygen (%)		pH		Temperature (°C)		Cond.(µmho/cm)	
		0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs
0,00	150	8,74	7,62	98,7	86,2	7,26	7,49	20,18	21,38	403	402
6,25	150	8,80	7,54	98,4	85,6	7,25	7,46	20,18	21,55	384	394
12,50	150	8,99	7,68	99,2	88,8	7,24	7,47	20,13	21,37	361	378
25,00	150	9,05	7,66	102,2	86,7	7,20	7,41	20,15	21,34	355	368
50,00	150	9,44	7,89	104,2	89,2	7,23	7,45	20,20	21,58	315	315
100,00	150	9,55	7,68	104,2	86,7	7,23	7,45	20,20	21,58	222	220

Results in this report are only for sample number: 201009010001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Sample modifications

pH : None
Hardness without modification (mg/CaCO₃) 38,5
Hardness after modification(mg/CaCO₃) 63,8
Aeration time (minutes): 0,0
Aeration output (mL/min) None

Test Conditions

Test name: *Daphnia magna* survival test (48 hours)
Test length: 48 hours
Test type: Static
Test method: Multi-concentration
Reference method: EPS 1/RM/14 2nd edition. - Dec. 2000
Organism: *Daphnia magna* (daphnies < 24hrs)
Origin: CEAEQ
Water hardness (mg/l CaCO₃): 160,3
Test start date: September 2nd, 2010
Test start time: 13H40
Test end date: September 4th, 2010
Test end time: 13H30
Deviation: None
Loading density: 15 ml/Daphnia

Daphnia description

Lab *daphnia* lot number: 196
First generation time (days): 9
Mean babies number by generation: 20
Weekly mortality (%): 14,69

Conditions during test

Concentration (% V/V)	Vol (ml)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond.(µmho/cm)	
		0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	48 hrs	0 hr	96 hrs
0,00	150	8,74	7,62	96,7	86,2	7,26	7,49	20,18	21,38	403	402
6,25	150	8,90	7,54	98,4	85,6	7,25	7,46	20,16	21,55	394	394
12,50	150	8,99	7,68	99,2	86,8	7,24	7,47	20,13	21,37	381	378
25,00	150	9,05	7,66	103,2	86,7	7,20	7,51	20,19	21,35	359	359
50,00	150	9,44	7,69	104,4	87,2	7,15	7,48	20,20	21,43	313	315
100,00	150	9,55	7,68	105,5	87,1	7,03	7,49	20,20	21,55	222	220

Mortality

Concentration (% V/V)	Daphnia per glass	24h	48h		
		Immobile	Immobile	Dead	Mortality (%)
0,00	10	0	1	0	0
6,25	10	0	0	0	0
12,50	10	0	0	0	0
25,00	10	0	0	1	10
50,00	10	2	0	2	20
100,00	10	0	0	0	0

Conclusion

Sample is:
LC₅₀ 48 hours and confidence limits (95%):
Statistical method:
Toxic units:

Non-Lethal
> 100,0 %
None
< 1

Reference toxicant (QA/QC)


Chemical:
Date last reference toxicant test initiated:
LC₅₀ 48 hrs obtained with 95% confidence limits (mg/l Cu):
Statistical method:
Historical geometric LC₅₀ mean $\pm$ 2 standard deviation (mg/l Cu)

CuSO₄.5H₂O
27 août 2010
0.02484 (0.02124– 0.02905)
Spearman Karber
0,0295 (0.0165– 0.0426)

Lab team

Technician:
Verified by:
Date:

AA. Dupuis et É. Grenier
Marjorie Bujold MB
September 6th, 2010


Marjorie Bujold (B. Sc.)
Biologist
Laboratory Coordinator

Écotox inc.
489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis
***Daphnia magna* survival test (48 hours)**
Lab number: 482
Report number : 201004070830DM
Page 1 of 2

Client

Name :	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone :	819-797-0550
FAX :	819-797-2155

Sample

Date :	April 7th, 2010
Time:	8H30 A.M
Type:	Mine water effluent
Discharge point:	MMER-1, Agnico Eagle
Sampling method:	Grab
Sample collector:	S. Gaudreault/ J. Kataluk
Client sample number:	78852
Carrier:	Mutilab
Lab reception date:	April 9th, 2010
Lab reception time:	3:15PM
Reception temperature (°C) :	10.0
Lab sample number:	201004070830
Appearance:	Clear

Test Conditions

Test name :	<i>Daphnia magna</i> survival test (48 hours)
Test type :	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/14 Second edition-December 2000
Organism :	<i>Daphnia magna</i> (daphnies < 24 hrs)
Origin :	CEAEQ
Water hardness (mg/l CaCO ₃) :	164.2
Test start date:	April 12th, 2010
Test start time:	11H20 A.M
Test end date :	April 14th, 2010
Test end time:	11H15 A.M
Deviation:	None
Loading density:	15ml/Daphnia

Conditions in sample at 100% before preparing test

pH :	7.24
Temperature (°C) :	18.62
Dissolved oxygen (%):	104.4
Dissolved oxygen (mg/l):	9.93
Electrical conductivity (µmho/cm):	137

Sample modifications

pH :	None
Hardness without modification (mg/l CaCO ₃):	27.9
Hardness after modification (mg/l CaCO ₃) :	49.8
Aeration time (minutes):	None
Aeration output (ml/min) :	None

Daphnia description

Lab daphnia lot number : 175
First generation time (days) : 9
Mean babies number by generation : 29
Weekly mortality (%) : 2.19

Results**Conditions during test**

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	92.6	97.7	8.68	9.08	18.56	19.15	7.79	7.93	412	415
6,25	150	93.7	104.5	8.72	9.52	18.80	19.88	7.81	7.94	392	402
12,50	150	94.3	103.4	8.78	9.41	18.81	19.87	7.79	7.90	374	386
25,00	150	96.0	101.7	8.94	9.25	18.79	19.95	7.70	7.86	343	351
50,00	150	98.8	101.6	9.20	9.24	18.79	20.01	7.54	7.77	277	286
100,00	150	103.6	100.4	9.66	9.14	18.74	20.00	7.30	7.54	137	145

Mortality

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	0	0	0
6,25	10	0	0	0
12,50	10	0	0	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	0	0	0

Conclusion


Sample is : Non-Lethal
LC₅₀ 48 hours and confidence limits (95%): > 100
Statistical method: None
Toxic units: < 1

Reference toxicant (QA/QC)

Chemical: CuSO₄·5H₂O
Date last reference toxicant test initiated: April 10th, 2010
LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu): 0.0300 (0.02395– 0.03283)
Statistical method:: Probit
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) : 0,0301(0.0175– 0.0427)

Lab team

Technician: AA. Dupuis, É. Grenier
Verified by : Marjorie Bujold
Date : April 18th, 2010


Marc Lefebvre (B.Sc.)
Biologist
Operation director

Results in this report are only for sample number: 201004070830

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.
489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis
Rainbow trout survival test (96 hours)
Lab number: 482
Report number : 201004070830OM
Page 1 of 2

Client

Name:	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date:	April 7th, 2010
Time:	8:30 AM
Type:	Mine water effluent
Discharge point:	Agnico Eagle, MMER-1
Sampling method:	Grab
Sample collector:	J. Kataluk, S. Gaudrault
Client sample number:	78852
Carrier:	Multilab
Lab reception date:	April 9th, 2010
Lab reception time:	3:15 PM
Reception temperature (°C):	10.0
Lab sample number:	201004070830
Appearance:	Clear with airborne particles

Test Conditions

Test name:	Rainbow trout survival test (96 hours)
Test type:	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/13 Second edition – December 2000 (including 2007 modifications)
Organism:	<i>Oncorhynchus mykiss</i> (between 0.3 and 2.3g bw)
Test start date:	April 12th, 2010
Test start time:	12:04 PM
Deviation:	None

Conditions in sample at 100% before preparing test

pH :	6.79
Temperature (°C):	14.44
Dissolved oxygen (%):	109.7
Dissolved oxygen (mg/l):	11.20
Electrical conductivity (µmho/cm):	64

Sample modifications

pH :	No adjustment
Aeration time before (minutes):	30
Aeration rate before and during test (ml/min-L):	6.5 ± 1

Fish description

Lab trouts lot number:	40
Supplier :	Pisciculture des Arpents-Verts
Date reception in lab:	March 29th, 2010
Mean wet weight in control (g):	0.69
Loading density (g/l):	0.38
Upper range fork length in control (mm):	40
Lower range fork length in control (mm):	36
Mean fork length in control (mm):	37.5
Weekly mortality in stock tank (%):	1.96

Results in this report are only for sample number: 201004070830
Subcontracting analysis: none
Reproduction, if not entire, is prohibited without written permission of Écotox Inc.
Sample will be retained for 24 h after certificate emission.

Results

Conditions during test

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	18	105.1	97.2	10.52	9.87	15.28	14.70	7.86	7.87	236	237
6,25	18	104.6	98.5	10.50	10.01	15.21	14.62	7.85	7.82	226	225
12,50	18	105.3	97.2	10.56	9.88	15.05	14.62	7.82	7.85	215	217
25,00	18	105.3	91.9	10.61	9.31	15.00	14.75	7.77	7.63	195	199
50,00	18	105.2	94.6	10.68	9.55	14.68	14.90	7.58	7.57	153	157
100,00	18	106.4	94.1	10.89	9.57	14.31	14.60	7.16	7.22	65	68

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative
		Dead	Dead	Dead	Dead	Dead
0,00	10	0	0	0	0	0
6,25	10	0	0	0	0	0
12,50	10	0	0	0	0	0
25,00	10	0	0	0	0	0
50,00	10	0	0	0	0	0
100,00	10	0	0	0	0	0

Conclusion

Sample is:
LC₅₀ 96 hours and confidence limits (95%):
Statistical method:
Toxic units:


Non lethal
> 100%
None
< 1

Reference toxicant (QA/QC)

Chemical: CuSO₄·5H₂O
Date last reference toxicant test initiated: April 04th, 2010
LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu): 0.1800 (0.1400- 0.2200)
Statistical method: Probit
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu): 0.1088 (0.0353-0.1824)

Lab team

Technician: M. Bujold, É. Grenier, AA. Dupuis
Verified by: Marjorie Bujold
Date: April 18th, 2010


Marc Lefebvre (B. Sc.)
Biologist
Operation director

Client

Name : Multilab-Direct
Address: 125, boulevard Industriel
City : Rouyn-Noranda, Québec
Postal code : J9X 6P2
Environment manager: Roger Turmel
Phone : 819-797-0550
FAX : 819-797-2155

Sample

Date: February, 2nd, 2010
Time : 08:00 AM
Type : Mine water effluent
Discharge point: DD-WTP-out MMER, Agnico Eagle
Sampling method: Instantanée
Sample collector: Steve/ Jamie
Client sample number: 76103
Carrier: Simon Drolet
Lab reception date: February, 4th, 2010
Lab reception time: 11:30 PM
Reception temperature (°C): 5.0
Lab sample number: 201002020800
Appearance: Clear

Test Conditions

Test name : *Daphnia magna* survival test (48 hours)
Test type : Static, non renewal, no replication
Test method: Multi-concentration
Reference method: Environment Canada, EPS 1/RM/14 Second edition-December 2000
Organism: *Daphnia magna* (Daphnia < 24 hours)
Origin: CEAEQ
Water hardness (mg/l CaCO₃) : 173.3
Test start date: February, 5th, 2010
Test start time: 12:00 PM
Test end date : February, 7th 2010
Test end time: 12:06 PM
Deviation : None
Loading density: 15ml/Daphnia

Conditions in sample at 100% before preparing test

pH : 7.73
Temperature (°C) : 19.00
Dissolved oxygen (%) : 104.0
Dissolved oxygen (mg/l) : 9.65
Electrical conductivity (µmho/cm): 175

Sample modifications

pH : No adjustment
Hardness without modification (mg/l CaCO₃) : 13.3
Hardness after modification (mg/l CaCO₃) : 55.1
Aeration time (minutes): None
Aeration output (ml/min) : None

Results in this report are only for sample number: 201002020800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Daphnia description

Lab *daphnia* lot number : 166
First generation time (days) : 9
Mean babies number by generation : 22
Weekly mortality (%) : 3.55

Results**Conditions during test**

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	94.5	102.4	9.05	9.35	18.00	19.69	8.17	8.19	435	438
6,25	150	94.6	101.0	8.95	9.18	18.01	19.91	8.14	8.23	420	426
12,50	150	92.8	99.9	8.80	9.08	18.01	19.96	8.09	8.21	403	408
25,00	150	93.0	99.1	8.76	9.00	18.14	20.00	8.03	8.16	376	379
50,00	150	93.5	98.9	8.79	9.01	18.32	19.84	7.88	8.06	310	312
100,00	150	93.6	98.6	8.75	8.97	18.64	19.90	7.68	7.70	175	179

Toxicologie

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	1	0	0
6,25	10	1	0	0
12,50	10	0	0	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	0	0	0

Conclusion


Sample is: **Non lethal**
LC₅₀48 hours and confidence limits (95%): > 100%
Statistical method: None
Toxic units: < 1

Reference toxicant (QA/QC)

Chemical: CuSO₄·5H₂O
Date last reference toxicant test initiated: February 1st, 2010
LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu): 0.03791 (0.03063– 0.05148)
Statistical method: Probit
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) : 0,0300(0.0163– 0.0436)

Lab team

Technician: A.A. Dupuis et É. Grenier
Verified by: Marjorie Bujold
Date : February 7th, 2010


Marc Lefebvre (B.Sc.)
Biologist
Operation director

Results in this report are only for sample number: 201002020800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.

489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)
Lab number: 482
Report number : 201002020800OM
Page 1 of 2

Client

Name : Multilab-Direct
Address : 125, boulevard Industriel
City : Rouyn-Noranda, Québec
Code postal : J9X 6P2
Environment manager: Roger Turmel
Phone : 819-797-0550
FAX : 819-797-2155

Sample

Date: February, 2nd, 2010
Time : 08:00 AM
Type : Mine water effluent
Discharge point : Agnico Eagle Meadowbank, DD-WTP-out MMER
Sampling method : Grab
Sample collector: Steve/ Jamie
Client sample number: 76103
Carrier: Dicom
Lab reception date: February 4th, 2010
Lab reception time: 11:30 AM
Reception temperature (°C): 5.0
Lab sample number: 201002020800
Appearance : Clear

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static, non renewal, no replication
Test method: Multi-concentration
Reference method: Environment Canada, EPS 1/RM/13 Second edition – December 2000 (including 2007 modifications)
Organism: *Oncorhynchus mykiss* (between 0.3 and 2.3g bw)
Test start date: February 6th, 2010
Test start time: 01:35 PM
Deviation: None

Conditions in sample at 100% before preparing test

pH : 7.17
Temperature (°C) : 15.15
Dissolved oxygen (%): 114.0
Dissolved oxygen (mg/l): 11.46
Electrical conductivity (µmho/cm): 50

Sample modifications

pH : No adjustment
Aeration time before (minutes):: 30
Aeration rate before and during test (ml/min-L): 6,5 ± 1

Fish description

Lab trouts lot number: 35
Supplier : Pisciculture des Arpents Verts
Date reception in lab: January 27th, 2010
Mean wet weight in control (g): 0.44
Loading density (g/l): 0.37
Upper range fork length in control (mm): 43
Lower range fork length in control (mm): 31
Mean fork length in control (mm): 37.8
Weekly mortality in stock tank (%): 0.10

Results in this report are only for sample number: 201002020800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.

489 Larivière

Rouyn-Noranda, Québec

Tél ; 819-762-5672

FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)

Lab number: 482

Report number : 201002020800OM

Page 2 of 2

Résultats

Conditions during test

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs
0,00	12	104.8	96.2	10.78	9.72	14.01	14.90	7.80	7.63	263	268
6,25	12	104.2	97.9	10.72	9.89	14.10	14.85	7.76	7.68	250	254
12,50	12	104.6	96.9	10.74	9.82	14.14	14.75	7.73	7.64	237	242
25,00	12	105.3	95.8	10.80	9.68	14.24	14.83	7.69	7.55	212	216
50,00	12	106.8	96.4	10.89	9.82	14.46	14.88	7.54	7.43	161	165
100,00	12	110.1	95.4	11.11	9.61	14.93	14.89	7.03	7.04	51	55

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative	Atypical fish after 96 hours
		Dead	Dead	Dead	Dead	Dead	
0,00	10	0	0	0	0	0	0
6,25	10	0	0	0	0	0	0
12,50	10	0	0	0	0	0	0
25,00	10	0	0	0	0	0	0
50,00	10	0	0	0	0	0	0
100,00	10	0	0	0	0	0	0

Conclusion

Sample is:

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non lethal

> 100%

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu):

Statistical method:

Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) :

CuSO₄·5H₂O

February 6th, 2010

0.1100 (0.0795- 0.1400)

Probit

0.1185 (0.0332-0.2037)

Lab team

Technician:


Verified by:

Date :

É. Grenier, M. Bujold and G. Fortier

Marjorie Bujold

February 11th, 2010


Marc Lefebvre (B.Sc.)
Biologist
Operation director

Results in this report are only for sample number: 201002020800

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.**489 Larivière****Rouyn-Noranda, Québec****Tél ; 819-762-5672****FAX : 819-762-8724****Certificate of Analysis*****Daphnia magna* survival test (48 hours)****Lab number: 482****Report number : 201001110645DM****Page 1 of 2****Client**

Name : MultiLab-Direct
Address : 125, boulevard Industriel
City : Rouyn-Noranda, Québec
Postal code : J9X 6P2
Environment manager: Roger Turmel
Phone : 819-797-0550
FAX : 819-797-2155

Sample

Date : January, 11th, 2010
Time : 06:45 AM
Type : Mine water effluent
Discharge point: DD-WTP-out-MMER
Sampling method: Grab
Sample collector: Steve Gaudreau / WK
Client sample number: 75151
Carrier: S. Drolet
Lab reception date: January, 12th, 2010
Lab reception time: 02H00 PM
Reception temperature (°C): 2.0
Lab sample number: 201001110645
Appearance: Clear

Test Conditions

Test name : *Daphnia magna* survival test (48 hours)
Test type: Static, non renewal, no replication
Test method: Multi-concentration
Reference method: Environment Canada, EPS 1/RM/14 Second edition-December 2000

Organism: *Daphnia magna* (Daphnia < 24 hours)
Origin : CEAEQ
Water hardness (mg/l CaCO₃) : 179.5
Test start date: January, 13th, 2010
Test start time: 02:45 PM
Test end date : January, 15th, 2010
Test end time: 02 :43 PM
Deviation : None
Loading density: 15ml/Daphnia

Conditions in sample at 100% before preparing test

pH : 7.24
Temperature (°C) : 18.86
Dissolved oxygen (%): 105.0
Dissolved oxygen (mg/l : 9.75
Electrical conductivity (µmho/cm): 185

Sample modifications

pH : No adjustment
Hardness without modification (mg/l CaCO₃) : 0.0
Hardness after modification (mg/l CaCO₃) : 70.2
Aeration time (minutes): None
Aeration output (ml/min) : None

Results in this report are only for sample number: 201001110645

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.
489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis
Daphnia magna survival test (48 hours)
Lab number: 482
Report number : 201001110645DM
Page 2 of 2

Daphnia description

Lab *daphnia* lot number : 161
First generation time (days) : 9
Mean babies number by generation : 32
Weekly mortality (%): 4.62

Results

Conditions during test

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	95.1	97.9	8.88	8.85	18.62	20.24	7.90	7.88	419	423
6,25	150	94.0	98.5	8.78	8.85	18.66	20.54	7.85	7.88	406	411
12,50	150	95.8	99.0	8.93	8.92	18.69	20.43	7.86	7.85	391	396
25,00	150	96.4	99.0	8.96	8.87	18.80	20.59	7.79	7.82	365	369
50,00	150	97.8	98.5	9.09	8.83	18.85	20.68	7.65	7.70	306	312
100,00	150	100.3	98.9	9.32	8.88	18.85	20.64	7.34	7.47	186	192

Mortality

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	0	0	0
6,25	10	0	0	0
12,50	10	0	0	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	1	1	0

Conclusion


Sample is: Non lethal
LC₅₀ 48 hours and confidence limits (95%): > 100%
Statistical method: None
Toxic units: < 1

Reference toxicant (QA/QC)

Chemical: CuSO₄·5H₂O
Date last reference toxicant test initiated: December, 18th, 2009
LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu): 0.0300 (0.02784– 0.0455)
Statistical method: Probit
Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu): 0,0300 (0.0169– 0.0432)

Lab team

Technician : É. Grenier, AA. Dupuis et M. Bujold
Verified by: Marjorie Bujold
Date : January, 18th, 2010


Marc Lefebvre (B.Sc)
Biologist
Operation director

Écotox inc.

489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)
Lab number: 482
Report number : 201001110645OM
Page 1 of 2

Client

Name:	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date :	January, 11th, 2010
Time :	06 :45 AM
Type :	Mine water effluent
Discharge point :	DD-WTP-out-MMER
Sampling method :	Grab
Sample collector:	Steve Gaudreau / WK
Client sample number:	75151
Carrier:	Dicom
Lab reception date:	January 12th, 2010
Lab reception time:	02:00 pm
Reception temperature (°C) :	2.0
Lab sample number:	201001110645
Appearance:	Clear

Test Conditions

Test name :	Rainbow trout survival test (96 hours)
Test type:	Static, non renewal, no replication Méthode :
Test method	Multi-concentration
Référence :	Environment Canada, EPS 1/RM/13 Second edition -- December 2000 (including 2007 modifications)
Organism :	<i>Oncorhynchus mykiss</i> (between 0.3 and 2.3g bw)
Test start date :	January 13th, 2010
Test start time :	02:10 PM
Deviation:	None

Conditions in sample at 100% before preparing test

pH :	6.45
Temperature (°C) :	14.56
Dissolved oxygen (%) :	125.2
Dissolved oxygen (mg/l):	12.75
Electrical conductivity (µmho/cm):	48

Sample modifications

pH :	No adjustment
Aeration time before (minutes)::	30
Aeration rate before and during test (ml/min-L):	6,5 ± 1

Fish description

Lab trouts lot number:	33
Supplier :	Pisciculture des Arpents Verts
Date reception in lab:	November 30th, 2009
Mean wet weight in control (g):	0.63
Loading density (g/l):	0.35
Upper range fork length in control (mm):	39
Lower range fork length in control (mm):	30
Mean fork length in control (mm):	34.6
Weekly mortality in stock tank (%):	0.06

Results in this report are only for sample number: 201001110645

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission

Écotox inc.

489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)
Lab number: 482
Report number : 201001110645OM
Page 2 of 2

Results**Conditions during test**

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs	0 hr	96 hrs
0,00	18	101.6	102.4	10.25	10.62	14.94	14.04	7.88	7.81	261	264
6,25	18	101.7	99.7	10.30	10.44	14.81	14.25	7.83	7.76	248	252
12,50	18	103.7	97.1	10.48	10.06	14.84	15.02	7.78	7.56	235	241
25,00	18	104.2	97.9	10.57	10.20	14.70	14.49	7.71	7.53	210	215
50,00	18	108.4	96.6	11.02	10.00	14.58	14.32	7.48	7.30	158	163
100,00	18	115.4	97.9	11.79	10.18	14.40	14.53	6.91	7.06	48	54

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative	Atypical fish after 96 hours
		Dead	Dead	Dead	Dead	Dead	
0,00	10	0	0	0	0	0	0
6,25	10	0	0	0	0	0	0
12,50	10	0	0	0	0	0	0
25,00	10	0	0	0	0	0	0
50,00	10	0	0	0	0	0	0
100,00	10	0	0	0	0	0	0

Conclusion

Sample is :

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non lethal

> 100 %

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu):

Statistical method:

Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) :CuSO₄·5H₂O

January 8th, 2010

0.1300 (0.1100- 0.1600)

Probit

0.1166 (0.0340-0.1992)

Lab team

Technician:


Verified by:

Date :

M. Bujold, AA. Dupuis et É. Grenier

Marjorie Bujold

January 18th, 2010



Marc Lefebvre (B.Sc.)

Biologist

Operation director

Results in this report are only for sample number: 201001110645

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission

Écotox inc.
489 Larivière
Rouyn-Noranda, Québec
Tél ; 819-762-5672
FAX : 819-762-8724

Certificate of Analysis
Daphnia magna survival test (48 hours)
Lab number: 482
Report number : 201003030001DM
Page 1 of 2

Client

Name :	Multilab-Direct
Address:	125, boulevard Industriel
City :	Rouyn-Noranda, Québec
Postal code :	J9X 6P2
Environment manager:	Roger Turmel
Phone :	819-797-0550
FAX :	819-797-2155

Sample

Date :	March 3rd, 2010
Time:	unknown
Type:	Mine water effluent
Discharge point:	MMER-1, Agnico Eagle
Sampling method:	Grab
Sample collector:	JK
Client sample number:	77353
Carrier:	Simon Drolet
Lab reception date:	March 5th, 2010
Lab reception time:	3:40 PM
Reception temperature (°C) :	14.0
Lab sample number:	201003030001
Appearance:	Clear

Test Conditions

Test name :	<i>Daphnia magna</i> survival test (48 hours)
Test type :	Static, non renewal, no replication
Test method:	Multi-concentration
Reference method:	Environment Canada, EPS 1/RM/14 Second edition-December 2000
Organism :	<i>Daphnia magna</i> (daphnies < 24 hrs)
Origin :	CEAEQ
Water hardness (mg/l CaCO ₃) :	176.2
Test start date:	March 6th, 2010
Test start time:	2:14 PM
Test end date :	March 8th, 2010
Test end time:	2:10 PM
Deviation:	None
Loading density:	15ml/Daphnia

Conditions in sample at 100% before preparing test

pH :	7.26
Temperature (°C) :	19.65
Dissolved oxygen (%) :	98.1
Dissolved oxygen (mg/l):	8.97
Electrical conductivity (µmho/cm):	110

Sample modifications

pH :	Non modifié
Hardness without modification (mg/l CaCO ₃):	36.9
Hardness after modification (mg/l CaCO ₃) :	46.3
Aeration time (minutes):	None

Results in this report are only for sample number: 201003030001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission

Aeration output (ml/min) :

None

Daphnia descriptionLab *daphnia* lot number :

169

First generation time (days) :

10

Mean babies number by generation :

29

Weekly mortality (%) :

3.41

Results**Conditions during test**

Conc. (% V/V)	Vol (ml)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temperature (°C)		pH		Cond. (µmho/cm)	
		0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h	0 h	48 h
0,00	150	90.1	88.8	8.43	8.01	18.61	20.35	7.78	7.90	426	429
6,25	150	90.9	90.3	8.47	8.15	18.74	20.36	7.77	7.90	409	412
12,50	150	91.2	90.7	8.50	8.20	18.81	20.32	7.73	7.88	389	392
25,00	150	92.0	90.9	8.53	8.22	18.93	20.26	7.68	7.84	352	355
50,00	150	93.1	90.8	8.60	8.19	19.15	20.37	7.64	7.77	275	277
100,00	150	95.3	90.9	8.73	8.21	19.58	20.29	7.45	7.69	114	116

Mortality

Conc. (% V/V)	Daphnia per glass	24 hours	48 hours	
		Immobile	Immobile	Dead
0,00	10	0	0	0
6,25	10	1	0	0
12,50	10	1	0	0
25,00	10	0	0	0
50,00	10	0	0	0
100,00	10	0	0	9

Conclusion

Sample is :

LC₅₀ 48 hours and confidence limits (95%):

Statistical method:

Toxic units:

Toxic

46.19% (41.08 – 51.93)

Spearm. Karb.

2.16

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 48 hours obtained with 95% confidence limits (mg/l Cu):

Statistical method::

Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu) :CuSO₄·5H₂O

06 mars 2010

0.0353 (0.03096– 0.04025)

Spearm. Karb

0,0301 (0.0166– 0.0436)

Lab team

Technician:

Verified by :

Date :

É. Grenier et G. Fortier

Marjorie Bujold

March 8th 2010


Marc Lefebvre (B.Sc.)
Biologist
Operation director

Results in this report are only for sample number: 201003030001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission

Écotox inc.

489 Larivière

Rouyn-Noranda, Québec

Tél ; 819-762-5672

FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)

Lab number: 482

Report number : 201003030001OM

Page 1 of 2

Client

Name: Multilab-Direct
Address: 125, boulevard Industriel
City : Rouyn-Noranda, Québec
Postal code : J9X 6P2
Environment manager: Roger Turmel
Phone: 819-797-0550
FAX: 819-797-2155

Sample

Date: March 3rd, 2010
Time: Unknown
Type: Mine water effluent
Discharge point: Agnico Eagle, MMER-1
Sampling method: Grab
Sample collector: JK
Client sample number: 77353
Carrier: S. Drolet
Lab reception date: March 5th, 2010
Lab reception time: 3:40 PM
Reception temperature (°C): 14.0
Lab sample number: 201003030001
Appearance: Clear

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static, non renewal, no replication
Test method: Multi-concentration
Reference method: Environment Canada, EPS 1/RM/13 Second edition –
December 2000 (including 2007 modifications)
Organism: *Oncorhynchus mykiss* (between 0.3 and 2.3g bw)
Test start date: March 6th, 2010
Test start time: 11:30 AM
Deviation: None

Conditions in sample at 100% before preparing test

pH : 6.78
Temperature (°C): 14.96
Dissolved oxygen (%): 118.5
Dissolved oxygen (mg/l): 11.94
Electrical conductivity (µmho/cm): 57

Sample modifications

pH : No adjustment
Aeration time before (minutes): 30
Aeration rate before and during test (ml/min-L): 6.5 ± 1

Fish description

Lab trouts lot number: 36
Supplier : Pisciculture des Arpents-Verts
Date reception in lab: February 8th, 2010
Mean wet weight in control (g): 0.76
Loading density (g/l): 0.42
Upper range fork length in control (mm): 49
Lower range fork length in control (mm): 39
Mean fork length in control (mm): 43.5
Weekly mortality in stock tank (%): 0.00

Results in this report are only for sample number: 201003030001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Écotox inc.

489 Larivière

Rouyn-Noranda, Québec

Tél ; 819-762-5672

FAX : 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)

Lab number: 482

Report number : 201003030001OM

Page 2 of 2

Results**Conditions during test**

Conc. (% V/V)	Vol (L)	Dissolved oxygen (%)		Dissolved oxygen (mg/l)		Temp. (°C)		pH		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	18	104.2	99.2	10.58	9.99	14.67	15.05	7.73	7.87	252	256
6,25	18	103.9	96.9	10.54	9.77	14.65	14.98	7.70	7.78	240	245
12,50	18	104.5	95.5	10.63	9.64	14.70	14.94	7.73	7.64	230	233
25,00	18	104.7	98.4	10.64	10.02	14.64	14.54	7.60	7.70	204	209
50,00	18	105.6	97.7	10.71	9.87	14.71	14.89	7.31	7.59	158	163
100,00	18	105.7	98.9	10.70	9.98	14.83	14.96	6.98	7.20	57	63

Mortality

Conc. (% V/V)	Fish per vessel	24 hours	48 hours	72 hours	96 hours	Cumulative
		Dead	Dead	Dead	Dead	Dead
0,00	10	0	0	0	0	0
6,25	10	0	0	0	0	0
12,50	10	0	0	0	0	0
25,00	10	0	0	0	0	0
50,00	10	0	0	0	0	0
100,00	10	0	0	0	0	0

Conclusion

Sample is:

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non lethal

> 100%

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu):

Statistical method:

Historical geometric LC₅₀ mean ± 2 standard deviation (mg/l Cu):CuSO₄·5H₂O

February 21th, 2010

0.0785 (0.0.0602- 0.1000)

Probit

0.1159 (0.0319-0.1999)

Lab team

Technician:


Verified by:

Date:

É. Grenier, M. Bujold and G. Fortier

Marjorie Bujold

March 11th, 2010


Marc Lefebvre (B. Sc.)
Biologist
Operation director

Results in this report are only for sample number: 201003030001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 h after certificate emission.

Client:

Name:	MultiLab-Direct
Address:	125, boulevard Industriel
City:	Rouyn-Noranda, Québec
Postal code:	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date:	August 9, 2010
Time:	8h30 am
Type:	Mine water effluent
Discharge point:	10596 - Meadowbank
Sampling method:	Grab
Sample collector:	M. Thériault, P. Roy & S. Doire
Client sample number:	85293
Carrier:	M. Bujold
Lab reception date:	August 11, 2010
Lab reception time:	1h00 pm
Reception temperature (°C)	13.0
Lab sample number:	201008090830
Appearance:	Clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%):	103,1
Dissolved oxygen (mg/L):	10,45
pH:	6,00
Temperature (°C):	14,74
Electrical conductivity (µmho/cm)	126

Sample modifications

pH :	No adjustment
Aeration time before (minutes):	30
Aeration rate before and during test (ml/min/L):	6,5 ± 1

Results in this report are only for sample number: 201008090830

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 hours after certificate emission.

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static
Test method: Multi-concentration
Reference method: Environnement Canada, EPS 1/RM/13
2nd édition – December 2000 (including
2008 modifications)
Organism: *O. mykiss* (between 0.3 - 2.3 g bw)
Test start date: August 12, 2010
Test start time: 10h28 am
Test end date: August 16, 2010
Test end time: 10h35
Deviation: None

Fish description

Lab trouts lot number: 45
Supplier: Pisciculture des Arpents Verts
Date reception in lab: June 21, 2010
Mean wet weight in control (g): 0,63
Loading density (g/L): 0,32
Upper range fork length in control (mm): 40
Lower range fork length in control (mm): 32
Mean fork length in control (mm): 36,2
Weekly mortality in stock tank (%): 0,00

Conditions during test

Conc. (% V/V)	Vol (L)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	12	10,82	10,15	107,7	101,4	6,80	7,22	15,20	15,21	224	229
6,25	12	10,70	9,87	106,3	98,4	6,02	6,75	15,04	15,21	218	223
12,50	12	10,62	9,66	105,4	96,5	5,77	6,59	15,02	15,27	212	217
25,00	12	10,54	9,79	104,6	97,6	5,65	6,68	15,00	15,19	200	205
50,00	12	10,50	9,60	103,9	96,1	5,69	6,54	14,88	15,39	176	182
100,00	12	10,49	9,57	103,6	95,6	5,51	6,36	14,77	15,33	127	132

Mortality

Conc (% V/V)	Fish per vessel	Mortalités					Mortality 96h	Atypical fish after 96 h
		24 h	48 h	72 h	96 h	Total	%	
0,00	6	0	0	0	0	0	0	0
6,25	6	0	0	0	0	0	0	0
12,50	6	0	0	0	0	0	0	0
25,00	6	0	0	0	0	0	0	0
50,00	6	0	0	0	0	0	0	0
100,00	6	0	0	0	0	0	0	0

Conclusion

Sample is:

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non Lethal

> 100,0 %

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu)

Statistical method:

Historical geometric LC₅₀ mean $\pm$ 2 standard deviation (mg/l Cu)CuSO₄·5H₂O

July 25, 2010

0,1500 (0,1300 - 0,1600)

Spearman Karber

0,1163 (0,0386- 0,1940)

Lab team

Technician:


Verified by:

Date:

E. Grenier, P. Grégoire, G. Fortier

Andrée-Anne Dupuis 

August 17, 2010


Marjorie Bujold (B.Sc.)
Biologist
Laboratory coordinator

Client:

Name:	MultiLab-Direct
Address:	125, boulevard Industriel
City:	Rouyn-Noranda, Québec
Postal code:	J9X 6P2
Environment manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date:	July 7th, 2010
Time:	9h30 am
Type:	Mine water effluent
Discharge point:	Meadowbank-MMER-1, Agnico-Eagle
Sampling method:	Grab
Sample collector:	M. Thériault et P. Roy
Client sample number:	83535
Carrier:	MB
Lab reception date:	July 8th, 2010
Lab reception time:	4h00 pm
Reception temperature (°C)	19
Lab sample number:	201007070930
Appearance:	Clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%):	98,3
Dissolved oxygen (mg/L):	9,69
pH:	7,13
Temperature (°C):	15,97
Electrical conductivity (µmho/cm)	84

Sample modifications

pH :	No adjustment
Aeration time before (minutes):	30
Aeration rate before and during test (ml/min/L):	6,5 ± 1

Results in this report are only for sample number: 201007070930

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 hours after certificate emission.

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static
Test method: Multi-concentration
Reference method: Environnement Canada, EPS 1/RM/13
2nd édition – December 2000 (including
2008 modifications)
Organism: *O. mykiss* (between 0.3 - 2.3 g bw)
Test start date: July 9th, 2010
Test start time: 10h40 am
Test end date: July 13th, 2010
Test end time: 10h40 am
Deviation: None

Fish description

Lab trouts lot number: 44
Supplier: Pisciculture des Arpents Verts
Date reception in lab: June 2nd, 2010
Mean wet weight in control (g): 0,51
Loading density (g/L): 0,43
Upper range fork length in control (mm): 38
Lower range fork length in control (mm): 30
Mean fork length in control (mm): 33,3
Weekly mortality in stock tank (%): 0,00

Conditions during test

Conc. (% V/V)	Vol (L)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	12	10,34	9,55	103,5	95,9	7,57	7,47	15,43	15,61	213	218
6,25	12	10,30	9,65	103,1	96,8	7,55	7,46	15,42	15,51	206	213
12,50	12	10,26	8,92	102,8	89,5	7,53	7,12	15,48	15,51	198	204
25,00	12	10,23	9,54	102,7	95,6	7,46	7,32	15,53	15,48	175	188
50,00	12	10,23	9,99	103,0	99,9	7,38	7,46	15,64	15,49	150	153
100,00	12	9,99	9,90	101,0	99,2	7,09	7,18	15,94	15,51	85	140

Écotox inc.

489 Avenue Larivière

Rouyn-Noranda, Québec

Téléphone: 819-762-5672

Télexcopieur: 819-762-8724

Certificate of Analysis

Rainbow trout survival test (96 hours)

Lab number : 482

Report number: 201007070930OM

Page 3 of 3

Mortality

Conc (% V/V)	Fish per vessel	Mortalités					Mortality 96h	Atypical fish after 96 h
		24 h	48 h	72 h	96 h	Total	%	
0,00	10	0	0	0	0	0	0	0
6,25	10	0	0	0	0	0	0	0
12,50	10	0	0	0	0	0	0	0
25,00	10	0	0	0	0	0	0	0
50,00	10	0	0	0	0	0	0	0
100,00	10	0	0	0	0	0	0	0

Conclusion

Sample is:

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non Lethal

> 100,0 %

None

< 1

Reference toxicant (QA/QC)

Chemical:

CuSO₄.5H₂O

Date last reference toxicant test initiated:

23 juin 2010

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu)

0,0577 (0,0400 - 0,0726)

Statistical method:

Probit

Historical geometric LC₅₀ mean $\pm$ 2 standard deviation (mg/l Cu)

0,1103 (0,0310 - 0,1897)

Lab team

Technician:

G.Gosselin, P.Grégoire et É.Grenier

Verified by:

Marjorie Bujold 

Date:

July 14th, 2010


Marjorie Bujold (B.Sc.)
Biologist
Laboratory coordinator

Client:

Name:	MultiLab-Direct
Adress:	125, boulevard Industriel
City:	Rouyn-Noranda, Québec
Postal code:	J9X 6P2
Environnement manager:	Roger Turmel
Phone:	819-797-0550
FAX:	819-797-2155

Sample

Date:	September 1st, 2010
Time:	Unknown
Type:	Mine water effluent
Discharge point:	MMER (Pails)
Sampling method:	Grab
Sample collector:	MT/PR/SD
Client sample number:	10962
Carrier:	M. Bujold
Lab reception date:	September 2nd, 2010
Lab reception time:	11H20
Reception temperature (°C)	20
Lab sample number:	201009010001
Appearance:	Clear

Conditions in sample at 100% before preparing test

Dissolved oxygen (%):	106,3
Dissolved oxygen (mg/L):	10,44
pH:	6,43
Temperature (°C):	15,98
Electrical conductivity (µmho/cm)	161

Sample modifications

pH :	No adjustment
Aeration time before (minutes):	30
Aeration rate before and during test (ml/min/L):	6,5 ± 1

Results in this report are only for sample number: 201009010001

Subcontracting analysis: none

Reproduction, if not entire, is prohibited without written permission of Écotox Inc.

Sample will be retained for 24 hours after certificate emission.

Test Conditions

Test name: Rainbow trout survival test (96 hours)
Test type: Static
Test method: Multi-concentration
Reference method: Environnement Canada, EPS 1/RM/13
2nd édition – December 2000 (including 2008 modifications)
Organism: *O. mykiss* (between 0.3 - 2.3 g bw)
Test start date: September 2nd, 2010
Test start time: 13H40
Test end date: September 6th, 2010
Test end time: 13H30
Deviation: None

Fish description

Lab trouts lot number: 46
Supplier: Pisciculture des Arpents Verts
Date reception in lab: July 20th, 2010
Mean wet weight in control (g): 0,71
Loading density (g/L): 0,47
Upper range fork length in control (mm): 40
Lower range fork length in control (mm): 31
Mean fork length in control (mm): 35,6
Weekly mortality in stock tank (%): < 2,0%

Conditions during test

Conc. (% V/V)	Vol (L)	Dissolved oxygen (mg/l)		Dissolved oxygen (%)		pH		Temperature (°C)		Cond. (µmho/cm)	
		0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h	0 h	96 h
0,00	15	10,40	9,17	104,4	91,6	7,21	7,40	15,58	15,33	222	226
6,25	15	10,05	8,75	101,2	87,4	7,20	6,40	15,59	15,28	222	226
12,50	15	10,27	9,13	103,3	91,1	7,13	6,64	15,62	15,25	219	219
25,00	15	10,15	8,88	102,4	88,4	7,03	6,39	15,67	15,15	210	212
50,00	15	10,07	8,95	101,8	89,1	6,78	6,48	15,83	15,25	193	196
100,00	15	10,05	8,68	102,1	86,6	6,43	6,20	15,98	15,29	162	168

Mortality

Conc (% V/V)	Fish per vessel	Mortalités					Mortality 96h	Atypical fish after 96 h
		24 h	48 h	72 h	96 h	Total	%	
0,00	10	0	0	0	0	0	0	0
6,25	10	0	0	0	0	0	0	0
12,50	10	0	0	0	0	0	0	0
25,00	10	0	0	0	0	0	0	0
50,00	10	0	0	0	0	0	0	0
100,00	10	0	0	0	0	0	0	0

Conclusion

Sample is:

LC₅₀ 96 hours and confidence limits (95%):

Statistical method:

Toxic units:

Non Lethal

> 100,0 %

None

< 1

Reference toxicant (QA/QC)

Chemical:

Date last reference toxicant test initiated:

LC₅₀ 96 hours obtained with 95% confidence limits (mg/l Cu)

Statistical method:

Historical geometric LC50 mean $\pm$ 2 standard deviation (mg/l Cu)CuSO₄.5H₂O

26 août 2010

0,1100 (0,1100 - 0,1100)

Spearman Karber

0,1222 (0,0460- 0,1983)

Lab team

Technician:


Verified by:

Date:

AA. Dupuis et M. Bujold

Marjorie Bujold

September 7th, 2010


Marjorie Bujold (B.Sc.)
Biologist
Laboratory coordinator

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10324

Sampling date: July 21, 2010
Sampling hour: 07:00
Date received: July 27, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Copper (Cu)	0.0017 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	July 27, 2010
Total Suspended Solids	7 mg/L	M-SOLI-1.0	July 28, 2010
Nickel (Ni)	0.0046 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
pH	5.85	M-PH-2.0	July 27, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Turbidity	1.2 NTU	Sous-traitance\Multilab Direct	July 27, 2010
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	July 28, 2010

Reported on: February 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10324

Sampling date: July 21, 2010
Sampling hour: 07:00
Date received: July 27, 2010
Sampling location: MMER-1
Sampled by: Martin Theriault/Philip Roy
Matrix: Waste Water
Sample name: MMER-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3449	0.248 - 0.392		
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.359	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	dmr-0473-2010-1	18.9	15.7 - 21.3		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	259	194 - 306		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.286	0.98 - 1.32		
pH		STD pH 7.00	7.01	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.032	0.819 - 1.109		
Turbidity UTN		DMR-0488-2010-4	5.0	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.17	3.83 - 5.19		

Reported on: February 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10335

Sampling date: July 25, 2010
Sampling hour: 10:10
Date received: July 27, 2010
Sampling location: ST-27
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water
Sample name: ST-27

Parameter	Result	Method name	Date analyzed
Alkalinity	124 mg CaCO ₃ /L	M-ALCA-2.0	July 27, 2010
Arsenic (As)	0.0165 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Ammonia (NH ₃ -NH ₄)	2.9 mg N/L	Sous-traitance\Multilab Direct	July 28, 2010
Copper (Cu)	0.0189 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Nickel (Ni)	0.0729 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
pH	7.60	M-PH-2.0	July 27, 2010
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	July 28, 2010
Dissolved Solids	646 mg/L	M-SOLI-2.0	July 27, 2010
Turbidity	88.6 NTU	Sous-traitance\Multilab Direct	July 27, 2010
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	July 28, 2010

Reported on: August 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10335

Sampling date: July 25, 2010
Sampling hour: 10:10
Date received: July 27, 2010
Sampling location: ST-27
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water
Sample name: ST-27

Parameter	Detection limit		Method name
	Valeur	Unité	
Alkalinity	2 mg	CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1 mg/L		M-SOLI-2.0

Reported on: August 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10335
Sampling date: July 25, 2010
Sampling hour: 10:10
Date received: July 27, 2010
Sampling location: ST-27
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste Water
Sample name: ST-27

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	161	123 - 167	
Arsenic (As) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3237	0.248 - 0.392	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05				
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05				
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05				
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0488-2010-NH3	2.4	2.0 - 2.8	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05				
Copper (Cu) mg/L	<0.0005				
Copper (Cu) mg/L	<0.0005				
Copper (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.345	1.04 - 1.40	
Copper (Cu) mg/L	<0.0005				
Copper (Cu) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.245	0.98 - 1.32	

Reported on: August 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-10335
 Sampling date: July 25, 2010
 Sampling hour: 10:10
 Date received: July 27, 2010
 Sampling location: ST-27
 Sampled by: S. Gaudreault/J. Kataluk
 Matrix: Waste Water
 Sample name: ST-27

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005					
pH		STD pH 7.00	7.01	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003					
Lead (Pb) mg/L	<0.0003					
Lead (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9876	0.819 - 1.109		
Lead (Pb) mg/L	<0.0003					
Lead (Pb) mg/L	<0.0003					
Dissolved Solids mg/L						
Turbidity UTN		DMR-0488-2010-4	5.0	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.19	3.83 - 5.19		
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001					

Reported on: August 10, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
Alkalinity mg CaCO ₃ /L	73	31	---	---
Dissolved Aluminium (Al) mg/L	0.02	0.10	---	---
Dissolved Silver (Ag) mg/L	0.005	<0.005	---	---
Dissolved Arsenic (As) mg/L	0.107	<0.005	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	33.8	1.0	---	---
Dissolved Barium (Ba) mg/L	0.025	0.025	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005	---	---
Chloride mg/L	338	4.6	---	---
Dissolved Copper (Cu) mg/L	1.57	<0.005	---	---
Total Cyanide (CNt) mg/L	0.250	---	---	---
Hardness mg CaCO ₃ /L	728	61	---	---
Dissolved Iron (Fe) mg/L	<0.05	<0.05	---	---
Fluoride (F) mg/L	0.64	0.25	---	---
Dissolved Manganese (Mn) mg/L	0.062	0.126	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005	---	---
Dissolved Molybdenum (Mo) mg/L	0.10	<0.01	---	---
Dissolved Nickel (Ni) mg/L	0.061	0.007	---	---
Nitrate (NO ₃) mg N/L	3.8	0.8	---	---
Nitrite (NO ₂) mg N/L	0.12	0.09	---	---
Nitrite-Nitrate mg N/L	4.3	1.0	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
pH	7.56	7.07	---	---
Dissolved Lead (Pb) mg/L	0.017	0.009	---	---
Dissolved Selenium (Se) mg/L	0.007	<0.005	---	---
Dissolved Solids mg/L	1190	115	---	---
Sulfate (SO4) mg SO4/L	1255	39	---	---
Dissolved thallium (Tl) mg/L	<0.01	<0.01	---	---
Turbidity NTU	4.0	138	2.7	2.5
Dissolved Zinc mg/L	0.009	0.007	---	---
Total Suspended Solids mg/L	---	---	11	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Argent dissous (Ag) mg/L	<0.005				
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.281	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.2	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.10	1.91 - 2.59	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.814	0.708 - 0.958	
Chlorure (Cl) mg/L	<0.5	DMR-0572-2010-CL	57.9	47 - 59	
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.31	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.6	15.7 - 21.3	
Dureté mg CaCO ₃ /L					
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	9.1	8.8 - 12.0	
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68	
M.E.S. mg/L	<1	STD-MES-11-08-2009	253	194 - 306	
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.72	3.20 - 4.32	
Mercure dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0501	0.0405 - 0.0639	
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.17	0.98 - 1.32	
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6	
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO2-NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: September 27, 2010

Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.10	0.819 - 1.109		
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.48	1.21 - 1.63		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	55	47 - 63		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7		
Turbidité UTN		MR-0618-2010-Turbidit	5.8	4.65 - 7.35		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	138	133
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	5.14	3.83 - 5.19		

Reported on: September 27, 2010
Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 15, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		std Alk	156	123 - 167	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.2862	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.2	2.0 - 2.8	2.0 1.8
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8	18.2 18.4
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.332	1.04 - 1.40	
DBO ₅ mg/L	<1	DMR-0572-7-2010	237	154 - 286	
DBO ₅ mg/L	<1	DMR-0572-7-2010	159	154 - 286	
DCO mg/L	<2	DMR-0572-9-2010	357	236 - 374	
DCO mg/L	<2	DMR-0572-9-2010	357	236 - 374	96 96
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.177	0.98 - 1.32	
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO ₂ -NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.1	1.0 - 1.4	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.100	0.819 - 1.109	
Solides dissous mg/L					
Turbidité UTN		DMR-0572-2010-Turbidit	5.4	5 - 7	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.04	3.83 - 5.19	

Reported on: September 22, 2010

Lab number: 11091,11093:11094,11098

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 15, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11091	11093	11094	11098
Sample name:	STP-IN	Grey Water Nova	Grey water kitchen	SW1a
Sampling date:	13-09-2010	13-09-2010	13-09-2010	14-09-2010
Ammonia (NH ₃ -NH ₄) mg N/L	119	18.2	1.0	2.0
BOD-5 mg/L	230	75	1063	---
COD mg/L	351	96	2192	---
Total Suspended Solids mg/L	148	147	575	---
Nitrite-Nitrate mg N/L	0.04	0.04	0.04	---
pH	8.09	7.71	5.14	7.08
Total Phosphorus (P) mg P/L	13.9	1.6	6.8	---
Alkalinity mg CaCO ₃ /L	---	---	---	31
Arsenic (As) mg/L	---	---	---	0.0046
Copper (Cu) mg/L	---	---	---	0.0079
Nickel (Ni) mg/L	---	---	---	0.0129
Lead (Pb) mg/L	---	---	---	0.0008
Dissolved Solids mg/L	---	---	---	118
Turbidity NTU	---	---	---	134
Zinc (Zn) mg/L	---	---	---	0.014

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 22, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 15, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 22, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.40	2.10 - 2.84		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0796-2009-NH3	2.40	2.10 - 2.84	1.7	1.8
DBO5 mg/L	<1	Std-DMR-0899-2009-7	398	280 - 520		
DCO mg/L	<2	Std-DMR-0899-2009-9	307	239 - 379		
M.E.S. mg/L	<1	MES 09-12-2009	226	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0796-2009-NO2-NC	8.0	6.0 - 8.2		
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0796-2009-Ptotal	1.10	1.02 - 1.38		

Reported on: January 11, 2010
Lab number: 74817:74820

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	74817	74818	74819	74820
Sample name:	STP-OUT	Grease trap	G. Water Kit.	G. Water Nova
Sampling date:	04-01-2010	04-01-2010	04-01-2010	04-01-2010
Ammonia (NH ₃ -NH ₄) mg N/L	14.4	1.7	0.78	16.2
BOD-5 mg/L	5	1755	1938	155
COD mg/L	55	5241	2532	343
Total Suspended Solids mg/L	19	18020	1466	125
Nitrite-Nitrate mg N/L	34.8	0.06	0.03	0.04
pH	4.45	5.06	4.57	7.69
Total Phosphorus (P) mg P/L	18.2	7.3	7.6	4.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-53636

Sampling date: January 04, 2010
Sampling hour: 07:30
Date received: January 05, 2010
Sampling location: STP-OUT
Sampled by: S. Goudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	400 CFU/ml	M-BHAA-1,0	January 05, 2010
Fecal coliforms	560 CFU/100ml	M-COLI-1,0	January 05, 2010
Total coliforms	720 CFU/100ml	M-COLI-2,0	January 05, 2010
Atypical colonies	30 CFU/100ml	M-COLI-2,0	January 05, 2010
Temperature	11.2 °C	M-TEMP-1.0	January 05, 2010

Reported on: January 11, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-53836

Sampling date: January 11, 2010
Sampling hour: N/D
Date received: January 12, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	23 300 CFU/ml	M-BHAA-1,0	January 12, 2010
Fecal coliforms	460 CFU/100ml	M-COLI-1,0	January 12, 2010
Total coliforms	3 100 CFU/100ml	M-COLI-2,0	January 12, 2010
Atypical colonies	9 300 CFU/100ml	M-COLI-2,0	January 12, 2010
Temperature	7.4 °C	M-TEMP-1.0	January 12, 2010

Reported on: January 15, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 12, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0899-2009-NH3	2.40	2.10 - 2.84		
DBO5 mg/L	< 1	Std-DMR-0899-2009-7	404	280 - 520		
DCO mg/L	< 2	Std-DMR-0899-2009-9	307	239 - 379		
M.E.S. mg/L	<1	MES 04-01-2010	250	194 - 306	172	180
M.E.S. mg/L	<1	MES 04-01-2010	250	194 - 306		
Nitrites-Nitrates mg N/L	0.01	MR-0899-2009-NO2-NC	7.80	6.04 - 8.17		
pH		Std pH 7.00	7.02	6.96 - 7.04	4.55	4.54
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0899-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: January 19, 2010
Lab number: 75152:75155

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 12, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	75152	75153	75154	75155
Sample name:	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	11-01-2010	11-01-2010	11-01-2010	11-01-2010
Ammonia (NH ₃ -NH ₄) mg N/L	24.0	2.1	1.1	19.8
BOD-5 mg/L	6	2154	1156	160
COD mg/L	90	3523	1868	381
Total Suspended Solids mg/L	44	776	507	172
Nitrite-Nitrate mg N/L	43.4	0.31	0.05	0.05
pH	5.57	4.55	6.20	7.72
Total Phosphorus (P) mg P/L	17.2	15.9	6.1	2.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 19, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 12, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 19, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54112

Sampling date: January 18, 2010
Sampling hour: 07:30
Date received: January 20, 2010
Sampling location: STP-OUT
Sampled by: N. Saucier/M. Thériault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	3 900 CFU/ml	M-BHAA-1,0	January 20, 2010
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	January 20, 2010
Total coliforms	600 CFU/100ml	M-COLI-2,0	January 20, 2010
Atypical colonies	4 800 CFU/100ml	M-COLI-2,0	January 20, 2010
Temperature	9.0 °C	M-TEMP-1.0	January 20, 2010

Reported on: January 25, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 20, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0899-2009-NH ₃	2.10	2.10 - 2.84		
DBO ₅ mg/L	<1	Std-DMr-0008-7-2010	204	154 - 286		
DCO mg/L	< 2	Std DMr-0008-9-2010	304	236 - 374		
M.E.S. mg/L	<1	MES 04-01-2010	256	194 - 306		
Nitrites-Nitrates mg N/L	0.03	MR-0899-2009-NO ₂ -NC	8.10	6.04 - 8.17		
Nitrites-Nitrates mg N/L	0.03	MR-0899-2009-NO ₂ -NC	8.10	6.04 - 8.17	0.03	0.04
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0899-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: January 28, 2010
Lab number: 75544:75547

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 20, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Waste Water

Lab number:	75544	75545	75546	75547
Sample name:	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	18-01-2010	18-01-2010	18-01-2010	18-01-2010
Ammonia (NH ₃ -NH ₄) mg N/L	38.0	0.90	0.60	20.8
BOD-5 mg/L	14	1925	1252	213
COD mg/L	89	4738	2027	281
Total Suspended Solids mg/L	17	1504	418	96
Nitrite-Nitrate mg N/L	63.8	0.58	0.03	0.03
pH	6.31	8.02	4.83	8.11
Total Phosphorus (P) mg P/L	17.7	5.5	11.1	1.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 28, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 20, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 28, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 28, 2010

Sampled by: N.Saucier/M.Thériault

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH3-NH4) r	<0.05	DMR-0008-2009-NH3	2.7	2.0 - 2.8		
DBO5 mg/L	< 1	Std-DMr-0008-7-2010	199	154 - 286		
DCO mg/L	< 2	Std DMr-0008-9-2010	304	236 - 374		
M.E.S. mg/L	<1	MES 20-01-2010	246	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.6	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.6	6.0 - 8.2	0.05	0.04
pH		Std pH 7.00	7.01	6.96 - 7.04	6.09	6.08
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0899-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: February 04, 2010
Lab number: 75845:75846

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 28, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Waste Water

Lab number:	75845	75846
Sample name:	STP-OUT	STP-IN
Sampling date:	27-01-2010	27-01-2010
Ammonia (NH ₃ -NH ₄) mg N/L	34.4	145
BOD-5 mg/L	14	320
COD mg/L	75	746
Total Suspended Solids mg/L	19	107
Nitrite-Nitrate mg N/L	59.4	0.05
pH	6.09	7.77
Total Phosphorus (P) mg P/L	18.2	17.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 04, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54274

Sampling date: January 27, 2010
Sampling hour: N/D
Date received: January 28, 2010
Sampling location: STP-OUT
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	22 300 CFU/ml	M-BHAA-1,0	January 28, 2010
Fecal coliforms	12 CFU/100ml	M-COLI-1,0	January 28, 2010
Total coliforms	<100 CFU/100ml	M-COLI-2,0	January 28, 2010
Atypical colonies	6 100 CFU/100ml	M-COLI-2,0	January 28, 2010
Temperature	8.9 °C	M-TEMP-1.0	January 28, 2010

Reported on: February 01, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 03, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH ₃	2.6	2.0 - 2.8		
DBO ₅ mg/L	<1	Std-DMr-0008-7-2010	207	154 - 286		
DCO mg/L	<2	Std DMr-0008-9-2010	301	236 - 374		
M.E.S. mg/L	<1	MES 20-01-2010	237	194 - 306	110	116
M.E.S. mg/L	<1	MES 20-01-2010	237	194 - 306		
Nitrites-Nitrates mg N/L	0.03	MR-0008-2009-NO ₂ -NC	8.1	6.0 - 8.2		
pH		Std pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: February 10, 2010
Lab number: 76104:76105

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 03, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	76104	76105
Sample name:	STP-IN	STP-OUT
Sampling date:	02-02-2010	02-02-2010
Ammonia (NH ₃ -NH ₄) mg N/L	151	38.8
BOD-5 mg/L	306	12
COD mg/L	323	42
Total Suspended Solids mg/L	110	44
Nitrite-Nitrate mg N/L	0.09	47.2
pH	7.82	6.52
Total Phosphorus (P) mg P/L	16.8	15.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 10, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54417

Sampling date: February 02, 2010
Sampling hour: 08:00
Date received: February 03, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	45 900 CFU/ml	M-BHAA-1,0	February 03, 2010
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	February 03, 2010
Total coliforms	<100 CFU/100ml	M-COLI-2,0	February 03, 2010
Atypical colonies	1 000 CFU/100ml	M-COLI-2,0	February 03, 2010
Temperature	15.3 °C	M-TEMP-1.0	February 03, 2010

Reported on: February 08, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 09, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	76284	76285	76286	76287	76288
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	08-02-2010	08-02-2010	08-02-2010	08-02-2010	08-02-2010
Ammonia (NH ₃ -NH ₄) mg N/L	159	32.1	1.7	1.2	11.7
BOD-5 mg/L	364	9	1285	1001	168
COD mg/L	511	48	2011	1078	186
Total Suspended Solids mg/L	96	14	326	192	128
Nitrite-Nitrate mg N/L	0.68	49.4	0.10	0.46	0.05
pH	7.63	6.20	6.09	10.69	8.00
Total Phosphorus (P) mg P/L	20.5	19.0	13.3	6.7	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 15, 2010

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH ₃	2.3	2.0 - 2.8		
DBO ₅ mg/L	<1	Std-DMr-0008-7-2010	276	154 - 286		
DCO mg/L	<2	Std DMr-0008-9-2010	304	236 - 374	186	191
DCO mg/L	<2	Std DMr-0008-9-2010	304	236 - 374		
M.E.S. mg/L	<1	MES 20-01-2010	249	194 - 306		
Nitrites-Nitrates mg N/L	0.01	MR-0008-2009-NO ₂ -NC	7.3	6.0 - 8.2		
pH		Std pH 7.00	7.01	6.96 - 7.04	6.20	6.13
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	0.02	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: February 15, 2010
Lab number: 76284:76288

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54522

Sampling date: February 08, 2010
Sampling hour: 08:00
Date received: February 09, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	21 300 CFU/ml	M-BHAA-1,0	February 09, 2010
Fecal coliforms	< 100 CFU/100ml	M-COLI-1,0	February 09, 2010
Total coliforms	6 000 CFU/100ml	M-COLI-2,0	February 09, 2010
Atypical colonies	33 000 CFU/100ml	M-COLI-2,0	February 09, 2010
Temperature	10.1 °C	M-TEMP-1.0	February 09, 2010

Reported on: February 12, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH3	2.2	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH3	2.2	2.0 - 2.8	3.3	3.5
DBO5 mg/L	<1	Std-DMr-0008-7-2010	212	154 - 286		
DCO mg/L	<2	Std-DMR-0103-9-2010	306	236 - 374		
M.E.S. mg/L	<1	MES 20-01-2010	246	194 - 306		
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	144	138
Nitrites-Nitrates mg N/L	0.01	MR-0008-2009-NO2-NC	8.0	6.0 - 8.2		
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: February 23, 2010
Lab number: 76605:76608

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 16, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	76605	76606	76607	76608
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen
Sampling date:	08-02-2010	08-02-2010	08-02-2010	08-02-2010
Ammonia (NH ₃ -NH ₄) mg N/L	153	28.3	1.8	3.3
BOD-5 mg/L	346	11	1796	722
COD mg/L	362	44	2011	781
Total Suspended Solids mg/L	144	18	1328	232
Nitrite-Nitrate mg N/L	0.10	51.7	0.08	0.51
pH	7.64	4.17	5.40	10.18
Total Phosphorus (P) mg P/L	23.2	22.8	13.6	3.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 23, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 16, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Commentaire

Sampling date:

Projet 76605

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : DBO5, M.E.S., Nitrites-Nitrates et pH.

Projet 76606

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : DBO5, M.E.S., Nitrites-Nitrates et pH.

Projet 76607

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : DBO5, M.E.S., Nitrites-Nitrates et pH.

Projet 76608

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : DBO5, M.E.S., Nitrites-Nitrates et pH.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: February 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: February 23, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54721

Sampling date: February 15, 2010
Sampling hour: N/D
Date received: February 16, 2010
Sampling location: STP-OUT (2)
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 300 CFU/ml	M-BHAA-1,0	February 16, 2010
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	February 16, 2010
Total coliforms	300 CFU/100ml	M-COLI-2,0	February 16, 2010
Atypical colonies	8 100 CFU/100ml	M-COLI-2,0	February 16, 2010
Temperature	12.3 °C	M-TEMP-1.0	February 16, 2010

Reported on: February 19, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 23, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH3	2.3	2.0 - 2.8		
DBO5 mg/L	< 1	Std-DMR-0103-7-2010	219	154 - 286		
DBO5 mg/L	< 1	Std-DMR-0103-7-2010	206	154 - 286		
DCO mg/L	< 2	Std-DMR-0103-9-2010	305	236 - 374		
M.E.S. mg/L	<1	MES 20-01-2010	252	194 - 306	418	414
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306		
M.E.S. mg/L	<1	MES 20-01-2010	243	194 - 306	277	280
M.E.S. mg/L	<1	MES 20-01-2010	252	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	8.0	6.0 - 8.2		
pH		Std pH 7.00	7.00	6.96 - 7.04	7.99	8.08
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: March 02, 2010
Lab number: 76888:76892

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 23, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Lab number:	76888	76889	76890	76891	76892
Sample name:	STP-IN	STP-OUT	Grease trap	G. Water Kitchen	G. Water Nova
Sampling date:	22-02-2010	22-02-2010	22-02-2010	22-02-2010	22-02-2010
Ammonia (NH ₃ -NH ₄) mg N/L	129	16.1	0.60	0.99	12.6
BOD-5 mg/L	298	11	1003	1081	163
COD mg/L	380	68	1314	1439	216
Total Suspended Solids mg/L	106	23	277	418	76
Nitrite-Nitrate mg N/L	0.08	42.5	0.08	0.07	0.05
pH	7.71	4.39	7.35	5.50	7.99
Total Phosphorus (P) mg P/L	15.9	16.5	7.5	3.3	1.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 23, 2010
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 02, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-54887

Sampling date: February 22, 2010
Sampling hour: N/D
Date received: February 23, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 740 CFU/ml	M-BHAA-1,0	February 23, 2010
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	February 23, 2010
Total coliforms	300 CFU/100ml	M-COLI-2,0	February 23, 2010
Atypical colonies	16 300 CFU/100ml	M-COLI-2,0	February 23, 2010
Temperature	9.1 °C	M-TEMP-1.0	February 23, 2010

Reported on: February 26, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55027

Sampling date: March 01, 2010
Sampling hour: 07:30
Date received: March 02, 2010
Sampling location: STP-OUT
Sampled by: S.Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	7 600 CFU/ml	M-BHAA-1,0	March 02, 2010
Fecal coliforms	30 CFU/100ml	M-COLI-1,0	March 02, 2010
Total coliforms	2 000 CFU/100ml	M-COLI-2,0	March 02, 2010
Atypical colonies	43 000 CFU/100ml	M-COLI-2,0	March 02, 2010
Temperature	10.7 °C	M-TEMP-1.0	March 02, 2010

Reported on: March 05, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 02, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	77119	77120
Sample name:	STP-IN	STP-OUT
Sampling date:	01-03-2010	01-03-2010
Ammonia (NH ₃ -NH ₄) mg N/L	125	16.7
BOD-5 mg/L	269	9
COD mg/L	363	54
Total Suspended Solids mg/L	102	29
Nitrite-Nitrate mg N/L	0.13	42.0
pH	7.67	4.20
Total Phosphorus (P) mg P/L	15.3	16.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 09, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 02, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH ₃	2.1	2.0 - 2.8		
DBO ₅ mg/L	< 1	Std-DMR-0103-7-2010	204	154 - 286		
DCO mg/L	<2	Std-DMR-0103-9-2010	302	236 - 374		
M.E.S. mg/L	<1	MES 24-02-2010	253	194 - 306	102	112
M.E.S. mg/L	<1	MES 24-02-2010	253	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.7	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4	15.3	15.8
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: March 09, 2010
Lab number: 77119:77120

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 09, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	77499	77500	77501	77502	77503
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	08-03-2010	08-03-2010	08-03-2010	08-03-2010	08-03-2010
Ammonia (NH ₃ -NH ₄) mg N/L	124	15.7	5.9	4.1	16.9
BOD-5 mg/L	224	5	4025	1522	146
COD mg/L	1197	53	5253	3881	237
Total Suspended Solids mg/L	66	21	1568	1332	155
Nitrite-Nitrate mg N/L	0.07	40.8	0.11	0.12	0.04
pH	7.73	4.12	3.61	4.53	8.15
Total Phosphorus (P) mg P/L	24.2	16.5	20.9	16.1	1.9

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 15, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 09, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 15, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 09, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH ₃	2.4	2.0 - 2.8		
DBO ₅ mg/L	< 1	Std-DMR-0103-7-2010	222	154 - 286		
DCO mg/L	< 2	Std-DMR-0103-9-2010	301	236 - 374		
M.E.S. mg/L	<1	MES 24-02-2010	245	194 - 306		
Nitrites-Nitrates mg N/L	0.01	MR-0008-2009-NO ₂ -NC	8.1	6.0 - 8.2		
pH		Std pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.4	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.4	1.0 - 1.4	16.5	16.4

Reported on: March 15, 2010
Lab number: 77499:77503

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55203

Sampling date: March 08, 2010
Sampling hour: 08:00
Date received: March 09, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	3 910 CFU/ml	M-BHAA-1,0	March 09, 2010
Fecal coliforms	12 CFU/100ml	M-COLI-1,0	March 09, 2010
Total coliforms	2 000 CFU/100ml	M-COLI-2,0	March 09, 2010
Atypical colonies	115 000 CFU/100ml	M-COLI-2,0	March 09, 2010
Temperature	16.5 °C	M-TEMP-1.0	March 09, 2010

Reported on: March 15, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55367

Sampling date: March 15, 2010
Sampling hour: 08:00
Date received: March 16, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 50 000 CFU/ml	M-BHAA-1,0	March 16, 2010
Fecal coliforms	200 CFU/100ml	M-COLI-1,0	March 16, 2010
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	March 16, 2010
Atypical colonies	77 000 CFU/100ml	M-COLI-2,0	March 16, 2010
Temperature	12.8 °C	M-TEMP-1.0	March 16, 2010

Reported on: March 19, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	77787	77788	77789	77790
Sample name:	STP-OUT	Grease trap	ey Water Kitch	rey Water Nova
Sampling date:	15-03-2010	15-03-2010	15-03-2010	15-03-2010
Ammonia (NH ₃ -NH ₄) mg N/L	16.8	1.4	1.0	13.4
BOD-5 mg/L	19	1858	1315	233
COD mg/L	77	2574	1690	537
Total Suspended Solids mg/L	48	4940	696	412
Nitrite-Nitrate mg N/L	3.6	1.1	0.06	0.03
pH	5.86	3.84	7.26	7.75
Total Phosphorus (P) mg P/L	19.5	10.9	4.7	3.4

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 22, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 22, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 16, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH3	2.4	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0008-2009-NH3	2.4	2.0 - 2.8	1.0	1.0
DBO5 mg/L	< 1	Std-DMR-0103-7-2010	222	154 - 286		
DBO5 mg/L	< 1	Std-DMR-0103-7-2010	208	154 - 286		
DCO mg/L	< 2	Std-DMR-0103-9-2010	306	236 - 374		
M.E.S. mg/L	<1	MES 24-02-2010	257	194 - 306	48	45
M.E.S. mg/L	<1	MES 16-03-2010	209	194 - 306		
Nitrites-Nitrates mg N/L	0.01	MR-0008-2009-NO2-NC	7.1	6.0 - 8.2	0.06	0.06
Nitrites-Nitrates mg N/L	0.01	MR-0008-2009-NO2-NC	7.1	6.0 - 8.2		
pH		Std pH 7.00	6.99	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.4	1.0 - 1.4	10.9	11.3
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.4	1.0 - 1.4		

Reported on: March 22, 2010

Lab number: 77787:77790

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 24, 2010

Sampled by: N. Saucier/M. Thériault

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH ₃	2.1	2.0 - 2.8		
DBO ₅ mg/L	< 1	Std-DMR-0103-7-2010	239	154 - 286		
DBO ₅ mg/L	< 1	Std-DMR-0103-7-2010	221	154 - 286		
DCO mg/L	< 2	Std-DMR-0103-9-2010	338	236 - 374		
M.E.S. mg/L	<1	MES 16-03-2010	253	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.0	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: March 29, 2010
Lab number: 78081:78085

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 24, 2010

Sampled by: Nicolas Saucier/Martin Thériault

Matrix: Waste Water

Lab number:	78081	78082	78083	78084	78085
Sample name:	STP-IN	STP-OUT	Grease trap	ey Water Kitchrey	Water Nova
Sampling date:	22-03-2010	22-03-2010	22-03-2010	22-03-2010	22-03-2010
Ammonia (NH ₃ -NH ₄) mg N/L	138	16.6	2.4	0.85	15.4
BOD-5 mg/L	353	10	3290	754	202
COD mg/L	983	112	9237	1476	452
Total Suspended Solids mg/L	163	20	1510	250	98
Nitrite-Nitrate mg N/L	0.05	44.2	0.10	0.03	0.03
pH	7.61	4.41	4.86	6.66	7.36
Total Phosphorus (P) mg P/L	18.0	15.9	17.2	4.1	2.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 29, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 24, 2010
Sampled by: Nicolas Saucier/Martin Thériault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 29, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55546

Sampling date: March 22, 2010
Sampling hour: 08:00
Date received: March 23, 2010
Sampling location: STP-OUT
Sampled by: N. Saucier/M. Theriault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	3 000 CFU/ml	M-BHAA-1,0	March 23, 2010
Fecal coliforms	40 CFU/100ml	M-COLI-1,0	March 23, 2010
Total coliforms	2 000 CFU/100ml	M-COLI-2,0	March 23, 2010
Atypical colonies	23 000 CFU/100ml	M-COLI-2,0	March 23, 2010
Temperature	8.0 °C	M-TEMP-1.0	March 23, 2010

Reported on: March 26, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55748

Sampling date: March 29, 2010
Sampling hour: 08:00
Date received: March 31, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	66 000 CFU/ml	M-BHAA-1,0	March 31, 2010
Fecal coliforms	800 CFU/100ml	M-COLI-1,0	March 31, 2010
Total coliforms	10 000 CFU/100ml	M-COLI-2,0	March 31, 2010
Atypical colonies	350 000 CFU/100ml	M-COLI-2,0	March 31, 2010
Temperature	13.1 °C	M-TEMP-1.0	March 31, 2010

Projet relié C-78358

Reported on: April 06, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 31, 2010

Sampled by: S.Gaudreault/J.Kataluk

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH3	2.3	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH3	2.3	2.0 - 2.8	2.7	2.8
DBO5 mg/L	< 1 td	DMR-0175-7-DBO5-201	213	154 - 286		
DBO5 mg/L	< 1 td	DMR-0175-7-DBO5-201	221	154 - 286		
DCO mg/L	< 2	Std-DMR-0175-9-2010	306	236 - 374		
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0008-2009-NO ₂ -NO ₃	7.2	6.0 - 8.2	0.36	0.38
Nitrites-Nitrates mg N/L	<0.01	DMR-0008-2009-NO ₂ -NO ₃	7.2	6.0 - 8.2		
pH		Std pH 7.00	7.03	6.96 - 7.04		
pH		Std pH 7.00	7.03	6.96 - 7.04	8.11	8.06
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: April 12, 2010
Lab number: 78357:78361

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 31, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Water

Lab number:	78357	78358	78359	78360	78361
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	29-03-2010	29-03-2010	29-03-2010	29-03-2010	29-03-2010
Ammonia (NH ₃ -NH ₄) mg N/L	138	32.8	0.59	1.4	2.7
BOD-5 mg/L	305	36	928	567	146
COD mg/L	461	88	1934	981	340
Total Suspended Solids mg/L	253	20	84	300	222
Nitrite-Nitrate mg N/L	0.03	54.1	0.36	0.48	0.03
pH	8.30	6.60	10.13	11.01	8.11
Total Phosphorus (P) mg P/L	17.3	15.3	2.7	2.9	1.8

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 31, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 06, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	78476	78477	78478	78479	78480
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitcher	Grey Water Nova
Sampling date:	05-04-2010	05-04-2010	05-04-2010	05-04-2010	05-04-2010
Ammonia (NH ₃ -NH ₄) mg N/L	139	17.0	1.3	1.3	16.5
BOD-5 mg/L	385	8	751	797	140
COD mg/L	835	136	1477	1497	456
Total Suspended Solids mg/L	133	30	224	350	94
Nitrite-Nitrate mg N/L	0.01	42.6	0.02	0.01	0.03
pH	7.58	5.60	4.94	5.14	7.76
Total Phosphorus (P) mg P/L	19.2	18.5	4.9	5.8	1.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 13, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 06, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 13, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 06, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH ₃	2.4	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH ₃	2.4	2.0 - 2.8	17.0	15.9
DBO ₅ mg/L	< 1	td-DMR-0175-7-DBO ₅ -201	201	154 - 286		
DCO mg/L	< 2	Std-DMR-0175-9-2010	307	236 - 374		
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306	350	357
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306	94	100
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0008-2009-NO ₂ -NO ₃	8.1	6.0 - 8.2		
pH		Std pH 7.00	6.99	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4	5.8	6.0

Reported on: April 13, 2010
Lab number: 78476:78480

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-55802

Sampling date: April 05, 2010
Sampling hour: 08:00
Date received: April 06, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	7 000 CFU/ml	M-BHAA-1,0	April 06, 2010
Fecal coliforms	100 CFU/100ml	M-COLI-1,0	April 06, 2010
Total coliforms	< 1 000 CFU/100ml	M-COLI-2,0	April 06, 2010
Atypical colonies	23 000 CFU/100ml	M-COLI-2,0	April 06, 2010
Temperature	13.3 °C	M-TEMP-1.0	April 06, 2010

Reported on: April 09, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-56002

Sampling date: April 12, 2010
Sampling hour: 08:00
Date received: April 13, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	7 000 CFU/ml	M-BHAA-1,0	April 13, 2010
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	April 13, 2010
Total coliforms	< 1 000 CFU/100ml	M-COLI-2,0	April 13, 2010
Atypical colonies	24 000 CFU/100ml	M-COLI-2,0	April 13, 2010
Temperature	11.8 °C	M-TEMP-1.0	April 13, 2010

Connected project : C-78923

Corrected certificate, replacing the certificate M-56002 done on April 16 2010

Reported on: April 19, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 13, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH3	2.3	2.0 - 2.8	15.9	15.8
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0175-2010-NH3	2.3	2.0 - 2.8		
DBO5 mg/L	<1	Std-DMR-0175-7-DBO5-2C	215	154 - 286		
DCO mg/L	< 2	Std-DMR-0175-9-2010	305	236 - 374	2619	2639
DCO mg/L	< 2	Std-DMR-0175-9-2010	305	236 - 374		
M.E.S. mg/L	<1	MES 16-03-2010	251	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	8.0	6.0 - 8.2		
pH		Std pH 7.00	6.98	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: May 04, 2010
Lab number: 78923:78925

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 13, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	78923	78924	78925
Sample name:	STP-OUT	Grey Water Kitchen	Grey Water Nova
Sampling date:	12-04-2010	12-04-2010	12-04-2010
Ammonia (NH ₃ -NH ₄) mg N/L	15.9	6.1	17.6
BOD-5 mg/L	4	2502	165
COD mg/L	86	2619	221
Total Suspended Solids mg/L	20	1910	98
Nitrite-Nitrate mg N/L	44.9	<0.01	0.02
pH	4.43	4.63	7.42
Total Phosphorus (P) mg P/L	17.6	5.9	1.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 13, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79264

Sampling date: April 19, 2010
Sampling hour: 08:00
Date received: April 20, 2010
Sampling location: STP-OUT
Sampled by: Martin Thériault/Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	17.2 mg N/L	M-NH3-2.0	April 21, 2010
BOD-5	9 mg/L	M-DBO-1.0	April 26, 2010
COD	39 mg/L	M-DCO-1.0	April 23, 2010
Total Suspended Solids	38 mg/L	M-SOLI-1.0	April 21, 2010
Nitrite-Nitrate	43.2 mg N/L	M-NITR-2.0	April 22, 2010
pH	4.40	M-PH-2.0	April 20, 2010
Total Phosphorus (P)	17.6 mg P/L	M-P-2.0	April 23, 2010

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79264

Sampling date: April 19, 2010
Sampling hour: 08:00
Date received: April 20, 2010
Sampling location: STP-OUT
Sampled by: Martin Thériault/Nicolas Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79264
Sampling date: April 19, 2010
Sampling hour: 08:00
Date received: April 20, 2010
Sampling location: STP-OUT
Sampled by: M. Thériault/N. Saucier
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0282-2010-NH ₃	2.30	2.04 - 2.76		
BOD-5 mg/L	<1	DMR-0282-7-2010	185	154 - 286		
COD mg/L	< 2	DMR-0282-9-2010	307	236 - 374		
Total Suspended Solids mg/L	<1	MES 16-03-2010	244	194 - 306	38	36
Nitrite-Nitrate mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.4	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.1	1.0 - 1.4		

Reported on: April 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-56196

Sampling date: April 19, 2010
Sampling hour: 08:00
Date received: April 20, 2010
Sampling location: STP-OUT
Sampled by: M. Thériault/N. Saucier
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	14 200 CFU/ml	M-BHAA-1,0	April 20, 2010
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	April 20, 2010
Total coliforms	< 1 000 CFU/100ml	M-COLI-2,0	April 20, 2010
Atypical colonies	40 000 CFU/100ml	M-COLI-2,0	April 20, 2010
Temperature	11.8 °C	M-TEMP-1.0	April 20, 2010

Reported on: April 23, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	79612	79613	79614	79615	79616
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitcher	Grey Water Nova
Sampling date:	26-04-2010	26-04-2010	26-04-2010	26-04-2010	26-04-2010
Ammonia (NH ₃ -NH ₄) mg N/L	133	18.5	0.74	1.4	38.5
BOD-5 mg/L	317	9	1467	762	157
COD mg/L	728	81	2616	1130	346
Total Suspended Solids mg/L	196	48	140	268	78
Nitrite-Nitrate mg N/L	0.05	23.1	0.05	0.06	0.04
pH	7.55	3.87	8.43	5.28	7.81
Total Phosphorus (P) mg P/L	18.8	18.4	7.5	3.4	2.7

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 27, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0282-2010-NH ₃	2.30	2.04 - 2.76		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0282-2010-NH ₃	2.30	2.04 - 2.76	18.5	18.4
DBO ₅ mg/L	<1	DMR-0282-7-2010	191	154 - 286		
DCO mg/L	<2	DMR-0282-9-2010	273	236 - 374		
M.E.S. mg/L	<1	MES 16-03-2010	225	194 - 306	268	264
M.E.S. mg/L	<1	MES 16-03-2010	235	194 - 306		
M.E.S. mg/L	<1	MES 16-03-2010	225	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.2	6.0 - 8.2		
pH		Std pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: May 04, 2010
Lab number: 79612:79616

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-56426

Sampling date: April 26, 2010
Sampling hour: 08:00
Date received: April 27, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	3 000 CFU/ml	M-BHAA-1,0	April 27, 2010
Fecal coliforms	100 CFU/100ml	M-COLI-1,0	April 27, 2010
Total coliforms	< 1 000 CFU/100ml	M-COLI-2,0	April 27, 2010
Atypical colonies	39 000 CFU/100ml	M-COLI-2,0	April 27, 2010
Temperature	14.9 °C	M-TEMP-1.0	April 27, 2010

Reported on: April 30, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-56622

Sampling date: May 03, 2010
Sampling hour: 08:00
Date received: May 04, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	4 500 CFU/ml	M-BHAA-1,0	May 04, 2010
Fecal coliforms	12 CFU/100ml	M-COLI-1,0	May 04, 2010
Total coliforms	200 CFU/100ml	M-COLI-2,0	May 04, 2010
Atypical colonies	8 800 CFU/100ml	M-COLI-2,0	May 04, 2010
Temperature	16.5 °C	M-TEMP-1.0	May 04, 2010

Projet relié C-79942

Reported on: May 10, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 04, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	0.05	DMR-0282-2010-NH ₃	2.50	2.04 - 2.76		
DBO ₅ mg/L	<1	DMR-0282-7-2010	204	154 - 286		
DCO mg/L	<2	DMR-0282-9-2010	285	236 - 374	88	86
DCO mg/L	<2	DMR-0282-9-2010	321	236 - 374		
DCO mg/L	<2	DMR-0282-9-2010	285	236 - 374		
DCO mg/L	<2	DMR-0282-9-2010	321	236 - 374	3641	3432
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306		
M.E.S. mg/L	<1	MES 16-03-2010	250	194 - 306	28	32
M.E.S. mg/L	<1	MES 16-03-2010	248	194 - 306	720	713
M.E.S. mg/L	<1	MES 16-03-2010	248	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.3	6.0 - 8.2	0.08	0.09
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	7.3	6.0 - 8.2		
pH		Std pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.3	1.0 - 1.4		

Reported on: May 11, 2010
Lab number: 79941:79945

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 04, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	79941	79942	79943	79944	79945
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	03-05-2010	03-05-2010	03-05-2010	03-05-2010	03-05-2010
Ammonia (NH ₃ -NH ₄) mg N/L	129	21.8	1.5	1.4	15.1
BOD-5 mg/L	275	9	2415	1286	187
COD mg/L	567	88	3641	1732	387
Total Suspended Solids mg/L	164	28	720	447	12
Nitrite-Nitrate mg N/L	0.03	48.4	0.08	0.42	0.01
pH	7.55	3.89	4.30	10.42	8.26
Total Phosphorus (P) mg P/L	18.4	18.0	9.1	6.5	1.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 04, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-57050

Sampling date: May 17, 2010
Sampling hour: 08:00
Date received: May 18, 2010
Sampling location: STP-OUT
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 100 CFU/ml	M-BHAA-1,0	May 18, 2010
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	May 18, 2010
Total coliforms	700 CFU/100ml	M-COLI-2,0	May 18, 2010
Atypical colonies	2 000 CFU/100ml	M-COLI-2,0	May 18, 2010
Temperature	17.2 °C	M-TEMP-1.0	May 18, 2010

Projet relié C-80678

Reported on: May 21, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 18, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	80677	80678	80679	80680	80681
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	17-05-2010	17-05-2010	17-05-2010	17-05-2010	17-05-2010
Ammonia (NH ₃ -NH ₄) mg N/L	149	25.8	0.64	1.0	15.8
BOD-5 mg/L	345	8	1690	1353	159
COD mg/L	832	82	9379	2790	642
Total Suspended Solids mg/L	117	29	968	925	75
Nitrite-Nitrate mg N/L	0.01	50.9	0.02	0.01	0.02
pH	7.31	3.63	3.49	6.30	7.35
Total Phosphorus (P) mg P/L	16.7	16.0	5.3	3.3	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 18, 2010
Sampled by: Steve Gaudreault/Jamie Kataluk
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 18, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0347-2010-NH3	2.3	2.0 - 2.8		
DBO5 mg/L	<1	DMR-0347-7-2010	221	154 - 286		
DCO mg/L	<2	DMR-0347-9-2010	311	236 - 374	9379	9442
DCO mg/L	< 2	DMR-0347-9-2010	325	236 - 374		
DCO mg/L	<2	DMR-0347-9-2010	311	236 - 374		
M.E.S. mg/L	<1	MES 14-05-2010	251	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.2	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.3	6.0 - 8.2	0.02	0.02
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.3	6.0 - 8.2		
pH		Std pH 7.00	6.96	6.96 - 7.04		
pH		Std pH 7.00	6.96	6.96 - 7.04	7.35	7.35
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4	16.0	16.3

Reported on: May 25, 2010
Lab number: 80677:80681

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-57282

Sampling date: May 24, 2010
Sampling hour: N/D
Date received: May 25, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 400 CFU/ml	M-BHAA-1,0	May 25, 2010
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	May 25, 2010
Total coliforms	300 CFU/100ml	M-COLI-2,0	May 25, 2010
Atypical colonies	8 200 CFU/100ml	M-COLI-2,0	May 25, 2010
Temperature	22.0 °C	M-TEMP-1.0	May 26, 2010

Reported on: June 08, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 25, 2010

Sampled by: S. Gaudreault/J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0347-2010-NH ₃	2.4	2.0 - 2.8		
DBO ₅ mg/L	< 1	DMR-0347-7-2010	217	154 - 286		
DCO mg/L	< 2	DMR-0347-9-2010	304	236 - 374		
M.E.S. mg/L	<1	MES 14-05-2010	240	194 - 306	370	364
M.E.S. mg/L	<1	MES 14-05-2010	244	194 - 306		
M.E.S. mg/L	<1	MES 14-05-2010	240	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO ₂ -NC	6.7	6.0 - 8.2		
pH		Std pH 7.00	6.98	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: June 09, 2010

Lab number: 81020:81021,81023:81024

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 25, 2010

Sampled by: Steve Gaudreault/Jamie Kataluk

Matrix: Waste Water

Lab number:	81020	81021	81023	81024
Sample name:	STP-IN	STP-OUT	Grey Water Kitchen	Grey Water Nova
Sampling date:	24-05-2010	24-05-2010	24-05-2010	24-05-2010
Ammonia (NH ₃ -NH ₄) mg N/L	134	22.5	0.99	10.3
BOD-5 mg/L	290	12	650	159
COD mg/L	526	71	1407	256
Total Suspended Solids mg/L	163	35	370	216
Nitrite-Nitrate mg N/L	0.02	46.4	0.01	0.02
pH	7.76	4.05	5.27	8.05
Total Phosphorus (P) mg P/L	17.3	17.0	4.3	1.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 09, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-57511

Sampling date: May 31, 2010
Sampling hour: 08:30
Date received: June 01, 2010
Sampling location: STP-OUT
Sampled by: Samuel Tapp/Jamie Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	5 500 CFU/ml	M-BHAA-1,0	June 01, 2010
Fecal coliforms	28 CFU/100ml	M-COLI-1,0	June 01, 2010
Total coliforms	700 CFU/100ml	M-COLI-2,0	June 01, 2010
Atypical colonies	8 700 CFU/100ml	M-COLI-2,0	June 01, 2010
Temperature	17.0 °C	M-TEMP-1.0	June 01, 2010

C-81386

Reported on: June 14, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 01, 2010

Sampled by: ND

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH3-NH4) r	<0.05	DMR-0347-2010-NH3	2.3	2.0 - 2.8		
Conductivité µmhos/cm		td-Conductivité-8/04/201	1420	1209 - 1635	911	911
Conductivité µmhos/cm		td-Conductivité-8/04/201	1420	1209 - 1635		
DBO5 mg/L	<1	DMR-0347-7-2010	205	154 - 286		
DCO mg/L	<2	DMR-0347-9-2010	314	236 - 374		
M.E.S. mg/L	<1	MES 31-05-2010	258	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.5	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.5	6.0 - 8.2	<0.01	<0.01
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.5	6.0 - 8.2	0.03	0.02
pH		Std pH 7.00	7.00	6.96 - 7.04	7.61	7.68
pH		Std pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4	16.8	16.6
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.2	1.0 - 1.4		

Reported on: June 09, 2010
Lab number: 81385:81389

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 01, 2010

Sampled by: ND

Matrix: Waste Water

Lab number:	81385	81386	81387	81388	81389
Sample name:	STP-IN	STP-OUT	Grey Water Kitchen	Grey Water Nova	Grease trap
Sampling date:	31-05-2010	31-05-2010	31-05-2010	31-05-2010	31-05-2010
Ammonia (NH ₃ -NH ₄) mg N/L	136	17.4	1.0	7.6	0.96
Conductivity µmhos/cm	1725	919	839	911	512
BOD-5 mg/L	280	8	1062	90	9173
COD mg/L	437	66	1974	318	19652
Total Suspended Solids mg/L	110	96	1015	122	4755
Nitrite-Nitrate mg N/L	0.03	43.7	0.24	<0.01	0.04
pH	7.66	3.90	3.94	7.61	6.80
Total Phosphorus (P) mg P/L	16.8	17.1	6.9	2.5	6.9
Turbidity NTU	120	21	660	87	850

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 09, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 01, 2010
Sampled by: ND
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
Conductivity	1	µmhos/cm	M-COND-2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 09, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-57769

Sampling date: June 07, 2010
Sampling hour: 09:15
Date received: June 08, 2010
Sampling location: STP-OUT
Sampled by: S. Trapp/P. Roy/S. Doire
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	11 700 CFU/ml	M-BHAA-1,0	June 08, 2010
Fecal coliforms	< 1 000 CFU/100ml	M-COLI-1,0	June 08, 2010
Total coliforms	30 000 CFU/100ml	M-COLI-2,0	June 08, 2010
Atypical colonies	1 000 CFU/100ml	M-COLI-2,0	June 08, 2010
Temperature	13.0 °C	M-TEMP-1.0	June 08, 2010

Reported on: June 14, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81875

Sampling date: June 07, 2010
Sampling hour: 09:15
Date received: June 08, 2010
Sampling location: STP-OUT
Sampled by: S.Tapp/P.Roy/S.Doire
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	20.5 mg N/L	M-NH3-2.0	June 09, 2010
BOD-5	14 mg/L	M-DBO-1.0	June 15, 2010
COD	75 mg/L	M-DCO-1.0	June 14, 2010
Total Suspended Solids	37 mg/L	M-SOLI-1.0	June 09, 2010
Nitrite-Nitrate	47.0 mg N/L	M-NITR-2.0	June 10, 2010
pH	3.91	M-PH-2.0	June 08, 2010
Total Phosphorus (P)	28.4 mg P/L	M-P-2.0	June 11, 2010
Turbidity	25 NTU	Sous-traitance\Maxxam	June 10, 2010

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81875

Sampling date: June 07, 2010
Sampling hour: 09:15
Date received: June 08, 2010
Sampling location: STP-OUT
Sampled by: S. Tapp/P. Roy/S. Doire
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Ammonia (NH3-NH4)	0.05 mg N/L		M-NH3-2.0
BOD-5	1 mg/L		M-DBO-1.0
COD	2 mg/L		M-DCO-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01 mg P/L		M-P-2.0

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-81875

Sampling date: June 07, 2010
Sampling hour: 09:15
Date received: June 08, 2010
Sampling location: STP-OUT
Sampled by: S. Tapp/P. Roy/S. Doire
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0347-2010-NH ₃	2.5	2.0 - 2.8	20.5	20.3
BOD-5 mg/L	<1	DMR-0347-7-2010	242	154 - 286		
COD mg/L	<2	DMR-0347-9-2010	307	236 - 374		
Total Suspended Solids mg/L	<1	MES 31-05-2010	256	194 - 306		
Nitrite-Nitrate mg N/L	0.01	MR-0008-2009-NO ₂ -NC	7.4	6.0 - 8.2		
pH		Std pH 7.00	6.96	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.1	1.0 - 1.4		

Reported on: June 15, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 15, 2010

Sampled by: Martin Thériault/Philip Roy

Matrix: Waste Water

Lab number:	82297	82298	82299	82300	82301
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	14-06-2010	14-06-2010	14-06-2010	14-06-2010	14-06-2010
Ammonia (NH ₃ -NH ₄) mg N/L	115	22.1	0.48	0.55	10.4
BOD-5 mg/L	188	7	1424	2049	98
COD mg/L	459	72	4114	3254	154
Total Suspended Solids mg/L	135	24	856	1535	65
Nitrite-Nitrate mg N/L	0.03	46.3	0.04	0.04	0.04
pH	7.75	3.87	6.29	4.28	7.44
Total Phosphorus (P) mg P/L	14.1	13.8	6.0	7.5	0.74

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 21, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 15, 2010
Sampled by: Martin Thériault/Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 21, 2010

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 15, 2010

Sampled by: Martin Thériault/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0347-2010-NH3	2.5	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0347-2010-NH3	2.5	2.0 - 2.8	0.55	0.53
DBO5 mg/L	<1	DMR-0444-7-2010	206	154 - 286		
DCO mg/L	<2	DMR-0444-9-2010	305	236 - 374		
M.E.S. mg/L	<1	MES 31-05-2010	260	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0008-2009-NO2-NC	7.4	6.0 - 8.2		
pH		Std pH 7.00	6.98	6.96 - 7.04	3.87	3.94
pH		Std pH 7.00	6.98	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.0	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0008-2009-Ptotal	1.0	1.0 - 1.4	14.1	14.2

Reported on: June 21, 2010
Lab number: 82297:82301

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-57980
Sampling date: June 14, 2010
Sampling hour: N/D
Date received: June 15, 2010
Sampling location: STP-OUT
Sampled by: M. Thériault/P. Roy
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 700 CFU/ml	M-BHAA-1,0	June 15, 2010
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	June 15, 2010
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	June 15, 2010
Atypical colonies	14 000 CFU/100ml	M-COLI-2,0	June 15, 2010
Temperature	16.3 °C	M-TEMP-1.0	June 15, 2010

C-82298

Reported on: June 29, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 22, 2010
Sampled by: Steve Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0444-2010-NH ₃	2.4	2.0 - 2.8		
DBO ₅ mg/L	<1	DMR-0444-7-2010	223	154 - 286		
DCO mg/L	<2	DMR-0444-9-2010	305	236 - 374	210	215
DCO mg/L	<2	DMR-0444-9-2010	305	236 - 374		
M.E.S. mg/L	<1	MES 17-06-2010	246	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.0	6.0 - 8.2	0.03	0.02
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.0	6.0 - 8.2		
pH		Std pH 7.00	6.99	6.96 - 7.04	4.16	4.13
pH		Std pH 7.00	6.99	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.1	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.1	1.0 - 1.4	17.4	17.0

Reported on: June 28, 2010
Lab number: 82753:82757

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 22, 2010
Sampled by: Steve Gaudreault
Matrix: Waste Water

Lab number:	82753	82754	82755	82756	82757
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	21-06-2010	21-06-2010	21-06-2010	21-06-2010	21-06-2010
Ammonia (NH ₃ -NH ₄) mg N/L	142	30.8	1.5	1.4	10.1
BOD-5 mg/L	351	9	936	658	132
COD mg/L	613	75	1623	710	210
Total Suspended Solids mg/L	222	38	232	290	127
Nitrite-Nitrate mg N/L	0.04	53.4	0.40	0.03	0.03
pH	7.54	4.16	6.65	4.51	8.44
Total Phosphorus (P) mg P/L	18.4	17.4	5.8	4.9	1.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 28, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-58240

Sampling date: June 21, 2010
Sampling hour: 08:00
Date received: June 22, 2010
Sampling location: STP-OUT
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 000 CFU/ml	M-BHAA-1,0	June 22, 2010
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	June 22, 2010
Total coliforms	100 CFU/100ml	M-COLI-2,0	June 22, 2010
Atypical colonies	700 CFU/100ml	M-COLI-2,0	June 22, 2010
Temperature	17.7 °C	M-TEMP-1.0	June 22, 2010

Connected project : C-82754

Reported on: June 28, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 29, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0444-2010-NH ₃	2.4	2.0 - 2.8		
DBO ₅ mg/L	<1	DMR-0444-7-2010	228	154 - 286		
DCO mg/L	<2	DMR-0444-9-2010	305	236 - 374		
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306	1690	1126
M.E.S. mg/L	<1	MES 17-06-2010	238	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.7	6.0 - 8.2		
pH		Std pH 7.00	7.03	6.96 - 7.04	4.03	3.96
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.2	1.0 - 1.4		

Reported on: July 05, 2010
Lab number: 83008:83012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 29, 2010

Sampled by: Samuel Tapp/Philip Roy

Matrix: Waste Water

Lab number:	83008	83009	83010	83011	83012
Sample name:	STP-IN	STP-OUT	Grease trap	Grey Water Kitchen	Grey Water Nova
Sampling date:	28-06-2010	28-06-2010	28-06-2010	28-06-2010	28-06-2010
Ammonia (NH ₃ -NH ₄) mg N/L	133	23.3	2.4	1.3	20.8
BOD-5 mg/L	457	9	9360	717	122
COD mg/L	918	94	13901	838	167
Total Suspended Solids mg/L	116	34	1690	206	96
Nitrite-Nitrate mg N/L	<0.01	48.7	0.58	0.02	0.01
pH	7.68	4.03	6.42	6.76	7.87
Total Phosphorus (P) mg P/L	20.5	16.9	8.5	6.7	1.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 29, 2010
Sampled by: Samuel Tapp/Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 05, 2010

F-02-13
Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-58418

Sampling date: June 28, 2010
Sampling hour: N/D
Date received: June 29, 2010
Sampling location: STP-OUT
Sampled by: S. Trapp/P. Roy
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	700 CFU/ml	M-BHAA-1,0	June 29, 2010
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	June 29, 2010
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	June 29, 2010
Atypical colonies	200 CFU/100ml	M-COLI-2,0	June 29, 2010
Temperature	17.2 °C	M-TEMP-1.0	June 29, 2010

Projet relié C-83009

Reported on: July 09, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Corrected certificate, replacing the certificate M-58418 done on July 05 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2010

Sampled by: M. Theriault / P. Roy/S. Doire

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0444-2010-NH ₃	2.3	2.0 - 2.8	
DBO ₅ mg/L	<1	DMR-0444-7-2010	226	154 - 286	
DCO mg/L	<2	DMR-0444-9-2010	349	236 - 374	
M.E.S. mg/L	<1	MES 07-07-2010	249	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.3	6.0 - 8.2	
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.3	6.0 - 8.2	0.02 0.02
pH		Std pH 7.00	6.98	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.1	1.0 - 1.4	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	

Reported on: July 14, 2010
Lab number: 83462:83466

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2010

Sampled by: Martin Theriault / Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	83462	83463	83464	83465	83466
Sample name:	STP-OUT	STP-IN	Grease trap	GWN	GWK
Sampling date:	05-07-2010	05-07-2010	05-07-2010	05-07-2010	05-07-2010
Ammonia (NH ₃ -NH ₄) mg N/L	21.7	104	1.9	9.1	0.80
BOD-5 mg/L	14	231	1902	15	269
COD mg/L	89	625	8450	148	1006
Total Suspended Solids mg/L	28	104	1600	110	425
Nitrite-Nitrate mg N/L	48.2	0.02	0.02	7.1	0.03
pH	3.93	7.80	3.93	7.30	7.83
Total Phosphorus (P) mg P/L	13.9	12.2	9.5	0.76	1.6
Turbidity NTU	21.4	133	657	28.7	334

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 14, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2010

Sampled by: Martin Theriault / Philip Roy/Sylvain Doire

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 14, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-58771

Sampling date: July 05, 2010
Sampling hour: N/D
Date received: July 07, 2010
Sampling location: STP-OUT
Sampled by: M.T./P.R./S.D
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	8 400 CFU/ml	M-BHAA-1,0	July 07, 2010
Fecal coliforms	28 CFU/100ml	M-COLI-1,0	July 07, 2010
Total coliforms	< 10 000 CFU/100ml	M-COLI-2,0	July 07, 2010
Atypical colonies	890 000 CFU/100ml	M-COLI-2,0	July 07, 2010
Temperature	17.4 °C	M-TEMP-1.0	July 07, 2010

C-83462

Reported on: July 12, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 13, 2010

Sampled by: Martin Theriault / Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0444-2010-NH ₃	2.7	2.0 - 2.8	
DBO ₅ mg/L	<1	DMR-0488-7-2010	223	154 - 286	
DBO ₅ mg/L	<1	DMR-0488-7-2010	245	154 - 286	
DCO mg/L		DMR-0444-9-2010	305	236 - 374	
DCO mg/L		DMR-0444-9-2010	305	236 - 374	10102 10102
M.E.S. mg/L	<1	MES 07-07-2010	250	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	DMR-0444-2010-NO ₂ -NO ₃	7.2	6.0 - 8.2	
pH		Std pH 7.00	7.03	6.96 - 7.04	7.54 7.58
pH		Std pH 7.00	7.03	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.2	1.0 - 1.4	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	
Turbidité UTN		DMR-0444-2010-4	5.30	4.65 - 7.35	266 269

Reported on: July 20, 2010
Lab number: 83715:83719

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 13, 2010

Sampled by: Martin Theriault / Philip Roy

Matrix: Waste Water

Lab number:	83715	83716	83717	83718	83719
Sample name:	STP-OUT	STP-IN	Grease trap	GWN	GWK
Sampling date:	12-07-2010	12-07-2010	12-07-2010	12-07-2010	12-07-2010
Ammonia (NH ₃ -NH ₄) mg N/L	23.6	130	3.8	15.8	1.3
BOD-5 mg/L	23	388	2782	168	946
COD mg/L	107	538	10102	269	1458
Total Suspended Solids mg/L	28	110	1270	100	330
Nitrite-Nitrate mg N/L	38.9	0.02	0.39	0.04	0.02
pH	6.71	7.61	3.83	7.54	6.96
Total Phosphorus (P) mg P/L	15.0	15.9	7.1	1.4	5.3
Turbidity NTU	15.5	161	454	103	266

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 13, 2010

Sampled by: Martin Theriault / Philip Roy

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.		M-PH-2.0
Total Phosphorus (P)	0.01	mg P/L	M-P-2.0
Turbidity	0.02	NTU	M-TURB-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 20, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-58913

Sampling date: July 12, 2010
Sampling hour: N/D
Date received: July 13, 2010
Sampling location: STP-OUT
Sampled by: M.T./P.R.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	394 000 CFU/ml	M-BHAA-1,0	July 13, 2010
Fecal coliforms	96 CFU/100ml	M-COLI-1,0	July 13, 2010
Total coliforms	5 000 CFU/100ml	M-COLI-2,0	July 13, 2010
Atypical colonies	68 000 CFU/100ml	M-COLI-2,0	July 13, 2010
Temperature	19.4 °C	M-TEMP-1.0	July 13, 2010

Projet relié: C- 83715

Reported on: July 19, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-59159

Sampling date: July 19, 2010
Sampling hour: N/D
Date received: July 20, 2010
Sampling location: STP-OUT
Sampled by: SG/St/JK/SA
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	24 400 CFU/ml	M-BHAA-1,0	July 20, 2010
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	July 20, 2010
Total coliforms	2 800 CFU/100ml	M-COLI-2,0	July 20, 2010
Atypical colonies	7 800 CFU/100ml	M-COLI-2,0	July 20, 2010
Temperature	19.0 °C	M-TEMP-1.0	July 20, 2010

Reported on: July 23, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 20, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
DBO5 mg/L	<1	DMR-0488-7-2010	209	154 - 286		
DCO mg/L	<2	DMR-0488-09-2010	309	236 - 374		
M.E.S. mg/L	<1	STD-MES-11-08-2009	254	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.2	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.2	6.0 - 8.2	0.03	0.03
pH		STD pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.1	1.0 - 1.4	15.5	15.4
Phosphore total (P) mg P/L	<0.01	DMR-0444-2010-Ptot	1.1	1.0 - 1.4		

Reported on: July 29, 2010
Lab number: 10254:10258

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 20, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10254	10255	10256	10257	10258
Sample name:	STP-IN	STP-OUT	Grease trap	Grey water kitchen	Grey Water Nova
Sampling date:	19-07-2010	19-07-2010	19-07-2010	19-07-2010	19-07-2010
Ammonia (NH ₃ -NH ₄) mg N/L	108	15.5	6.8	2.0	23.0
BOD-5 mg/L	219	5	1990	823	187
COD mg/L	588	94	4210	1720	518
Total Suspended Solids mg/L	134	20	811	380	106
Nitrite-Nitrate mg N/L	0.04	40.7	0.09	0.04	0.03
pH	7.45	5.44	3.80	6.20	7.94
Total Phosphorus (P) mg P/L	13.7	15.0	15.5	6.1	2.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 29, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-59520

Sampling date: July 27, 2010
Sampling hour: 08:00
Date received: July 29, 2010
Sampling location: STP-OUT
Sampled by: SG/ST/JK/CI/SA
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 300 000 CFU/ml	M-BHAA-1,0	July 29, 2010
Fecal coliforms	128 CFU/100ml	M-COLI-1,0	July 29, 2010
Total coliforms	< 10 000 CFU/100ml	M-COLI-2,0	July 29, 2010
Atypical colonies	> 2 000 000 CFU/100ml	M-COLI-2,0	July 29, 2010
Temperature	14.0 °C	M-TEMP-1.0	July 29, 2010

Reported on: August 02, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: July 28, 2010

Sampled by: JK/SG

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05					
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.4	2.0 - 2.8	118	117
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.4	2.0 - 2.8		
DBO5 mg/L	<1	DMR-0488-7-2010	195	154 - 286		
DBO5 mg/L	<1					
DCO mg/L	<2					
DCO mg/L	<2	DMR-0488-09-2010	300	236 - 374		
M.E.S. mg/L	<1	STD-MES-11-08-2009	234	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	235	194 - 306		
Nitrites-Nitrates mg N/L	<0.01					
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.1	6.0 - 8.2		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01					
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.2	1.0 - 1.4		

Reported on: August 10, 2010

Lab number: 10425:10429

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 28, 2010

Sampled by: JK/SG

Matrix: Waste Water

Lab number:	10425	10426	10427	10428	10429
Sample name:	STP-IN	STP-OUT	Grease trap	Grey water kitchen	Grey Water Nova
Sampling date:	27-07-2010	27-07-2010	27-07-2010	27-07-2010	27-07-2010
Ammonia (NH ₃ -NH ₄) mg N/L	118	24.7	3.5	1.4	19.2
BOD-5 mg/L	256	8	3850	1114	159
COD mg/L	622	99	20204	2117	343
Total Suspended Solids mg/L	195	18	2340	764	160
Nitrite-Nitrate mg N/L	0.01	38.8	0.11	0.26	0.01
pH	7.54	6.38	3.86	10.64	8.12
Total Phosphorus (P) mg P/L	15.5	16.7	18.4	4.8	2.3

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 28, 2010

Sampled by: JK/SG

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 10, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-59618

Sampling date: August 02, 2010
Sampling hour: N/D
Date received: August 03, 2010
Sampling location: STP-OUT
Sampled by: MT/PR
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	34 000 CFU/ml	M-BHAA-1,0	August 03, 2010
Fecal coliforms	80 CFU/100ml	M-COLI-1,0	August 03, 2010
Total coliforms	500 CFU/100ml	M-COLI-2,0	August 03, 2010
Atypical colonies	5 800 CFU/100ml	M-COLI-2,0	August 03, 2010
Temperature	17.6 °C	M-TEMP-1.0	August 03, 2010

Reported on: August 06, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3338	0.248 - 0.392	<0.0005 <0.0005
Arsenic (As) mg/L	<0.0005				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.255	1.04 - 1.40	0.0006 0.0007
Cuivre (Cu) mg/L	<0.0005				
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	
DBO5 mg/L	<1	DMR-0488-7-2010	212	154 - 286	
DBO5 mg/L	<1	DMR-0488-7-2010	227	154 - 286	
DCO mg/L	<2				
DCO mg/L	<2	DMR-0488-09-2010	320	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	0.0035 0.0033
Nickel (Ni) mg/L	<0.0005				

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010
 Sampled by: MT/PR
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2	0.03	0.03
Nitrites-Nitrates mg N/L	<0.01					
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	6.97	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01					
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109	<0.0003	<0.0003
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.008	0.819 - 1.109		
Plomb (Pb) mg/L	<0.0003					
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001					
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19	<0.001	<0.001
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.57	3.83 - 5.19		

Reported on: August 10, 2010

Lab number: 10477,10480:10486,10489:10490

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10477	10480	10481	10482	10483	10484	10485	10486
Sample name:	MMER-1	MMER-1 dup	STP-IN	STP-OUT	Grease trap	Grey water kitchen	Grey Water Nova	2010-08-02-DUP-1
Sampling date:	28-07-2010	28-07-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010
Arsenic (As) mg/L	<0.0005	<0.0005	---	---	---	---	---	---
Copper (Cu) mg/L	0.0008	0.0006	---	---	---	---	---	---
Total Cyanide (CNT) mg/L	<0.005	<0.005	---	---	---	---	---	---
Total Suspended Solids mg/L	14	13	135	27	345	595	150	22
Nickel (Ni) mg/L	0.0034	0.0035	---	---	---	---	---	---
pH	6.37	6.51	7.92	6.16	3.92	4.21	8.17	6.19
Lead (Pb) mg/L	<0.0003	<0.0003	---	---	---	---	---	---
Zinc (Zn) mg/L	0.004	<0.001	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---	136	22.5	2.0	3.1	14.2	27.2
BOD-5 mg/L	---	---	310	8	2890	2097	145	8
COD mg/L	---	---	592	80	13184	2973	372	70
Nitrite-Nitrate mg N/L	---	---	0.02	41.9	0.03	0.02	0.02	42.2
Total Phosphorus (P) mg P/L	---	---	16.5	16.3	6.6	8.0	1.9	15.7
Turbidity NTU	---	---	---	---	---	---	133	---
Aluminium (Al) mg/L	---	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Lab number:	10489	10490
Sample name:	DD-WTP-02	2010-08-02-DUP-3
Sampling date:	02-08-2010	02-08-2010
Arsenic (As) mg/L	---	---
Copper (Cu) mg/L	---	---
Total Cyanide (CNT) mg/L	---	---
Total Suspended Solids mg/L	11	13
Nickel (Ni) mg/L	---	---
pH	6.47	6.70
Lead (Pb) mg/L	---	---
Zinc (Zn) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
BOD-5 mg/L	---	---
COD mg/L	---	---
Nitrite-Nitrate mg N/L	---	---
Total Phosphorus (P) mg P/L	---	---
Turbidity NTU	3.0	1.7
Aluminium (Al) mg/L	0.682	0.649

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Waste Water

Commentaire

Sampling date:

Projet 10477

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : pH.

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-59842

Sampling date: August 09, 2010
Sampling hour: 08:15
Date received: August 10, 2010
Sampling location: STP-OUT
Sampled by: M. Thériault/P. Roy/S. Doire
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2900 CFU/ml	M-BHAA-1,0	August 10, 2010
Fecal coliforms	<4 CFU/100ml	M-COLI-1,0	August 10, 2010
Total coliforms	<1000 CFU/100ml	M-COLI-2,0	August 10, 2010
Atypical colonies	21500 CFU/100ml	M-COLI-2,0	August 10, 2010
Temperature	17.5 °C	M-TEMP-1.0	August 10, 2010

Reported on: August 13, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 10, 2010

Sampled by: M.T./P.R./S. D.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.5	2.0 - 2.8	
DBO5 mg/L	<1	DMR-0488-7-2010	230	154 - 286	
DCO mg/L	<2	DMR-0488-09-2010	306	236 - 374	349 361
DCO mg/L	<2	DMR-0488-09-2010	306	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.6	6.0 - 8.2	
pH		STD pH 7.00	6.96	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4	

Reported on: August 18, 2010
Lab number: 10586:10590

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Lab number:	10586	10587	10588	10589	10590
Sample name:	STP-OUT	STP-IN	Grease Trap	GWN	GWK
Sampling date:	09-08-2010	09-08-2010	09-08-2010	09-08-2010	09-08-2010
Ammonia (NH ₃ -NH ₄) mg N/L	21.9	121	2.2	23.4	2.3
BOD-5 mg/L	21	507	10250	281	1587
COD mg/L	98	631	14955	349	1840
Total Suspended Solids mg/L	20	148	1183	125	362
Nitrite-Nitrate mg N/L	46.5	0.02	0.03	0.02	0.02
pH	5.60	7.50	8.71	7.98	4.27
Total Phosphorus (P) mg P/L	15.6	17.0	5.8	2.4	3.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 18, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 10, 2010

Sampled by: Martin Theriault/Philip Roy/Sylvain Doire

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 18, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-60201

Sampling date: August 16, 2010
Sampling hour: N/D
Date received: August 17, 2010
Sampling location: STP-OUT
Sampled by: S. G./I. C./S. A.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	120 000 CFU/ml	M-BHAA-1,0	August 18, 2010
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	August 18, 2010
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	August 18, 2010
Atypical colonies	30 000 CFU/100ml	M-COLI-2,0	August 18, 2010
Temperature	14.1 °C	M-TEMP-1.0	August 17, 2010

Reported on: August 23, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 17, 2010
 Sampled by: S.G./IsabelleC./StuartA
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.3	2.0 - 2.8		
DBO5 mg/L	<1	DMR-0572-7-2010	214	154 - 286		
DCO mg/L	<2	DMR-0572-9-2010	310	236 - 374		
DCO mg/L	<2	DMR-0572-9-2010	310	236 - 374	6985	6893
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.1	6.0 - 8.2		
Nitrites-Nitrates mg/L	<0.01	MR-0488-2010-NO2-NC	7.1	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.1	6.0 - 8.2	0.19	0.19
pH		STD pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4		

Reported on: September 01, 2010
 Lab number: 10728:10732

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Waste Water

Lab number:	10728	10729	10730	10731	10732
Sample name:	STP-OUT	STP-IN	Grease trap	Grey Water Nova	Grey water kitchen
Sampling date:	16-08-2010	16-08-2010	16-08-2010	16-08-2010	16-08-2010
Ammonia (NH ₃ -NH ₄) mg N/L	27.8	123	2.8	12.9	1.7
BOD-5 mg/L	10	366	3525	132	1569
COD mg/L	40	450	6985	216	1988
Total Suspended Solids mg/L	21	147	1036	112	365
Nitrite-Nitrate mg N/L	53.8	0.01	0.19	0.02	0.29
pH	5.82	7.73	3.75	7.88	10.38
Total Phosphorus (P) mg P/L	71.6	16.0	27.8	1.6	11.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 01, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-60307
Sampling date: August 23, 2010
Sampling hour: N/D
Date received: August 24, 2010
Sampling location: STP-OUT
Sampled by: Jamie K.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	369000 CFU/ml	M-BHAA-1,0	August 24, 2010
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	August 24, 2010
Total coliforms	<100000 CFU/100ml	M-COLI-2,0	August 24, 2010
Atypical colonies	13800000 CFU/100ml	M-COLI-2,0	August 24, 2010
Temperature	21.3 °C	M-TEMP-1.0	August 24, 2010

Reported on: August 27, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 24, 2010

Sampled by: Jamie K.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.5	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.5	2.0 - 2.8	123	124
DBO5 mg/L	<1	DMR-0572-7-2010	211	154 - 286		
DCO mg/L	<2	DMR-0572-9-2010	338	236 - 374	1814	1828
DCO mg/L	<2	DMR-0572-9-2010	338	236 - 374		
M.E.S. mg/L	<1	STD-MES-11-08-2009	233	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO ₂ -NC	7.1	6.0 - 8.2		
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO ₂ -NC	7.1	6.0 - 8.2	0.02	<0.01
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.2	1.0 - 1.4	20.1	20.2
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.2	1.0 - 1.4		

Reported on: August 31, 2010

Lab number: 10819:10823

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 24, 2010

Sampled by: Jamie K.

Matrix: Waste Water

Lab number:	10819	10820	10821	10822	10823
Sample name:	STP-OUT	STP-IN	Grease trap	Grey Water Nova	Grey water kitchen
Sampling date:	23-08-2010	23-08-2010	23-08-2010	23-08-2010	23-08-2010
Ammonia (NH ₃ -NH ₄) mg N/L	21.3	123	4.3	7.0	2.4
BOD-5 mg/L	9	185	4760	65	1338
COD mg/L	52	454	14955	198	1814
Total Suspended Solids mg/L	15	178	6980	2	725
Nitrite-Nitrate mg N/L	42.4	0.03	0.15	0.02	0.03
pH	4.86	7.26	4.63	7.31	4.75
Total Phosphorus (P) mg P/L	12.8	12.6	20.1	1.1	6.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 31, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 24, 2010
Sampled by: Jamie K.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 31, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-60518
Sampling date: August 30, 2010
Sampling hour: N/D
Date received: August 31, 2010
Sampling location: STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1400 CFU/ml	M-BHAA-1,0	August 31, 2010
Fecal coliforms	<4 CFU/100ml	M-COLI-1,0	August 31, 2010
Total coliforms	100 CFU/100ml	M-COLI-2,0	August 31, 2010
Atypical colonies	4000 CFU/100ml	M-COLI-2,0	August 31, 2010
Temperature	16.7 °C	M-TEMP-1.0	August 31, 2010

Reported on: September 03, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8		
DBO5 mg/L	<1	DMR-0572-7-2010	213	154 - 286		
DBO5 mg/L	<1	DMR-0572-7-2010	154	154 - 286		
DCO mg/L	<2	DMR-0572-9-2010	298	236 - 374	43	43
DCO mg/L	<2	DMR-0572-9-2010	298	236 - 374		
M.E.S. mg/L	<1	STD-MES-11-08-2009	243	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO ₂ -NC	7.4	6.0 - 8.2	0.03	0.01
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO ₂ -NC	7.4	6.0 - 8.2		
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	7.04	6.96 - 7.04		
pH		STD pH 7.00	7.00	6.96 - 7.04	7.54	7.61
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.4	1.0 - 1.4		

Reported on: September 07, 2010
Lab number: 10888:10892

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 31, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10888	10889	10890	10891	10892
Sample name:	STP-OUT	STP-IN	Grease trap	Grey water kitchen	DD-WTP-01
Sampling date:	30-08-2010	30-08-2010	30-08-2010	30-08-2010	30-08-2010
Ammonia (NH ₃ -NH ₄) mg N/L	21.2	121	0.79	6.4	6.9
BOD-5 mg/L	7	183	905	66	2551
COD mg/L	43	1021	36446	224	3521
Total Suspended Solids mg/L	19	138	2582	123	1433
Nitrite-Nitrate mg N/L	45.0	0.04	0.04	0.03	0.09
pH	4.04	7.78	5.56	7.54	9.40
Total Phosphorus (P) mg P/L	17.7	18.2	4.8	1.3	11.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-60673

Sampling date: September 06, 2010
Sampling hour: N/D
Date received: September 07, 2010
Sampling location: STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	12 700 CFU/ml	M-BHAA-1,0	September 07, 2010
Fecal coliforms	32 CFU/100ml	M-COLI-1,0	September 07, 2010
Total coliforms	200 CFU/100ml	M-COLI-2,0	September 07, 2010
Atypical colonies	1 600 CFU/100ml	M-COLI-2,0	September 07, 2010
Temperature	15.0 °C	M-TEMP-1.0	September 07, 2010

Reported on: September 10, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 07, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.3	2.0 - 2.8	
DBO5 mg/L	<1	DMR-0572-7-2010	158	154 - 286	
DCO mg/L	<2	DMR-0572-9-2010	242	236 - 374	2007 2287
DCO mg/L	<2	DMR-0572-9-2010	242	236 - 374	
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO2-NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.1	1.0 - 1.4	15.9 15.4
Phosphore total (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.1	1.0 - 1.4	

Reported on: September 20, 2010
Lab number: 10984:10988,10994

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 07, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	10984	10985	10986	10987	10988	10994
Sample name:	STP-OUT	STP-IN	Grease trap	Grey Water Nova	Grey water kitchen	Dup-2 (STP-OUT)
Sampling date:	06-09-2010	06-09-2010	06-09-2010	06-09-2010	06-09-2010	06-09-2010
Ammonia (NH ₃ -NH ₄) mg N/L	24.0	113	0.74	17.7	0.37	22.3
BOD-5 mg/L	7	157	1621	136	881	4
COD mg/L	73	391	2007	228	1176	57
Total Suspended Solids mg/L	16	150	127	86	395	14
Nitrite-Nitrate mg N/L	48.7	<0.01	0.26	0.02	0.02	47.7
pH	5.10	7.53	9.49	8.08	4.48	3.09
Total Phosphorus (P) mg P/L	13.2	15.9	3.0	1.5	3.1	16.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 07, 2010
Sampled by: Martin T
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-60985

Sampling date: September 13, 2010
Sampling hour: N/D
Date received: September 14, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 500 CFU/ml	M-BHAA-1,0	September 15, 2010
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	September 15, 2010
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	September 15, 2010
Atypical colonies	200 CFU/100ml	M-COLI-2,0	September 15, 2010
Temperature	19.0 °C	M-TEMP-1.0	September 14, 2010

Reported on: September 20, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11090

Sampling date: September 13, 2010
Sampling hour: N/D
Date received: September 14, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	23.3 mg N/L	Sous-traitance\Multilab Direct	September 15, 2010
BOD-5	8 mg/L	Sous-traitance\Multilab Direct	September 20, 2010
COD	69 mg/L	Sous-traitance\Multilab Direct	September 16, 2010
Total Suspended Solids	15 mg/L	M-SOLI-1.0	September 15, 2010
Nitrite-Nitrate	49.7 mg N/L	Sous-traitance\Multilab Direct	September 16, 2010
pH	4.22	M-PH-2.0	September 14, 2010
Total Phosphorus (P)	12.6 mg P/L	Sous-traitance\Multilab Direct	September 17, 2010

Reported on: September 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11090

Sampling date: September 13, 2010
Sampling hour: N/D
Date received: September 14, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: September 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11090

Sampling date: September 13, 2010
Sampling hour: N/D
Date received: September 14, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0572-2010-NH ₃	2.2	2.0 - 2.8	
BOD-5 mg/L	<1	DMR-0572-7-2010	237	154 - 286	
COD mg/L	<2	DMR-0572-9-2010	357	236 - 374	
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	240	194 - 306	
Nitrite-Nitrate mg N/L	<0.01	MR-0572-2010-NO ₂ -NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0572-2010-Ptot	1.1	1.0 - 1.4	

Reported on: September 21, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.5	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.5	2.0 - 2.8	25.4	24.6
DBO5 mg/L	<1	DMR-0572-7-2010	214	154 - 286		
DCO mg/L	<2	DMR-0572-9-2010	286	236 - 374		
DCO mg/L	<2	DMR-0572-9-2010	323	236 - 374		
DCO mg/L	<1	DMR-0572-9-2010	292	236 - 374	49	49
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0618-2010-NO ₂ -NC	9.0	7.53 - 10.19		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.2	1.0 - 1.4		
Turbidité UTN		DMR-0618-2010-Turbidit	5.8	4.65 - 7.35		

Reported on: October 04, 2010

Lab number: 11167:11169

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Waste Water

Lab number:	11167	11168	11169
Sample name:	STP-IN	STP-OUT	Grey water kitchen
Sampling date:	20-09-2010	20-09-2010	20-09-2010
BOD-5 mg/L	115	8	474
COD mg/L	607	49	667
Total Suspended Solids mg/L	112	10	286
Nitrite-Nitrate mg N/L	0.01	50.2	0.52
pH	7.90	4.06	9.78
Total Phosphorus (P) mg P/L	16.1	14.1	7.6
Turbidity NTU	139	12.8	355
Ammonia (NH3-NH4) mg N/L	117	25.4	1.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 04, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 21, 2010
Sampled by: N.D.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 04, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 28, 2010

Sampled by: P.Roy/M.Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.28	5.27 - 7.13		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH ₃	2.5	2.0 - 2.8		
DBO ₅ mg/L	<1	DMR-0572-7-2010	214	154 - 286		
DBO ₅ mg/L	<1	DMR-0572-7-2010	219	154 - 286		
DCO mg/L	<2	DMR-0572-9-2010	326	236 - 374		
DCO mg/L	<2	DMR-0572-9-2010	236	236 - 374		
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0618-2010-NO ₂ -NC	9.1	7.53 - 10.19		
Nitrites-Nitrates mg N/L	<0.01	MR-0618-2010-NO ₂ -NC	9.0	7.53 - 10.19		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.4	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.2	1.0 - 1.4		
Turbidité UTN		DMR-0618-2010-Turbidit	5.8	4.65 - 7.35		

Reported on: October 05, 2010

Lab number: 11119,11170,11175,11267

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 28, 2010

Sampled by: P.Roy/M.Theriault

Matrix: Waste Water

Lab number:	11119	11170	11175	11267
Sample name:	Reclaim Pond	Grey Water Nova	DD-WTP-01	STP-OUT
Sampling date:	14-09-2010	20-09-2010	20-09-2010	27-09-2010
Sulfite (SO ₃) mg S ₂ O ₃ /L	112	---	---	---
Thiocyanate (SCN) mg SCN/L	200	---	---	---
Thiosulfates (S ₂ O ₃) mg S ₂ O ₃ /L	71	---	---	---
BOD-5 mg/L	---	71	---	32
COD mg/L	---	136	---	98
Total Suspended Solids mg/L	---	144	9	7
Nitrite-Nitrate mg N/L	---	0.01	---	39.2
pH	---	7.05	6.66	6.56
Total Phosphorus (P) mg P/L	---	2.0	---	14.5
Turbidity NTU	---	124	2.5	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	10.9	---	23.9
Aluminium (Al) mg/L	---	---	1.25	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2010

F-02-13

Version 2ième: 18/10/2006

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-61271

Sampling date: September 20, 2010
Sampling hour: N/D
Date received: September 22, 2010
Sampling location: STP-OUT
Sampled by: N/D
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	300 CFU/ml	M-BHAA-1,0	September 22, 2010
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	September 22, 2010
Total coliforms	200 CFU/100ml	M-COLI-2,0	September 22, 2010
Atypical colonies	300 CFU/100ml	M-COLI-2,0	September 22, 2010
Temperature	12.6 °C	M-TEMP-1.0	September 22, 2010

Reported on: September 27, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-61661

Sampling date: October 04, 2010
Sampling hour: N/D
Date received: October 05, 2010
Sampling location: STP-OUT
Sampled by: Phillip Roy
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	12 CFU/100ml	M-COLI-1,0	October 06, 2010
Total coliforms	300 CFU/100ml	M-COLI-2,0	October 06, 2010
Atypical colonies	600 CFU/100ml	M-COLI-2,0	October 06, 2010
Temperature	15.1 °C	M-TEMP-1.0	October 05, 2010

Reported on: October 12, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11413

Sampling date: October 04, 2010
Sampling hour: N/D
Date received: October 05, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	19.7 mg N/L	Sous-traitance\Multilab Direct	October 12, 2010
BOD-5	8 mg/L	Sous-traitance\Multilab Direct	October 13, 2010
COD	73 mg/L	Sous-traitance\Multilab Direct	October 18, 2010
Total Suspended Solids	14 mg/L	M-SOLI-1.0	October 06, 2010
NH ₃	<0.05 mg N/L	Sous-traitance\Multilab Direct	October 12, 2010
Nitrate (NO ₃)	42.6 mg N/L	Sous-traitance\Multilab Direct	October 14, 2010
Nitrite (NO ₂)	0.03 mg N/L	Sous-traitance\Multilab Direct	October 14, 2010
Nitrite-Nitrate	42.7 mg N/L	Sous-traitance\Multilab Direct	October 14, 2010
pH	4.83	M-PH-2.0	October 05, 2010
Total Phosphorus (P)	15.1 mg P/L	Sous-traitance\Multilab Direct	October 08, 2010

Reported on: October 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11413

Sampling date: October 04, 2010
Sampling hour: N/D
Date received: October 05, 2010
Sampling location: STP-OUT
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0618-2010-NH3	2.3	2.0 - 2.8	
BOD-5 mg/L	<1	DMR-0572-7-2010	213	154 - 286	
COD mg/L	<2	DMr-0704-2010-9	339	255 - 403	
Total Suspended Solids mg/L	<1	DMR-0672-2010-1	112	88 - 140	
NH ₃ mg N/L	<0.05				
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0618-2010-NO2	2.7	2.25 - 3.05	
Nitrite-Nitrate mg N/L	<0.01	MR-0618-2010-NO2-NC	8.5	7.53 - 10.19	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Total Phosphorus (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.3	1.0 - 1.4	

Reported on: October 19, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: October 19, 2010
 Sampled by: M.Theriault /P.Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.4	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0704-2010-NH3	1.9	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0704-2010-7	223	154 - 286		
DBO5 mg/L	<1	DMR-0704-2010-7	220	154 - 286		
DCO mg/L	<2	DMr-0704-2010-9	301	255 - 403		
DCO mg/L	<2	DMr-0704-2010-9	339	255 - 403		
M.E.S. mg/L	<1	STD-MES-11-08-2009	244	194 - 306		
M.E.S. mg/L	<1	DMR-0672-2010-1	109	88 - 140		
Nitrites-Nitrates mg N/L	<0.01	MR-0704-2010-NO2-NC	9.1	7.53 - 10.19		
Nitrites-Nitrates mg N/L	<0.01	MR-0704-2010-NO2-NC	8.9	7.53 - 10.19		
pH		STD pH 7.00	7.01	6.96 - 7.04		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.01	DMR-0704-2010-Ptot	1.7	1.62 - 2.20		
Phosphore total (P) mg P/L	<0.01	DMR-0618-2010-Ptot	1.2	1.0 - 1.4		

Reported on: October 26, 2010
 Lab number: 11478,11508

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2010

Sampled by: Martin Theriault /Philip Roy

Matrix: Waste Water

Lab number:	11478	11508
Sample name:	STP-OUT	STP-OUT
Sampling date:	13-10-2010	18-10-2010
Ammonia (NH ₃ -NH ₄) mg N/L	34.9	20.5
BOD-5 mg/L	11	4
COD mg/L	107	52
Total Suspended Solids mg/L	27	10
Nitrite-Nitrate mg N/L	34.2	46.5
pH	7.09	3.96
Total Phosphorus (P) mg P/L	15.8	15.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 26, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2010

Sampled by: Martin Theriault /Philip Roy

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 26, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-61856

Sampling date: October 13, 2010
Sampling hour: N/D
Date received: October 14, 2010
Sampling location: STP-OUT
Sampled by: Jessica Fang
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	145 000 CFU/ml	M-BHAA-1,0	October 14, 2010
Fecal coliforms	330 CFU/100ml	M-COLI-1,0	October 14, 2010
Total coliforms	2 900 CFU/100ml	M-COLI-2,0	October 14, 2010
Atypical colonies	12 700 CFU/100ml	M-COLI-2,0	October 14, 2010
Temperature	11.2 °C	M-TEMP-1.0	October 14, 2010

Reported on: October 18, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62041

Sampling date: October 18, 2010
Sampling hour: N/D
Date received: October 19, 2010
Sampling location: STP-OUT
Sampled by: M. Theriault/P. Roy
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Temperature	12.7 °C	M-TEMP-1.0	October 19, 2010
Fecal coliforms	< 10 CFU/100ml	M-COLI-1,0	October 20, 2010
AAHB	300 CFU/ml	M-BHAA-1,0	October 20, 2010
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	October 20, 2010
Atypical colonies	< 100 CFU/100ml	M-COLI-2,0	October 20, 2010

Reported on: November 02, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62226

Sampling date: October 25, 2010
Sampling hour: 05:15
Date received: October 27, 2010
Sampling location: STP-OUT
Sampled by: M. Theriault/P. Roy
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	100 CFU/ml	M-BHAA-1,0	October 27, 2010
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	October 27, 2010
Total coliforms	100 CFU/100ml	M-COLI-2,0	October 27, 2010
Atypical colonies	< 100 CFU/100ml	M-COLI-2,0	October 27, 2010
Temperature	10.1 °C	M-TEMP-1.0	October 27, 2010

Reported on: November 01, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11629

Sampling date: October 25, 2010
Sampling hour: 05:15
Date received: October 26, 2010
Sampling location: STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	27.1 mg N/L	Sous-traitance\Multilab Direct	October 27, 2010
BOD-5	4 mg/L	Sous-traitance\Multilab Direct	November 01, 2010
COD	54 mg/L	Sous-traitance\Multilab Direct	October 29, 2010
Total Suspended Solids	7 mg/L	M-SOLI-1.0	October 27, 2010
Nitrite-Nitrate	49.5 mg N/L	Sous-traitance\Multilab Direct	October 28, 2010
pH	3.76	M-PH-2.0	October 26, 2010
Total Phosphorus (P)	14.5 mg P/L	Sous-traitance\Multilab Direct	October 29, 2010

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11629

Sampling date: October 25, 2010
Sampling hour: 05:15
Date received: October 26, 2010
Sampling location: STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11629
Sampling date: October 25, 2010
Sampling hour: 05:15
Date received: October 26, 2010
Sampling location: STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0704-2010-NH3	1.9	1.58 - 2.14		
BOD-5 mg/L	<1	DMR-0704-2010-7	221	154 - 286		
COD mg/L	<2	DMR-0704-2010-9	317	255 - 403		
Total Suspended Solids mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	MR-0704-2010-NO2-NC	8.9	7.53 - 10.19		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.01	DMR-0704-2010-Ptot	1.7	1.62 - 2.20	14.5	14.2

Reported on: November 01, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-61432

Sampling date: September 27, 2010
Sampling hour: N/D
Date received: September 29, 2010
Sampling location: STP-OUT
Sampled by: P. Roy/M. Theriault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	56 000 CFU/ml	M-BHAA-1,0	September 29, 2010
Fecal coliforms	152 CFU/100ml	M-COLI-1,0	September 29, 2010
Total coliforms	1 200 CFU/100ml	M-COLI-2,0	September 29, 2010
Atypical colonies	6 000 CFU/100ml	M-COLI-2,0	September 29, 2010
Temperature	11.4 °C	M-TEMP-1.0	September 29, 2010

Reported on: October 04, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: November 02, 2010

Sampled by: P.Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0704-2010-NH3	1.9	1.58 - 2.14	28.9	29.1
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0704-2010-NH3	1.9	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0704-2010-7	227	154 - 286		
DCO mg/L	<2	DMR-0704-2010-9	324	255 - 403		
M.E.S. mg/L	<1	STD-MES-11-08-2009	237	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0704-2010-NO2-NC	8.7	7.53 - 10.19		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.08	DMR-0704-2010-P tot	2.1	1.62 - 2.20	16.1	16.9
Phosphore total (P) mg P/L	<0.08	DMR-0704-2010-P tot	2.1	1.62 - 2.20		

Reported on: November 08, 2010
 Lab number: 11769:11770

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62464

Sampling date: November 01, 2010
Sampling hour: N/D
Date received: November 03, 2010
Sampling location: STP-OUT
Sampled by: P. Roy
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	20 CFU/ml	M-BHAA-1,0	November 03, 2010
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	November 03, 2010
Total coliforms	< 10 CFU/100ml	M-COLI-2,0	November 03, 2010
Atypical colonies	< 10 CFU/100ml	M-COLI-2,0	November 03, 2010
Temperature	9.0 °C	M-TEMP-1.0	November 03, 2010

Reported on: November 08, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 02, 2010

Sampled by: P.Roy

Matrix: Waste Water

Lab number:	11769	11770
Sample name:	BB STP-OUT	LJ STP-OUT
Sampling date:	01-11-2010	01-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	28.9	46.2
BOD-5 mg/L	2	30
COD mg/L	47	95
Total Suspended Solids mg/L	9	39
Nitrite-Nitrate mg N/L	46.7	37.2
pH	3.75	7.08
Total Phosphorus (P) mg P/L	16.1	16.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 08, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62621

Sampling date: November 08, 2010
Sampling hour: N/D
Date received: November 10, 2010
Sampling location: BB STP-OUT
Sampled by: P. Roy
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	12 CFU/ml	M-BHAA-1,0	November 10, 2010
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	November 10, 2010
Total coliforms	20 CFU/100ml	M-COLI-2,0	November 10, 2010
Atypical colonies	< 10 CFU/100ml	M-COLI-2,0	November 10, 2010
Temperature	9.2 °C	M-TEMP-1.0	November 10, 2010

Reported on: November 15, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 09, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11870	11871
Sample name:	BB STP-OUT	LJ STP-OUT
Sampling date:	08-11-2010	08-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	28.9	34.9
BOD-5 mg/L	3	30
COD mg/L	40	138
Total Suspended Solids mg/L	7	32
Nitrite-Nitrate mg N/L	46.2	34.1
pH	3.63	6.89
Total Phosphorus (P) mg P/L	15.8	15.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 15, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62831

Sampling date: November 15, 2010
Sampling hour: N/D
Date received: November 17, 2010
Sampling location: BB STP-OUT
Sampled by: P. Roy
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 120 CFU/ml	M-BHAA-1,0	November 17, 2010
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	November 17, 2010
Total coliforms	30 CFU/100ml	M-COLI-2,0	November 17, 2010
Atypical colonies	10 CFU/100ml	M-COLI-2,0	November 17, 2010
Temperature	9.4 °C	M-TEMP-1.0	November 17, 2010

Reported on: November 22, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 16, 2010

Sampled by: P.Roy

Matrix: Waste Water

Lab number:	11935	11936
Sample name:	BB STP-OUT	LJ STP-OUT
Sampling date:	15-11-2010	15-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	22.5	26.0
BOD-5 mg/L	2	41
COD mg/L	48	84
Total Suspended Solids mg/L	8	46
Nitrite-Nitrate mg N/L	42.0	29.0
pH	3.82	6.50
Total Phosphorus (P) mg P/L	16.0	14.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 22, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 16, 2010

Sampled by: P.Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0704-2010-NH3	1.9	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0781-2010-7	226	171 - 270		
DCO mg/L	<2	DMR-0704-2010-9	301	255 - 403		
M.E.S. mg/L	<1	STD-MES-11-08-2009	247	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0704-2010-NO2-NC	8.4	7.53 - 10.19		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.08	DMR-0704-2010-P tot	2.0	1.62 - 2.20	16.0	16.4
Phosphore total (P) mg P/L	<0.08	DMR-0704-2010-P tot	2.0	1.62 - 2.20		

Reported on: November 22, 2010
Lab number: 11935:11936

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-62950

Sampling date: November 22, 2010
Sampling hour: N/D
Date received: November 24, 2010
Sampling location: BB STP-OUT
Sampled by: S. Gaudreault
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	21 CFU/ml	M-BHAA-1,0	November 24, 2010
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	November 24, 2010
Total coliforms	<10 CFU/100ml	M-COLI-2,0	November 24, 2010
Atypical colonies	<10 CFU/100ml	M-COLI-2,0	November 24, 2010
Temperature	10.9 °C	M-TEMP-1.0	November 24, 2010

Reported on: December 06, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Lab number:	11974	11975
Sample name:	BB STP-OUT	LJ STP-OUT
Sampling date:	22-11-2010	22-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	22.6	19.0
BOD-5 mg/L	2	20
COD mg/L	46	99
Total Suspended Solids mg/L	6	33
Nitrite-Nitrate mg N/L	42.7	32.5
pH	3.88	6.31
Total Phosphorus (P) mg P/L	15.0	16.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Lab number:	11974	11975
Sample name:	BB STP-OUT	LJ STP-OUT
Sampling date:	22-11-2010	22-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	22.6	19.0
BOD-5 mg/L	2	20
COD mg/L	46	99
Total Suspended Solids mg/L	6	33
Nitrite-Nitrate mg N/L	42.7	32.5
pH	3.88	6.31
Total Phosphorus (P) mg P/L	15.0	16.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 23, 2010

Sampled by: S.Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 30, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-63102

Sampling date: November 29, 2010
Sampling hour: N/D
Date received: December 01, 2010
Sampling location: BB STP-OUT
Sampled by: P. Roy/J. Kataluk
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	21 CFU/ml	M-BHAA-1,0	December 01, 2010
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	December 01, 2010
Total coliforms	<10 CFU/100ml	M-COLI-2,0	December 01, 2010
Atypical colonies	<10 CFU/100ml	M-COLI-2,0	December 01, 2010
Temperature	10.7 °C	M-TEMP-1.0	December 01, 2010

Reported on: December 06, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Lab number:	12020	12021	12022	12023
Sample name:	STP-IN	BB STP-OUT	LJ(1) STP-OUT	LJ(2) STP-OUT
Sampling date:	29-11-2010	29-11-2010	29-11-2010	29-11-2010
Ammonia (NH ₃ -NH ₄) mg N/L	133	30.3	32.8	30.4
BOD-5 mg/L	243	5	14	20
COD mg/L	500	43	69	86
Total Suspended Solids mg/L	160	8	19	29
Nitrite-Nitrate mg N/L	<0.01	47.9	38.9	23.8
pH	7.84	3.65	6.71	7.00
Total Phosphorus (P) mg P/L	15.3	14.3	15.2	16.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 06, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 06, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 30, 2010

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0781-2010-7	192	171 - 270	
DCO mg/L	<2	DMR-0781-2010-9	320	255 - 403	
M.E.S. mg/L	<1	STD-MES-11-08-2009	245	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0781-2010-NO2-NC	8.4	7.53 - 10.19	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	2.1	1.68 - 2.14	

Reported on: December 06, 2010
Lab number: 12020:12023

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-63328

Sampling date: December 06, 2010
Sampling hour: N/D
Date received: December 07, 2010
Sampling location: BB STP-OUT
Sampled by: P. Roy/R. Gamez
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	18 CFU/ml	M-BHAA-1,0	December 08, 2010
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	December 08, 2010
Total coliforms	<10 CFU/100ml	M-COLI-2,0	December 08, 2010
Atypical colonies	<10 CFU/100ml	M-COLI-2,0	December 08, 2010
Temperature	8.5 °C	M-TEMP-1.0	December 07, 2010

Reported on: December 13, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14	31.0	31.8
DBO5 mg/L	<1	DMR-0781-2010-7	205	171 - 270		
DCO mg/L	<2	DMR-0781-2010-9	323	255 - 403	54	56
DCO mg/L	<2	DMR-0781-2010-9	323	255 - 403		
M.E.S. mg/L	<1	STD-MES-11-08-2009	217	194 - 306		
M.E.S. mg/L	<1					
Nitrites-Nitrates mg N/L	<0.01	MR-0781-2010-NO2-NC	8.3	7.53 - 10.19		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.9	1.68 - 2.14		
Turbidité UTN		DMR-0781-2010-Turbidit	5.3	5.10 - 6.90		

Reported on: December 14, 2010

Lab number: 12040,12064,12066,12097,12098

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Lab number:	12040	12064	12065	12066	12097	12098
Sample name:	DD-FD1 (MM2)	BB STP-OUT	LJ(1) STP-OUT	LJ(2) STP-OUT	DD-WTP-01	DD-TPL-01
Sampling date:	01-12-2010	06-12-2010	06-12-2010	06-12-2010	08-12-2010	08-12-2010
Daphnia Magna		---	---	---	---	---
- Toxic unit	<1	---	---	---	---	---
- CL50 à 48 heures % v/v	>100	---	---	---	---	---
Rainbow trout		---	---	---	---	---
- Toxic unit	<1	---	---	---	---	---
- CL-50 à 96 heures % v/v	>100	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	25.2	31.0	30.8	---	---
BOD-5 mg/L	---	2	22	28	---	---
COD mg/L	---	39	54	61	---	---
Total Suspended Solids mg/L	---	7	16	6	4	2
Nitrite-Nitrate mg N/L	---	44.5	42.7	44.1	---	---
pH	---	3.72	5.56	5.79	---	5.61
Total Phosphorus (P) mg P/L	---	15.5	13.5	14.2	---	---
Turbidity NTU	---	---	---	---	1.1	0.35

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 09, 2010

Sampled by: P.Roy/J.Katakuk/R.Gamez

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 14, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-63555

Sampling date: December 13, 2010
Sampling hour: N/D
Date received: December 14, 2010
Sampling location: BB STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: BB STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	102 CFU/ml	M-BHAA-1,0	December 15, 2010
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	December 15, 2010
Total coliforms	<10 CFU/100ml	M-COLI-2,0	December 15, 2010
Atypical colonies	<10 CFU/100ml	M-COLI-2,0	December 15, 2010
Temperature	11.9 °C	M-TEMP-1.0	December 14, 2010

Reported on: December 20, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Lab number:	12122	12123	12124	12125
Sample name:	BB STP-OUT	STP-IN	LJ(1) STP-OUT	LJ(2) STP-OUT
Sampling date:	13-12-2010	13-12-2010	13-12-2010	13-12-2010
Ammonia (NH ₃ -NH ₄) mg N/L	19.4	135	34.0	34.2
BOD-5 mg/L	1	257	10	15
COD mg/L	57	859	123	75
Total Suspended Solids mg/L	19	172	62	50
Nitrite-Nitrate mg N/L	38.1	<0.01	34.0	40.3
pH	3.53	7.68	5.99	5.95
Total Phosphorus (P) mg P/L	13.3	13.8	13.2	12.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 20, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 14, 2010

Sampled by: Martin T

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0781-2010-7	222	171 - 270		
DCO mg/L	<2	DMR-0781-2010-9	321	255 - 403		
M.E.S. mg/L	<1					
Nitrites-Nitrates mg N/L	<0.01	MR-0781-2010-NO2-NC	8.2	7.53 - 10.19		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.9	1.68 - 2.14		
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.9	1.68 - 2.14	13.8	12.3

Reported on: December 20, 2010
Lab number: 12122:12125

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-63601
Sampling date: December 20, 2010
Sampling hour: N/D
Date received: December 20, 2010
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	>500 CFU/ml	M-BHAA-1,0	December 20, 2010
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	December 20, 2010
Total coliforms	4800 CFU/100ml	M-COLI-2,0	December 20, 2010
Atypical colonies	7700 CFU/100ml	M-COLI-2,0	December 20, 2010
Temperature	17.7 °C	M-TEMP-1.0	December 20, 2010

Reported on: December 23, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 21, 2010

Sampled by: Martin T.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.0	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0781-2010-7	246	171 - 270	
DCO mg/L	<1	DMR-0781-2010-9	311	255 - 403	
M.E.S. mg/L	<1	STD-MES	277	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0781-2010-NO2-NC	8.8	7.53 - 10.19	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.8	1.68 - 2.14	

Reported on: December 29, 2010
Lab number: 12189:12191

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 21, 2010

Sampled by: Martin T.

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 29, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 21, 2010

Sampled by: Martin T.

Matrix: Waste Water

Lab number:	12189	12190	12191
Sample name:	Seprotech STP-OUT	LJ(1) STP-OUT	LJ(2) STP-OUT
Sampling date:	20-12-2010	20-12-2010	20-12-2010
Ammonia (NH ₃ -NH ₄) mg N/L	12.0	25.0	23.9
BOD-5 mg/L	3	25	20
COD mg/L	46	100	90
Total Suspended Solids mg/L	14	76	68
Nitrite-Nitrate mg N/L	27.6	38.0	39.0
pH	3.77	5.57	4.84
Total Phosphorus (P) mg P/L	12.0	12.2	11.7

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: December 29, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: December 30, 2010

Sampled by: P. Roy / S. Tapp

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.00	1.58 - 2.14	21.7	21.7
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0781-2010-NH3	2.00	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0858-2010-7	233	171 - 270		
DCO mg/L	<2	DMR-0858-2010-9	300	255 - 403		
M.E.S. mg/L	<1	MES-25-11-2010	257	220 - 280		
Nitrites-Nitrates mg N/L	<0.01	MR-0858-2010-NO2-NC	8.20	7.53 - 10.19		
pH		Std pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0781-2010-Ptot	1.90	1.68 - 2.14		

Reported on: January 10, 2011
Lab number: 91379:91380

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: December 30, 2010

Sampled by: Philip Roy / Samuel Tapp

Matrix: Waste Water

Lab number:	91379	91380
Sample name:	STP-OUT	STP-IN
Sampling date:	28-12-2010	28-12-2010
Ammonia (NH ₃ -NH ₄) mg N/L	21.7	124
BOD-5 mg/L	67	268
COD mg/L	374	429
Total Suspended Solids mg/L	91	116
Nitrite-Nitrate mg N/L	35.2	<0.01
pH	6.19	7.38
Total Phosphorus (P) mg P/L	8.9	12.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 10, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: December 30, 2010
Sampled by: Philip Roy / Samuel Tapp
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Ammonia (NH ₃ -NH ₄)	0.05	mg N/L	M-NH ₃ -2.0
BOD-5	1	mg/L	M-DBO-1.0
COD	2	mg/L	M-DCO-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Nitrite-Nitrate	0.01	mg N/L	M-NITR-2.0
pH	N.D.	--	M-PH-2.0
Total Phosphorus (P)	0.05	mg P/L	M-P-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 10, 2011

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-63695
Sampling date: December 28, 2010
Sampling hour: N/D
Date received: December 29, 2010
Sampling location: STP-OUT
Sampled by: P. Roy/S. Tapp
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	>100 CFU/100ml	M-COLI-1,0	December 29, 2010
Temperature	14.8 °C	M-TEMP-1.0	December 29, 2010

* : Analyses des fécaux seulement à cause de l'horaire du temps des fêtes et des temps d'incubation

Reported on: December 30, 2010

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 09, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0704-2010-NH3	1.8	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0704-2010-7	221	154 - 286	
DCO mg/L	<2	DMR-0704-2010-9	332	255 - 403	
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0704-2010-NO2-NC	8.7	7.53 - 10.19	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.08	DMR-0704-2010-P tot	1.7	1.62 - 2.20	

Reported on: November 15, 2010
Lab number: 11870:11871

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 17, 2010

Sampled by: S.G./I.C./S.A.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Acidité mg CaCO ₃ /L					
Alcalinité mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.002				
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.07	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	6.8	5.27 - 7.13	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05				
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.6	2.0 - 2.8	
Chlorure (Cl) mg/L	<0.5				
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.8	47 - 59	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0488-2010-2	1.50	1.41 - 1.91	
Cyanures totaux (CNt) mg/L	<0.005				
Dureté mg CaCO ₃ /L					
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	<1
M.E.S. mg/L	<1	STD-MES-11-08-2009	248	194 - 306	<1
Nickel (Ni) mg/L	<0.0005				
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.101	0.98 - 1.32	
Nitrates (NO ₃) mg N/L	<0.01				3.5
Nitrites (NO ₂) mg N/L	<0.01	DMR-0488-2010-NO2	2.4	2.0 - 2.6	0.09
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.3	6.0 - 8.2	0.09
Nitrites-Nitrates mg N/L	<0.01				

Reported on: August 24, 2010

Lab number: 10497,10546,10733:10742

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 17, 2010
Sampled by: S.G./I.C./S.A.
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
pH		STD pH 7.00	7.00	6.96 - 7.04		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1					
Sulfate (SO4) mg SO4/L	<1	DMR-0488-2010-SO4	58	47 - 63		
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	415	414 - 620		
Turbidité UTN		DMR-0488-2010-4	5.5	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.2	4.65 - 7.35		
Turbidité UTN		DMR-0488-2010-4	5.2	4.65 - 7.35	6.6	6.6

Reported on: August 24, 2010
Lab number: 10497,10546,10733:10742

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10497	10546	10733	10734	10735	10736	10737	10738
Sample name:	SW2a	Reclaim Pond	DD-WTP-01	DD-WTP-01	DD-WTP-01	BGE-1	BGS-1	BGS-2
Sampling date:	31-07-2010	04-08-2010	13-08-2010	14-08-2010	15-08-2010	14-08-2010	14-08-2010	14-08-2010
Alkalinity mg CaCO ₃ /L	63	---	---	---	---	---	---	---
Dissolved Aluminium (Al) mg/L	<0.01	---	---	---	---	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Arsenic (As) mg/L	0.143	---	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	27.5	---	---	---	---	---	---	---
Dissolved Barium (Ba) mg/L	0.022	---	---	---	---	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	---	---	---	---	---	---	---
Chloride mg/L	264	---	---	---	---	---	---	---
Dissolved Copper (Cu) mg/L	2.16	---	---	---	---	---	---	---
Total Cyanide (CNt) mg/L	0.136	---	---	---	---	---	---	---
Hardness mg CaCO ₃ /L	381	---	---	---	---	---	---	---
Dissolved Iron (Fe) mg/L	0.28	---	---	---	---	---	---	---
Fluoride (F) mg/L	0.4	---	---	---	---	---	---	---
Dissolved Manganese (Mn) mg/L	0.100	---	---	---	---	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	---	---	---	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	0.072	---	---	---	---	---	---	---
Dissolved Nickel (Ni) mg/L	0.050	---	---	---	---	---	---	---
Nitrate (NO ₃) mg N/L	3.5	---	---	---	---	---	---	---
Nitrite (NO ₂) mg N/L	0.09	---	---	---	---	---	---	---
pH	7.63	---	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10497	10546	10733	10734	10735	10736	10737	10738
Sample name:	SW2a	Reclaim Pond	DD-WTP-01	DD-WTP-01	DD-WTP-01	BGE-1	BGS-1	BGS-2
Sampling date:	31-07-2010	04-08-2010	13-08-2010	14-08-2010	15-08-2010	14-08-2010	14-08-2010	14-08-2010
Dissolved Lead (Pb) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Selenium (Se) mg/L	0.009	---	---	---	---	---	---	---
Sulfate (SO4) mg SO4/L	800	---	---	---	---	---	---	---
Thallium dissous (Tl) mg/L	<0.01	---	---	---	---	---	---	---
Turbidity NTU	1.8	---	1.7	0.82	0.84	3.2	6.6	2.5
Dissolved Zinc mg/L	0.010	---	---	---	---	---	---	---
Dissolved Solids mg/L	1178	---	---	---	---	---	---	---
Acidity mg CaCO3/L	7	---	---	---	---	---	---	---
Thiocyanate (SCN) mg SCN/L	107	---	---	---	---	---	---	---
Sulfite (SO3) mg S2O3/L	---	71.2	---	---	---	---	---	---
Thiosulfates (S2O3) mg S2O3/L	---	11.1	---	---	---	---	---	---
Total Suspended Solids mg/L	---	---	13	11	16	<1	8	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10739	10740	10741	10742
Sample name:	BGS-3	BGS-4	BGS-5	BGS-6
Sampling date:	14-08-2010	14-08-2010	14-08-2010	14-08-2010
Alkalinity mg CaCO ₃ /L	---	---	---	---
Dissolved Aluminium (Al) mg/L	---	---	---	---
Dissolved Silver (Ag) mg/L	---	---	---	---
Dissolved Arsenic (As) mg/L	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---	---	---
Dissolved Barium (Ba) mg/L	---	---	---	---
Dissolved Cadmium (Cd) mg/L	---	---	---	---
Chloride mg/L	---	---	---	---
Dissolved Copper (Cu) mg/L	---	---	---	---
Total Cyanide (CNt) mg/L	---	---	---	---
Hardness mg CaCO ₃ /L	---	---	---	---
Dissolved Iron (Fe) mg/L	---	---	---	---
Fluoride (F) mg/L	---	---	---	---
Dissolved Manganese (Mn) mg/L	---	---	---	---
Dissolved Mercury (Hg) mg/L	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	---	---	---	---
Dissolved Nickel (Ni) mg/L	---	---	---	---
Nitrate (NO ₃) mg N/L	---	---	---	---
Nitrite (NO ₂) mg N/L	---	---	---	---
pH	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 17, 2010

Sampled by: SteveG./IsabelleC./StuartA

Matrix: Water

Lab number:	10739	10740	10741	10742
Sample name:	BGS-3	BGS-4	BGS-5	BGS-6
Sampling date:	14-08-2010	14-08-2010	14-08-2010	14-08-2010
Dissolved Lead (Pb) mg/L	---	---	---	---
Dissolved Selenium (Se) mg/L	---	---	---	---
Sulfate (SO4) mg SO4/L	---	---	---	---
Thallium dissous (Tl) mg/L	---	---	---	---
Turbidity NTU	2.8	2.5	2.3	2.5
Dissolved Zinc mg/L	---	---	---	---
Dissolved Solids mg/L	---	---	---	---
Acidity mg CaCO3/L	---	---	---	---
Thiocyanate (SCN) mg SCN/L	---	---	---	---
Sulfite (SO3) mg S2O3/L	---	---	---	---
Thiosulfates (S2O3) mg S2O3/L	---	---	---	---
Total Suspended Solids mg/L	1	2	2	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 17, 2010
Sampled by: SteveG./IsabelleC./StuartA
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Water

Lab number:	10496	10499	10500	10501	10502	10503	10504
Sample name:	SW2b	BGS-2	BGS-3	BGS-4	BGS-5	BGS-6	BGE-1
Sampling date:	31-07-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010
Aluminium (Al) mg/L	0.100	---	---	---	---	---	---
Silver (Ag) mg/L	0.0043	---	---	---	---	---	---
Arsenic (As) mg/L	0.1740	---	---	---	---	---	---
Barium (Ba) mg/L	0.0206	---	---	---	---	---	---
Cadmium (Cd) mg/L	0.00013	---	---	---	---	---	---
Copper (Cu) mg/L	1.890	---	---	---	---	---	---
Iron (Fe) mg/L	<0.01	---	---	---	---	---	---
Manganese (Mn) mg/L	0.0869	---	---	---	---	---	---
Mercury (Hg) mg/L	0.00027	---	---	---	---	---	---
Molybdenum (Mo) mg/L	0.0700	---	---	---	---	---	---
Nickel (Ni) mg/L	0.0557	---	---	---	---	---	---
Lead (Pb) mg/L	<0.0003	---	---	---	---	---	---
Selenium (Se) mg/L	0.006	---	---	---	---	---	---
Thallium (Tl) mg/L	<0.01	---	---	---	---	---	---
Zinc (Zn) mg/L	0.002	---	---	---	---	---	---
Alkalinity mg CaCO ₃ /L	---	16	37	44	46	30	42
Chloride mg/L	---	0.9	0.6	0.9	0.7	0.8	0.7
Conductivity µmhos/cm	---	18	18	18	18	18	18
Hardness mg CaCO ₃ /L	---	5	5	5	5	6	6
Total Suspended Solids mg/L	---	1	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Water

Lab number:	10496	10499	10500	10501	10502	10503	10504
Sample name:	SW2b	BGS-2	BGS-3	BGS-4	BGS-5	BGS-6	BGE-1
Sampling date:	31-07-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010	02-08-2010
Nitrate (NO3) mg N/L	---	0.04	0.05	0.06	0.04	0.06	0.06
Nitrite (NO2) mg N/L	---	<0.01	<0.01	<0.01	<0.01	0.01	<0.01
Ortho-Phosphate (O-PO4) mg P/l	---	0.01	<0.01	0.01	0.01	0.02	0.01
pH	---	5.90	6.05	6.40	6.54	6.66	6.66
Total Phosphorus (P) mg P/L	---	0.11	0.12	0.15	0.15	0.14	0.15
Silice (Si) mg/L	---	0.16	0.18	0.28	0.20	0.18	0.23
Dissolved Solids mg/L	---	12	12	12	12	12	12
Sulfate (SO4) mg SO4/L	---	5	4	5	4	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Conductivity	1	µmhos/cm	M-COND-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 13, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010

Sampled by: MT/PR

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	155	123 - 167	
Alcalinité mg CaCO ₃ /L		std Alk	155	123 - 167	46 45
Chlorure (Cl) mg/L	<0.5				
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.8	47 - 59	0.8 0.8
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.8	47 - 59	
Conductivité µmhos/cm		STD maison KCl	1409	1200 - 1624	
Conductivité µmhos/cm		STD maison KCl	1409	1200 - 1624	18 18
Dureté mg CaCO ₃ /L					
Dureté mg CaCO ₃ /L					5 5
M.E.S. mg/L	<1	STD-MES-11-08-2009	230	194 - 306	
Nitrates (NO ₃) mg N/L	<0.01				
Nitrites (NO ₂) mg N/L	<0.01	DMR-0488-2010-NO ₂	2.4	2.0 - 2.6	
Nitrites-Nitrates mg N/L	<0.01				
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO ₂ -NC	7.3	6.0 - 8.2	0.06 0.07
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO ₂ -NC	7.3	6.0 - 8.2	
Ortho-Phosphate (O-P04) mg P	<0.01				
Ortho-Phosphate (O-P04) mg P	<0.01	DMR-0488-2010-OPO ₄	0.50	0.4 - 0.6	
Ortho-Phosphate (O-P04) mg P	<0.01	DMR-0488-2010-OPO ₄	0.50	0.4 - 0.6	<0.01 <0.01
pH		STD pH 7.00	7.00	6.96 - 7.04	6.54 6.57
pH		STD pH 7.00	7.00	6.96 - 7.04	

Reported on: August 13, 2010
 Lab number: 10496,10499:10504

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2010
Sampled by: MT/PR
Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4		
Phosphore total (P) mg P/L	<0.01	DMR-0488-2010-Ptot	1.3	1.0 - 1.4	0.15	0.16
Phosphore total (P) mg P/L	<0.01					
Silice (Si) mg/L	<0.01				0.18	0.18
Silice (Si) mg/L	<0.01					
Solides dissous mg/L					12	12
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1					
Sulfate (SO4) mg SO4/L	<1	DMR-0488-2010-SO4	58	47 - 63		

Reported on: August 13, 2010
Lab number: 10496,10499:10504

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10591

Sampling date: August 09, 2010
Sampling hour: 08:00
Date received: August 10, 2010
Sampling location: Reclaim Pond
Sampled by: M.Theriault/P.Roy/S.Doire
Matrix: Waste Water
Sample name: Reclaim Pond

Parameter	Result	Method name	Date analyzed
Acidity	9 mg CaCO ₃ /L	M-ACID-2.0	August 10, 2010
Alkalinity	55 mg CaCO ₃ /L	M-ALCA-2.0	August 10, 2010
Calcium (Ca)	255 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Magnesium (Mg)	8.7 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
pH	7.34	M-PH-2.0	August 10, 2010
Sulfite (SO ₃)	116 mg S ₂ O ₃ /L	Sous-traitance\Multilab Direct	August 13, 2010
Thiocyanate (SCN)	133 mg SCN/L	Sous-traitance\Multilab Direct	August 23, 2010
Thiosulfates (S ₂ O ₃)	53.0 mg S ₂ O ₃ /L	Sous-traitance\Multilab Direct	August 18, 2010
Thallium dissous (Tl)	<0.01 mg/L	Sous-traitance\Maxxam	August 13, 2010
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Arsenic (As)	0.152 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Barium (Ba)	0.026 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Copper (Cu)	2.12 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Iron (Fe)	0.11 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Manganese (Mn)	0.063 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Molybdenum (Mo)	0.064 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Nickel (Ni)	0.043 mg/L	Sous-traitance\Multilab Direct	August 11, 2010

Reported on: August 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10591

Sampling date: August 09, 2010
Sampling hour: 08:00
Date received: August 10, 2010
Sampling location: Reclaim Pond
Sampled by: M.Theriault/P.Roy/S.Doire
Matrix: Waste Water
Sample name: Reclaim Pond

Parameter	Result	Method name	Date analyzed
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Selenium (Se)	0.008 mg/L	Sous-traitance\Multilab Direct	August 11, 2010
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	August 11, 2010

Reported on: August 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10591
Sampling date: August 09, 2010
Sampling hour: 08:00
Date received: August 10, 2010
Sampling location: Reclaim Pond
Sampled by: M. Theriault/P. Roy/S. Doire
Matrix: Waste Water
Sample name: Reclaim Pond

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Acidity mg CaCO ₃ /L					
Alkalinity mg CaCO ₃ /L		std Alk	147	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	EU DMR-0488-10-18	6.9	5.27 - 7.13	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	EU DMR-0488-10-18	0.284	0.248 - 0.392	
Dissolved Barium (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.46	1.91 - 2.59	
Dissolved Cadmium (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.857	0.708 - 0.958	
Calcium (Ca) mg/L	<0.03	EU DMR-0488-10-18	11.9	9.2 - 12.4	
Dissolved Copper (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.38	1.04 - 1.40	
Dissolved Iron (Fe) mg/L	<0.05	EU DMR-0488-10-18	11.6	8.8 - 12.0	
Magnesium (Mg) mg/L	<0.02	EU DMR-0488-10-18	11.6	9.1 - 12.3	
Dissolved Manganese (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.97	3.20 - 4.32	
Dissolved Mercury (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0568	0.0405 - 0.0639	
Dissolved Molybdenum (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.595	0.562 - 0.760	
Dissolved Nickel (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.32	0.98 - 1.32	
pH		STD pH 7.00	6.96	6.96 - 7.04	
Dissolved Lead (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.08	0.819 - 1.109	
Dissolved Selenium (Se) mg/L	<0.005	EU DMR-0488-10-18	1.43	1.21 - 1.63	
Sulfite (SO ₃) mg S ₂ O ₃ /L	<0.1				
Thiocyanate (SCN) mg SCN/L	<0.17	SCN 517ppm	419	414 - 620	

Reported on: August 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10591
Sampling date: August 09, 2010
Sampling hour: 08:00
Date received: August 10, 2010
Sampling location: Reclaim Pond
Sampled by: M.Theriault/P.Roy/S.Doire
Matrix: Waste Water
Sample name: Reclaim Pond

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Thiosulfates (S203) mg S203/L	<0.13	Thiosulfate 201ppm	164	141 - 261	
Dissolved Zinc mg/L	<0.005	EU DMR-0488-10-18	5.16	3.83 - 5.19	

Reported on: August 31, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Acidité mg CaCO ₃ /L					
Alcalinité mg CaCO ₃ /L		std Alk	160	123 - 167	
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	7.13	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	6.6	5.27 - 7.13	
Argent (Ag) mg/L	<0.0005				
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392	
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3119	0.248 - 0.392	
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.310	0.248 - 0.392	
Baryum (Ba) mg/L	<0.0005	EU DMR-0488-10-18	2.126	1.91 - 2.59	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.11	1.91 - 2.59	
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.78596	0.708 - 0.958	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.831	0.708 - 0.958	
Calcium (Ca) mg/L	<0.03	EU DMR-0488-10-18	12.4	9.2 - 12.4	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.367	1.04 - 1.40	
Cuivre (Cu) mg/L	<0.0005				
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.29	1.04 - 1.40	
Cyanures disponibles (CNd) mg	<0.005				
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3	

Reported on: September 09, 2010

Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.5	15.7 - 21.3	
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.8	8.8 - 12.0	
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	10.6	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	
Magnésium (Mg) mg/L	<0.02	EU DMR-0488-10-18	12.3	9.1 - 12.3	
Manganèse (Mn) mg/L	<0.0005	EU DMR-0488-10-18	3.684	3.20 - 4.32	
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.48	3.20 - 4.32	
Mercuré (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-18	0.04665	0.0405 - 0.0639	
Mercuré dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0629	0.0405 - 0.0639	
Molybdène (Mo) mg/L	<0.0005	EU DMR-0488-10-18	0.5892	0.562 - 0.760	
Molybdène dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.632	0.562 - 0.760	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.179	0.98 - 1.32	
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32	
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.15	0.98 - 1.32	
pH		STD pH 7.00	7.03	6.96 - 7.04	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109	
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.100	0.819 - 1.109	
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.05	0.819 - 1.109	
Sélénium (Se) mg/L	<0.001	EU DMR-0488-10-18	1.52	1.21 - 1.63	

Reported on: September 09, 2010
Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.35	1.21 - 1.63	
Sulfites (SO3) mg S2O3/L	<0.1				
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	419	414 - 620	
Thiosulfates (S2O3) mg S2O3/L	<0.13	Thiosulfate 201ppm	169	141 - 261	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	4.07	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	5.08	3.83 - 5.19	

Reported on: September 09, 2010
Lab number: 10768,10961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Acidity mg CaCO ₃ /L	10	---
Alkalinity mg CaCO ₃ /L	58	---
Aluminium (Al) mg/L	0.240	---
Dissolved Aluminium (Al) mg/L	0.03	---
Silver (Ag) mg/L	0.0045	---
Dissolved Silver (Ag) mg/L	<0.005	---
Arsenic (As) mg/L	0.1057	<0.0005
Dissolved Arsenic (As) mg/L	0.087	---
Barium (Ba) mg/L	0.0201	---
Dissolved Barium (Ba) mg/L	0.020	---
Cadmium (Cd) mg/L	0.00011	---
Dissolved Cadmium (Cd) mg/L	<0.005	---
Calcium (Ca) mg/L	225	---
Copper (Cu) mg/L	1.431	0.0010
Dissolved Copper (Cu) mg/L	1.07	---
Cyanide W.A.D. mg/L	0.077	---
Total Cyanide (CNt) mg/L	0.475	<0.005
Iron (Fe) mg/L	0.83	---
Dissolved Iron (Fe) mg/L	0.30	---
Magnesium (Mg) mg/L	5.5	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Manganese (Mn) mg/L	0.0488	---
Dissolved Manganese (Mn) mg/L	0.045	---
Mercury (Hg) mg/L	0.00028	---
Dissolved Mercury (Hg) mg/L	<0.0005	---
Molybdenum (Mo) mg/L	0.0733	---
Dissolved Molybdenum (Mo) mg/L	0.073	---
Nickel (Ni) mg/L	0.0294	0.0055
Dissolved Nickel (Ni) mg/L	0.026	---
Dissolved oxygen mg/L	8.26	---
pH	7.47	6.36
Lead (Pb) mg/L	0.0014	<0.0003
Dissolved Lead (Pb) mg/L	<0.005	---
Selenium (Se) mg/L	0.007	---
Dissolved Selenium (Se) mg/L	<0.005	---
Sulfite (SO3) mg S2O3/L	116	---
Thallium (Tl) mg/L	<0.01	---
Dissolved thallium (Tl) mg/L	<0.01	---
Thiocyanate (SCN) mg SCN/L	146	---
Thiosulfates (S2O3) mg S2O3/L	12.5	---
Zinc (Zn) mg/L	0.005	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2010

Sampled by: MT/PR/SD

Matrix: Waste Water

Lab number:	10768	10961
Sample name:	Reclaim Pond	MMER
Sampling date:	16-08-2010	01-09-2010
Dissolved Zinc mg/L	0.005	---
Total Suspended Solids mg/L	---	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 02, 2010
Sampled by: MT/PR/SD
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Cyanide W.A.D.	0.005	mg/L	M-CN-1.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10796

Sampling date: August 18, 2010
Sampling hour: 08:00
Date received: August 19, 2010
Sampling location: SW2a
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water
Sample name: SW2a

Parameter	Result	Method name	Date analyzed
Acidity	6 mg CaCO ₃ /L	M-ACID-2.0	August 19, 2010
Alkalinity	58 mg CaCO ₃ /L	M-ALCA-2.0	August 19, 2010
Dissolved Aluminium (Al)	0.05 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Arsenic (As)	0.089 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Ammonia (NH ₃ -NH ₄)	24.8 mg N/L	Sous-traitance\Multilab Direct	August 23, 2010
Dissolved Barium (Ba)	0.019 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Chloride	294 mg/L	Sous-traitance\Multilab Direct	August 25, 2010
Dissolved Copper (Cu)	1.17 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Hardness	565 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Iron (Fe)	0.21 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Fluoride (F)	0.5 mg/L	Sous-traitance\Multilab Direct	August 20, 2010
Dissolved Manganese (Mn)	0.050 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Molybdenum (Mo)	0.072 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Nickel (Ni)	0.109 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Nitrate (NO ₃)	3.9 mg N/L	Sous-traitance\Multilab Direct	August 26, 2010
Nitrite (NO ₂)	0.12 mg N/L	Sous-traitance\Multilab Direct	August 26, 2010
pH	7.60	M-PH-2.0	August 19, 2010

Reported on: August 30, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10796

Sampling date: August 18, 2010
Sampling hour: 08:00
Date received: August 19, 2010
Sampling location: SW2a
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water
Sample name: SW2a

Parameter	Result	Method name	Date analyzed
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Selenium (Se)	0.010 mg/L	Sous-traitance\Multilab Direct	August 24, 2010
Dissolved Solids	1180 mg/L	M-SOLI-2.0	August 19, 2010
Sulfate (SO4)	1380 mg SO4/L	Sous-traitance\Multilab Direct	August 24, 2010
Thallium dissous (Tl)	<0.01 mg/L	Sous-traitance\Maxxam	August 24, 2010
Turbidity	17.5 NTU	Sous-traitance\Multilab Direct	August 20, 2010
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	August 24, 2010

Reported on: August 30, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10796

Sampling date: August 18, 2010
Sampling hour: 08:00
Date received: August 19, 2010
Sampling location: SW2a
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water
Sample name: SW2a

Parameter	Detection limit		Method name
	Valeur	Unité	
Acidity	2 mg	CaCO ₃ /L	M-ACID-2.0
Alkalinity	2 mg	CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1 mg/L		M-SOLI-2.0

Reported on: August 30, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10796
Sampling date: August 18, 2010
Sampling hour: 08:00
Date received: August 19, 2010
Sampling location: SW2a
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water
Sample name: SW2a

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Acidity mg CaCO ₃ /L					
Alkalinity mg CaCO ₃ /L		std Alk	160	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	EU DMR-0488-10-18	0.307	0.248 - 0.392	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0488-2010-NH3	2.1	2.0 - 2.8	24.8 24.2
Dissolved Barium (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.06	1.91 - 2.59	
Dissolved Cadmium (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.799	0.708 - 0.958	
Chloride mg/L	<0.5	DMR-0488-2010-Cl	55.5	47 - 59	
Dissolved Copper (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.40	1.04 - 1.40	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	EU DMR-0488-10-18	12.0	8.8 - 12.0	
Fluoride (F) mg/L	<0.1	DMR-0444-2010-F	1.5	1.44 - 1.68	
Dissolved Manganese (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.98	3.20 - 4.32	
Dissolved Mercury (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0619	0.0405 - 0.0639	
Dissolved Molybdenum (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.590	0.562 - 0.760	
Dissolved Nickel (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.16	0.98 - 1.32	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6	
pH		STD pH 7.00	7.01	6.96 - 7.04	

Reported on: August 30, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10796
Sampling date: August 18, 2010
Sampling hour: 08:00
Date received: August 19, 2010
Sampling location: SW2a
Sampled by: S.Tapp/S.Allen
Matrix: Waste Water
Sample name: SW2a

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Lead (Pb) mg/L	<0.005	EU DMR-0488-10-18	0.864	0.819 - 1.109		
Dissolved Selenium (Se) mg/L	<0.005	EU DMR-0488-10-18	1.41	1.21 - 1.63		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0488-2010-SO4	55	47 - 63	1380	1372
Turbidity UTN		DMR-0488-2010-4	4.9	4.65 - 7.35		
Dissolved Zinc mg/L	<0.005	EU DMR-0488-10-18	4.66	3.83 - 5.19		

Reported on: August 30, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Acidité mg CaCO ₃ /L						
Alcalinité mg CaCO ₃ /L		std Alk	160	123 - 167		
Alcalinité mg CaCO ₃ /L		std Alk	149	123 - 167		
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.96	5.27 - 7.13		
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.57	5.27 - 7.13		
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13		
Argent dissous (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3264	0.248 - 0.392		
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.294	0.248 - 0.392		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.2	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0572-2010-NH3	2.3	2.0 - 2.8		
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.16	1.91 - 2.59		
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.79099	0.708 - 0.958		
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.793	0.708 - 0.958		
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.7	47 - 59		
Conductivité µmhos/cm		STD maison KCl	1594	1200 - 1624		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.322	1.04 - 1.40		
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.30	1.04 - 1.40		
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	16.1	15.7 - 21.3		
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	17.1	15.7 - 21.3		

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
 Sampled by: Philip Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dureté mg CaCO ₃ /L						
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	11.9	8.8 - 12.0		
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	12.0	8.8 - 12.0		
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68		
M.E.S. mg/L	<1	STD-MES-11-08-2009	240	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	239	194 - 306		
M.E.S. mg/L	<1	STD-MES-11-08-2009	252	194 - 306	<1	<1
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.64	3.20 - 4.32		
Mercuré (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-18	0.04692	0.0405 - 0.0639		
Mercuré dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-18	0.0492	0.0405 - 0.0639		
Molybdène dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.562	0.562 - 0.760		
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.318	0.98 - 1.32		
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.24	0.98 - 1.32		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6		
pH		STD pH 7.00	7.00	6.96 - 7.04		
pH		STD pH 7.00	7.03	6.96 - 7.04		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	1.051	0.819 - 1.109		
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	0.905	0.819 - 1.109		

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2010
 Sampled by: Philip Roy
 Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Radium (RA 226) Becquerels	<0.003	STD 0.050	0.048	0.039 - 0.061	
Radium (RA 226) Becquerels		STD 0.100	0.091	0.078 - 0.123	
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.36	1.21 - 1.63	
Solides dissous mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	58	47 - 63	1003 1024
Thiocyanates (SCN) mg SCN/L	<0.17	SCN 517ppm	456	414 - 620	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	
Turbidité UTN		MR-0572-2010-Turbidit	5.2	5 - 7	0.88 0.90
Turbidité UTN		DMR-0488-2010-4	4.8	4.65 - 7.35	
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.14	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	4.70	3.83 - 5.19	

Reported on: September 20, 2010

Lab number: 10850,10955,11085:11089,11120:11122

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Acidity mg CaCO ₃ /L	9	---	---	---	---	---	---	---
Alkalinity mg CaCO ₃ /L	61	5	---	---	---	---	---	---
Dissolved Aluminium (Al) mg/L	0.02	---	---	---	---	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Arsenic (As) mg/L	0.075	---	---	---	---	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	13.7	0.06	---	---	---	---	---	---
Dissolved Barium (Ba) mg/L	0.022	---	---	---	---	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	---	---	---	---	---	---	---
Chloride mg/L	281	---	---	---	---	---	---	---
Dissolved Copper (Cu) mg/L	1.35	---	---	---	---	---	---	---
Hardness mg CaCO ₃ /L	611	5	---	---	---	---	---	---
Dissolved Iron (Fe) mg/L	0.27	---	---	---	---	---	---	---
Fluoride (F) mg/L	0.54	---	---	---	---	---	---	---
Dissolved Manganese (Mn) mg/L	0.089	---	---	---	---	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	---	---	---	---	---	---	---
Dissolved Molybdenum (Mo) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Nickel (Ni) mg/L	0.024	---	---	---	---	---	---	---
Nitrate (NO ₃) mg N/L	3.9	0.05	---	---	---	---	---	---
Nitrite (NO ₂) mg N/L	0.11	---	---	---	---	---	---	---
pH	7.40	5.09	---	---	---	---	6.61	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Dissolved Lead (Pb) mg/L	<0.005	---	---	---	---	---	---	---
Dissolved Selenium (Se) mg/L	0.008	---	---	---	---	---	---	---
Dissolved Solids mg/L	1012	---	---	---	---	---	---	---
Sulfate (SO4) mg SO4/L	1003	---	---	---	---	---	---	---
Dissolved thallium (Tl) mg/L	<0.01	---	---	---	---	---	---	---
Thiocyanate (SCN) mg SCN/L	164	---	---	---	---	---	---	---
Turbidity NTU	2.6	0.36	0.82	0.99	0.88	0.99	1.0	3.2
Dissolved Zinc mg/L	0.008	---	---	---	---	---	---	---
Conductivity µmhos/cm	1518	---	---	---	---	---	---	---
Total Cyanide (CNt) mg/L	0.340	<0.005	---	---	---	---	---	---
Aluminium (Al) mg/L	---	0.018	---	---	---	---	1.10	---
Arsenic (As) mg/L	---	<0.0005	---	---	---	---	---	---
Cadmium (Cd) mg/L	---	<0.00008	---	---	---	---	---	---
Copper (Cu) mg/L	---	<0.0005	---	---	---	---	---	---
Iron (Fe) mg/L	---	<0.01	---	---	---	---	---	---
Total Suspended Solids mg/L	---	<1	7	8	8	7	8	7
Mercury (Hg) mg/L	---	<0.00001	---	---	---	---	---	---
Molybdenum (Mo) mg/L	---	<0.001	---	---	---	---	---	---
Nickel (Ni) mg/L	---	0.0013	---	---	---	---	---	---
Dissolved oxygen mg/L	---	9.72	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	10850	10955	11085	11086	11087	11088	11089	11120
Sample name:	Reclaim Pond	EEM-3 (TPS)	DD-WTP-01	2010-09-10-DUP-1	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	24-08-2010	31-08-2010	10-09-2010	10-09-2010	11-09-2010	12-09-2010	13-09-2010	14-09-2010
Lead (Pb) mg/L	---	0.0069	---	---	---	---	---	---
Radium (Ra 226) Becquerels/L	---	0.003	---	---	---	---	---	---
Zinc (Zn) mg/L	---	<0.001	---	---	---	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Acidity mg CaCO ₃ /L	---	---
Alkalinity mg CaCO ₃ /L	---	---
Dissolved Aluminium (Al) mg/L	---	---
Dissolved Silver (Ag) mg/L	---	---
Dissolved Arsenic (As) mg/L	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	---	---
Dissolved Barium (Ba) mg/L	---	---
Dissolved Cadmium (Cd) mg/L	---	---
Chloride mg/L	---	---
Dissolved Copper (Cu) mg/L	---	---
Hardness mg CaCO ₃ /L	---	---
Dissolved Iron (Fe) mg/L	---	---
Fluoride (F) mg/L	---	---
Dissolved Manganese (Mn) mg/L	---	---
Dissolved Mercury (Hg) mg/L	---	---
Dissolved Molybdenum (Mo) mg/L	---	---
Dissolved Nickel (Ni) mg/L	---	---
Nitrate (NO ₃) mg N/L	---	---
Nitrite (NO ₂) mg N/L	---	---
pH	---	6.23

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2010

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Dissolved Lead (Pb) mg/L	---	---
Dissolved Selenium (Se) mg/L	---	---
Dissolved Solids mg/L	---	---
Sulfate (SO4) mg SO4/L	---	---
Dissolved thallium (Tl) mg/L	---	---
Thiocyanate (SCN) mg SCN/L	---	---
Turbidity NTU	3.3	0.41
Dissolved Zinc mg/L	---	---
Conductivity µmhos/cm	---	---
Total Cyanide (CNt) mg/L	---	---
Aluminium (Al) mg/L	---	---
Arsenic (As) mg/L	---	---
Cadmium (Cd) mg/L	---	---
Copper (Cu) mg/L	---	---
Iron (Fe) mg/L	---	---
Total Suspended Solids mg/L	10	<1
Mercury (Hg) mg/L	---	---
Molybdenum (Mo) mg/L	---	---
Nickel (Ni) mg/L	---	---
Dissolved oxygen mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Lab number:	11121	11122
Sample name:	DD-WTP-01	DD-TPL
Sampling date:	15-09-2010	15-09-2010
Lead (Pb) mg/L	---	---
Radium (Ra 226) Becquerels/L	---	---
Zinc (Zn) mg/L	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Commentaire

Sampling date:

Projet 10955

pas reçu de température pour l'échantillon

not received the sample temperature

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 20, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 16, 2010
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Acidity	2	mg CaCO ₃ /L	M-ACID-2.0
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Conductivity	1	µmhos/cm	M-COND-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Radium (Ra 226)	0.003	Becquerels/L	M-RA-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 20, 2010

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
Alkalinity mg CaCO ₃ /L	73	31	---	---
Dissolved Aluminium (Al) mg/L	0.02	0.10	---	---
Dissolved Silver (Ag) mg/L	0.005	<0.005	---	---
Dissolved Arsenic (As) mg/L	0.107	<0.005	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	33.8	1.0	---	---
Dissolved Barium (Ba) mg/L	0.025	0.025	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005	---	---
Chloride mg/L	338	4.6	---	---
Dissolved Copper (Cu) mg/L	1.57	<0.005	---	---
Total Cyanide (CNt) mg/L	0.250	---	---	---
Hardness mg CaCO ₃ /L	728	61	---	---
Dissolved Iron (Fe) mg/L	<0.05	<0.05	---	---
Fluoride (F) mg/L	0.64	0.25	---	---
Dissolved Manganese (Mn) mg/L	0.062	0.126	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005	---	---
Dissolved Molybdenum (Mo) mg/L	0.10	<0.01	---	---
Dissolved Nickel (Ni) mg/L	0.061	0.007	---	---
Nitrate (NO ₃) mg N/L	3.8	0.8	---	---
Nitrite (NO ₂) mg N/L	0.12	0.09	---	---
Nitrite-Nitrate mg N/L	4.3	1.0	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	11097	11099	11192	11193
Sample name:	SW2a	SW1b	DD-WTP-01	DD-WTP-01
Sampling date:	14-09-2010	14-09-2010	21-09-2010	22-09-2010
pH	7.56	7.07	---	---
Dissolved Lead (Pb) mg/L	0.017	0.009	---	---
Dissolved Selenium (Se) mg/L	0.007	<0.005	---	---
Dissolved Solids mg/L	1190	115	---	---
Sulfate (SO4) mg SO4/L	1255	39	---	---
Dissolved thallium (Tl) mg/L	<0.01	<0.01	---	---
Turbidity NTU	4.0	138	2.7	2.5
Dissolved Zinc mg/L	0.009	0.007	---	---
Total Suspended Solids mg/L	---	---	11	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 27, 2010

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Argent dissous (Ag) mg/L	<0.005				
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.281	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0618-2010-NH3	2.2	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.10	1.91 - 2.59	
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.814	0.708 - 0.958	
Chlorure (Cl) mg/L	<0.5	DMR-0572-2010-CL	57.9	47 - 59	
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.31	1.04 - 1.40	
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	16.6	15.7 - 21.3	
Dureté mg CaCO ₃ /L					
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	9.1	8.8 - 12.0	
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68	
M.E.S. mg/L	<1	STD-MES-11-08-2009	253	194 - 306	
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.72	3.20 - 4.32	
Mercure dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0501	0.0405 - 0.0639	
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.17	0.98 - 1.32	
Nitrites (NO ₂) mg N/L	<0.01	DMR-0572-2010-NO2	2.4	2.0 - 2.6	
Nitrites-Nitrates mg N/L	<0.01	MR-0572-2010-NO2-NC	7.0	6.0 - 8.2	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: September 27, 2010

Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2010
Sampled by: Martin Theriault
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.10	0.819 - 1.109		
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.48	1.21 - 1.63		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0572-2010-SO4	55	47 - 63		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7		
Turbidité UTN		MR-0618-2010-Turbidit	5.8	4.65 - 7.35		
Turbidité UTN		MR-0572-2010-Turbidit	5.4	5 - 7	138	133
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	5.14	3.83 - 5.19		

Reported on: September 27, 2010
Lab number: 11097,11099,11192:11193

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Cyanures totaux (CNT) mg/L	<0.005	dmr-0473-2010-1	17.7	15.7 - 21.3	
M.E.S. mg/L	<1	STD-MES-11-08-2009	242	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		MR-0618-2010-Turbidit	5.8	4.65 - 7.35	

Reported on: September 23, 2010
Lab number: 11172:11174,11176

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2010

Sampled by: N.D.

Matrix: Water

Lab number:	11172	11173	11174	11176
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	Reclaim Pond
Sampling date:	17-09-2010	18-09-2010	19-09-2010	20-09-2010
Total Suspended Solids mg/L	8	14	8	---
pH	6.73	6.80	6.92	---
Turbidity NTU	1.9	2.6	1.6	---
Total Cyanide (CNT) mg/L	---	---	---	0.600

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2010

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 21, 2010
Sampled by: N.D.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2010

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11603

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: SW2a
Sampled by: Martin Theriault Philip Roy
Matrix: Waste Water
Sample name: SW2a

Parameter	Result	Method name	Date analyzed
Alkalinity	79 mg CaCO ₃ /L	M-ALCA-2.0	October 22, 2010
Dissolved Aluminium (Al)	0.06 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Silver (Ag)	0.005 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Arsenic (As)	0.087 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Ammonia (NH ₃ -NH ₄)	33.1 mg N/L	Sous-traitance\Multilab Direct	October 25, 2010
Dissolved Barium (Ba)	0.029 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Copper (Cu)	1.50 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Total Cyanide (CNT)	0.602 mg/L	M-CN-1.0	October 26, 2010
Hardness	713 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Iron (Fe)	0.25 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Manganese (Mn)	0.036 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 25, 2010
Dissolved Molybdenum (Mo)	0.090 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Nickel (Ni)	0.030 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Nitrite-Nitrate	11.9 mg N/L	Sous-traitance\Multilab Direct	October 28, 2010
pH	7.81	M-PH-2.0	October 22, 2010
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Selenium (Se)	0.029 mg/L	Sous-traitance\Multilab Direct	October 26, 2010
Dissolved Solids	1443 mg/L	M-SOLI-2.0	October 22, 2010

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11603

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: SW2a
Sampled by: Martin Theriault Philip Roy
Matrix: Waste Water
Sample name: SW2a

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Maxxam	October 27, 2010
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	October 26, 2010

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11603

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: SW2a
Sampled by: Martin Theriault Philip Roy
Matrix: Waste Water
Sample name: SW2a

Parameter	Detection limit		Method name
	Valeur	Unité	
Alkalinity	2 mg	CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1 mg/L		M-SOLI-2.0

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11603
Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: SW2a
Sampled by: M. Theriault/P. Roy
Matrix: Waste Water
Sample name: SW2a

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	157	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	EU DMR-0488-10-18	0.299	0.248 - 0.392	
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0704-2010-NH ₃	1.9	1.58 - 2.14	
Dissolved Barium (Ba) mg/L	<0.005	EU DMR-0488-10-18	2.15	1.91 - 2.59	
Dissolved Cadmium (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.817	0.708 - 0.958	
Dissolved Copper (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.26	1.04 - 1.40	
Total Cyanide (CNT) mg/L	<0.005	DMR-0672-2010-5	11.6	10.2 - 13.8	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	EU DMR-0488-10-18	11.2	8.8 - 12.0	
Dissolved Manganese (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.77	3.20 - 4.32	
Dissolved Mercury (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0425	0.0405 - 0.0639	
Dissolved Molybdenum (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.619	0.562 - 0.760	
Dissolved Nickel (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.20	0.98 - 1.32	
Nitrite-Nitrate mg N/L	<0.01	MR-0704-2010-NO ₂ -NC	8.8	7.53 - 10.19	11.9 10.9
pH		STD pH 7.00	7.03	6.96 - 7.04	
Dissolved Lead (Pb) mg/L	<0.005	EU DMR-0488-10-18	1.07	0.819 - 1.109	
Dissolved Selenium (Se) mg/L	<0.005	EU DMR-0488-10-18	1.46	1.21 - 1.63	
Dissolved Solids mg/L					

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11603

Sampling date: October 21, 2010
Sampling hour: N/D
Date received: October 22, 2010
Sampling location: SW2a
Sampled by: M. Theriault/P. Roy
Matrix: Waste Water
Sample name: SW2a

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	EU DMR-0488-10-18	4.52	3.83 - 5.19		

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Alcalinité mg CaCO ₃ /L						
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.68	5.27 - 7.13	0.146	0.148
Aluminium (Al) mg/L	<0.002	EU DMR-0488-10-18	6.68	5.27 - 7.13		
Aluminium (Al) mg/L	<0.002					
Aluminium dissous (Al) mg/L	<0.01	EU DMR-0488-10-18	7.1	5.27 - 7.13		
Aluminium dissous (Al) mg/L	<0.01					
Argent (Ag) mg/L	<0.0005				0.0032	0.0031
Argent (Ag) mg/L	<0.0005					
Argent dissous (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3041	0.248 - 0.392	0.0716	0.0699
Arsenic (As) mg/L	<0.0005	EU DMR-0488-10-18	0.3041	0.248 - 0.392		
Arsenic (As) mg/L	<0.0005					
Arsenic dissous (As) mg/L	<0.005	EU DMR-0488-10-18	0.273	0.248 - 0.392		
Arsenic dissous (As) mg/L	<0.005					
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0488-2010-NH3	2.5	2.0 - 2.8		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05					
Baryum (Ba) mg/L	<0.0005	EU DMR-0488-10-18	2.134	1.91 - 2.59		
Baryum (Ba) mg/L	<0.0005	EU DMR-0488-10-18	2.134	1.91 - 2.59	0.0234	0.0231
Baryum (Ba) mg/L	<0.0005					
Baryum dissous (Ba) mg/L	<0.005					

Reported on: February 16, 2011
Lab number: 10285:10290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2010
 Sampled by: SG/ST/JK/IC/SA
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Baryum dissous (Ba) mg/L	<0.005	EU DMR-0488-10-18	1.96	1.91 - 2.59		
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.78522	0.708 - 0.958	<0.00008	<0.00008
Cadmium (Cd) mg/L	<0.00008	EU DMR-0488-10-18	0.78522	0.708 - 0.958		
Cadmium (Cd) mg/L	<0.00008					
Cadmium dissous (Cd) mg/L	<0.005					
Cadmium dissous (Cd) mg/L	<0.005	EU DMR-0488-10-18	0.766	0.708 - 0.958		
Calcium (Ca) mg/L	<0.03	EU DMR-0488-10-18	12.0	9.2 - 12.4		
Calcium (Ca) mg/L	<0.03					
Chlorure (Cl) mg/L	<0.5					
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	54.8	47 - 59		
Chlorure (Cl) mg/L	<0.5	DMR-0488-2010-Cl	56.0	47 - 59		
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.381	1.04 - 1.40		
Cuivre (Cu) mg/L	<0.0005					
Cuivre (Cu) mg/L	<0.0005	EU DMR-0488-10-18	1.381	1.04 - 1.40	2.310	2.304
Cuivre dissous (Cu) mg/L	<0.005	EU DMR-0488-10-18	1.26	1.04 - 1.40		
Cuivre dissous (Cu) mg/L	<0.005					
Cyanures totaux (CNt) mg/L	<0.005	dmr-0473-2010-1	17.9	15.7 - 21.3		
Dureté mg CaCO3/L						
Fer (Fe) mg/L	<0.01					
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	10.6	8.8 - 12.0		

Reported on: February 16, 2011
 Lab number: 10285:10290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Fer (Fe) mg/L	<0.01	EU DMR-0488-10-18	10.6	8.8 - 12.0	0.47	0.45
Fer dissous (Fe) mg/L	<0.05					
Fer dissous (Fe) mg/L	<0.05	EU DMR-0488-10-18	9.3	8.8 - 12.0		
Fluorures (F) mg/L	<0.1					
Fluorures (F) mg/L	<0.1	DMR-0444-2010-F	1.6	1.44 - 1.68		
Manganèse (Mn) mg/L	<0.0005	EU DMR-0488-10-18	3.965	3.20 - 4.32		
Manganèse (Mn) mg/L	<0.0005	EU DMR-0488-10-18	3.965	3.20 - 4.32	0.1856	0.1865
Manganèse (Mn) mg/L	<0.0005					
Manganèse dissous (Mn) mg/L	<0.005	EU DMR-0488-10-18	3.76	3.20 - 4.32		
Manganèse dissous (Mn) mg/L	<0.005					
Mercure (Hg) mg/L	<0.00001					
Mercure (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.04834	0.0405 - 0.0639		
Mercure dissous (Hg) mg/L	<0.0005					
Mercure dissous (Hg) mg/L	<0.0005	EU Hg DMR-0488-10-13	0.0514	0.0405 - 0.0639		
Molybdene (Mo) mg/L	<0.0005	EU DMR-0488-10-18	0.6128	0.562 - 0.760	0.0585	0.0585
Molybdene (Mo) mg/L	<0.0005					
Molybdene (Mo) mg/L	<0.0005	EU DMR-0488-10-18	0.6128	0.562 - 0.760		
Molybdene dissous (Mo) mg/L	<0.005	EU DMR-0488-10-18	0.611	0.562 - 0.760		
Molybdene dissous (Mo) mg/L	<0.005					
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.263	0.98 - 1.32		

Reported on: February 16, 2011
Lab number: 10285:10290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	EU DMR-0488-10-18	1.263	0.98 - 1.32	0.1233	0.1253
Nickel (Ni) mg/L	<0.0005					
Nickel dissous (Ni) mg/L	<0.005	EU DMR-0488-10-18	1.15	0.98 - 1.32		
Nickel dissous (Ni) mg/L	<0.005					
Nitrites-Nitrates mg N/L	<0.01					
Nitrites-Nitrates mg N/L	<0.01	MR-0488-2010-NO2-NC	7.4	6.0 - 8.2		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9376	0.819 - 1.109	<0.0003	<0.0003
Plomb (Pb) mg/L	<0.0003					
Plomb (Pb) mg/L	<0.0003	EU DMR-0488-10-18	0.9376	0.819 - 1.109		
Plomb dissous (Pb) mg/L	<0.005					
Plomb dissous (Pb) mg/L	<0.005	EU DMR-0488-10-18	0.880	0.819 - 1.109		
Sélénium (Se) mg/L	<0.001	EU DMR-0488-10-18	1.47	1.21 - 1.63	0.006	0.007
Sélénium (Se) mg/L	<0.001					
Sélénium (Se) mg/L	<0.001	EU DMR-0488-10-18	1.47	1.21 - 1.63		
Sélénium dissous (Se) mg/L	<0.005					
Sélénium dissous (Se) mg/L	<0.005	EU DMR-0488-10-18	1.38	1.21 - 1.63		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0444-2010-SO4	56	47 - 63		
Sulfate (SO4) mg SO4/L	<1					

Reported on: February 16, 2011
Lab number: 10285:10290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 21, 2010
Sampled by: SG/ST/JK/IC/SA
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Titane (Ti) mg/L	<0.01					
Turbidité UTN		DMR-0488-2010-4	5.0	4.65 - 7.35		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.06	3.83 - 5.19		
Zinc (Zn) mg/L	<0.001	EU DMR-0488-10-18	5.06	3.83 - 5.19	0.004	0.004
Zinc (Zn) mg/L	<0.001					
Zinc dissous (Zn) mg/L	<0.005	EU DMR-0488-10-18	4.88	3.83 - 5.19		
Zinc dissous (Zn) mg/L	<0.005					

Reported on: February 16, 2011
Lab number: 10285:10290

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 21, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10285	10286	10287	10288	10289	10290
Sample name:	SW2a	SW2a-dup	SW2a-blank	SW2b	SW2b-dup	SW2b-blank
Sampling date:	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010
Alkalinity mg CaCO ₃ /L	50	51	12	---	---	---
Ammonia (NH ₃ -NH ₄) mg N/L	23.8	24.9	0.14	---	---	---
Total Cyanide (Cn ⁻) mg/L	0.570	0.370	<0.005	---	---	---
Hardness mg CaCO ₃ /L	482	480	<1	---	---	---
pH	7.12	7.36	5.90	---	---	---
Dissolved Solids mg/L	1369	1382	2	---	---	---
Turbidity NTU	7.7	8.0	0.37	---	---	---
Nitrite-Nitrate mg N/L	3.4	3.4	0.34	---	---	---
Chloride mg/L	208	202	<0.5	---	---	---
Fluoride (F) mg/L	0.5	0.4	<0.1	---	---	---
Sulfate (SO ₄) mg SO ₄ /L	1181	1047	1	---	---	---
Dissolved Aluminium (Al) mg/L	<0.01	<0.01	<0.01	---	---	---
Dissolved Silver (Ag) mg/L	<0.005	<0.005	<0.005	---	---	---
Dissolved Arsenic (As) mg/L	0.044	0.048	<0.005	---	---	---
Dissolved Barium (Ba) mg/L	0.025	0.025	<0.005	---	---	---
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005	<0.005	---	---	---
Dissolved Copper (Cu) mg/L	2.41	2.40	<0.005	---	---	---
Dissolved Iron (Fe) mg/L	0.09	0.10	<0.05	---	---	---
Dissolved Manganese (Mn) mg/L	0.184	0.185	<0.005	---	---	---
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005	<0.0005	---	---	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 16, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 21, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10285	10286	10287	10288	10289	10290
Sample name:	SW2a	SW2a-dup	SW2a-blank	SW2b	SW2b-dup	SW2b-blank
Sampling date:	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010
Dissolved Molybdenum (Mo) mg/l	0.061	0.060	<0.005	---	---	---
Dissolved Nickel (Ni) mg/L	0.121	0.117	<0.005	---	---	---
Dissolved Lead (Pb) mg/L	<0.005	<0.005	<0.005	---	---	---
Dissolved Selenium (Se) mg/L	0.010	0.011	<0.005	---	---	---
Dissolved thallium (Tl) mg/L	<0.01	<0.01	<0.01	---	---	---
Dissolved Zinc mg/L	0.012	0.009	0.010	---	---	---
Aluminium (Al) mg/L	---	---	---	0.146	0.180	<0.002
Silver (Ag) mg/L	---	---	---	0.0032	0.0034	<0.0005
Arsenic (As) mg/L	---	---	---	0.0716	0.0709	<0.0005
Barium (Ba) mg/L	---	---	---	0.0234	0.0234	0.0008
Cadmium (Cd) mg/L	---	---	---	<0.00008	<0.00008	<0.00008
Copper (Cu) mg/L	---	---	---	2.310	2.343	0.0026
Iron (Fe) mg/L	---	---	---	0.47	0.47	<0.01
Manganese (Mn) mg/L	---	---	---	0.1856	0.1857	<0.0005
Mercury (Hg) mg/L	---	---	---	0.00024	0.00025	<0.00001
Molybdenum (Mo) mg/L	---	---	---	0.0585	0.0596	<0.0005
Nickel (Ni) mg/L	---	---	---	0.1233	0.1237	<0.0005
Lead (Pb) mg/L	---	---	---	<0.0003	<0.0003	<0.0003
Selenium (Se) mg/L	---	---	---	0.006	0.007	<0.001
Titanium (Ti) mg/L	---	---	---	0.14	0.14	<0.01

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: February 16, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 21, 2010

Sampled by: SG/ST/JK/IC/SA

Matrix: Waste Water

Lab number:	10285	10286	10287	10288	10289	10290
Sample name:	SW2a	SW2a-dup	SW2a-blank	SW2b	SW2b-dup	SW2b-blank
Sampling date:	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010	20-07-2010
Zinc (Zn) mg/L	---	---	---	0.004	0.009	0.008

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 16, 2011

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-79617

Sampling date: April 25, 2010
Sampling hour: 08:00
Date received: April 27, 2010
Sampling location: Incinerator used oil
Sampled by: S. Gaudreault/J. Kataluk
Matrix: Oil
Sample name: Incinerator used oil

Parameter	Result	Method name	Date analyzed
Paramètres de brûlage		Sous-traitance\Maxxam	
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	May 05, 2010
Chrome (Cr)	2 ppm	Sous-traitance\Maxxam	May 05, 2010
Plomb (Pb)	<5 ppm	Sous-traitance\Maxxam	May 05, 2010
Point d'éclair	>80 Celsius	Sous-traitance\Maxxam	May 03, 2010
Chlore total	460 ppm	Sous-traitance\Maxxam	May 03, 2010

Reported on: May 06, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-80252

Sampling date: May 04, 2010
Sampling hour: 08:00
Date received: May 07, 2010
Sampling location: White coverall used oil
Sampled by: S. Gaudreault/J.Kataluk
Matrix: Oil
Sample name: White coverall used oil

Parameter	Result	Method name	Date analyzed
Paramètres de brûlage		Sous-traitance\Maxxam	
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	May 14, 2010
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	May 14, 2010
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	May 14, 2010
Plomb (Pb)	<5 ppm	Sous-traitance\Maxxam	May 14, 2010
Halogènes totaux	<100 ppm	Sous-traitance\Maxxam	May 14, 2010
Point d'éclair	73 Celsius	Sous-traitance\Maxxam	May 14, 2010
Teneur en eau (Karl Fisher)	0.1147 % v/v	Sous-traitance\Maxxam	May 18, 2010
Capacité calorifique	45000 kJ/kg	Sous-traitance\Maxxam	May 14, 2010
Soufre	<0.2 %	Sous-traitance\Maxxam	May 14, 2010
Quantité BPC	<3 ppm	Sous-traitance\Maxxam	May 14, 2010

Reported on: June 09, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-83537

Sampling date: July 06, 2010
Sampling hour: 17:00
Date received: July 08, 2010
Sampling location: Meadowbank
Sampled by: Martin Theriault / Philip Roy
Matrix: Oil
Sample name: Blue coverall used oil

Parameter	Result	Method name	Date analyzed
Paramètres de brûlage		Sous-traitance\Maxxam	
-Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	July 12, 2010
-Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	July 12, 2010
-Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	July 12, 2010
-Plomb (Pb)	<5 ppm	Sous-traitance\Maxxam	July 12, 2010
-Halogènes totaux	440 ppm	Sous-traitance\Maxxam	July 14, 2010
-Point d'éclair	<25 Celsius	Sous-traitance\Maxxam	July 14, 2010
-Teneur en eau (Karl Fisher)	0.1969 % v/v	Sous-traitance\Maxxam	July 15, 2010
-Capacité calorifique	43000 kJ/kg	Sous-traitance\Maxxam	July 14, 2010
-Soufre	<0.2 %	Sous-traitance\Maxxam	July 14, 2010
-Quantité BPC	<3 ppm	Sous-traitance\Maxxam	July 15, 2010
-Chlore	440 ppm	Sous-traitance\Maxxam	July 14, 2010

Reported on: July 20, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-10849

Sampling date: August 24, 2010
Sampling hour: 10:00
Date received: August 26, 2010
Sampling location: Waste oil (Incinerator)
Sampled by: Jamie K/ Martin T
Matrix: Oil
Sample name: Waste oil (Incinerator)

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
-Chlore	170 ppm	Sous-traitance\Maxxam	September 06, 2010
-Quantité BPC	3 ppm	Sous-traitance\Maxxam	September 03, 2010
-Soufre	0.4 %	Sous-traitance\Maxxam	September 06, 2010
-Capacité calorifique	44000 kJ/kg	Sous-traitance\Maxxam	September 06, 2010
-Teneur en eau (Karl Fisher)	<10 % v/v	Sous-traitance\Maxxam	September 08, 2010
-Point d'éclair	>80 Celsius	Sous-traitance\Maxxam	September 06, 2010
-Halogènes totaux	170 ppm	Sous-traitance\Maxxam	September 06, 2010
-Plomb (Pb)	<5 ppm	Sous-traitance\Maxxam	September 09, 2010
-Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	September 09, 2010
-Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	September 09, 2010
-Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	September 09, 2010

Reported on: September 13, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11045

Sampling date: September 07, 2010
Sampling hour: 15:00
Date received: September 09, 2010
Sampling location: waste oil
Sampled by: M.Theriault/P.Roy
Matrix: Oil
Sample name: Incinerator

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
-Chlore	260 ppm	Sous-traitance\Maxxam	September 20, 2010
-Quantité BPC	<3 ppm	Sous-traitance\Maxxam	September 17, 2010
-Soufre	0.5 %	Sous-traitance\Maxxam	September 20, 2010
-Capacité calorifique	43000 kJ/kg	Sous-traitance\Maxxam	September 17, 2010
-Teneur en eau (Karl Fisher)	2.0 % v/v	Sous-traitance\Maxxam	September 20, 2010
-Point d'éclair	>80 Celsius	Sous-traitance\Maxxam	September 17, 2010
-Halogènes totaux	260 ppm	Sous-traitance\Maxxam	September 20, 2010
-Plomb (Pb)	<5 ppm	Sous-traitance\Maxxam	September 15, 2010
-Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	September 15, 2010
-Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	September 15, 2010
-Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	September 15, 2010

Reported on: September 23, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-11506

Sampling date: October 05, 2010
Sampling hour: 17:00
Date received: October 19, 2010
Sampling location: Incinerator used oil
Sampled by: martin theriault/Philip roy
Matrix: Oil
Sample name: Incinerator used oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	<100 ppm	Sous-traitance\Maxxam	October 22, 2010
Quantity PCB	<3 ppm	Sous-traitance\Maxxam	October 25, 2010
Sulfur	0.3 %	Sous-traitance\Maxxam	October 22, 2010
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	October 22, 2010
Water content (Karl Fischer)	0.197 % v/v	Sous-traitance\Maxxam	October 26, 2010
Flash point	<25 Celsius	Sous-traitance\Maxxam	October 22, 2010
Total halogen	<100 ppm	Sous-traitance\Maxxam	October 22, 2010
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	October 27, 2010
Chrome (Cr)	3 ppm	Sous-traitance\Maxxam	October 27, 2010
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	October 27, 2010
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	October 27, 2010

Reported on: October 29, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12019

Sampling date: November 29, 2010
Sampling hour: N/D
Date received: November 30, 2010
Sampling location: Incinerator waste oil I1
Sampled by: P.Roy/J.Kataluk
Matrix: Oil
Sample name: Incinerator waste oil I1

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	1500 ppm	Sous-traitance\Maxxam	December 03, 2010
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	December 03, 2010
Sulfur	0.3 %	Sous-traitance\Maxxam	December 03, 2010
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	December 03, 2010
Water content (Karl Fischer)	0.301 % v/v	Sous-traitance\Maxxam	December 06, 2010
Flash point	>80 Celsius	Sous-traitance\Maxxam	December 03, 2010
Total halogen	1500 ppm	Sous-traitance\Maxxam	December 03, 2010
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	December 08, 2010
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	December 08, 2010
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	December 08, 2010
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	December 08, 2010

Reported on: December 08, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12077

Sampling date: December 07, 2010
Sampling hour: N/D
Date received: December 08, 2010
Sampling location: Incinerator waste oil I1
Sampled by: P.Roy/J.Kataluk/R.Gamez
Matrix: Oil
Sample name: Incinerator waste oil I1

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	630 ppm	Sous-traitance\Maxxam	December 15, 2010
Quantity PCB	<3 ppm	Sous-traitance\Maxxam	December 14, 2010
Sulfur	0.5 %	Sous-traitance\Maxxam	December 15, 2010
Heat capacity	19000 kJ/kg	Sous-traitance\Maxxam	December 15, 2010
Water content (Karl Fischer)	23 % v/v	Sous-traitance\Maxxam	December 21, 2010
Flash point	>80 Celsius	Sous-traitance\Maxxam	December 15, 2010
Total halogen	630 ppm	Sous-traitance\Maxxam	December 15, 2010
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	December 17, 2010
Chrome (Cr)	4 ppm	Sous-traitance\Maxxam	December 17, 2010
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	December 17, 2010
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	December 17, 2010

Reported on: December 24, 2010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.