

Appendix F1

Document: *Certificates of Analysis*

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13675

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: New BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: New BL tank farm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	0.09 mg N/L	Sous-traitance\Multilab Direct	June 06, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Total Xylene	<0.3 µg/L	M-COV-1.0	June 02, 2011
Copper (Cu)	0.0077 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	June 02, 2011
Total Suspended Solids	42 mg/L	M-SOLI-1.0	June 03, 2011
Nickel (Ni)	0.0016 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
pH	7.61	M-PH-2.0	June 02, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Zinc (Zn)	0.012 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	June 09, 2011

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13675

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: New BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: New BL tank farm

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNt)	0.005 mg/L		M-CN-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total oil and grease	1 mg/L		M-HYD-1.0	Oui

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13675
 Sampling date: June 01, 2011
 Sampling hour: N/D
 Date received: June 02, 2011
 Sampling location: New BL tank farm
 Sampled by: Env Tech ext. 6747
 Matrix: Water
 Sample name: New BL tank farm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Dichloromethane µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,2-dichloropropane µg/L	<0.3	MR-02-06-2011	10.4	7.8 - 12.3	
- 1,2-dichloroéthylène (cis+trans)	<0.3	MR-02-06-2011	22.9	15.5 - 24.5	
- 1,1-Dichloroethylene µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3	
- 1,3-dichloropropane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3	
- 1,2-Dichloroethane µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3	
- 1,3-dichloropropène (cis+trans)	<0.3	MR-02-06-2011	17.4	15.5 - 24.5	
- Tetrachloroethylene µg/L	<0.3	MR-02-06-2011	9.5	7.8 - 12.3	
- 1,1,2-Trichloroéthane µg/L	<0.3	MR-02-06-2011	9.6	7.8 - 12.3	
- 1,1,1-Trichloroéthane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3	
- Carbon Tetrachloride µg/L	<0.3	MR-02-06-2011	9.9	7.8 - 12.3	
- 1,1,2,2-tétrachloroéthane µg/L	<0.3	MR-02-06-2011	8.2	7.8 - 12.3	
- Trichloroethylene µg/L	<0.3	MR-02-06-2011	12.1	7.8 - 12.3	
Vinyl chloride µg/L	<0.6	MR-02-06-2011	11.3	7.8 - 12.3	
- Total Xylene µg/L	0.8	MR-02-06-2011	27.2	23.3 - 36.8	
- 1,2-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- Chlorobenzene µg/L	<0.3	MR-02-06-2011	11.1	7.8 - 12.3	
- Benzene µg/L	<0.3	MR-02-06-2011	8.1	7.8 - 12.3	
- Chloroform µg/L	<0.3	MR-02-06-2011	8.5	7.8 - 12.3	
- 1,3-Dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13675
 Sampling date: June 01, 2011
 Sampling hour: N/D
 Date received: June 02, 2011
 Sampling location: New BL tank farm
 Sampled by: Env Tech ext. 6747
 Matrix: Water
 Sample name: New BL tank farm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Ethylbenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,4-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.6	7.8 - 12.3	
- Toluene µg/L	<0.3	MR-02-06-2011	9.0	7.8 - 12.3	
- 1,1-Dichloroéthane µg/L	<0.3	MR-02-06-2011	10.7	7.8 - 12.3	
µg/L	0.3	MR-02-06-2011	9.8	7.8 - 12.3	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2756	0.198 - 0.368	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH ₃	1.8	1.64 - 2.22	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.345	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	93	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.178	0.96 - 1.30	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9610	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.92	3.83 - 5.19	

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13674

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: Old BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: Old BL tank farm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	0.08 mg N/L	Sous-traitance\Multilab Direct	June 06, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Total Xylene	<0.3 µg/L	M-COV-1.0	June 02, 2011
Copper (Cu)	0.0029 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	June 02, 2011
Total Suspended Solids	7 mg/L	M-SOLI-1.0	June 03, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
pH	7.69	M-PH-2.0	June 02, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	June 08, 2011

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13674

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: Old BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: Old BL tank farm

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNt)	0.005 mg/L		M-CN-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total oil and grease	1 mg/L		M-HYD-1.0	Oui

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13674
Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: Old BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: Old BL tank farm

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
- Dichloromethane µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		
- 1,2-dichloropropane µg/L	<0.3	MR-02-06-2011	10.4	7.8 - 12.3		
- 1,2-dichloroéthylène (cis+trans)	<0.3	MR-02-06-2011	22.9	15.5 - 24.5		
- 1,1-Dichloroethylene µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3		
- 1,3-dichloropropane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3		
- 1,2-Dichloroethane µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3		
- 1,3-dichloropropène (cis+trans)	<0.3	MR-02-06-2011	17.4	15.5 - 24.5		
- Tetrachloroethylene µg/L	<0.3	MR-02-06-2011	9.5	7.8 - 12.3		
- 1,1,2-Trichloroéthane µg/L	<0.3	MR-02-06-2011	9.6	7.8 - 12.3		
- 1,1,1-Trichloroéthane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3		
- Carbon Tetrachloride µg/L	<0.3	MR-02-06-2011	9.9	7.8 - 12.3		
- 1,1,2,2-tétrachloroéthane µg/L	<0.3	MR-02-06-2011	8.2	7.8 - 12.3		
- Trichloroethylene µg/L	<0.3	MR-02-06-2011	12.1	7.8 - 12.3		
Vinyl chloride µg/L	<0.6	MR-02-06-2011	11.3	7.8 - 12.3		
- Total Xylene µg/L	0.8	MR-02-06-2011	27.2	23.3 - 36.8		
- 1,2-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		
- Chlorobenzene µg/L	<0.3	MR-02-06-2011	11.1	7.8 - 12.3		
- Benzene µg/L	<0.3	MR-02-06-2011	8.1	7.8 - 12.3		
- Chloroform µg/L	<0.3	MR-02-06-2011	8.5	7.8 - 12.3		
- 1,3-Dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13674

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: Old BL tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: Old BL tank farm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Ethylbenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,4-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.6	7.8 - 12.3	
- Toluene µg/L	<0.3	MR-02-06-2011	9.0	7.8 - 12.3	
- 1,1-Dichloroéthane µg/L	<0.3	MR-02-06-2011	10.7	7.8 - 12.3	
µg/L	0.3	MR-02-06-2011	9.8	7.8 - 12.3	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2756	0.198 - 0.368	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH ₃	1.8	1.64 - 2.22	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.345	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	92	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.178	0.96 - 1.30	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9610	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.92	3.83 - 5.19	

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15685

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: BL-tankfarm North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BL-tankfarm North

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Copper (Cu)	0.0127 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 20, 2011
Total Suspended Solids	11 mg/L	M-SOLI-1.0	September 21, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 21, 2011
Nickel (Ni)	0.0031 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Lead (Pb)	1.7 µg/L	Sous-traitance\Multilab Direct	September 29, 2011
Zinc (Zn)	0.008 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Total Xylene	0.6 µg/L	M-COV-1.0	September 21, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	September 26, 2011

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15685

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: BL-tankfarm North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BL-tankfarm North

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.3 µg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Total oil and grease	1 mg/L		M-HYD-1.0	Oui

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15685
 Sampling date: September 18, 2011
 Sampling hour: N/D
 Date received: September 20, 2011
 Sampling location: BL-tankfarm North
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: BL-tankfarm North

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Toluene µg/L	<0.3	DMR-0518-2011-13	7.00	5.64 - 8.92	
- Ethylbenzene µg/L	<0.3	DMR-0518-2011-13	2.80	2.50 - 3.94	
- Benzene µg/L	<0.3	DMR-0518-2011-13	8.10	6.76 - 10.68	
- Total Xylene µg/L	<0.3	DMR-0518-2011-13	6.90	5.79 - 9.15	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3143	0.198 - 0.368	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.390	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0608-2011-8	0.0780	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	94	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.240	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9840	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19	

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15686

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: BL-tankfarm South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BL-tankfarm South

Parameter	Result	Method name	Date analyzed
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Copper (Cu)	0.0042 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 20, 2011
Total Suspended Solids	4 mg/L	M-SOLI-1.0	September 21, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 21, 2011
Nickel (Ni)	0.0014 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Lead (Pb)	2.7 µg/L	Sous-traitance\Multilab Direct	September 29, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	September 21, 2011
- Total Xylene	0.7 µg/L	M-COV-1.0	September 21, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	September 26, 2011

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15686

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: BL-tankfarm South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BL-tankfarm South

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.3 µg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Total oil and grease	1 mg/L		M-HYD-1.0	Oui

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15686
Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: BL-tankfarm South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BL-tankfarm South

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Toluene µg/L	<0.3	DMR-0518-2011-13	7.00	5.64 - 8.92	
- Ethylbenzene µg/L	<0.3	DMR-0518-2011-13	2.80	2.50 - 3.94	
- Benzene µg/L	<0.3	DMR-0518-2011-13	8.10	6.76 - 10.68	
- Total Xylene µg/L	<0.3	DMR-0518-2011-13	6.90	5.79 - 9.15	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3143	0.198 - 0.368	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.390	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0608-2011-8	0.0780	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	94	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.240	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9840	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19	

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Lab number:	12235	12236	12237	12238	12239	12240	12241	12242
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	29-12-2010	29-12-2010	30-12-2010	30-12-2010	31-12-2010	31-12-2010	01-01-2011	01-01-2011
Total Suspended Solids mg/L	7	4	5	2	1	<1	<1	<1
Turbidity NTU	0.71	0.69	0.16	0.28	0.20	0.27	0.24	0.28

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Lab number:	12243	12244
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	02-01-2011	02-01-2011
Total Suspended Solids mg/L	1	<1
Turbidity NTU	0.35	0.34

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES	246	194 - 306		
M.E.S. mg/L	<1	STD-MES	246	194 - 306	<1	<1
Turbidité UTN		MR-0781-2010-Turbidit	5.9	5.10 - 6.90	0.24	0.23
Turbidité UTN		MR-0781-2010-Turbidit	5.9	5.10 - 6.90		

Reported on: January 11, 2011
Lab number: 12235:12244

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Lab number:	12245	12246
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	04-01-2011	04-01-2011
Aluminium (Al) mg/L	0.489	0.152
Total Suspended Solids mg/L	1	3
pH	6.34	6.47
Turbidity NTU	0.82	2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 05, 2011

Sampled by: Samuel Tapp

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	7.00	5.27 - 7.13	
M.E.S. mg/L	<1	STD-MES	246	194 - 306	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Turbidité UTN		DMR-0781-2010-Turbidit	5.9	5.10 - 6.90	

Reported on: January 13, 2011
Lab number: 12245:12246

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Lab number:	12272	12273	12274	12275	12276
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	05-01-2011	06-01-2011	07-01-2011	08-01-2011	09-01-2011
Total Suspended Solids mg/L	6	4	4	3	4
Turbidity NTU	0.74	0.63	0.66	0.39	0.40

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12272

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12273

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12274

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12275

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 13, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Commentaire

Sampling date:

Projet 12276

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 13, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: January 13, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES	249	194 - 306		
M.E.S. mg/L	<1	STD-MES	249	194 - 306	4	6
Turbidité UTN		DMR-0858-2010-Turb	5.8	5.10 - 6.90		

Reported on: January 13, 2011
Lab number: 12272:12276

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12282

Sampling date: January 10, 2011
Sampling hour: 08:30
Date received: January 11, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	January 12, 2011
pH	5.92	M-PH-2.0	January 11, 2011
Turbidity	0.17 NTU	Sous-traitance\Multilab Direct	January 12, 2011

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12282

Sampling date: January 10, 2011
Sampling hour: 08:30
Date received: January 11, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12282
Sampling date: January 10, 2011
Sampling hour: 08:30
Date received: January 11, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	249	194 - 306	
pH		STD pH 7.00	6.98	6.96 - 7.04	
Turbidity UTN		DMR-0858-2010-Turb	5.8	5.10 - 6.90	

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Lab number:	12277	12278
Sample name:	DD-WTP-01	2011-01-10 DUP-1
Sampling date:	10-01-2011	10-01-2011
Aluminium (Al) mg/L	0.977	0.951
Total Suspended Solids mg/L	5	7
pH	6.29	6.42
Turbidity NTU	0.42	0.48

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 14, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	7.11	5.27 - 7.13		
M.E.S. mg/L	<1	STD-MES	249	194 - 306		
pH		STD pH 7.00	6.98	6.96 - 7.04		
Turbidité UTN		DMR-0858-2010-Turb	5.8	5.10 - 6.90		
Turbidité UTN		DMR-0858-2010-Turb	5.8	5.10 - 6.90	0.48	0.50

Reported on: January 14, 2011
Lab number: 12277:12278

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12309

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.783 mg/L	Sous-traitance\Multilab Direct	January 18, 2011
Total Suspended Solids	7 mg/L	M-SOLI-1.0	January 14, 2011
pH	6.24	M-PH-2.0	January 13, 2011
Turbidity	0.44 NTU	Sous-traitance\Multilab Direct	January 14, 2011

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12309

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12309

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.48	5.27 - 7.13	
Total Suspended Solids mg/L	<1	STD-MES	239	194 - 306	
pH		STD pH 7.00	6.97	6.96 - 7.04	
Turbidity UTN		DMR-0858-2010-Turb	5.6	5.10 - 6.90	

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12310

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01-DUP
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01-DUP

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.745 mg/L	Sous-traitance\Multilab Direct	January 18, 2011
Total Suspended Solids	6 mg/L	M-SOLI-1.0	January 14, 2011
pH	6.42	M-PH-2.0	January 13, 2011
Turbidity	0.48 NTU	Sous-traitance\Multilab Direct	January 14, 2011

Reported on: January 31, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12310

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01-DUP
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01-DUP

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 31, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12310

Sampling date: January 12, 2011
Sampling hour: 06:20
Date received: January 13, 2011
Sampling location: DD-WTP-01-DUP
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01-DUP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium mg/L	<0.006	DMR-0781-2010-18	6.48	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES	239	194 - 306		
pH		STD pH 7.00	6.97	6.96 - 7.04		
Turbidity UTN		DMR-0858-2010-Turb	5.6	5.10 - 6.90		

Reported on: January 31, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12313

Sampling date: January 13, 2011
Sampling hour: 09:30
Date received: January 14, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	January 18, 2011
pH	5.16	M-PH-2.0	January 14, 2011
Turbidity	0.48 NTU	Sous-traitance\Multilab Direct	January 14, 2011

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12313

Sampling date: January 13, 2011
Sampling hour: 09:30
Date received: January 14, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12313

Sampling date: January 13, 2011
Sampling hour: 09:30
Date received: January 14, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	243	194 - 306	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Turbidity UTN		DMR-0858-2010-Turb	5.6	5.10 - 6.90	

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12312

Sampling date: January 13, 2011
Sampling hour: 08:45
Date received: January 14, 2011
Sampling location: DD-WTP-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	9 mg/L	M-SOLI-1.0	January 18, 2011
Turbidity	0.80 NTU	Sous-traitance\Multilab Direct	January 14, 2011

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12312

Sampling date: January 13, 2011
Sampling hour: 08:45
Date received: January 14, 2011
Sampling location: DD-WTP-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	243	194 - 306	
Turbidity UTN		DMR-0858-2010-Turb	5.6	5.10 - 6.90	

Reported on: January 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 18, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Lab number:	12330	12331	12332	12333	12334
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	14-01-2011	15-01-2011	15-01-2011	16-01-2011	16-01-2011
Total Suspended Solids mg/L	6	3	5	3	4
Turbidity NTU	0.46	0.25	3.7	0.45	4.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 19, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 18, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 18, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES	258	194 - 306	
Turbidité UTN		DMR-0858-2010-Turb	5.7	5.10 - 6.90	

Reported on: January 19, 2011
Lab number: 12330:12334

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12353

Sampling date: January 19, 2011
Sampling hour: 08:30
Date received: January 20, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	January 20, 2011
pH	5.43	M-PH-2.0	January 20, 2011
Turbidity	0.21 NTU	Sous-traitance\Multilab Direct	January 24, 2011

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12353

Sampling date: January 19, 2011
Sampling hour: 08:30
Date received: January 20, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12353

Sampling date: January 19, 2011
Sampling hour: 08:30
Date received: January 20, 2011
Sampling location: DD-TPL-01
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	257	194 - 306	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		DMR-0858-2010-Turb	5.5	5.10 - 6.90	

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12599

Sampling date: March 06, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: DD-TPL
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	March 09, 2011
Turbidity	0.34 NTU	Sous-traitance\Multilab Direct	March 09, 2011

Reported on: March 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12599

Sampling date: March 06, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: DD-TPL
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: March 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12599

Sampling date: March 06, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: DD-TPL
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	256	194 - 306	
Turbidity UTN		DMR-0104-2011-TURB	5.5	5.10 - 6.90	

Reported on: March 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	12640	12641	12642	12643	12644	12645	12646	12647
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	09-03-2011	09-03-2011	11-03-2011	11-03-2011	12-03-2011	12-03-2011	13-03-2011	13-03-2011
Total Suspended Solids mg/L	12	33	9	24	8	23	10	24
Turbidity NTU	0.75	27.3	0.59	21.1	0.28	20.2	0.34	16.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	12648	12649
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	14-03-2011	14-03-2011
Total Suspended Solids mg/L	13	34
Turbidity NTU	1.1	16.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 17, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 16, 2011
Sampled by: Martin Theriault
Matrix: Waste Water

Commentaire

Sampling date:

Projet 12640 à 12647

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: March 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES	246	194 - 306		
M.E.S. mg/L	<1	STD-MES	246	194 - 306	13	16
M.E.S. mg/L	<1	STD-MES	246	194 - 306	9	9
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90		
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90	0.59	0.56

Reported on: March 17, 2011
Lab number: 12640:12649

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12633

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-WTP-01
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.882 mg/L	Sous-traitance\Multilab Direct	March 18, 2011
Total Suspended Solids	12 mg/L	M-SOLI-1.0	March 17, 2011
pH	6.28	M-PH-2.0	March 16, 2011
Turbidity	1.5 NTU	Sous-traitance\Multilab Direct	March 16, 2011

Reported on: March 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12633

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-WTP-01
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		Sous-traitance\Multilab Direct
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: March 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12633

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-WTP-01
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.15	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES	246	194 - 306		
pH	---	STD pH 7.00	7.01	6.96 - 7.04		
Turbidity UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90		

Reported on: March 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 18, 2011

Sampled by: S. Gaudreault

Matrix: Waste Water

Lab number:	12659	12660	12661	12662	12663
Sample name:	DD-WTP-01	DD-WTP-IN	DD-TPL	DD-WTP-01	DD-WTP-IN
Sampling date:	16-03-2011	16-03-2011	16-03-2011	17-03-2011	17-03-2011
Total Suspended Solids mg/L	3	14	1	3	15
Turbidity NTU	0.32	14.7	0.17	0.43	15.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 21, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 18, 2011
Sampled by: S. Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 18, 2011

Sampled by: S. Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	48	39 - 61		
Turbidité UTN		DMR-0104-2011-TURB	5.5	5.10 - 6.90		

Reported on: March 21, 2011
Lab number: 12659:12663

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 23, 2011

Sampled by: S. Gaudreault

Matrix: Waste Water

Lab number:	12684	12685	12686	12687
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	19-03-2011	19-03-2011	18-03-2011	18-03-2011
Total Suspended Solids mg/L	1	4	<1	4
Turbidity NTU	0.21	8.9	0.35	9.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 24, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 23, 2011

Sampled by: S. Gaudreault

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12684

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12685

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12686

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

Projet 12687

Délai dépassé, résultats à titre indicatif seulement, pour les paramètres suivant(s) : Turbidité.

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: March 24, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 23, 2011
Sampled by: S. Gaudreault
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: March 24, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 23, 2011

Sampled by: S. Gaudreault

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	39	39 - 61	
Turbidité UTN		DMR-0104-2011-TURB	5.2	5.10 - 6.90	

Reported on: March 24, 2011
Lab number: 12684:12687

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12735

Sampling date: March 24, 2011
Sampling hour: N/D
Date received: March 30, 2011
Sampling location: DD-WTP-01-DUP-1
Sampled by: Philip R./Jamie R.
Matrix: Waste Water
Sample name: DD-WTP-01-DUP-1

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	March 31, 2011
pH	6.49	M-PH-2.0	March 30, 2011
Turbidity	0.06 NTU	Sous-traitance\Multilab Direct	March 30, 2011

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12735

Sampling date: March 24, 2011
Sampling hour: N/D
Date received: March 30, 2011
Sampling location: DD-WTP-01-DUP-1
Sampled by: Philip R./Jamie R.
Matrix: Waste Water
Sample name: DD-WTP-01-DUP-1

Commentaire

Delay exceeded, results as an indication only, for the following parameter : pH

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12735

Sampling date: March 24, 2011
Sampling hour: N/D
Date received: March 30, 2011
Sampling location: DD-WTP-01-DUP-1
Sampled by: Philip R./Jamie R.
Matrix: Waste Water
Sample name: DD-WTP-01-DUP-1

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12735

Sampling date: March 24, 2011
Sampling hour: N/D
Date received: March 30, 2011
Sampling location: DD-WTP-01-DUP-1
Sampled by: Philip R./Jamie R.
Matrix: Waste Water
Sample name: DD-WTP-01-DUP-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	51	39 - 61	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Turbidity UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90	

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Philip R./Jamie R.

Matrix: Waste Water

Lab number:	12734	12736	12737
Sample name:	DD-WTP-01	DD-WTP-01-DUP-2	DD-WTP-01
Sampling date:	24-03-2011	24-03-2011	29-03-2011
Aluminium (Al) mg/L	1.10	1.13	0.599
Total Suspended Solids mg/L	7	---	2
pH	6.48	---	6.44
Turbidity NTU	0.12	---	0.31

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 05, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Philip R./Jamie R.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12734 and 12735

Delay exceeded, results as an indication only, for the following parameter : pH and Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 05, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 30, 2011
Sampled by: Philip R./Jamie R.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 05, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 30, 2011

Sampled by: Philip R./Jamie R.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.10	5.27 - 7.13		
M.E.S. mg/L	<1	STD-MES 50mg/L	51	39 - 61		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90		

Reported on: April 05, 2011
Lab number: 12734,12736:12737

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Jamie K./Philip R.

Matrix: Waste Water

Lab number:	12738	12739	12740	12741	12742	12743	12744
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-IN	DD-WTP-IN
Sampling date:	25-03-2011	25-03-2011	26-03-2011	27-03-2011	28-03-2011	28-03-2011	29-03-2011
Total Suspended Solids mg/L	5	8	9	3	9	11	11
Turbidity NTU	0.15	4.2	0.58	0.36	0.23	6.3	6.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 30, 2011
Sampled by: Jamie K./Philip R.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 30, 2011
Sampled by: Jamie K./Philip R.
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	51	39 - 61		
M.E.S. mg/L	<1	STD-MES 50mg/L	45	39 - 61		
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90	4.2	4.3
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90		

Reported on: April 01, 2011
Lab number: 12738:12744

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12754

Sampling date: March 29, 2011
Sampling hour: N/D
Date received: March 31, 2011
Sampling location: DD-TPL
Sampled by: P.Roy/J.Kataluk
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	April 01, 2011
Turbidity	1.2 NTU	Sous-traitance\Multilab Direct	March 31, 2011

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12754

Sampling date: March 29, 2011
Sampling hour: N/D
Date received: March 31, 2011
Sampling location: DD-TPL
Sampled by: P.Roy/J.Kataluk
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12754
Sampling date: March 29, 2011
Sampling hour: N/D
Date received: March 31, 2011
Sampling location: DD-TPL
Sampled by: P.Roy/J.Kataluk
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	45	39 - 61	
Turbidity UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90	

Reported on: April 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 31, 2011

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Lab number:	12757	12758
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	30-03-2011	30-03-2011
Total Suspended Solids mg/L	2	5
Turbidity NTU	0.42	7.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 31, 2011

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 31, 2011
Sampled by: P.Roy/J.Kataluk
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES 50mg/L	45	39 - 61	
Turbidité UTN		DMR-0104-2011-TURB	5.3	5.10 - 6.90	

Reported on: April 01, 2011
Lab number: 12757:12758

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 01, 2011

Sampled by: Philip R./Jamie K.

Matrix: Waste Water

Lab number:	12759	12760
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	31-03-2011	31-03-2011
Total Suspended Solids mg/L	2	5
Turbidity NTU	0.58	6.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 04, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 01, 2011
Sampled by: Philip R./Jamie K.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 01, 2011
Sampled by: Philip R./Jamie K.
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	46	39 - 61	
Turbidité UTN		DMR-0104-2011-TURB	5.6	5.10 - 6.90	

Reported on: April 04, 2011
Lab number: 12759:12760

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 05, 2011

Sampled by: Martin T/Steve G.

Matrix: Waste Water

Lab number:	12784	12785	12786	12787	12788	12789	12792
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-IN
Sampling date:	01-04-2011	01-04-2011	02-04-2011	02-04-2011	03-04-2011	03-04-2011	04-04-2011
Total Suspended Solids mg/L	8	9	9	8	10	12	9
Turbidity NTU	0.06	3.5	0.11	3.8	0.13	4.2	4.8

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 06, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 05, 2011

Sampled by: Martin T/Steve G.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12784

Delay exceeded, results as an indication only, for the following parameter : Turbidity

Projet 12785

Delay exceeded, results as an indication only, for the following parameter : Turbidity

Projet 12786

Delay exceeded, results as an indication only, for the following parameter : Turbidity

Projet 12787

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 06, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 05, 2011
Sampled by: Martin T/Steve G.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 06, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 05, 2011
Sampled by: Martin T/Steve G.
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	8	8
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.9	5.10 - 6.90		
Turbidité UTN		MR-0189-2011-Turbidit	5.9	5.10 - 6.90	0.11	0.12

Reported on: April 06, 2011
Lab number: 12784:12789,12792

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 05, 2011

Sampled by: Martin T/Steve G.

Matrix: Waste Water

Lab number:	12790	12791
Sample name:	DD-WTP-01-DUP	DD-WTP-01
Sampling date:	04-04-2011	04-04-2011
Aluminium (Al) mg/L	1.34	1.44
Total Suspended Solids mg/L	12	9
pH	6.58	6.59
Turbidity NTU	0.28	0.30

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 08, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 05, 2011
Sampled by: Martin T/Steve G.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 05, 2011
Sampled by: Martin T/Steve G.
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.45	5.27 - 7.13	
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Turbidité UTN		DMR-0189-2011-Turbidit	5.9	5.10 - 6.90	

Reported on: April 08, 2011
Lab number: 12790:12791

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B116803

Received: 2011/04/08, 09:00

Sample Matrix: OIL
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value	1	2011/04/11	2011/04/12	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges	1	N/A	2011/04/08		
Flash Point	1	N/A	2011/04/12	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil	1	N/A	2011/04/12	SOP STL-00070/1	ASTM D6304 - 07
Metals by ICP	1	2011/04/11	2011/04/12	STL SOP-00006/10	MA.200-Met 1.2
PCB	1	2011/04/11	2011/04/11	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX)	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

Sample Matrix: WASTE WATER
Samples Received: 6

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Total Alkalinity (pH end point 4.5)	1	2011/04/08	2011/04/08	STL SOP-00038/7	SM 2320 B-Titration
Disposal Charges	6	N/A	2011/04/08		
Total Suspended Solids	5	2011/04/09	2011/04/09	STL SOP-00015/6	MA. 104 - S.S. 1.0
Metals by ICP-MS	1	2011/04/08	2011/04/08	STL SOP-00006/10	MA.200- Mét 1.2
Ammonia Nitrogen	1	2011/04/11	2011/04/11	STL SOP-00040/5	MA. 300 - N 1.1
pH	1	2011/04/08	2011/04/08	STL SOP-00038/7	MA.100- pH1.1
Total Dissolved Solids	1	2011/04/09	2011/04/09	STL SOP-00050/3	MA. 103 - S.T. 1.0
Turbidity	6	N/A	2011/04/08	STL SOP-00022/6	MA. 103 - Tur. 1.0

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

-2-

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

KARIMA DLIMI, B.Sc., Chemist, Project manager assistant
Email: KDlimi@maxxam.ca
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

METALS				
Arsenic (As)	mg/kg	<2	2	862039
Cadmium (Cd)	mg/kg	<1	1	862039
Chromium (Cr)	mg/kg	<1	1	862039
Lead (Pb)	mg/kg	<5	5	862039
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

CONVENTIONALS				
Flash point	Celcius	73	25	862081
Heating Value	kJ/kg	45000	2000	862124
Sulfur (S)	% p/p	0.3	0.2	862152
Water	%w/w	0.66	0.005	862527
Total Halides (TX)	mg/kg	240	100	862153
Chlorine	mg/kg	240	100	862153

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

PCB (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

PCB				
Aroclor 1242	mg/kg	<0.5	0.5	862135
Aroclor 1248	mg/kg	<0.5	0.5	862135
Aroclor 1254	mg/kg	<0.5	0.5	862135
Aroclor 1260	mg/kg	<0.5	0.5	862135
Total PCB	mg/kg	<0.5	0.5	862135
Surrogate Recovery (%)				
Decachlorobiphenyl	%	98	N/A	862135

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (WASTE WATER)

Maxxam ID		N27455		
Sampling Date		2011/04/06		
	Units	SW5A	RDL	QC Batch

METALS ICP-MS				
Arsenic (As)	ug/L	14	1.0	861782
Copper (Cu)	ug/L	28	5.0	861782
Nickel (Ni)	ug/L	130	2.0	861782
Zinc (Zn)	ug/L	22	7.0	861782
Lead (Pb)	ug/L	4.2	1.0	861782
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (WASTE WATER)

Maxxam ID		N27410	N27411	N27412		
Sampling Date		2011/04/06	2011/04/06	2011/04/05		
	Units	DD-WTP-01-04/06/2011	DD-WTP-IN-04/06/2011	DD-WTP-01-04/05/2011	RDL	QC Batch

CONVENTIONALS						
Turbidity	NTU	0.2	3.9	0.4	0.1	861871
Total suspended solids (TSS)	mg/L	4	5	3	2	861891

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		N27413	N27414	N27455		
Sampling Date		2011/04/05	2011/04/05	2011/04/06		
	Units	DD-WTP-IN-04/05/2011	DD-TPL-01	SW5A	RDL	QC Batch

CONVENTIONALS						
Nitrogen ammonia (N-NH3)	mg/L	N/A	N/A	22	0.5	861988
pH	pH	N/A	N/A	7.77	N/A	861823
Turbidity	NTU	4.3	0.3	410	0.1	861871
Alkalinity Total (as CaCO3) pH 4.5	mg/L	N/A	N/A	130	1	861829
Total Dissolved Solids	mg/L	N/A	N/A	230	10	861885
Total suspended solids (TSS)	mg/L	5	4	N/A	2	861891

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

TX_O: The total is calculated only for the parameters requested.

PCB (OIL)

Please note that the results have not been corrected for QC recoveries (spiked blank and method blank) nor for the surrogates.

METALS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.
Reported detection limits are multiplied by dilution factors used for sample analysis.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: B116803

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
861782 SC5	Spiked Blank	Arsenic (As)	2011/04/08		115	%
		Copper (Cu)	2011/04/08		110	%
		Nickel (Ni)	2011/04/08		112	%
		Zinc (Zn)	2011/04/08		107	%
		Lead (Pb)	2011/04/08		113	%
	Method Blank	Arsenic (As)	2011/04/08	<1.0		ug/L
		Copper (Cu)	2011/04/08	<5.0		ug/L
		Nickel (Ni)	2011/04/08	<2.0		ug/L
		Zinc (Zn)	2011/04/08	<7.0		ug/L
		Lead (Pb)	2011/04/08	<1.0		ug/L
861823 MR4	Spiked Blank	pH	2011/04/08		101	%
861829 MH1	QC STANDARD	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		94	%
	Spiked Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		100	%
	Method Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08	<1		mg/L
861871 CN1	QC STANDARD	Turbidity	2011/04/08		102	%
	Method Blank	Turbidity	2011/04/08	0.1, RDL=0.1		NTU
861885 LI	Spiked Blank	Total Dissolved Solids	2011/04/09		101	%
	Spiked Blank DUP	Total Dissolved Solids	2011/04/09		101	%
	Method Blank	Total Dissolved Solids	2011/04/09	<10		mg/L
861891 LI	Spiked Blank	Total suspended solids (TSS)	2011/04/09		99	%
	Spiked Blank DUP	Total suspended solids (TSS)	2011/04/09		99	%
	Method Blank	Total suspended solids (TSS)	2011/04/09	<2		mg/L
861988 DKH	Spiked Blank	Nitrogen ammonia (N-NH3)	2011/04/11		114	%
	Method Blank	Nitrogen ammonia (N-NH3)	2011/04/11	0.03, RDL=0.02		mg/L
862039 KQ	QC STANDARD	Cadmium (Cd)	2011/04/12		72 (1)	%
		Chromium (Cr)	2011/04/12		85	%
		Lead (Pb)	2011/04/12		105	%
	Spiked Blank	Arsenic (As)	2011/04/12		103	%
		Cadmium (Cd)	2011/04/12		100	%
		Chromium (Cr)	2011/04/12		99	%
		Lead (Pb)	2011/04/12		107	%
	Method Blank	Arsenic (As)	2011/04/12	<2		mg/kg
		Cadmium (Cd)	2011/04/12	<1		mg/kg
		Chromium (Cr)	2011/04/12	<1		mg/kg
		Lead (Pb)	2011/04/12	<5		mg/kg
862081 AM6	Spiked Blank	Flash point	2011/04/12		116	%
862124 AM6	Spiked Blank	Heating Value	2011/04/12		103	%
862135 AK2	Spiked Blank	Decachlorobiphenyl	2011/04/11		90	%
		Aroclor 1242	2011/04/11		99	%
		Aroclor 1260	2011/04/11		100	%
	Method Blank	Decachlorobiphenyl	2011/04/11		79	%
		Aroclor 1242	2011/04/11	<0.5		mg/kg
		Aroclor 1248	2011/04/11	<0.5		mg/kg
		Aroclor 1254	2011/04/11	<0.5		mg/kg
		Aroclor 1260	2011/04/11	<0.5		mg/kg
		Total PCB	2011/04/11	<0.5		mg/kg
862152 AM6	Spiked Blank	Sulfur (S)	2011/04/12		86	%
	Method Blank	Sulfur (S)	2011/04/12	<0.2		% p/p
862153 AM6	Spiked Blank	Total Halides (TX)	2011/04/12		82	%
	Method Blank	Total Halides (TX)	2011/04/12	<100		mg/kg
		Chlorine	2011/04/12	<100		mg/kg
862527 AM6	Spiked Blank	Water	2011/04/12		97	%

RDL = Reportable Detection Limit

QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)


Maxxam Job Number: B116803

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.
(1) Recovery or relative percent difference (RPD) for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria


Validation Signature Page

Maxxam Job #: B116803


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




DELIA BARBUL, B.Sc., Chemist,

KATHIE QUEVILLON, B.Sc., Chemist,




STELIANA CALESTRU, B.Sc. Chemist,




TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Client: Agnico-Eagle Meadowbank Project			Tel 867-793-4610 x 6728 or 6747																	
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0			E-mail: Meadowbank.data@agnico-eagle																	
Sampler Martin T. Steve G			Project #: Project Manager: Sylvain Doire Martin Theriault																	
N°	Sample identification	Number of bottles	Matrix							Sampling	x Turbidity x TSS	x Cadmium x Chromium x Lead	x Chlorin x PCB x Flash point	x Arsenic x Sulfure x Moisture content	x Caloric capacity x Total halogene	x pH x Alcalinity x Turbidity	x Ammonia	x As x Cu x PB x Ni x Zn	x TDS	
			Potable w.	Waste w.	Ground w.	Surf. W.	Waste oil	Sediments	Others*											# containers
1	DD-WTP-01	1	x								04/06/2011	x								
2	DD-WTP-IN -	1	x								04/06/2011	x								
3	DD-WTP-01	1	x								04/05/2011	x								
4	DD-WTP-IN	1	x								04/05/2011	x								
5	DD-TPL-01	1	x								04/05/2011	x								
6	Incinerator waste oil	1				x					04/05/2011		x	x	x	x				
7	SW5a	4	x								04/06/2011					x	x	x	x	
8																				
9																				
10																				
11																				

Metals Legend:

** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time:

☐ 10 working days

☐ 5 working days

☐ 72 hours

☐ 48 hours

☒ 24 hours

Maxxam quote #:

Site: Meadowbank Site

PO #:

Others:

Detection limits required / contamination level:

CCME for Surface Water (Federal)

Special instructions:

1

10° 10° 10°

LEGEND:

* C = Canisters

* W = Waste

* O = Oil

* T = Tubes ou Cartridges

Delivered by sampler: Martin Theriault

Delivered by messenger:

Delivered by:

Date 7/4/11 **Time**

Date 20/10/10 **Time** 9:00 AM

Date **Time**

Received by:

Received by:

Received by Maxxam:

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 08, 2011

Sampled by: Steve G

Matrix: Waste Water

Lab number:	12838	12839
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	07-04-2011	07-04-2011
Total Suspended Solids mg/L	7	2
Turbidity NTU	0.15	1.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 08, 2011

Sampled by: Steve G

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 08, 2011

Sampled by: Steve G

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	50	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90		

Reported on: April 12, 2011
Lab number: 12838:12839

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 12, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Lab number:	12856	12857	12858	12859	12860	12861	12862
Sample name:	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	11-04-2011	10-04-2011	10-04-2011	09-04-2011	09-04-2011	08-04-2011	08-04-2011
Total Suspended Solids mg/L	6	2	3	5	3	4	<1
Turbidity NTU	4.0	0.23	3.6	0.17	2.9	0.08	2.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 14, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 12, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12859

Delay exceeded, results as an indication only, for the following parameter : turbidity

Projet 12860

Delay exceeded, results as an indication only, for the following parameter : turbidity

Projet 12861

Delay exceeded, results as an indication only, for the following parameter : turbidity

Projet 12862

Delay exceeded, results as an indication only, for the following parameter : turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 14, 2011

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 12, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	50	39 - 61		
Turbidité UTN		DMR-0189-2011-Turbidité	5.8	5.10 - 6.90	4.0	4.1
Turbidité UTN		DMR-0189-2011-Turbidité	5.8	5.10 - 6.90		

Reported on: April 14, 2011
Lab number: 12856:12862

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12855

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-WTP-01
Sampled by: Steve G/Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.02 mg/L	Sous-traitance\Multilab Direct	April 14, 2011
Total Suspended Solids	2 mg/L	M-SOLI-1.0	April 13, 2011
pH	6.55	M-PH-2.0	April 12, 2011
Turbidity	0.13 NTU	Sous-traitance\Multilab Direct	April 13, 2011

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12855

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-WTP-01
Sampled by: Steve G/Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Aluminium (Al)	0.002 mg/L		Sous-traitance\Multilab Direct
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12855
Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-WTP-01
Sampled by: Steve G/Martin T
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.85	5.27 - 7.13		
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	50	39 - 61		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Turbidity UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90		

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12901

Sampling date: April 12, 2011
Sampling hour: 10:35
Date received: April 14, 2011
Sampling location: DD-TPL-01
Sampled by: Martin T/Steve G
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	April 15, 2011
Turbidity	0.12 NTU	Sous-traitance\Multilab Direct	April 15, 2011

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12901

Sampling date: April 12, 2011
Sampling hour: 10:35
Date received: April 14, 2011
Sampling location: DD-TPL-01
Sampled by: Martin T/Steve G
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12901
Sampling date: April 12, 2011
Sampling hour: 10:35
Date received: April 14, 2011
Sampling location: DD-TPL-01
Sampled by: Martin T/Steve G
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	50	39 - 61		
Turbidity UTN		MR-0189-2011-Turbidit	5.6	5.10 - 6.90		

Reported on: April 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Lab number:	12923	12924	12925	12926	12927	12928
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	12-04-2011	12-04-2011	13-04-2011	13-04-2011	14-04-2011	14-04-2011
Total Suspended Solids mg/L	1	3	3	2	2	5
Turbidity NTU	0.27	4.0	0.28	4.2	0.56	5.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 18, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12923

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 12924

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 18, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 15, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 18, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 15, 2011

Sampled by: Steve G/Martin T

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	48	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.6	5.10 - 6.90		

Reported on: April 18, 2011
Lab number: 12923:12928

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	12945	12946	12947	12948
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01-DUP-1	DD-WTP-IN (DUP-2)
Sampling date:	15-04-2011	15-04-2011	15-04-2011	15-04-2011
Total Suspended Solids mg/L	3	3	2	4
Turbidity NTU	0.17	2.4	0.14	2.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12945 to 12948

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: April 20, 2011
Lab number: 12945:12948

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12949	12950
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	16-04-2011	16-04-2011
Total Suspended Solids mg/L	5	4
Turbidity NTU	0.19	2.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12949 to 12950

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61	
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90	

Reported on: April 20, 2011
Lab number: 12951:12952

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12951	12952
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	17-04-2011	17-04-2011
Total Suspended Solids mg/L	5	5
Turbidity NTU	0.21	3.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61	
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	

Reported on: April 26, 2011
Lab number: 13005:13006

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	12953	12955
Sample name:	DD-WTP-01	DD-WTP-01-DUP-1
Sampling date:	18-04-2011	18-04-2011
Aluminium (Al) mg/L	0.750	0.740
Total Suspended Solids mg/L	4	---
pH	6.61	---
Turbidity NTU	0.25	---

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.38	5.27 - 7.13	
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61	
pH		STD pH 7.00	6.99	6.96 - 7.04	
Turbidité UTN		DMR-0189-2011-Turbidité	5.7	5.10 - 6.90	

Reported on: April 26, 2011
Lab number: 12953,12955

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13005	13006
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	19-04-2011	19-04-2011
Total Suspended Solids mg/L	4	10
Turbidity NTU	0.21	3.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 26, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13005 and 13006

Delay exceeded, results as an indication only, for the following parameter : turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90	0.19	0.18
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: April 20, 2011
Lab number: 12949:12950

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13004

Sampling date: April 20, 2011
Sampling hour: N/D
Date received: April 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	April 26, 2011
Turbidity	0.44 NTU	Sous-traitance\Multilab Direct	April 22, 2011

Reported on: April 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13004

Sampling date: April 20, 2011
Sampling hour: N/D
Date received: April 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Turbidity	0.02 UTN		Sous-traitance	

Reported on: April 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13004
Sampling date: April 20, 2011
Sampling hour: N/D
Date received: April 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	52	39 - 61	
Turbidity UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	

Reported on: April 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13007	13008
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	20-04-2011	20-04-2011
Total Suspended Solids mg/L	5	12
Turbidity NTU	0.38	4.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90		

Reported on: April 26, 2011
Lab number: 13007:13008

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13009	13010
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	21-04-2011	21-04-2011
Total Suspended Solids mg/L	9	10
Turbidity NTU	0.46	5.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90		

Reported on: April 26, 2011
Lab number: 13009:13010

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13038	13039
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	22-04-2011	22-04-2011
Total Suspended Solids mg/L	1	2
Turbidity NTU	0.34	3.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13038 to 13039

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	1	1
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90		
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90	0.34	0.32

Reported on: April 28, 2011
Lab number: 13038:13039

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13040	13041
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	23-04-2011	23-04-2011
Total Suspended Solids mg/L	<1	4
Turbidity NTU	0.40	4.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13040 to 13041

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: April 28, 2011
Lab number: 13040:13041

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13042	13043
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	24-04-2011	24-04-2011
Total Suspended Solids mg/L	<1	<1
Turbidity NTU	0.38	2.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13042 to 13043

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	<1	<1
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: April 28, 2011
Lab number: 13042:13043

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13044	13045
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	25-04-2011	25-04-2011
Total Suspended Solids mg/L	<1	4
Turbidity NTU	0.42	4.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	
Turbidité UTN		MR-0189-2011-Turbidit	5.7	5.10 - 6.90	

Reported on: April 28, 2011
Lab number: 13044:13045

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13046

Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.481 mg/L	Sous-traitance\Multilab Direct	April 29, 2011
Total Suspended Solids	1 mg/L	M-SOLI-1.0	April 28, 2011
pH	6.69	M-PH-2.0	April 27, 2011
Turbidity	0.53 NTU	Sous-traitance\Multilab Direct	April 27, 2011

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13046

Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui
Turbidity	0.02	UTN	Sous-traitance	Oui

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13046
Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.67	5.26 - 7.12		
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	54	39 - 61		
pH		STD pH 7.00	7.00	6.96 - 7.04		
Turbidity UTN		DMR-0189-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 29, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13080	13081
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	27-04-2011	27-04-2011
Total Suspended Solids mg/L	4	6
Turbidity NTU	0.52	4.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 02, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 29, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.6	5.10 - 6.90		

Reported on: May 02, 2011
Lab number: 13080:13081

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13079

Sampling date: April 28, 2011
Sampling hour: N/D
Date received: April 29, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	May 02, 2011
Turbidity	0.47 NTU	Sous-traitance\Multilab Direct	April 29, 2011

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13079

Sampling date: April 28, 2011
Sampling hour: N/D
Date received: April 29, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
Turbidity	0.02 NTU		Sous-traitance\Multilab Direct

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13079
Sampling date: April 28, 2011
Sampling hour: N/D
Date received: April 29, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	52	39 - 61	
Turbidity UTN		MR-0189-2011-Turbidit	5.6	5.10 - 6.90	

Reported on: May 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 29, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13082	13083
Sample name:	DD-WTP-01	DD-WTP-IN
Sampling date:	28-04-2011	28-04-2011
Total Suspended Solids mg/L	2	7
Turbidity NTU	0.48	4.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 02, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 29, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 29, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Turbidité UTN		MR-0189-2011-Turbidit	5.6	5.10 - 6.90		

Reported on: May 02, 2011
Lab number: 13082:13083

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13107	13108	13109	13110	13111
Sample name:	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	02-05-2011	01-05-2011	01-05-2011	29-04-2011	29-04-2011
Total Suspended Solids mg/L	4	<1	4	<1	2
Turbidity NTU	3.1	0.70	2.5	0.10	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13110 and 13111

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	STD-MES 50mg/L	49	39 - 61	
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	2.1 1.9

Reported on: May 04, 2011
Lab number: 13107:13111

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13107	13108	13109	13110	13111
Sample name:	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	02-05-2011	01-05-2011	01-05-2011	29-04-2011	29-04-2011
Total Suspended Solids mg/L	4	<1	4	<1	2
Turbidity NTU	3.1	0.70	2.5	0.10	2.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 04, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13110 and 13111

Delay exceeded, results as an indication only, for the following parameter : Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	STD-MES 50mg/L	49	39 - 61	
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	
Turbidité UTN		MR-0189-2011-Turbidit	5.8	5.10 - 6.90	2.1 1.9

Reported on: May 04, 2011
Lab number: 13107:13111

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13106

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.309 mg/L	Sous-traitance\Multilab Direct	May 04, 2011
Total Suspended Solids	1 mg/L	M-SOLI-1.0	May 04, 2011
Turbidity	0.46 NTU	Sous-traitance\Multilab Direct	May 04, 2011

Reported on: May 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13106

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui
Turbidity	0.02	UTN	Sous-traitance	Oui

Reported on: May 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13106
Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.11	5.26 - 7.12	
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	49	39 - 61	
Turbidity UTN		DMR-0189-2011-Turbidit	5.8	5.10 - 6.90	

Reported on: May 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13195

Sampling date: May 03, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	May 06, 2011
Turbidity	0.33 NTU	Sous-traitance\Multilab Direct	May 05, 2011

Reported on: May 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13195

Sampling date: May 03, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Turbidity	0.02 UTN		Sous-traitance	Oui

Reported on: May 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13195
Sampling date: May 03, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	54	39 - 61	
Turbidity UTN		DMR-0262-2011-Turbidité	5.8	5.10 - 6.90	

Reported on: May 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 05, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13197	13198	13199	13200
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	04-05-2011	04-05-2011	03-05-2011	03-05-2011
Total Suspended Solids mg/L	8	6	6	8
Turbidity NTU	0.69	4.0	0.39	3.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 06, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 05, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Turbidité UTN		MR-0262-2011-Turbidit	5.8	5.10 - 6.90		

Reported on: May 06, 2011
Lab number: 13197:13200

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 10, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13255	13256	13257	13258	13259	13260	13261
Sample name:	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	09-05-2011	08-05-2011	08-05-2011	06-05-2011	06-05-2011	05-05-2011	05-05-2011
Total Suspended Solids mg/L	4	5	15	6	15	10	8
Turbidity NTU	6.0	0.94	6.6	0.18	4.4	0.16	1.3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 10, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13258

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13259

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13260

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13261

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 11, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 10, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 10, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	59	39 - 61		
Turbidité UTN		MR-0262-2011-Turbidit	5.4	5.10 - 6.90		
Turbidité UTN		MR-0262-2011-Turbidit	5.4	5.10 - 6.90	6.6	6.7

Reported on: May 11, 2011
Lab number: 13255:13261

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13254

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.516 mg/L	Sous-traitance\Multilab Direct	May 12, 2011
Total Suspended Solids	4 mg/L	M-SOLI-1.0	May 11, 2011
Turbidity	0.43 NTU	Sous-traitance\Multilab Direct	May 11, 2011

Reported on: May 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13254

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui
Turbidity	0.02	UTN	Sous-traitance	Oui

Reported on: May 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13254
Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.21	5.26 - 7.12	
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	59	39 - 61	
Turbidity UTN		DMR-0262-2011-Turbidit	5.4	5.10 - 6.90	

Reported on: May 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13364

Sampling date: May 10, 2011
Sampling hour: N/D
Date received: May 13, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech. 6747
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	7 mg/L	M-SOLI-1.0	May 17, 2011
Turbidity	0.21 NTU	Sous-traitance\Multilab Direct	May 13, 2011

Reported on: May 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13364

Sampling date: May 10, 2011
Sampling hour: N/D
Date received: May 13, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech. 6747
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Turbidity	0.02 UTN		Sous-traitance	Oui

Reported on: May 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13364
Sampling date: May 10, 2011
Sampling hour: N/D
Date received: May 13, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech. 6747
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	59	39 - 61	
Turbidity UTN		MR-0262-2011-Turbidit	5.5	5.10 - 6.90	

Reported on: May 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 13, 2011

Sampled by: Env. Tech. 6747

Matrix: Waste Water

Lab number:	13356	13357	13358	13359	13360	13361
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	10-05-2011	10-05-2011	11-05-2011	11-05-2011	12-05-2011	12-05-2011
Total Suspended Solids mg/L	2	2	8	7	7	6
Turbidity NTU	0.27	3.1	0.49	6.0	0.39	4.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 17, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 13, 2011

Sampled by: Env. Tech. 6747

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 13, 2011
Sampled by: Env. Tech. 6747
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	59	39 - 61	
Turbidité UTN		MR-0262-2011-Turbidit	5.5	5.10 - 6.90	

Reported on: May 17, 2011
Lab number: 13356:13361

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 17, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13397	13398	13399	13400	13401	13402	13403	13404
Sample name:	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN	DD-WTP-01	DD-WTP-IN
Sampling date:	13-05-2011	13-05-2011	14-05-2011	14-05-2011	15-05-2011	15-05-2011	16-05-2011	16-05-2011
Total Suspended Solids mg/L	2	8	1	16	2	14	4	19
Turbidity NTU	0.22	6.2	1.1	17.6	1.0	16.6	1.7	23.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 19, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 17, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13397

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13398

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13399

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13400

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 19, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 17, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 17, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 50mg/L	47	39 - 61	
M.E.S. mg/L	<1	STD-MES 50mg/L	47	39 - 61	14 14
Turbidité UTN		MR-0262-2011-Turbidit	5.9	5.10 - 6.90	1.1 1.1
Turbidité UTN		MR-0262-2011-Turbidit	5.9	5.10 - 6.90	

Reported on: May 19, 2011
Lab number: 13397:13404

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13391

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	May 18, 2011
Turbidity	0.15 NTU	Sous-traitance\Multilab Direct	May 18, 2011

Reported on: May 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13391

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Turbidity	0.02 UTN		Sous-traitance	Oui

Reported on: May 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13391
Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-TPL-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	47	39 - 61	
Turbidity UTN		MR-0262-2011-Turbidit	5.9	5.10 - 6.90	

Reported on: May 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13447	13448	13449
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	17-05-2011	17-05-2011	17-05-2011
Total Suspended Solids mg/L	6	1	19
Turbidity NTU	1.4	1.1	20.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 20, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	46	39 - 61		
Turbidité UTN		MR-0302-2011-Turbidit	6.0	5.10 - 6.90		
Turbidité UTN		MR-0302-2011-Turbidit	6.0	5.10 - 6.90	20.7	20.8

Reported on: May 20, 2011
Lab number: 13447:13449

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13450	13451
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	18-05-2011	18-05-2011
Aluminium (Al) mg/L	0.725	0.522
Total Suspended Solids mg/L	5	3
Turbidity NTU	1.1	0.70

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 27, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.72	5.26 - 7.12	
M.E.S. mg/L	<1	STD-MES 50mg/L	46	39 - 61	
Turbidité UTN		DMR-0302-2011-Turbidit	6.0	5.10 - 6.90	

Reported on: May 27, 2011
Lab number: 13450:13451

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	13452	13453	13454
Sample name:	DD-WTP-IN	DD-WTP-DUP1-01	DD-WTP-DUP2-02
Sampling date:	18-05-2011	18-05-2011	18-05-2011
Total Suspended Solids mg/L	16	6	4
Turbidity NTU	16.2	1.0	2.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 20, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 19, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: May 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	46	39 - 61	16	17
M.E.S. mg/L	<1	STD-MES 50mg/L	46	39 - 61		
Turbidité UTN		MR-0302-2011-Turbidit	6.0	5.10 - 6.90		

Reported on: May 20, 2011
Lab number: 13452:13454

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13480	13481
Sample name:	DD-WTP-02	DD-WTP-IN
Sampling date:	19-05-2011	19-05-2011
Total Suspended Solids mg/L	10	33
Turbidity NTU	0.88	36.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 20, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Turbidité UTN		MR-0302-2011-Turbidit	5.9	5.10 - 6.90		

Reported on: May 25, 2011
Lab number: 13480:13481

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13493	13494	13495	13496	13497	13498
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	20-05-2011	20-05-2011	20-05-2011	21-05-2011	21-05-2011	21-05-2011
Total Suspended Solids mg/L	10	11	37	10	11	40
Turbidity NTU	1.0	0.57	34.6	0.84	0.62	41.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Commentaire

Sampling date:

Projet 13493

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13494

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13495

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13496

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 25, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Commentaire

Sampling date:

Projet 13497

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13498

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	11	10
Turbidité UTN		MR-0302-2011-Turbidit	6.0	5.10 - 6.90		
Turbidité UTN		MR-0302-2011-Turbidit	6.0	5.10 - 6.90	0.62	0.59

Reported on: May 25, 2011
Lab number: 13493:13498

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13499	13500	13501	13502	13503
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN	DD-WTP-DUP1-01	DD-WTP-DUP2-02
Sampling date:	23-05-2011	23-05-2011	23-05-2011	23-05-2011	23-05-2011
Aluminium (Al) mg/L	0.535	1.46	0.992	0.729	1.83
Total Suspended Solids mg/L	11	14	42	14	8
pH	7.36	7.22	7.37	7.39	7.26
Turbidity NTU	1.7	1.1	47.0	1.5	1.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 30, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 30, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.47	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.47	5.26 - 7.12	1.46	1.49
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
M.E.S. mg/L	<1	STD-MES 50mg/L	50	39 - 61		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Turbidité UTN		DMR-0302-2011-Turbidit	6.0	5.10 - 6.90		

Reported on: May 30, 2011
Lab number: 13499:13503

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13543	13544	13545
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	24-05-2011	24-05-2011	24-05-2011
Total Suspended Solids mg/L	6	5	21
Turbidity NTU	0.70	1.0	27.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Turbidité UTN		MR-0302-2011-Turbidit	5.9	5.10 - 6.90	

Reported on: May 27, 2011
Lab number: 13543:13545

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13551	13552	13553
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	25-05-2011	25-05-2011	25-05-2011
Total Suspended Solids mg/L	24	7	20
Turbidity NTU	0.56	0.76	22.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		
Turbidité UTN		MR-0302-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: May 27, 2011
Lab number: 13551:13553

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13576	13577	13578
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	26-05-2011	26-05-2011	26-05-2011
Total Suspended Solids mg/L	8	9	22
Turbidity NTU	1.0	0.83	21.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 31, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 31, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Turbidité UTN		MR-0302-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: May 31, 2011
Lab number: 13576:13578

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13588	13589
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	27-05-2011	27-05-2011
Total Suspended Solids mg/L	2	<1
Turbidity NTU	0.39	0.23

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13588

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13589

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 31, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Turbidité UTN		MR-0302-2011-Turbidit	5.4	5.10 - 6.90		

Reported on: June 01, 2011
Lab number: 13588:13589

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13590	13591	13592	13593	13594	13595	13596
Sample name:	DD-WTP-IN	DD-WTP-01	DD-WTP-02	DD-WTP-IN	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	27-05-2011	28-05-2011	28-05-2011	28-05-2011	29-05-2011	29-05-2011	29-05-2011
Total Suspended Solids mg/L	16	1	2	34	11	8	61
Turbidity NTU	21.0	0.50	0.22	35.0	0.84	0.55	72.6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 02, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 13590

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13591

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13592

Surpassed delay, results are indicative for the following parameters: Turbidity

Projet 13593

Surpassed delay, results are indicative for the following parameters: Turbidity

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 02, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90		
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	0.84	0.86

Reported on: June 02, 2011
Lab number: 13590:13596

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13597	13598
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	30-05-2011	30-05-2011
Aluminium (Al) mg/L	0.470	0.836
Total Suspended Solids mg/L	8	8
pH	7.23	7.15
Turbidity NTU	0.87	0.83

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.78	5.26 - 7.12	
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	
pH		STD pH 7.00	7.04	6.96 - 7.04	
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	

Reported on: June 08, 2011
Lab number: 13597:13598

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 02, 2011
Sampled by: Env Tech ext. 6747
Matrix: Waste Water

Lab number:	13681	13682	13683	13684	13685	13686
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	31-05-2011	31-05-2011	31-05-2011	01-06-2011	01-06-2011	01-06-2011
Total Suspended Solids mg/L	10	14	112	15	20	175
Turbidity NTU	1.3	0.95	129	2.0	1.3	181

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 03, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 02, 2011
Sampled by: Env Tech ext. 6747
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	0.95 1.0

Reported on: June 03, 2011
Lab number: 13681:13686

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 02, 2011
Sampled by: Env Tech ext. 6747
Matrix: Waste Water

Lab number:	13681	13682	13683	13684	13685	13686
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	31-05-2011	31-05-2011	31-05-2011	01-06-2011	01-06-2011	01-06-2011
Total Suspended Solids mg/L	10	14	112	15	20	175
Turbidity NTU	1.3	0.95	129	2.0	1.3	181

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 03, 2011

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 02, 2011
Sampled by: Env Tech ext. 6747
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	
Turbidité UTN		MR-0302-2011-Turbidit	5.6	5.10 - 6.90	0.95 1.0

Reported on: June 03, 2011
Lab number: 13681:13686

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13709	13710	13711
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	02-06-2011	02-06-2011	02-06-2011
Total Suspended Solids mg/L	16	20	300
Turbidity NTU	2.6	3.4	398

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 07, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 03, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Turbidité UTN		MR-0302-2011-Turbidit	5.5	5.10 - 6.90	

Reported on: June 07, 2011
Lab number: 13709:13711

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13724	13725	13726	13727	13728	13729	13730
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	05-06-2011	05-06-2011	04-06-2011	04-06-2011	03-06-2011	03-06-2011	03-06-2011
Total Suspended Solids mg/L	4	6	4	4	25	23	188

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	25	25

Reported on: June 08, 2011
Lab number: 13724:13730

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13720	13721	13722	13723
Sample name:	DD-WTP-01	DD-WTP-01-DUP	DD-WTP-02	DD-WTP-02-DUP
Sampling date:	06-06-2011	06-06-2011	06-06-2011	06-06-2011
Aluminium (Al) mg/L	0.284	0.256	0.405	0.402
Total Suspended Solids mg/L	13	16	9	14

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.85	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.85	5.26 - 7.12	0.402	0.392
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: June 10, 2011
Lab number: 13720:13723

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 14, 2011
Sampled by: Philip Roy
Matrix: Waste Water

Lab number:	13820	13821	13822
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	10-06-2011	10-06-2011	10-06-2011
Total Suspended Solids mg/L	26	28	217

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 14, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: June 15, 2011
Lab number: 13820:13822

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 14, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	13823	13824	13825	13826
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	11-06-2011	11-06-2011	12-06-2011	12-06-2011
Total Suspended Solids mg/L	26	16	18	18

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 14, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: June 15, 2011
Lab number: 13823:13826

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14577	14578
Sample name:	BG dewatering	DD-WTP-02
Sampling date:	26-07-2011	26-07-2011
Total Suspended Solids mg/L	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 14577

RUSH

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 28, 2011
Lab number: 14577:14578

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14611	14612
Sample name:	BG dewatering	DD-WTP-02
Sampling date:	27-07-2011	27-07-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 29, 2011
Lab number: 14611:14612

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14646

Sampling date: July 28, 2011
Sampling hour: N/D
Date received: August 01, 2011
Sampling location: BG dewatering
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG dewatering

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.256 mg/L	Sous-traitance\Multilab Direct	August 09, 2011
Total Suspended Solids	1 mg/L	M-SOLI-1.0	August 02, 2011

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14646

Sampling date: July 28, 2011
Sampling hour: N/D
Date received: August 01, 2011
Sampling location: BG dewatering
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG dewatering

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14646
Sampling date: July 28, 2011
Sampling hour: N/D
Date received: August 01, 2011
Sampling location: BG dewatering
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG dewatering

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.37	5.26 - 7.12	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14658	14659	14660
Sample name:	BG dewatering	BG dewatering	BG dewatering
Sampling date:	01-08-2011	31-07-2011	30-07-2011
Total Suspended Solids mg/L	1	2	2

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: August 03, 2011
Lab number: 14658:14660

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	14095	14096	14097	14098
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01-DUP	DD-WTP-02-DUP
Sampling date:	04-07-2011	04-07-2011	04-07-2011	04-07-2011
Aluminium (Al) mg/L	0.687	0.689	0.725	0.691
Total Suspended Solids mg/L	11	10	11	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	7.01	5.26 - 7.12	
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 11, 2011
Lab number: 14095:14098

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 06, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	14151	14152
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	05-07-2011	05-07-2011
Total Suspended Solids mg/L	6	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 06, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: July 07, 2011
Lab number: 14151:14152

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 07, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	14175	14176
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	06-07-2011	06-07-2011
Total Suspended Solids mg/L	7	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 07, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	29	19 - 31		

Reported on: July 11, 2011
Lab number: 14175:14176

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14257	14258
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	10-07-2011	10-07-2011
Total Suspended Solids mg/L	10	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 12, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: July 15, 2011
Lab number: 14257:14258

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14262

Sampling date: July 11, 2011
Sampling hour: 07:35
Date received: July 12, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.694 mg/L	Sous-traitance\Multilab Direct	July 14, 2011

Reported on: July 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14262

Sampling date: July 11, 2011
Sampling hour: 07:35
Date received: July 12, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: July 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14262
Sampling date: July 11, 2011
Sampling hour: 07:35
Date received: July 12, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.37	5.26 - 7.12	

Reported on: July 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14259	14260
Sample name:	DD-WTP-01	DD-WTP-01-DUP
Sampling date:	11-07-2011	11-07-2011
Total Suspended Solids mg/L	11	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 13, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: July 13, 2011
Lab number: 14259:14260

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14313	14314
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	12-07-2011	12-07-2011
Total Suspended Solids mg/L	6	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 13, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	2	4

Reported on: July 15, 2011
Lab number: 14313:14314

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 15, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14404	14405
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	13-07-2011	13-07-2011
Total Suspended Solids mg/L	12	7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 18, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 15, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: July 18, 2011
Lab number: 14404:14405

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14403

Sampling date: July 14, 2011
Sampling hour: N/D
Date received: July 15, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	12 mg/L	M-SOLI-1.0	July 18, 2011

Reported on: July 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14403

Sampling date: July 14, 2011
Sampling hour: N/D
Date received: July 15, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14403
Sampling date: July 14, 2011
Sampling hour: N/D
Date received: July 15, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	14435	14436	14437	14438	14439	14440
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	15-07-2011	16-07-2011	17-07-2011	17-07-2011	18-07-2011	18-07-2011
Total Suspended Solids mg/L	14	5	5	17	14	16

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	5	4

Reported on: July 21, 2011
Lab number: 14435:14440

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	14432	14433
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	18-07-2011	18-07-2011
Aluminium (Al) mg/L	0.805	1.12

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	7.01	5.26 - 7.12	

Reported on: August 10, 2011
Lab number: 14432:14433

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14512	14513
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	20-07-2011	20-07-2011
Total Suspended Solids mg/L	8	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 25, 2011
Lab number: 14512:14513

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14514

Sampling date: July 20, 2011
Sampling hour: N/D
Date received: July 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	July 25, 2011

Reported on: July 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14514

Sampling date: July 20, 2011
Sampling hour: N/D
Date received: July 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14514
Sampling date: July 20, 2011
Sampling hour: N/D
Date received: July 22, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14515	14516	14517	14518
Sample name:	DD-WTP-01	DD-WTP-02	D-WTP-01-DU	WTP-DUP2-02
Sampling date:	21-07-2011	21-07-2011	21-07-2011	21-07-2011
Total Suspended Solids mg/L	6	7	6	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: July 25, 2011
Lab number: 14515:14518

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14568	14569	14570	14571
Sample name:	DD-WTP-02	DD-WTP-02	DD-WTP-02	DD-WTP-02
Sampling date:	22-07-2011	23-07-2011	24-07-2011	25-07-2011
Total Suspended Solids mg/L	3	4	4	9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 28, 2011
Lab number: 14568:14571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14576

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-WTP-02
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.560 mg/L	Sous-traitance\Multilab Direct	July 29, 2011

Reported on: August 08, 2011

Corrected certificate, replacing the certificate V-14576 done on August 01 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14576

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-WTP-02
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002 mg/L		Sous-traitance	

Reported on: August 08, 2011

Corrected certificate, replacing the certificate V-14576 done on August 01 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14576
Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-WTP-02
Sampled by: Martin Thériault
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.84	5.26 - 7.12	

Reported on: August 08, 2011

Corrected certificate, replacing the certificate V-14576 done on August 01 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14577	14578
Sample name:	BG dewatering	DD-WTP-02
Sampling date:	26-07-2011	26-07-2011
Total Suspended Solids mg/L	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Commentaire
Sampling date:
Projet 14577
RUSH

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 27, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 28, 2011
Lab number: 14577:14578

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14610

Sampling date: July 27, 2011
Sampling hour: N/D
Date received: July 28, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	July 29, 2011

Reported on: July 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14610

Sampling date: July 27, 2011
Sampling hour: N/D
Date received: July 28, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14610
Sampling date: July 27, 2011
Sampling hour: N/D
Date received: July 28, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14611	14612
Sample name:	BG dewatering	DD-WTP-02
Sampling date:	27-07-2011	27-07-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 29, 2011
Lab number: 14611:14612

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14655	14656	14657
Sample name:	DD-WTP-01	DD-WTP-01-DUP	DD-WTP-01
Sampling date:	31-07-2011	31-07-2011	30-07-2011
Total Suspended Solids mg/L	80	89	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 03, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: August 03, 2011
Lab number: 14655:14657

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 05, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14711	14712	14713	14714	14715
Sample name:	BG dewatering-1	BG dewatering-2	BG dewatering-1	BG dewatering-2	BG dewatering-1
Sampling date:	04-08-2011	04-08-2011	03-08-2011	03-08-2011	02-08-2011
Total Suspended Solids mg/L	8	2	2	13	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 08, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 05, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 05, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: August 08, 2011
Lab number: 14711:14715

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14748	14749	14750	14751	14752	14753
Sample name:	BG dewatering-1	BG dewatering-2	BG dewatering-1	BG dewatering-2	BG dewatering-1	BG dewatering-2
Sampling date:	05-08-2011	05-08-2011	06-08-2011	06-08-2011	07-08-2011	07-08-2011
Total Suspended Solids mg/L	<1	<1	2	2	2	2

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 09, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	28	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	28	19 - 31	2	3

Reported on: August 10, 2011
Lab number: 14748:14753

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14860	14861	14862	14864	14866
Sample name:	BG dewatering-2	BG dewatering-2	BG dewatering-2	DD-BG-PUMP-2	DD-BG-PUMP-2-DUP
Sampling date:	08-08-2011	09-08-2011	10-08-2011	11-08-2011	11-08-2011
Total Suspended Solids mg/L	1	<1	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	21	19 - 31		

Reported on: August 15, 2011

Lab number: 14860:14862,14864,14866

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 12, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14858	14859
Sample name:	DD-BG-PUMP-2	DD-BG-PUMP-2-DUP
Sampling date:	11-08-2011	11-08-2011
Aluminium (Al) mg/L	0.052	0.023

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	5.86	5.26 - 7.12	

Reported on: August 23, 2011
Lab number: 14858:14859

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 16, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14911	14912	14913	14914	14915	14916	14917
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-2
Sampling date:	15-08-2011	15-08-2011	14-08-2011	14-08-2011	13-08-2011	13-08-2011	12-08-2011
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 16, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31		

Reported on: August 17, 2011
Lab number: 14911:14917

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 16, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14918	14919
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	15-08-2011	15-08-2011
Aluminium (Al) mg/L	0.013	0.022

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.70	5.26 - 7.12	

Reported on: August 29, 2011
Lab number: 14918:14919

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15003	15004	15005	15006
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-1
Sampling date:	16-08-2011	16-08-2011	17-08-2011	18-08-2011
Total Suspended Solids mg/L	1	1	1	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: August 23, 2011
Lab number: 15003:15006

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15064	15065	15066	15067	15068
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-2	DD-BG-PUMP-2-DUF	DD-BG-PUMP-2
Sampling date:	19-08-2011	20-08-2011	21-08-2011	21-08-2011	22-08-2011
Total Suspended Solids mg/L	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: August 24, 2011
Lab number: 15064:15068

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15069

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-BG-PUMP-2
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-BG-PUMP-2

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.086 mg/L	Sous-traitance\Multilab Direct	August 26, 2011

Reported on: August 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15069

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-BG-PUMP-2
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-BG-PUMP-2

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: August 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15069
Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-BG-PUMP-2
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-BG-PUMP-2

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.52	5.26 - 7.12	

Reported on: August 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15096	15097
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	23-08-2011	23-08-2011
Total Suspended Solids mg/L	<1	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: August 25, 2011
Lab number: 15096:15097

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15145	15146	15147	15148
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	24-08-2011	24-08-2011	25-08-2011	25-08-2011
Total Suspended Solids mg/L	1	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: August 29, 2011
Lab number: 15145:15148

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 30, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15190	15191	15192	15193	15194	15195	15196	15197
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	26-08-2011	26-08-2011	27-08-2011	27-08-2011	28-08-2011	28-08-2011	29-08-2011	29-08-2011
Total Suspended Solids mg/L	1	1	<1	1	1	1	1	2

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 31, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	1	2

Reported on: August 31, 2011
Lab number: 15190:15197

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15198	15199	15200	15201	15202
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP	DD-BG-PUMP-1
Sampling date:	29-08-2011	29-08-2011	29-08-2011	29-08-2011	27-08-2011
Aluminium (Al) mg/L	0.092	0.110	0.098	0.076	0.088

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.39	5.26 - 7.12	

Reported on: September 07, 2011
Lab number: 15198:15202

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15226	15227
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	30-08-2011	30-08-2011
Total Suspended Solids mg/L	<1	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 01, 2011
Lab number: 15226:15227

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 01, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15279	15280	15281	15282	15283	15284
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUB	DD-BG-PUMP-1-DUB	DD-BG-PUMP-1-FB	DD-BG-PUMP-2-FB
Sampling date:	31-08-2011	31-08-2011	31-08-2011	31-08-2011	31-08-2011	31-08-2011
Total Suspended Solids mg/L	<1	<1	<1	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31		

Reported on: September 02, 2011
Lab number: 15279:15284

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14654

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.924 mg/L	Sous-traitance\Multilab Direct	August 09, 2011
Total Suspended Solids	6 mg/L	M-SOLI-1.0	August 03, 2011

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14654

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14654
Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.37	5.26 - 7.12	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14676

Sampling date: August 02, 2011
Sampling hour: N/D
Date received: August 03, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	7 mg/L	M-SOLI-1.0	August 04, 2011

Reported on: August 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14676

Sampling date: August 02, 2011
Sampling hour: N/D
Date received: August 03, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14676

Sampling date: August 02, 2011
Sampling hour: N/D
Date received: August 03, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: August 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14716

Sampling date: August 03, 2011
Sampling hour: N/D
Date received: August 05, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	August 08, 2011

Reported on: August 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14716

Sampling date: August 03, 2011
Sampling hour: N/D
Date received: August 05, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14716
Sampling date: August 03, 2011
Sampling hour: N/D
Date received: August 05, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	

Reported on: August 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14757	14758	14759	14760	14761	14762	14763
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-IN
Sampling date:	06-08-2011	06-08-2011	07-08-2011	07-08-2011	08-08-2011	08-08-2011	08-08-2011
Total Suspended Solids mg/L	4	5	5	5	6	6	59

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 09, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	28	19 - 31		

Reported on: August 10, 2011
Lab number: 14757:14763

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14754	14755
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	08-08-2011	08-08-2011
Aluminium (Al) mg/L	0.319	0.325

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 18, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.25	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.25	5.26 - 7.12	0.325	0.320

Reported on: August 18, 2011
Lab number: 14754:14755

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14867

Sampling date: August 10, 2011
Sampling hour: N/D
Date received: August 12, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	August 15, 2011

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14867

Sampling date: August 10, 2011
Sampling hour: N/D
Date received: August 12, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14867
Sampling date: August 10, 2011
Sampling hour: N/D
Date received: August 12, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	21	19 - 31	

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14852	14853
Sample name:	DD-WTP-02	DD-WTP-02-DUP
Sampling date:	10-08-2011	10-08-2011
Total Suspended Solids mg/L	6	6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	21	19 - 31		

Reported on: August 15, 2011
Lab number: 14852:14853

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 16, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14909	14910
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	14-08-2011	12-08-2011
Total Suspended Solids mg/L	56	7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 16, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31		

Reported on: August 17, 2011
Lab number: 14909:14910

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14998

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.434 mg/L	Sous-traitance\Multilab Direct	September 01, 2011

Reported on: September 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14998

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: September 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14998

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	5.75	5.26 - 7.12	

Reported on: September 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15000	15001	15002
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-02
Sampling date:	15-08-2011	16-08-2011	17-08-2011
Total Suspended Solids mg/L	3	8	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	8	8

Reported on: August 23, 2011
Lab number: 15000:15002

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15057

Sampling date: August 19, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	August 24, 2011

Reported on: August 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15057

Sampling date: August 19, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15057
Sampling date: August 19, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: August 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15060	15061	15062	15063
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-02	DD-WTP-02-DUP
Sampling date:	19-08-2011	20-08-2011	21-08-2011	21-08-2011
Total Suspended Solids mg/L	7	6	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 24, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	4	6

Reported on: August 24, 2011
Lab number: 15060:15063

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15098

Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	August 25, 2011

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15098

Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15098
Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15099

Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.492 mg/L	Sous-traitance\Multilab Direct	September 02, 2011

Reported on: September 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15099
Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: September 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15099
Sampling date: August 22, 2011
Sampling hour: 00:00
Date received: August 24, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.39	5.26 - 7.12	

Reported on: September 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15144

Sampling date: August 24, 2011
Sampling hour: N/D
Date received: August 26, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	August 29, 2011

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15144

Sampling date: August 24, 2011
Sampling hour: N/D
Date received: August 26, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15144
Sampling date: August 24, 2011
Sampling hour: N/D
Date received: August 26, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15142	15143
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	25-08-2011	24-08-2011
Total Suspended Solids mg/L	5	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: August 29, 2011
Lab number: 15142:15143

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15189

Sampling date: August 27, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.97 mg/L	Sous-traitance\Multilab Direct	September 06, 2011

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15189

Sampling date: August 27, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15189

Sampling date: August 27, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.39	5.26 - 7.12	

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15185	15186	15187	15188
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	27-08-2011	27-08-2011	28-08-2011	28-08-2011
Total Suspended Solids mg/L	11	8	5	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 31, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: August 31, 2011
Lab number: 15185:15188

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15220	15221	15222	15223	15224	15225
Sample name:	DD-WTP-02	DD-WTP-02-DUP	DD-WTP-02-FB	DD-WTP-01	DD-WTP-01-DUP	DD-WTP-01-FB
Sampling date:	29-08-2011	29-08-2011	29-08-2011	30-08-2011	30-08-2011	30-08-2011
Aluminium (Al) mg/L	1.65	1.63	<0.006	1.42	1.39	0.033

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.87	5.26 - 7.12	

Reported on: September 08, 2011
Lab number: 15220:15225

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15212	15213	15214	15215	15216	15217	15218
Sample name:	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01-DUP	DD-WTP-02-DUP	DD-WTP-01-FB	DD-WTP-02-FB
Sampling date:	29-08-2011	30-08-2011	30-08-2011	30-08-2011	30-08-2011	30-08-2011	30-08-2011
Total Suspended Solids mg/L	4	7	5	7	5	<1	<1

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 01, 2011
Lab number: 15212:15218

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15276	15277	15278
Sample name:	DD-TPL	DD-TPL-DUB	DD-TPL-FB
Sampling date:	31-08-2011	31-08-2011	31-08-2011
Total Suspended Solids mg/L	<1	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31	<1	<1

Reported on: September 02, 2011
Lab number: 15276:15278

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15274	15275
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	31-08-2011	31-08-2011
Total Suspended Solids mg/L	1	7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	20	19 - 31		

Reported on: September 02, 2011
Lab number: 15274:15275

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15301	15302
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	01-09-2011	01-09-2011
Total Suspended Solids mg/L	<1	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: September 07, 2011
Lab number: 15301:15302

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15322	15323	15324	15325	15326	15327	15328	15329
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	02-09-2011	02-09-2011	03-09-2011	03-09-2011	04-09-2011	04-09-2011	05-09-2011	05-09-2011
Total Suspended Solids mg/L	1	2	2	2	19	16	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31	1	<1
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 07, 2011
Lab number: 15322:15329

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15330	15331
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	05-09-2011	05-09-2011
Aluminium (Al) mg/L	0.077	0.016

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.58	5.26 - 7.12	

Reported on: September 19, 2011
Lab number: 15330:15331

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15344	15345
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	06-09-2011	06-09-2011
Total Suspended Solids mg/L	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: September 08, 2011
Lab number: 15344:15345

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 08, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15382	15383
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	07-09-2011	07-09-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 09, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 08, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: September 09, 2011
Lab number: 15382:15383

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15400	15401
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	08-09-2011	08-09-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 12, 2011
Lab number: 15400:15401

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 13, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15473	15474	15475	15476	15477	15478	15479	15480
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	09-09-2011	09-09-2011	10-09-2011	10-09-2011	10-09-2011	10-09-2011	11-09-2011	11-09-2011
Total Suspended Solids mg/L	<1	1	<1	<1	<1	1	<1	15

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15481	15482
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	12-09-2011	12-09-2011
Total Suspended Solids mg/L	<1	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 14, 2011
Lab number: 15473:15482

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15466	15467
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	12-09-2011	12-09-2011
Aluminium (Al) mg/L	0.049	0.066

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.87	5.26 - 7.12	

Reported on: September 19, 2011
Lab number: 15466:15467

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15526	15527
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	13-09-2011	13-09-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 16, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: September 16, 2011
Lab number: 15526:15527

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15635	15636	15637	15638
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	14-09-2011	14-09-2011	15-09-2011	15-09-2011
Total Suspended Solids mg/L	1	1	<1	1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: September 19, 2011
Lab number: 15635:15638

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15699	15700	15701	15702	15703	15704
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	16-09-2011	16-09-2011	17-09-2011	17-09-2011	18-09-2011	18-09-2011
Total Suspended Solids mg/L	4	3	4	4	3	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 21, 2011
Lab number: 15699:15704

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15691	15692
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	19-09-2011	19-09-2011
Aluminium (Al) mg/L	0.027	0.027

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 03, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15696	15697
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	19-09-2011	19-09-2011
Total Suspended Solids mg/L	4	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	4	5
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 21, 2011
Lab number: 15696:15697

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12	0.027	0.030

Reported on: October 03, 2011
Lab number: 15691:15692

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15724	15725	15726	15727
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP
Sampling date:	20-09-2011	20-09-2011	20-09-2011	20-09-2011
Total Suspended Solids mg/L	3	4	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 22, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	4	6

Reported on: September 22, 2011
Lab number: 15724:15727

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15775	15776
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	21-09-2011	21-09-2011
Total Suspended Solids mg/L	1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 22, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 23, 2011
Lab number: 15775:15776

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15839	15840	15841	15842	15843	15844	15845
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	22-09-2011	23-09-2011	24-09-2011	24-09-2011	25-09-2011	26-09-2011	26-09-2011
Total Suspended Solids mg/L	2	2	3	4	2	2	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: September 28, 2011
Lab number: 15839:15845

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15834	15835
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	26-09-2011	26-09-2011
Aluminium (Al) mg/L	0.041	0.042

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMT-0427-2011-18	6.87	5.26 - 7.12	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12	

Reported on: October 04, 2011
Lab number: 15834:15835

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15868	15869
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	27-09-2011	27-09-2011
Total Suspended Solids mg/L	3	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 28, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: September 29, 2011
Lab number: 15868:15869

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15965	15966	15967	15968
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	28-09-2011	28-09-2011	29-09-2011	29-09-2011
Total Suspended Solids mg/L	6	6	3	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 30, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: October 04, 2011
Lab number: 15965:15968

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 04, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15997	15998	15999	16000	16001	16002	16003	16004
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	30-09-2011	30-09-2011	30-09-2011	30-09-2011	01-10-2011	01-10-2011	02-10-2011	02-10-2011
Total Suspended Solids mg/L	5	3	3	8	<1	4	8	7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 04, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16005	16006
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	03-10-2011	03-10-2011
Total Suspended Solids mg/L	2	5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	5	6

Reported on: October 05, 2011
Lab number: 15997:16006

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15318	15319	15320	15321
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	01-09-2011	02-09-2011	03-09-2011	04-09-2011
Total Suspended Solids mg/L	8	7	8	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 07, 2011
Lab number: 15318:15321

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15318	15319	15320	15321
Sample name:	DD-WTP-01	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	01-09-2011	02-09-2011	03-09-2011	04-09-2011
Total Suspended Solids mg/L	8	7	8	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 07, 2011
Lab number: 15318:15321

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15349

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.571 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15349

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15349
Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.78	5.26 - 7.12	

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15339	15340
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	05-09-2011	06-09-2011
Total Suspended Solids mg/L	4	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: September 08, 2011
Lab number: 15339:15340

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15402	15403
Sample name:	DD-WTP-01	DD-WTP-01
Sampling date:	07-09-2011	08-09-2011
Total Suspended Solids mg/L	6	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 09, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 12, 2011
Lab number: 15402:15403

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15381

Sampling date: September 07, 2011
Sampling hour: N/D
Date received: September 08, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	September 09, 2011

Reported on: September 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15381

Sampling date: September 07, 2011
Sampling hour: N/D
Date received: September 08, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15381

Sampling date: September 07, 2011
Sampling hour: N/D
Date received: September 08, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: September 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15484	15485	15486	15487	15488
Sample name:	DD-WTP-01	DD-WTP-01-DUP	DD-WTP-01	DD-WTP-01	DD-WTP-01
Sampling date:	09-09-2011	09-09-2011	10-09-2011	11-09-2011	12-09-2011
Total Suspended Solids mg/L	1	3	3	4	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	4	4

Reported on: September 14, 2011
Lab number: 15484:15488

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15468	15469
Sample name:	DD-WTP-01	DD-WTP-01-DUP
Sampling date:	12-09-2011	12-09-2011
Aluminium (Al) mg/L	0.368	0.427

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.87	5.26 - 7.12	

Reported on: September 19, 2011
Lab number: 15468:15469

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15632

Sampling date: September 14, 2011
Sampling hour: N/D
Date received: September 16, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	10 mg/L	M-SOLI-1.0	September 19, 2011

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15632

Sampling date: September 14, 2011
Sampling hour: N/D
Date received: September 16, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15632

Sampling date: September 14, 2011
Sampling hour: N/D
Date received: September 16, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: September 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15633	15634
Sample name:	DD-TPL	DD-TPL-DUP
Sampling date:	15-09-2011	15-09-2011
Total Suspended Solids mg/L	2	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 16, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: September 19, 2011
Lab number: 15633:15634

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15694	15695
Sample name:	DD-WTP-02	DD-WTP-02
Sampling date:	15-09-2011	16-09-2011
Total Suspended Solids mg/L	8	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 21, 2011
Lab number: 15694:15695

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15705

Sampling date: September 17, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	10 mg/L	M-SOLI-1.0	September 21, 2011

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15705

Sampling date: September 17, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15705

Sampling date: September 17, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-02

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15698

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	10 mg/L	M-SOLI-1.0	September 21, 2011

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15698

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15698

Sampling date: September 18, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: September 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	15722	15723
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	19-09-2011	19-09-2011
Aluminium (Al) mg/L	0.587	0.668

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 03, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12	

Reported on: October 03, 2011
Lab number: 15722:15723

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 21, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15719	15720
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	19-09-2011	19-09-2011
Total Suspended Solids mg/L	10	12

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: September 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 21, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: September 23, 2011
Lab number: 15719:15720

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15771	15772	15773	15774
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01-DUP	DD-WTP-02-DUP
Sampling date:	20-09-2011	20-09-2011	20-09-2011	20-09-2011
Total Suspended Solids mg/L	4	1	1	1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 22, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 22, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 23, 2011
Lab number: 15771:15774

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15815

Sampling date: September 21, 2011
Sampling hour: N/D
Date received: September 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	September 26, 2011

Reported on: September 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15815

Sampling date: September 21, 2011
Sampling hour: N/D
Date received: September 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15815

Sampling date: September 21, 2011
Sampling hour: N/D
Date received: September 23, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: September 26, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15813	15814
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	21-09-2011	21-09-2011
Total Suspended Solids mg/L	2	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 23, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: September 26, 2011
Lab number: 15813:15814

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15836	15837	15838
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01
Sampling date:	23-09-2011	23-09-2011	24-09-2011
Total Suspended Solids mg/L	3	2	7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: September 28, 2011
Lab number: 15836:15838

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15964

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	October 04, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15964

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15964

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 04, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15997	15998	15999	16000	16001	16002	16003	16004
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	30-09-2011	30-09-2011	30-09-2011	30-09-2011	01-10-2011	01-10-2011	02-10-2011	02-10-2011
Total Suspended Solids mg/L	5	3	3	8	<1	4	8	7

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16005	16006
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	03-10-2011	03-10-2011
Total Suspended Solids mg/L	2	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 05, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	5	6

Reported on: October 05, 2011
Lab number: 15997:16006

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 04, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16008	16009
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	03-10-2011	03-10-2011
Aluminium (Al) mg/L	0.134	0.131

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.57	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.57	5.26 - 7.12	0.131	0.136

Reported on: October 17, 2011
Lab number: 16008:16009

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16070	16071	16072
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1
Sampling date:	04-10-2011	04-10-2011	05-10-2011
Total Suspended Solids mg/L	3	2	30

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 06, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: October 11, 2011
Lab number: 16070:16072

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16146	16147	16148	16149	16150	16151	16152	16153
Sample name:	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1
Sampling date:	05-10-2011	06-10-2011	06-10-2011	07-10-2011	07-10-2011	08-10-2011	08-10-2011	09-10-2011
Total Suspended Solids mg/L	12	8	8	5	7	6	8	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 12, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16154	16155	16156	16157	16158
Sample name:	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP
Sampling date:	09-10-2011	10-10-2011	10-10-2011	10-10-2011	10-10-2011
Total Suspended Solids mg/L	5	4	5	8	8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	5	6

Reported on: October 12, 2011
Lab number: 16146:16158

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 11, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16144	16145
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	10-10-2011	10-10-2011
Aluminium (Al) mg/L	0.145	0.152

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.64	5.26 - 7.12	

Reported on: October 19, 2011
Lab number: 16144:16145

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16191	16192
Sample name:	DD-BG-PUMP-2	DD-BG-PUMP-1
Sampling date:	11-10-2011	11-10-2011
Total Suspended Solids mg/L	11	10

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 13, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	28	19 - 31	

Reported on: October 13, 2011
Lab number: 16191:16192

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16280	16281	16282	16283
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	12-10-2011	12-10-2011	13-10-2011	13-10-2011
Total Suspended Solids mg/L	5	4	4	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: October 17, 2011
Lab number: 16280:16283

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 18, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16319	16320	16321	16322	16323	16324	16325	16326
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	14-10-2011	14-10-2011	15-10-2011	15-10-2011	16-10-2011	16-10-2011	17-10-2011	17-10-2011
Total Suspended Solids mg/L	3	6	3	3	3	3	3	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 18, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: October 19, 2011
Lab number: 16319:16326

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 18, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16314	16315	16316	16317
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-1-DUP	DD-BG-PUMP-2-DUP
Sampling date:	17-10-2011	17-10-2011	17-10-2011	17-10-2011
Aluminium (Al) mg/L	0.094	0.092	0.114	0.091

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 18, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.12	5.26 - 7.12	

Reported on: October 25, 2011
Lab number: 16314:16317

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16360	16361
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	18-10-2011	18-10-2011
Total Suspended Solids mg/L	4	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 20, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	

Reported on: October 20, 2011
Lab number: 16360:16361

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16403	16404
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2
Sampling date:	19-10-2011	19-10-2011
Total Suspended Solids mg/L	1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: October 21, 2011
Lab number: 16403:16404

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16483	16484	16485	16486
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	BG-PUMP-1-DUP-02	DD-BG-PUMP-2-DUP-03
Sampling date:	20-10-2011	20-10-2011	20-10-2011	20-10-2011
Total Suspended Solids mg/L	1	1	<1	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: October 27, 2011
Lab number: 16483:16486

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16502	16503	16504	16505
Sample name:	DD-BG-PUMP-1	DD-BG-PUMP-2	DD-BG-PUMP-2	DD-BG-PUMP-2
Sampling date:	21-10-2011	21-10-2011	22-10-2011	23-10-2011
Total Suspended Solids mg/L	<1	<1	1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31	1	1

Reported on: October 27, 2011
Lab number: 16502:16505

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16495	16496	16497	16498	16499
Sample name:	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	22-10-2011	23-10-2011	23-10-2011	24-10-2011	24-10-2011
Total Suspended Solids mg/L	1	4	<1	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31	1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: October 27, 2011
Lab number: 16495:16499

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16500	16501
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	24-10-2011	24-10-2011
Aluminium (Al) mg/L	0.860	0.198

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.52	5.26 - 7.12	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.01	5.26 - 7.12	

Reported on: November 04, 2011
Lab number: 16500:16501

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16580	16581	16582	16583
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02
Sampling date:	25-10-2011	25-10-2011	26-10-2011	26-10-2011
Total Suspended Solids mg/L	7	4	5	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31		

Reported on: October 28, 2011
Lab number: 16580:16583

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 31, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16628	16629
Sample name:	DD-WTP-01	DD-WTP-02
Sampling date:	27-10-2011	27-10-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: November 01, 2011
Lab number: 16628:16629

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16648	16649	16650	16651	16652	16653	16654	16655
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01-DUP	DD-WTP-02-DUP	DD-WTP-01	DD-WTP-02
Sampling date:	28-10-2011	28-10-2011	29-10-2011	29-10-2011	29-10-2011	29-10-2011	30-10-2011	30-10-2011
Total Suspended Solids mg/L	<1	<1	3	2	2	1	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	3	4

Reported on: November 02, 2011
Lab number: 16648:16655

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16656	16657
Sample name:	BG-WTP-01	BG-WTP-02
Sampling date:	31-10-2011	31-10-2011
Total Suspended Solids mg/L	1	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 01, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: November 02, 2011
Lab number: 16656:16657

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16659	16660
Sample name:	BG-WTP-01	BG-WTP-02
Sampling date:	31-10-2011	31-10-2011
Aluminium (Al) mg/L	0.096	0.357

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.57	5.26 - 7.12	

Reported on: November 10, 2011
Lab number: 16659:16660

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.05 mg/L	Sous-traitance\Multilab Direct	October 05, 2011

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.01	5.26 - 7.12	

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	1.05 mg/L	Sous-traitance\Multilab Direct	October 05, 2011

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15995
Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.01	5.26 - 7.12	

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16010	16011
Sample name:	DD-WTP-01	DD-WTP-01-DUP
Sampling date:	03-10-2011	03-10-2011
Total Suspended Solids mg/L	23	24
Reassay Total Suspended Solids mg/L	18	20

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 11, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 04, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: October 11, 2011
Lab number: 16010:16011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16159

Sampling date: October 07, 2011
Sampling hour: N/D
Date received: October 11, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	5 mg/L	M-SOLI-1.0	October 12, 2011

Reported on: October 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16159

Sampling date: October 07, 2011
Sampling hour: N/D
Date received: October 11, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16159

Sampling date: October 07, 2011
Sampling hour: N/D
Date received: October 11, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	

Reported on: October 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16195	16196
Sample name:	DD-WTP-01	DD-WTP-01-DUP
Sampling date:	11-10-2011	11-10-2011
Total Suspended Solids mg/L	5	5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 13, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 12, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	28	19 - 31	

Reported on: October 13, 2011
Lab number: 16195:16196

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16279

Sampling date: October 12, 2011
Sampling hour: N/D
Date received: October 14, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	October 17, 2011

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16279

Sampling date: October 12, 2011
Sampling hour: N/D
Date received: October 14, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16279

Sampling date: October 12, 2011
Sampling hour: N/D
Date received: October 14, 2011
Sampling location: DD-TPL
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-TPL

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16276	16277
Sample name:	DD-WTP-02	DD-WTP-02-DUP
Sampling date:	12-10-2011	12-10-2011
Total Suspended Solids mg/L	4	4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 14, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: October 17, 2011
Lab number: 16276:16277

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16318

Sampling date: October 15, 2011
Sampling hour: N/D
Date received: October 18, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	October 19, 2011

Reported on: October 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16318

Sampling date: October 15, 2011
Sampling hour: N/D
Date received: October 18, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16318
Sampling date: October 15, 2011
Sampling hour: N/D
Date received: October 18, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: October 19, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16399

Sampling date: October 18, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	October 21, 2011

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16399

Sampling date: October 18, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16399

Sampling date: October 18, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16400	16401
Sample name:	DD-WTP-02	DD-WTP-02-DUP
Sampling date:	19-10-2011	19-10-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 20, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: October 21, 2011
Lab number: 16400:16401

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: October 25, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16487	16488
Sample name:	DD-WTP-01	DD-WTP-01-DUP-01
Sampling date:	20-10-2011	20-10-2011
Total Suspended Solids mg/L	5	7

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: October 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: October 27, 2011
Lab number: 16487:16488

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16648	16649	16650	16651	16652	16653	16654	16655
Sample name:	DD-WTP-01	DD-WTP-02	DD-WTP-01	DD-WTP-02	DD-WTP-01-DUP	DD-WTP-02-DUP	DD-WTP-01	DD-WTP-02
Sampling date:	28-10-2011	28-10-2011	29-10-2011	29-10-2011	29-10-2011	29-10-2011	30-10-2011	30-10-2011
Total Suspended Solids mg/L	<1	<1	3	2	2	1	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 01, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	3	4

Reported on: November 02, 2011
Lab number: 16648:16655

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16685	16686
Sample name:	BG-WTP-01	BG-WTP-02
Sampling date:	01-11-2011	01-11-2011
Total Suspended Solids mg/L	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 03, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 02, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: November 03, 2011
Lab number: 16685:16686

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 08, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16787	16788	16789	16790	16791	16792	16793	16794
Sample name:	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02
Sampling date:	02-11-2011	02-11-2011	03-11-2011	03-11-2011	04-11-2011	04-11-2011	05-11-2011	05-11-2011
Total Suspended Solids mg/L	4	3	2	4	4	4	2	6

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 09, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 08, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16795	16796	16797	16798
Sample name:	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02
Sampling date:	06-11-2011	06-11-2011	07-11-2011	07-11-2011
Total Suspended Solids mg/L	2	2	2	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 09, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 08, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	3	4
M.E.S. mg/L	<1	STD-MES 25mg/L	26	19 - 31	2	3

Reported on: November 09, 2011
Lab number: 16787:16798

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16785

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-01

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.585 mg/L	Sous-traitance\Multilab Direct	November 16, 2011

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16785

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-01

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16785
Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-01
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-01

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.83	5.26 - 7.12	

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16786

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-02

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.308 mg/L	Sous-traitance\Multilab Direct	November 18, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16786

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-02

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16786

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: BG-WTP-02
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: BG-WTP-02

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.66	5.26 - 7.12	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 09, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	16810	16811
Sample name:	BG-WTP-01	BG-WTP-02
Sampling date:	08-11-2011	08-11-2011
Total Suspended Solids mg/L	1	2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 09, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: November 10, 2011
Lab number: 16810:16811

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16895	16896	16897	16898	16899	16900
Sample name:	BG-WTP-01	BG-WTP-02	BG-WTP-01-DUP	BG-WTP-02-DUP	BG-WTP-01	BG-WTP-02
Sampling date:	09-11-2011	09-11-2011	09-11-2011	09-11-2011	10-11-2011	10-11-2011
Total Suspended Solids mg/L	6	2	5	2	2	3

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: November 15, 2011
Lab number: 16895:16900

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: November 15, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	16960	16961
Sample name:	BG-WTP-01	BG-WTP-02
Sampling date:	11-11-2011	11-11-2011
Total Suspended Solids mg/L	5	5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 15, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31		

Reported on: November 17, 2011
Lab number: 16960:16961

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: November 15, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16954	16955	16956	16957	16958	16959
Sample name:	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02	BG-WTP-01	BG-WTP-02
Sampling date:	14-11-2011	14-11-2011	13-11-2011	13-11-2011	12-11-2011	12-11-2011
Total Suspended Solids mg/L	6	5	3	4	1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: November 15, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	6	6
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	<1	<1

Reported on: November 17, 2011
Lab number: 16954:16959

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14155

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	43 mg CaCO ₃ /L	M-ALCA-2.0	July 06, 2011
Aluminium (Al)	1.79 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Silver (Ag)	<0.0005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Barium (Ba)	0.0297 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Cadmium (Cd)	<0.00008 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Chrome (Cr)	0.0020 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Copper (Cu)	0.0076 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Hardness	28 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	July 12, 2011
Iron (Fe)	3.0 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Fluoride (F)	<0.1 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Manganese (Mn)	0.0619 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Molybdenum (Mo)	0.0007 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Nickel (Ni)	0.0062 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Nitrate (NO ₃)	0.68 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Nitrite (NO ₂)	<0.01 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Selenium (Se)	0.001 mg/L	Sous-traitance\Multilab Direct	July 12, 2011

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14155

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	1 mg SO4/L	Sous-traitance\Multilab Direct	July 12, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	July 20, 2011

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14155

Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0005 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00008 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14155

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg	N/L	Sous-traitance	

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14155
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.75	5.26 - 7.12	
Silver (Ag) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2805	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0189-2011-18t	2.240	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00008	DMR-0189-2011-18t	0.84076	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0407-2011-Cl	61.4	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0189-2011-18t	3.670	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.167	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0189-2011-18t	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.1	DMR-0302-2011-F	3.6	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0189-2011-18t	3.350	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0189-2011-13	0.00588	0.0053 - 0.0099	
Molybdenum (Mo) mg/L	<0.0005	DMR-0189-2011-18t	0.6163	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.028	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO ₂	2.7	2.25 - 3.05	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9027	0.8 - 1.0	

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14155
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Selenium (Se) mg/L	<0.001	DMR-0189-2011-18t	1.37	1.15 - 1.55		
Sulfate (SO4) mg SO4/L	<1	DMR-0407-2011-SO4	72	63 - 77		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	1033	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.47	3.83 - 5.19		

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14679	14680
Sample name:	EAST-DIKE-SEEPAGE EAST-DIKE-SEEPAGE-DUP	
Sampling date:	02-08-2011	02-08-2011
Alkalinity mg CaCO ₃ /L	28	28
Aluminium (Al) mg/L	0.216	0.230
Silver (Ag) mg/L	0.0019	0.0016
Arsenic (As) mg/L	0.0153	0.0062
Barium (Ba) mg/L	0.0115	0.0116
Cadmium (Cd) mg/L	0.00510	0.00521
Chloride mg/L	1.1	1.1
Chrome (Cr) mg/L	0.0145	0.0139
Copper (Cu) mg/L	<0.0005	<0.0005
Hardness mg CaCO ₃ /L	47	47
Iron (Fe) mg/L	0.30	0.29
Fluoride (F) mg/L	<0.1	<0.1
Manganese (Mn) mg/L	0.0077	0.0077
Mercury (Hg) mg/L	0.00012	0.00009
Molybdenum (Mo) mg/L	0.0026	0.0021
Ammonia (NH ₃) mg N/L	<0.05	<0.05
Nickel (Ni) mg/L	0.0063	0.0055
Nitrate (NO ₃) mg N/L	1.6	1.618
Lead (Pb) mg/L	<0.0003	<0.0003
Sulfate (SO ₄) mg SO ₄ /L	7	7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	14679	14680
Sample name:	EAST-DIKE-SEEPAGE EAST-DIKE-SEEPAGE-DUP	
Sampling date:	02-08-2011	02-08-2011
Thallium (Tl) mg/L	<0.005	<0.005
Zinc (Zn) mg/L	<0.001	<0.001
Selenium (Se) mg/L	<0.001	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Detection limit	
Parameter	Valeur
Alkalinity	2 mg CaCO ₃ /L M-ALCA-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		std Alk	141	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.68	5.26 - 7.12	
Argent (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3270	0.198 - 0.368	
Baryum (Ba) mg/L	<0.0005	DMR-0302-11-18	2.529	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.91069	0.8 - 1.0	
Chlorure (Cl) mg/L	<0.5	DMR-0427-2011-Cl	63.7	51.0 - 65.0	
Chlorure (Cl) mg/L	<0.5	DMR-0427-2011-Cl	63.7	51.0 - 65.0	1.1 1.1
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	3.699	3.44 - 4.66	
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.220	1.05 - 1.43	
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	10.0	8.9 - 12.1	
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	4.1	3.57 - 4.15	
Manganèse (Mn) mg/L	<0.0005	DMR-0302-11-18	3.313	3.28 - 4.44	
Mercure (Hg) mg/L	<0.00001	Dmr-0302-2011-13	0.00636	0.0053 - 0.0099	
Molybdene (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6370	0.599 - 0.811	
NH ₃ mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.165	0.96 - 1.30	
Nitrates (NO ₃) mg N/L	<0.01				
Nitrates (NO ₃) mg N/L	0				

Reported on: August 15, 2011

Lab number: 14679:14680

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9606	0.8 - 1.0	
Sélénium (Se) mg/L	<0.001	DMR-0302-11-18	1.21	1.15 - 1.55	
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	68	63 - 77	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	982	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	5.01	3.83 - 5.19	

Reported on: August 15, 2011
Lab number: 14679:14680

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	41 mg CaCO ₃ /L	M-ALCA-2.0	September 07, 2011
Aluminium (Al)	0.569 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Barium (Ba)	0.0098 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Chloride	<0.5 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Chrome (Cr)	0.0014 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Copper (Cu)	0.0022 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Hardness	29 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 16, 2011
Iron (Fe)	0.08 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Fluoride (F)	0.09 mg/L	Sous-traitance\Multilab Direct	September 21, 2011
Manganese (Mn)	0.0141 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 12, 2011
Nickel (Ni)	0.0018 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Nitrate (NO ₃)	0.38 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Lead (Pb)	0.0012 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	7 mg SO4/L	Sous-traitance\Multilab Direct	September 13, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 18, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	137	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.78	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2924	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0302-11-18	2.331	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.90702	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0517-2011-CL	55.9	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	4.106	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.264	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0302-11-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0302-11-18	3.764	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0407-2011-13	0.05610	0.0316 - 0.0588	
Molybdenum (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6575	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.097	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9470	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0302-11-18	1.32	1.15 - 1.55	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15341

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0517-2011-SO4	70	63 - 77		
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	1085	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.63	3.83 - 5.19		

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
 Sampling hour: N/D
 Date received: September 21, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	49 mg CaCO ₃ /L	M-ALCA-2.0	September 21, 2011
Aluminium (Al)	0.101 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Arsenic (As)	0.0022 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Barium (Ba)	0.0059 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Chrome (Cr)	0.0009 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Copper (Cu)	0.0026 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 27, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	October 03, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	September 22, 2011
Manganese (Mn)	0.0021 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 21, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Nitrate (NO3)	0.62 mg N/L	Sous-traitance\Multilab Direct	September 22, 2011
Lead (Pb)	0.0011 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 27, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	September 23, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	September 26, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
 Sampling hour: N/D
 Date received: September 21, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
 Sampling hour: N/D
 Date received: September 21, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.13	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.2	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3310	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.331	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.560	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.56	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.98700	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.987	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	55.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.510	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.51	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.417	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.34	1.05 - 1.43	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.7	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	12.1	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15729

Sampling date: September 20, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.390	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04207	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0426	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.7390	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.739	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.240	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrate (NO3) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9470	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.947	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.49	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.49	1.15 - 1.55	
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	72	63 - 77	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	938	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	938	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.09	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.01	3.83 - 5.19	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	24 mg CaCO ₃ /L	M-ALCA-2.0	September 27, 2011
Aluminium (Al)	0.146 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Aluminium (Al)	0.08 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Arsenic (As)	0.0043 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Barium (Ba)	0.0061 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Barium (Ba)	0.006 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Hardness	25 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	September 28, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
 Sampling hour: N/D
 Date received: September 27, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	September 28, 2011
Manganese (Mn)	0.0014 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 28, 2011
Nickel (Ni)	0.0007 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Nitrate (NO3)	0.66 mg N/L	Sous-traitance\Multilab Direct	September 28, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	September 27, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 03, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	October 03, 2011
Zinc (Zn)	0.007 mg/L	Sous-traitance\Multilab Direct	September 28, 2011
Dissolved Zinc	0.007 mg/L	Sous-traitance\Multilab Direct	September 28, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
 Sampling hour: N/D
 Date received: September 27, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
 Sampling hour: N/D
 Date received: September 27, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	149	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.03	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0302-11-18	6.3	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2829	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0302-11-18	0.338	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0302-11-18	2.247	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0302-11-18	2.39	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.82720	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0302-11-18	0.955	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	57.2	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	3.713	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0302-11-18	4.07	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.223	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0302-11-18	1.32	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0302-11-18	9.2	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0302-11-18	10.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.7	3.57 - 4.15	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15833

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0302-11-18	3.633	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0302-11-18	3.81	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03690	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0368	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6435	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0302-11-18	0.696	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.074	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0302-11-18	1.14	0.96 - 1.30	
Nitrate (NO3) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	1.000	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0302-11-18	0.984	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0302-11-18	1.26	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0302-11-18	1.43	1.15 - 1.55	
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	75	63 - 77	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	1117	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1133	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.21	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0302-11-18	4.75	3.83 - 5.19	

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	37 mg CaCO ₃ /L	M-ALCA-2.0	October 05, 2011
Aluminium (Al)	3.36 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Arsenic (As)	0.0020 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Barium (Ba)	0.0496 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Chloride	1.9 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Chrome (Cr)	0.0035 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Copper (Cu)	0.0246 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Hardness	86 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 14, 2011
Iron (Fe)	3.7 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Fluoride (F)	0.41 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Manganese (Mn)	0.1996 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Molybdenum (Mo)	0.0042 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Ammonia (NH ₃)	0.08 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0087 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Nitrate (NO ₃)	4.5 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Lead (Pb)	0.0063 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 14, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	25 mg SO4/L	Sous-traitance\Multilab Direct	October 11, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.012 mg/L	Sous-traitance\Multilab Direct	October 14, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	151	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3570	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.740	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.99100	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.586	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.370	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.0	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.877	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04445	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6267	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.240	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				4.5 4.4
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.8740	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.41	1.15 - 1.55	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16061

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	73	63 - 77	25	27
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	982	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.05	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	27 mg CaCO ₃ /L	M-ALCA-2.0	October 06, 2011
Aluminium (Al)	1.94 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Arsenic (As)	0.0285 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Barium (Ba)	0.0204 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Chloride	0.9 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Chrome (Cr)	0.0206 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Copper (Cu)	0.0064 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Hardness	58 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 17, 2011
Iron (Fe)	3.6 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Fluoride (F)	0.11 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Manganese (Mn)	0.0916 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	October 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0255 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Nitrate (NO ₃)	1.1 mg N/L	Sous-traitance\Multilab Direct	October 13, 2011
Lead (Pb)	0.0036 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 17, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	30 mg SO4/L	Sous-traitance\Multilab Direct	October 11, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.013 mg/L	Sous-traitance\Multilab Direct	October 17, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
 Sampling hour: N/D
 Date received: October 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
 Sampling hour: N/D
 Date received: October 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE S.
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE S.

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	142	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3033	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.366	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.91434	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.171	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.151	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03735	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6823	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.191	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9870	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.44	1.15 - 1.55	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16073

Sampling date: October 05, 2011
 Sampling hour: N/D
 Date received: October 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE S.
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE S.

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	73	63 - 77	30	31
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	982	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.12	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	24 mg CaCO ₃ /L	M-ALCA-2.0	October 06, 2011
Aluminium (Al)	0.296 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Barium (Ba)	0.0089 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Chloride	0.9 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Copper (Cu)	0.0020 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Hardness	25 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 17, 2011
Iron (Fe)	0.32 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Manganese (Mn)	0.0170 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	October 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0036 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Nitrate (NO ₃)	0.36 mg N/L	Sous-traitance\Multilab Direct	October 13, 2011
Lead (Pb)	0.0016 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 17, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Sulfate (SO ₄)	3 mg SO ₄ /L	Sous-traitance\Multilab Direct	October 11, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	October 17, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 06, 2011
 Sampling location: EAST-DIKE-SEEPAGE N.
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE N.

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	142	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.87	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3033	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.366	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.91434	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.171	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.151	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03735	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6823	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.191	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9870	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.44	1.15 - 1.55	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16074

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 06, 2011
Sampling location: EAST-DIKE-SEEPAGE N.
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE N.

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	73	63 - 77	
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	982	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.12	3.83 - 5.19	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16680

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	23 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Aluminium (Al)	0.133 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Arsenic (As)	0.0031 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Barium (Ba)	0.0051 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Copper (Cu)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Manganese (Mn)	0.0039 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 06, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 02, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Nitrate (NO ₃)	0.10 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16680

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	1 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16680

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16680

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16680
 Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.55	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.5	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3365	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.285	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.92911	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.653	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.234	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.540	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04013	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.7824	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.027	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0	

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16680

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.50	1.15 - 1.55		
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77	1	1
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	983	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19		

Reported on: November 30, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	24 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Aluminium (Al)	0.142 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Silver (Ag)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Arsenic (As)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Barium (Ba)	0.0047 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Copper (Cu)	0.0022 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Hardness	19 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Manganese (Mn)	0.0039 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 06, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 02, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Nitrate (NO ₃)	0.10 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	0.0589 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	0.145 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chrome (Cr)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001	mg/L	Sous-traitance	Oui
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui
Chrome (Cr)	0.0006	mg/L	Sous-traitance	Oui

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.55	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.5	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3365	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.285	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.92911	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	0.7 0.7
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.170	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.04	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.234	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.540	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04013	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.7824	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.027	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16681

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.50	1.15 - 1.55		
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	983	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19		

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16681 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Alkalinity	78 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Aluminium (Al)	0.084 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Arsenic (As)	0.0124 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Barium (Ba)	0.0318 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Cadmium (Cd)	0.00016 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chloride	7.4 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Copper (Cu)	0.0090 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Hardness	71 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Fluoride (F)	0.88 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Manganese (Mn)	0.0708 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 06, 2011
Molybdenum (Mo)	0.0186 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Ammonia (NH ₃)	0.15 mg N/L	Sous-traitance\Multilab Direct	November 02, 2011
Nickel (Ni)	0.0020 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Nitrate (NO ₃)	7.5 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	0.0158 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Sulfate (SO4)	21 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	0.010 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chrome (Cr)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001	mg/L	Sous-traitance	Oui
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui
Chrome (Cr)	0.0006	mg/L	Sous-traitance	Oui

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.55	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.5	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3365	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.285	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.92911	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.170	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.04	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.234	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.540	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04013	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.7824	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.027	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16682

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: EAST-DIKE-SEEPAGE
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.50	1.15 - 1.55		
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	983	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19		

Reported on: November 23, 2011

Corrected certificate, replacing the certificate V-16682 done on November 21 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 11, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	42 mg CaCO ₃ /L	M-ALCA-2.0	November 11, 2011
Aluminium (Al)	0.223 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Barium (Ba)	0.0058 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 16, 2011
Chrome (Cr)	0.0034 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Copper (Cu)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.19 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	0.07 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 18, 2011

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	14 mg/L	M-SOLI-1.0	November 14, 2011
Manganese (Mn)	0.0092 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Nickel (Ni)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Lead (Pb)	0.0044 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Dissolved Solids	38 mg/L	M-SOLI-2.0	November 11, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	November 15, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 11, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.77	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.3	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002					
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2704	0.198 - 0.368		
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.237	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.365	2.0 - 2.8		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.39	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.89749	0.8 - 1.0		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.951	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0687-2011-CL	52.0	51.0 - 65.0		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.407	3.44 - 4.66		
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.60	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.392	1.05 - 1.43		
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.13	1.05 - 1.43		
Hardness mg CaCO ₃ /L						
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.7	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	8.9	8.9 - 12.1		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31		

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16901

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.122	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.47	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03918	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6650	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.671	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.219	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	0.989	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9470	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.827	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.18	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000pg	925	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000pg	921	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.78	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.18	3.83 - 5.19	

Reported on: November 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16902

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 11, 2011
Aluminium (Al)	0.066 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.05 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Barium (Ba)	0.0049 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 16, 2011
Chrome (Cr)	0.0038 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.11 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Iron (Fe)	0.10 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 18, 2011

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16902

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	November 14, 2011
Manganese (Mn)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Nickel (Ni)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Lead (Pb)	0.0004 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011
Dissolved Solids	37 mg/L	M-SOLI-2.0	November 11, 2011
Sulfate (SO4)	2 mg SO4/L	Sous-traitance\Multilab Direct	November 15, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 15, 2011

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16902

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 11, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16902

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 11, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16902

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 11, 2011
Sampling location: EAST-DIKE-SEEP. NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.77	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.3	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2704	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.237	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.365	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.39	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.89749	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.951	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	52.0	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.407	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.60	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.392	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.13	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.6	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	8.9	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16902
 Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 11, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.122	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.47	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03918	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6650	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.671	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.219	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	0.989	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9470	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.827	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.18	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	925	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	921	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.78	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.18	3.83 - 5.19	

Reported on: November 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16940

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	40 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.157 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0055 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	11 mg/L	M-SOLI-1.0	November 16, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16940

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Manganese (Mn)	0.0065 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	2 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	24 mg CaCO3/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16940

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16940

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16940
 Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	159	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.41	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	0.02	0.01
Silver (Ag) mg/L	<0.0002					
Dissolved Silver (Ag) mg/L	<0.005				<0.005	<0.005
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2745	0.198 - 0.368		
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	<0.005	<0.005
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.459	2.0 - 2.8		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	<0.005	<0.005
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.88879	0.8 - 1.0		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	<0.005	<0.005
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.459	3.44 - 4.66		
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	<0.005	<0.005
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.377	1.05 - 1.43		
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	<0.005	<0.005
Hardness mg CaCO3/L	<1					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	<0.05	<0.05
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16940
Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	11	11
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.187	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	<0.005	<0.005
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6621	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	<0.005	<0.005
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.214	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	<0.005	<0.005
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9880	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	<0.005	<0.005
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	<0.005	<0.005
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.86	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	<0.005	<0.005

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16940 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.067 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 16, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Manganese (Mn)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved Zinc	0.010 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	24 mg CaCO3/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.41	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2745	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.459	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.88879	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.459	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.377	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16941

Sampling date: November 10, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.187	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6621	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.214	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9880	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	<0.005 <0.005
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.54	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16941 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	45 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.296 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0072 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Iron (Fe)	0.44 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	38 mg/L	M-SOLI-1.0	November 16, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Manganese (Mn)	0.0164 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0017 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	5 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO3/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16942

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16942 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	39 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.017 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0055 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	0.00010 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0055 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	2 mg/L	M-SOLI-1.0	November 16, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Manganese (Mn)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.048 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	24 mg CaCO3/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16943

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: December 05, 2011

Corrected certificate, replacing the certificate V-16943 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16944

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.077 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0054 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.03 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16944

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	12 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0062 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16944

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16944

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16944

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16944
Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	<0.0005 <0.0005
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16945

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Alkalinity	40 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.093 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0048 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16945

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0244 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16945

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16945

Sampling date: November 11, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16945
Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.12	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16945
Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	4 4
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16946

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.109 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0056 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.04 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16946

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	35 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0072 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	32 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16946

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16946

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16946
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	46 46
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16946
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	<0.00001 <0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					32 33
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16947

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	40 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.025 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0050 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16947

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved Nickel (Ni)	0.013 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16947

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16947

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16947
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	0.025 0.040
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				<0.0002 <0.0002
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	0.0006 0.0006
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	0.0050 0.0049
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	<0.00002 <0.00002
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	0.7 0.7
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	<0.0006 <0.0006
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	0.0007 0.0008
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					23 23
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	<0.01 <0.01
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	0.07 0.08

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16947
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	0.0006 0.0006
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	<0.0005 <0.0005
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.116	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	<0.0003 <0.0003
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	<0.001 <0.001
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	0.001 0.001
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16948

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.122 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0066 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.14 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16948

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	12 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0073 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	5 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16948

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16948

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16948
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	<0.01 <0.01
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				<0.005 <0.005
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	<0.005 <0.005
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	<0.005 <0.005
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	<0.005 <0.005
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	<0.005 <0.005
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	<0.005 <0.005
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	<0.05 <0.05
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16948
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	<0.005 <0.005
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	<0.005 <0.005
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	<0.005 <0.005
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	<0.005 <0.005
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	<0.005 <0.005
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	<0.005 <0.005
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	<0.01 <0.01
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	<0.005 <0.005

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16949

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	40 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.045 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0050 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16949
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16949

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16949

Sampling date: November 12, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16949

Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	7.12	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16949
Sampling date: November 12, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16950

Sampling date: November 13, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	45 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.275 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0070 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0020 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.42 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16950
Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	11 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0151 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.008 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16950

Sampling date: November 13, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16950
Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16950

Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16950
Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16951

Sampling date: November 13, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	48 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.019 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Barium (Ba)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Copper (Cu)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16951

Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16951

Sampling date: November 13, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16951

Sampling date: November 13, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16951
Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16951
Sampling date: November 13, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19	

Reported on: November 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.222 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Barium (Ba)	0.0063 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chloride	<0.5 mg/L	Sous-traitance\Multilab Direct	November 16, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Copper (Cu)	0.0457 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.10 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Total Suspended Solids	16 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0105 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Nickel (Ni)	0.0015 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Nitrite-Nitrate	0.08 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0137 mg/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Solids	32 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.029 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	17 mg CaCO3/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved thallium (Tl)	0.01	mg/L	Sous-traitance	
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.41	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2745	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.293	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.459	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.30	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.88879	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.940	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	51.4	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.459	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.75	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.377	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.41	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.3	8.9 - 12.1	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.187	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.72	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03918	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0452	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6621	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.665	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.214	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.13	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0687-2011-NO2-NC	6.3	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9880	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.941	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	944	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.86	3.83 - 5.19	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16952

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.02	3.83 - 5.19		

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16952 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	48 mg CaCO ₃ /L	M-ALCA-2.0	November 15, 2011
Aluminium (Al)	0.062 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Arsenic (As)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Barium (Ba)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chloride	<0.5 mg/L	Sous-traitance\Multilab Direct	November 16, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Copper (Cu)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 16, 2011
Manganese (Mn)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Lead (Pb)	0.0004 mg/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 15, 2011
Sulfate (SO4)	2 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.008 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	17 mg CaCO3/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Zinc	0.006 mg/L	Sous-traitance\Multilab Direct	December 05, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 15, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953
Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.41	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2745	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.293	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.459	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.30	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.88879	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.940	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	51.4	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.459	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.75	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.377	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.41	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.3	8.9 - 12.1	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.187	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.72	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03918	0.0319 - 0.0593		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0452	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6621	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.665	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.214	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.13	0.96 - 1.30		
Nitrite-Nitrate mg N/L	<0.01	MR-0687-2011-NO2-NC	6.3	5.53 - 7.49		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9880	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.941	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	2	2
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	944	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.86	3.83 - 5.19		

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16953

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.01	3.83 - 5.19		

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-16953 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	45 mg CaCO ₃ /L	M-ALCA-2.0	November 16, 2011
Aluminium (Al)	0.059 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Barium (Ba)	0.0050 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Copper (Cu)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.03 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	10 mg/L	M-SOLI-1.0	November 17, 2011
Manganese (Mn)	0.0046 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 30, 2011
Nickel (Ni)	0.0008 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Nitrite-Nitrate	0.07 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 16, 2011
Sulfate (SO4)	1 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 16, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16985

Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 16, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985
Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	5.9	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	1 1
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16985
Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19		

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16985 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	38 mg CaCO ₃ /L	M-ALCA-2.0	November 16, 2011
Aluminium (Al)	0.035 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Arsenic (As)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Barium (Ba)	0.0091 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Cadmium (Cd)	0.00118 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chloride	0.5 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	26 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.01 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 17, 2011
Manganese (Mn)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 30, 2011
Nickel (Ni)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Nitrite-Nitrate	0.05 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Lead (Pb)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Solids	36 mg/L	M-SOLI-2.0	November 16, 2011
Sulfate (SO4)	<1 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16986
 Sampling date: November 14, 2011
 Sampling hour: N/D
 Date received: November 16, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	159	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	0.035	0.040
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002				<0.0002	<0.0002
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	0.0005	0.0008
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	0.0091	0.0087
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	0.00118	<0.00002
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	0.0016	<0.0006
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	0.0021	0.0019
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43		
Hardness mg CaCO3/L					26	26
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	0.01	<0.01
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986
Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	0.0024	0.0014
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	<0.0005	<0.0005
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	0.0018	0.0017
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30		
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	5.9	5.53 - 7.49		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	0.0006	<0.0003
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	<0.001	<0.001
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	0.006	0.005

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16986

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19		

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16986 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	45 mg CaCO ₃ /L	M-ALCA-2.0	November 16, 2011
Aluminium (Al)	0.145 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Barium (Ba)	0.0059 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Copper (Cu)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 23, 2011
Iron (Fe)	0.16 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Fluoride (F)	0.09 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	17 mg/L	M-SOLI-1.0	November 17, 2011
Manganese (Mn)	0.0095 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 30, 2011
Nickel (Ni)	0.0044 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 23, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Solids	35 mg/L	M-SOLI-2.0	November 16, 2011
Sulfate (SO4)	2 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.028 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 16, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	159	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.4	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2749	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.281	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.460	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.26	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90239	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.881	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	53.9	43 - 55	0.7 0.6
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.327	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.90	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.388	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.30	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.060	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.75	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04129	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0477	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6579	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.666	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.173	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.10	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	5.9	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9810	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.33	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	962	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	936	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.08	3.83 - 5.19	

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16987

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 16, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.60	3.83 - 5.19		

Reported on: December 16, 2011

Corrected certificate, replacing the certificate V-16987 done on December 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.201 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0049 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0026 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.17 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	11 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0081 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0021 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17137

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150	<0.01 <0.01
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	33 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.070 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0046 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0017 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	8 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.019 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	0.07 0.07

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17138

Sampling date: November 15, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	<0.00001	<0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811		
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.58	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 17, 2011
Aluminium (Al)	0.069 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Arsenic (As)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Barium (Ba)	0.0042 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 25, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	November 18, 2011
Manganese (Mn)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 21, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Nitrite-Nitrate	0.07 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 25, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Dissolved Solids	38 mg/L	M-SOLI-2.0	November 17, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 06, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	153	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.84	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2831	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.293	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.195	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.30	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.89736	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.940	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	54.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.065	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.75	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.311	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.41	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.6	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.924	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.72	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03827	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0452	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6720	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.665	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.110	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.13	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.4	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9995	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.941	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.36	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	953	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	944	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.88	3.83 - 5.19	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17050

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.02	3.83 - 5.19		

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17050 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	44 mg CaCO ₃ /L	M-ALCA-2.0	November 17, 2011
Aluminium (Al)	0.144 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Barium (Ba)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Chloride	0.6 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Copper (Cu)	0.0030 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Hardness	19 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 25, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	November 22, 2011
Total Suspended Solids	20 mg/L	M-SOLI-1.0	November 18, 2011
Manganese (Mn)	0.0073 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 23, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 21, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Nitrite-Nitrate	0.07 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 25, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Dissolved Solids	35 mg/L	M-SOLI-2.0	November 17, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 22, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 25, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 06, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 17, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	153	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.84	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2831	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.293	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.195	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.30	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.89736	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.940	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	54.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.065	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.75	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.311	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.41	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.6	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17051

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.924	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.72	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03827	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0452	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6720	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.665	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.110	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.13	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.4	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9995	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.941	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.36	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	54	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	953	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	944	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.88	3.83 - 5.19	

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17051
Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 17, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.02	3.83 - 5.19		

Reported on: December 08, 2011

Corrected certificate, replacing the certificate V-17051 done on November 28 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17139

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.142 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0045 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	1.1 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0022 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.14 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17139

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0055 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	0.0004 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.017 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.010 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17139

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17139

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17139

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	155	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	<0.01	0.02
Silver (Ag) mg/L	<0.0002					
Dissolved Silver (Ag) mg/L	<0.005				<0.005	<0.005
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368		
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	<0.005	<0.005
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	<0.005	<0.005
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	<0.005	<0.005
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66		
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66	<0.005	<0.005
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43		
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	<0.005	<0.005
Hardness mg CaCO3/L						
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	<0.05	<0.05
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17139
Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	<0.005 <0.005
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811	<0.005 <0.005
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30	<0.005 <0.005
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0	<0.005 <0.005
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	<0.005 <0.005
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	4 4
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.58	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19	0.010 0.011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17140

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	26 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.073 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.12 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0046 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	1.1 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0008 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17140

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.010 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.006 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17140

Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17140

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17140
 Sampling date: November 16, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	155	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.31	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002				<0.0002	<0.0002
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	<0.0005	0.0010
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	0.0046	0.0042
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	<0.00002	<0.00002
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	0.0018	0.0021
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	0.0008	0.0007
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43		
Hardness mg CaCO3/L					22	21
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	<0.01	0.04
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17140

Sampling date: November 16, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	0.0009 0.0007
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	<0.0005 <0.0005
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	0.0005 <0.0005
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	<0.0003 <0.0003
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	<0.001 <0.001
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.58	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.106 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0046 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	1.0 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.04 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0033 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	32 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	8 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEP, SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17141

Sampling date: November 19, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	6	6
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811		
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.58	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17142

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.122 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Barium (Ba)	0.0047 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	1.1 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0022 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.08 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17142

Sampling date: November 19, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0039 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Lead (Pb)	0.0015 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	8 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.009 mg/L	Sous-traitance\Multilab Direct	December 11, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17142

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17142

Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17142
 Sampling date: November 19, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.58	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17142
Sampling date: November 19, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: December 12, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Result	Method name	Date analyzed
Alkalinity	48 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.098 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0045 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	1.1 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0021 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.05 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	4 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0031 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0019 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	5 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEEPAGE SOUTH AM(10H40)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17143
 Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH
 AM(10H40)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002					
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368		
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	1.1	1.1
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66		
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43		
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43		
Hardness mg CaCO ₃ /L						
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143
Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH
AM(10H40)

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	<0.00001	<0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30		
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	<0.005	<0.005
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17143

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH
AM(10H40)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17143 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM(18H15)

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.105 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0045 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	1.0 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0020 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.03 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.09 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	5 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0032 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0009 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM(18H15)

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM(18H15)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM(18H15)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM(18H15)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17144
 Sampling date: November 20, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH
 PM(18H15)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002					
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368		
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66		
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43		
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43		
Hardness mg CaCO ₃ /L						
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17144
Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH
PM(18H15)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30		
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17144

Sampling date: November 20, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH
PM(18H15)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17144 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.176 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0049 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	1.0 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.15 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	9 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0062 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	33 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	7 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17145

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000pI	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000pI	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17145 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.206 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0060 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0026 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0015 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.18 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	14 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0078 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.08 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	5 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEPAGE SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001	mg/L	Sous-traitance	Oui
Dissolved Solids	1	mg/L	M-SOLI-2.0	
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	0.08 0.07
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17149

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-SEEP, SOUTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP, SOUTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	5	5
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	41 mg CaCO3/L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.074 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0048 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.9 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0008 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	21 mg CaCO3/L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	3 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0008 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.05 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.006 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17150
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	155	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	0.074	0.085
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12		
Silver (Ag) mg/L	<0.0002				<0.0002	<0.0002
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	<0.0005	0.0007
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347		
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	0.0048	0.0053
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8		
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	<0.00002	<0.00002
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55		
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	0.0011	0.0012
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	0.0008	0.0009
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43		
Hardness mg CaCO3/L					21	24
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	<0.01	<0.01
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17150
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	0.0008 0.0010
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	<0.0005 <0.0005
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	<0.0005 0.0005
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	<0.0003 <0.0003
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	<0.001 <0.001
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	0.003 0.004

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17150

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17150 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO3/L	M-ALCA-2.0	November 23, 2011
Aluminium (Al)	0.155 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0052 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.9 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Copper (Cu)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	22 mg CaCO3/L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.11 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	10 mg/L	M-SOLI-1.0	November 24, 2011
Manganese (Mn)	0.0066 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0011 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.07 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Solids	32 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17151
 Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 23, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	0.08 0.09

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17151
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	<0.00001	<0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30		
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17151

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17151 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 24, 2011
Aluminium (Al)	0.201 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0055 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0476 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	23 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.18 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.09 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	14 mg/L	M-SOLI-1.0	November 25, 2011
Manganese (Mn)	0.0073 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0015 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Solids	37 mg/L	M-SOLI-2.0	November 24, 2011
Sulfate (SO4)	4 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0014 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	161	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17190

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE SOUTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17190 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	37 mg CaCO ₃ /L	M-ALCA-2.0	November 24, 2011
Aluminium (Al)	0.148 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	0.0022 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0056 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	26 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.02 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	3 mg/L	M-SOLI-1.0	November 25, 2011
Manganese (Mn)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0008 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.06 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0030 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Solids	39 mg/L	M-SOLI-2.0	November 24, 2011
Sulfate (SO4)	<1 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.004 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0010 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	161	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191
Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17191

Sampling date: November 22, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Corrected certificate, replacing the certificate V-17191 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	November 24, 2011
Aluminium (Al)	0.168 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Arsenic (As)	0.0012 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Barium (Ba)	0.0058 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	0.0013 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Hardness	25 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.04 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	4 mg/L	M-SOLI-1.0	November 25, 2011
Manganese (Mn)	0.0018 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Mercury (Hg)	0.00603 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0016 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Nitrite-Nitrate	0.05 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0037 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 29, 2011

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Dissolved Solids	39 mg/L	M-SOLI-2.0	November 24, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.003 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0020 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 24, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	161	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.47	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.306	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86375	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	0.7 0.6
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.405	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17192

Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 24, 2011
Sampling location: EAST-DIKE-SEEP. NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	4.412	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.05432	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6571	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.2	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.25	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	950	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.90	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19	

Reported on: December 21, 2011

Corrected certificate, replacing the certificate V-17192 done on December 05 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 25, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	47 mg CaCO ₃ /L	M-ALCA-2.0	November 25, 2011
Aluminium (Al)	0.099 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Arsenic (As)	0.0025 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Barium (Ba)	0.0045 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Chloride	0.7 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Hardness	16 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 02, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Total Suspended Solids	2 mg/L	M-SOLI-1.0	November 28, 2011
Manganese (Mn)	0.0022 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Nitrite-Nitrate	0.04 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 02, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17231
 Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 25, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Solids	39 mg/L	M-SOLI-2.0	November 25, 2011
Sulfate (SO4)	1 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Aluminium (Al)	0.04 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 11, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 25, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 09, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 25, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 25, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 25, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17231
 Sampling date: November 23, 2011
 Sampling hour: N/D
 Date received: November 25, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.50	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.1	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2735	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.296	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.098	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.46	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.87420	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.919	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.510	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.09	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.299	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.41	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17231
Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 25, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.364	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.05	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03406	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0446	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6281	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.699	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.030	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.22	0.96 - 1.30	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.1	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9470	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.985	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.29	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.35	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	932	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.63	3.83 - 5.19	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17231

Sampling date: November 23, 2011
Sampling hour: N/D
Date received: November 25, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH PM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.81	3.83 - 5.19		

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17310

Sampling date: November 24, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	11 mg CaCO ₃ /L	M-ALCA-2.0	December 02, 2011
Aluminium (Al)	0.092 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.07 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Barium (Ba)	0.0055 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Barium (Ba)	0.006 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Chloride	1.2 mg/L	Sous-traitance\Multilab Direct	December 07, 2011
Chrome (Cr)	0.0023 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0019 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Fluoride (F)	0.10 mg/L	Sous-traitance\Multilab Direct	December 13, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17310

Sampling date: November 24, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	December 05, 2011
Manganese (Mn)	0.0032 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Solids	37 mg/L	M-SOLI-2.0	December 02, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	December 06, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Zinc (Zn)	0.047 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.008 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17310

Sampling date: November 24, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17310

Sampling date: November 24, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17310

Sampling date: November 24, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.75	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3547	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.376	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.95857	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.7	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.329	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.291	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.1	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17310
Sampling date: November 24, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.982	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03251	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0445	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6210	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.119	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	948	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.09	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	20 mg CaCO ₃ /L	M-ALCA-2.0	December 02, 2011
Aluminium (Al)	0.092 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Arsenic (As)	0.0015 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Barium (Ba)	0.0053 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Chloride	1.2 mg/L	Sous-traitance\Multilab Direct	December 07, 2011
Chrome (Cr)	0.0042 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0013 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Fluoride (F)	0.10 mg/L	Sous-traitance\Multilab Direct	December 13, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	December 05, 2011
Manganese (Mn)	0.0014 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	December 02, 2011
Sulfate (SO4)	6 mg SO4/L	Sous-traitance\Multilab Direct	December 06, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH AM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.75	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3547	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.376	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.95857	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.7	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.329	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.291	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.1	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17311

Sampling date: November 25, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH AM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.982	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03251	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0445	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6210	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.119	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	6 6
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	948	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.09	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17312

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Alkalinity	21 mg CaCO ₃ /L	M-ALCA-2.0	December 02, 2011
Aluminium (Al)	0.053 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.04 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Barium (Ba)	0.0051 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Chloride	1.2 mg/L	Sous-traitance\Multilab Direct	December 07, 2011
Chrome (Cr)	0.0030 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0009 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Hardness	20 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	December 13, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17312

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	December 05, 2011
Manganese (Mn)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Mercury (Hg)	0.00002 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	December 02, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	December 06, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17312

Sampling date: November 25, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEPAGE NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17312

Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEPAGE NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEPAGE NORTH PM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17312

Sampling date: November 25, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-SEEP. NORTH PM
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.75	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3547	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.376	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.95857	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.7	43 - 55	1.2 1.3
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.329	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.291	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.1	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17312
Sampling date: November 25, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-SEEP. NORTH PM
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: EAST-DIKE-SEEP. NORTH PM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.982	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03251	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0445	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6210	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.119	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57	
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000ppb	948	850 - 1150	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000ppb	1097	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.09	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19	

Reported on: December 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17313

Sampling date: December 01, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Alkalinity	21 mg CaCO ₃ /L	M-ALCA-2.0	December 02, 2011
Aluminium (Al)	0.051 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Barium (Ba)	0.0049 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Barium (Ba)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Chloride	1.4 mg/L	Sous-traitance\Multilab Direct	December 07, 2011
Chrome (Cr)	0.0049 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Copper (Cu)	0.0009 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Hardness	21 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	December 13, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17313

Sampling date: December 01, 2011
Sampling hour: N/D
Date received: December 02, 2011
Sampling location: EAST-DIKE-
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: -SEEPAGE NORTH AM

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	December 05, 2011
Manganese (Mn)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Solids	34 mg/L	M-SOLI-2.0	December 02, 2011
Sulfate (SO4)	5 mg SO4/L	Sous-traitance\Multilab Direct	December 06, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Zinc (Zn)	0.005 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17313

Sampling date: December 01, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17313

Sampling date: December 01, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17313
 Sampling date: December 01, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	156	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.75	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.1	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3547	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.376	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.95857	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.7	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.329	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	4.28	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.291	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.1	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15	

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17313
 Sampling date: December 01, 2011
 Sampling hour: N/D
 Date received: December 02, 2011
 Sampling location: EAST-DIKE-
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: -SEEPAGE NORTH AM

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.982	3.28 - 4.44		
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44		
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03251	0.0319 - 0.0593	<0.00001	<0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0445	0.0353 - 0.0559		
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6210	0.599 - 0.811		
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811		
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.119	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	51	47 - 57		
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	948	850 - 1150		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1097	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.09	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a South

Parameter	Result	Method name	Date analyzed
Alkalinity	16 mg CaCO ₃ /L	M-ALCA-2.0	December 21, 2011
Aluminium (Al)	0.112 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Barium (Ba)	0.0053 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Copper (Cu)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Hardness	19 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	0.23 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Fluoride (F)	0.08 mg/L	Sous-traitance\Multilab Direct	January 04, 2012

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a South

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	14 mg/L	M-SOLI-1.0	December 22, 2011
Manganese (Mn)	0.0051 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Nitrate (NO3)	0.07 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite (NO2)	<0.01 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite-Nitrate	0.07 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Lead (Pb)	0.0014 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Solids	36 mg/L	M-SOLI-2.0	December 21, 2011
Sulfate (SO4)	1 mg SO4/L	Sous-traitance\Multilab Direct	December 27, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	January 06, 2012

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a South

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 06, 2012
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a South
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a South

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a South
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a South

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a South

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a South
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a South

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	153	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.54	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3098	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.225	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.368	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.33	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86588	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.857	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	51.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.582	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.99	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.220	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.33	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a South
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a South

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.311	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.84	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0429	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6087	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.659	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.020	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.15	0.96 - 1.30	
Nitrate (NO3) mg N/L	<0.01				
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.6	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9262	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.904	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.40	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	53	47 - 57	
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000ppb	1048	850 - 1150	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17467

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a South
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a South

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved thallium (Tl) mg/L	<0.01	D Tl SC0187114 1000p	1023	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.55	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.86	3.83 - 5.19		

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a North

Parameter	Result	Method name	Date analyzed
Alkalinity	22 mg CaCO ₃ /L	M-ALCA-2.0	December 21, 2011
Aluminium (Al)	0.073 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Arsenic (As)	0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Barium (Ba)	0.0051 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Chloride	0.8 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Chromium (Cr)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Hardness	22 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	0.06 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Fluoride (F)	0.20 mg/L	Sous-traitance\Multilab Direct	January 04, 2012

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a North

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	8 mg/L	M-SOLI-1.0	December 22, 2011
Manganese (Mn)	0.0008 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Manganese (Mn)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Nitrate (NO3)	0.08 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite (NO2)	<0.01 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite-Nitrate	0.08 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Solids	38 mg/L	M-SOLI-2.0	December 21, 2011
Sulfate (SO4)	3 mg SO4/L	Sous-traitance\Multilab Direct	December 27, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	January 06, 2012

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17468
Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a North

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 06, 2012
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a North
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a North

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Dissolved Chromium (Cr)	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a North
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a North

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	Oui
Nitrite-Nitrate	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a North

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a North
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a North

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	153	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.54	5.26 - 7.12	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3098	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.225	0.219 - 0.347	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.368	2.0 - 2.8	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.33	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.86588	0.8 - 1.0	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.857	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	51.9	43 - 55	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.582	3.44 - 4.66	
Dissolved Chromium (Cr) mg/L	<0.005	DMR-0427-2011-18	3.99	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.220	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.33	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17468

Sampling date: December 20, 2011
 Sampling hour: 00:00
 Date received: December 21, 2011
 Sampling location: SW-4a North
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: SW-4a North

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.311	3.28 - 4.44	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.84	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0429	0.0353 - 0.0559	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6087	0.599 - 0.811	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.659	0.599 - 0.811	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.020	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.15	0.96 - 1.30	
Nitrate (NO3) mg N/L	<0.01				
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	
Nitrite-Nitrate mg N/L	<0.01	MR-0773-2011-NO2-NC	6.6	5.53 - 7.49	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9262	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.904	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.40	1.15 - 1.55	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	53	47 - 57	
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000ppb	1048	850 - 1150	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17468
Sampling date: December 20, 2011
Sampling hour: 00:00
Date received: December 21, 2011
Sampling location: SW-4a North
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SW-4a North

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Dissolved thallium (Tl) mg/L	<0.01	D Tl SC0187114 1000p	1023	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.55	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.86	3.83 - 5.19	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12283

Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.857 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	4.8 mg N/L	Sous-traitance\Multilab Direct	January 12, 2011
Cadmium (Cd)	<0.00008 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 17, 2011
Molybdenum (Mo)	0.0116 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Nitrate (NO ₃)	1.1 mg N/L	Sous-traitance\Multilab Direct	January 20, 2011

Corrected certificat, replacing the certificat done on january 21st 2011.

Reported on: January 19, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12283

Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.006 mg/L		Sous-traitance	
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
Cadmium (Cd)	0.00008 mg/L		Sous-traitance	Oui
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui

Corrected certificat, replacing the certificat done on january 21st 2011.

Reported on: January 19, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12283
Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.9	5.27 - 7.13		
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0858-2010-NH ₃	1.9	1.58 - 2.14		
Cadmium (Cd) mg/L	<0.00008	DMR-0781-2010-18	0.81269	0.708 - 0.958		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	9.4	8.8 - 12.0		
Mercury (Hg) mg/L	<0.00001	EU Hg DMR-0488-10-13	0.04216	0.0405 - 0.0639		
Molybdenum (Mo) mg/L	<0.0005	DMR-0781-2010-18	0.5948	0.562 - 0.760		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite-Nitrate mg N/L	<0.01	MR-0858-2010-NO ₂ -NC	8.7	7.53 - 10.19		

Corrected certificat, replacing the certificat done on january 21st 2011.

Reported on: January 19, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12284

Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: 2011-01-10 DUP-3
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: 2011-01-10 DUP-3

Parameter	Result	Method name	Date analyzed
Aluminium (Al)	0.885 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	4.8 mg N/L	Sous-traitance\Multilab Direct	January 12, 2011
Cadmium (Cd)	<0.00008 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 17, 2011
Molybdenum (Mo)	0.0118 mg/L	Sous-traitance\Multilab Direct	January 13, 2011
Nitrate (NO ₃)	1.0 mg N/L	Sous-traitance\Multilab Direct	January 20, 2011

Reported on: May 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12284

Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: 2011-01-10 DUP-3
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: 2011-01-10 DUP-3

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Aluminium (Al)	0.002	mg/L	Sous-traitance	
Ammonia nitrogen (NH ₃ -NH ₄)	0.05	mg N/L	Sous-traitance	Oui
Cadmium (Cd)	0.00008	mg/L	Sous-traitance	Oui
Iron (Fe)	0.01	mg/L	Sous-traitance	Oui
Mercury (Hg)	0.00001	mg/L	Sous-traitance	Oui
Molybdenum (Mo)	0.0005	mg/L	Sous-traitance	
Nitrate (NO ₃)	0.01	mg N/L	Sous-traitance	

Reported on: May 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12284

Sampling date: January 10, 2011
Sampling hour: 06:20
Date received: January 11, 2011
Sampling location: 2011-01-10 DUP-3
Sampled by: M Theriault/S Gaudreault
Matrix: Water
Sample name: 2011-01-10 DUP-3

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.90	5.27 - 7.13		
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0858-2010-NH ₃	1.90	1.58 - 2.14		
Cadmium (Cd) mg/L	<0.00008	DMR-0781-2010-18	0.813	0.708 - 0.958		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	9.4	8.8 - 12.0		
Mercury (Hg) mg/L	<0.00001 EU Hg	DMR-0488-10-13	0.0422	0.0405 - 0.0639		
Molybdenum (Mo) mg/L	<0.0005	DMR-0781-2010-18	0.595	0.562 - 0.760		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite-Nitrate mg N/L	<0.01	MR-0858-2010-NO ₂ -NC	8.70	7.53 - 10.19	1.3	1.3

Reported on: May 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.


All samples will be disposed of after 30 days following analysis.

Quebec, 21 janvier 2011

Maxxam Job # : B101383
 Report # : 19005
 Order # : N/A
 Laboratory # : M67762-01R
 Project : Sample Characterization
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test of reproduction and survival using the cladoceran
Ceriodaphnia dubia
 Sample Type : Water
 Sample Appearance : Incolore and translucide
 Brief description of Sampling Location : Projet #12285 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-01-10 / 06:20
 Date/Time Received : 2011-01-12 / 09:30
 Starting Date/Time : 2011-01-13 / 09:30
 Ending Date/Time : 2011-01-19 / 09:30
 Volume obtained : 10 litres
 Sampled by : M. Theriault / S. Gaudreault
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature upon arrival : 5,1 °C
 IC₂₅ (C. L. at 95%) : 62,5% v/v (56,2 - 65,3)
 LC₅₀ (C. L. at 95%) : >100 % v/v
 Sample Condition at reception : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau / I. Parenteau / D. Gagnon



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Ceriodaphnia dubia*

Source of Tested Species: Maxxam Analytics. Single brood.

Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25^{\circ}\text{C} \pm 1$; lighting $16\text{h} \pm 1$ light, $8\text{h} \pm 1$ dark). Feeding with unicellular algae and YCT.

Age of test organisms: <24 hours (within 12 hours, between 7h40 and 9h)

Health of culture: No unusual treatment or appearance of the test organisms. No ephippia present in the culture. An average of at least 15 young per adult must be produced during the first 3 broods within the week preceding the test. At least 8 young must be produced by each brood organism in their third or subsequent brood, and in the brood to be used in a test.

Mean mortality rate of brood in 7 days preceding the test: 0%

Mean # of surviving live young produced per female during the first 3 broods within 7days preceding the test: 17,4

Mean # of surviving live young produced per female during the last brood: 11,4

TEST CONDITIONS AND PROCEDURES

Lighting: 16 hours light and 8 hours dark

Temperature: incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution water type: same than culture water

Test Vessels: 20 mL disposable glass test tubes

Volume/Depth of test solutions: 15 mL / 10 cm

Number of organisms per test vessel : 1

Number of replicates per treatment: 10

3 subsamples: subsample A used on days 1 and 2

subsample B used on days 3 and 4

subsample C used at days 5 and 6

Concentrations/test solutions (% v/v): 0; 1.58; 3,16; 6.25; 12.5; 25; 50; 100

Aeration: pre-aeration of 20 minutes before the solutions preparation at day 1, 2, 3, 4, 5 and 6 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during the test and no deviation was made to the test method.

When applicable, any neonates produced as a fourth or subsequent brood must not be included in the final counting.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS*Day 1*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	25,2	24,7	7,4	7,9	255	8,1	8,3
1.58	25,6	24,7	7,4	7,8	265	7,9	8,2
12.5	25,3	24,7	7,4	7,8	297	7,9	8,0
100	25,8	24,7	7,4	7,8	537	8,1	7,9
Avant	25,2		6,5		553	8,8	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,5	24,5	7,7	7,5	234	8,3	7,6
1.58	24,6	24,5	7,7	7,5	243	8,1	7,6
12.5	24,5	24,5	7,6	7,5	275	8,1	7,5
100	24,5	24,5	7,5	7,4	520	8,2	7,7
Avant	24,5		6,8		541	9,3	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,0	24,3	7,5	7,4	239	8,4	8,2
1.58	24,1	24,3	7,5	7,6	242	8,4	8,2
12.5	24,5	24,3	7,6	7,6	277	8,3	8,1
100	25,0	24,3	7,5	7,5	535	8,2	8,2
Avant	24,9		6,8		543	9,5	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,0	24,9	7,4	7,5	244	8,4	8,1
1.58	24,0	24,9	7,4	7,5	252	8,3	7,7
12.5	24,0	24,9	7,3	7,5	282	8,3	7,9
100	25,9	24,9	7,6	7,5	522	8,1	8,0
Avant	25,1		6,7		551	9,0	

¹ Incubator temperature

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)*Day 5*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	24,4	24,8	7,5	7,6	233	8,0	8,0
1.58	24,9	24,8	7,6	7,6	242	8,0	7,8
12.5	24,9	24,8	7,6	7,6	274	8,1	7,6
100	25,8	24,8	7,6	7,5	508	8,1	7,9
Avant	24,5		6,8		546	9,5	
¹ Incubator temperature Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End ¹	Start	End	Start	Start	End
0	25,5	24,5	7,4	7,5	254	8,1	7,6
1.58	25,8	24,5	7,5	7,5	262	8,1	7,5
12.5	26,0	24,5	7,6	7,5	290	8,0	7,7
100	26,0	24,5	7,6	7,5	525	8,1	8,1
Avant	24,5		6,6		553	10,3	
¹ Incubator temperature Pre-aeration of 20 minutes at the rate of 100 bubbles/min							

Hardness (mg/L of CaCO₃) : Dilution water : 93 mg/L
 Sample at 100% : 130 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULT

Conc. (%v/v)	Daily mortality Rate								Mean number of neonates (St. Dev.)	Cumulative Mortality Rate
	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8		
0	0	0	0	0	0	0	-	-	28,4 (4,8)	0
1,58	0	0	0	0	0	10	-	-	27,8 (7,6)	10
3.16	0	0	0	0	0	0	-	-	28,8 (5,9)	0
6.25	0	0	0	0	0	0	-	-	30,4 (3,4)	0
12.5	0	0	0	0	0	0	-	-	29,3 (2,3)	0
25	0	0	0	0	0	0	-	-	28,5 (5,8)	0
50	0	0	0	0	0	0	-	-	27,6 (4,5)	0
100	0	0	0	0	0	0	-	-	9,2 (2,7)	0

IC_{25} (C.L. at 95%) : 62,5% v/v (56,2 - 65,3)

$T. U.c (100/IC_{25})$: 1,6

Statistical Method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

LC_{50} (C.L. at 95%) : >100 % v/v

Statistical Method : -----

Comments : Test terminated on Day 6 as 60% of the controls produced 3 broods (average neonates produced >15)
The incubator temperature is linked to the one of the glass tubes temperature each day.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0.0141; 0.0255; 0.0458; 0.0824; 0.1485; 0.2672; 0.4808

Test Date : 2010-01-10

Test duration 7 days

Obtained Value IC_{25} (C.L. at 95%) *Ceriodaphnia dubia* : 0.092 mg/L (0.070-0102)

Anterior Geometric Mean (± 2 standard deviations) : 0.062 mg/L (0.0,023- 0.173)

ANALYTICAL METHOD

Analytical method : QUE SOP - 00402/6

Reference method : Biological Test Method: Test of Reproduction and Survival Using the Cladoceran *Ceriodaphnia Dubia* . EPS 1/RM/21 - Environment Canada. 2007.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 28 janvier 2011

Maxxam Job # : B101383
 Report # : 19006
 Order # : N/A
 Laboratory # : M67762-01R
 Project : Sample Characterization
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test of larval growth and survival using fathead minnows (*Pimephales promelas*), 7 days
 Sample Type : Wastewater
 Sample Appearance : Clear and translucent
 Brief Description of Sampling Location : Projet #12285 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-01-10 / 06:20
 Date/Time Received : 2011-01-12 / 09:30
 Starting Date/Time : 2011-01-12 / 14:00
 Ending Date/Time : 2011-01-19 / 14:00
 Volume obtained : 10 litres
 Sampled by : M. Theriault / S. Gaudreault
 Sampling Method : Grab
 Storage Temperature : 4.0 °C
 Sample Temperature upon arrival : 13.6 °C
 IC₂₅ (C. L. at 95%) : >100% v/v
 LC₅₀ (C. L. at 95%) : >100% v/v
 Sample condition at Reception ? : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau / I. Parenteau / D. Gagnon



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms : *Pimephales promelas* ; fathead minnow

Source of test Species: Maxxam Analytics. All from the same batch.

Source of Culture water: Dechlorinated City Water. No chemical added.

Culture conditions: Controlled conditions (temperature $25 \pm 2^{\circ}\text{C}$; lighting $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark). Feeding with frozen brine shrimp supplemented by flaked food.

Age of test organisms: <24 hours old larvae. Their swim bladders are inflated.

Health of test Organisms: No unusual treatment or appearance of test organisms.

Mortality rate in culture 7 days preceding collection of eggs: 0,2%

TEST CONDITIONS AND PROCEDURES

Lighting: $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark

Temperature: room controlled at $25 \pm 1^{\circ}\text{C}$

Control/Dilution Water type: same of culture water

Test Vessels: 400 mL beakers of borosilicate glass

Volume and Depth of test solution: 250 mL / 7 cm depth

Number of larvae per test vessel: 10

Number of replicates per concentration: 3

3 Subsamples: subsample A used on days 1 and 2

subsample B used on days 3 and 4

subsample C used on days 5, 6 and 7

Concentrations/test solutions (% v/v) : 0; 1.5; 3; 6; 12; 25; 50; 100

Aeration : pre-aeration of 20 minutes before starting the solutions preparation at day 1, 2, 3, 4, 5, 6 and 7 (100 bubbles/min).

Sample Treatment: None

There was nothing unusual observed during about the test and no deviation was made to the from test method.

The test end at the 7th day

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS*Day 1*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,7	24,3	7,8	7,4	240	7,8	6,3
1.5	24,7	24,7	7,8	7,7	248	7,8	6,4
12	25,1	24,7	7,8	7,4	287	7,4	7,8
100	25,8	24,2	7,4	7,3	566	7,8	6,5
Before	24,6		6,8		10,3	555,0	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**Day 2*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,2	25,1	7,8	7,6	231	8,0	6,1
1.5	24,0	24,7	7,9	7,6	239	8,0	6,3
12	24,3	24,6	7,8	7,6	272	7,9	6,3
100	24,1	24,2	7,4	7,3	551	8,0	6,2
Before	24,9		7,0		525	8,8	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**Day 3*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,0	25,0	7,9	7,5	282	7,8	6,2
1.5	24,0	24,9	7,9	7,5	289	7,9	6,3
12	24,0	24,7	7,9	7,5	313	7,8	6,3
100	24,1	25,3	7,6	7,4	533	7,9	6,0
Before	24,8		6,7		551	9,0	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**Day 4*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,0	24,5	7,8	7,3	237	8,1	6,8
1.5	24,0	24,7	8,0	7,3	244	8,2	6,3
12	24,0	24,5	7,9	7,4	282	8,1	6,4
100	24,0	24,3	7,6	7,3	554	7,9	6,6
Before	24,9		6,7		542	9,5	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.*

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)*Day 5*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,0	24,9	7,9	7,4	238	8,1	6,8
1.5	24,1	24,4	7,9	7,5	247	8,1	6,9
12	24,3	24,9	7,9	7,5	284	8,0	6,7
100	24,7	24,4	7,3	7,2	556	8,0	6,2
Before	25,5		6,9		544	8,9	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**Day 6*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,0	24,4	7,9	7,2	228	8,2	6,3
1.5	24,0	24,7	7,9	7,2	236	8,1	6,1
12	24,1	24,6	7,9	7,2	267	8,0	6,1
100	24,3	24,7	7,5	7,0	548	7,9	5,2
Before	25,4		6,6		540	9,7	

*Pre-aeration of 20 minutes at the rate of 100 bubbles/min**Day 7*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,2	24,9	7,8	7,5	243	8,0	6,5
1.5	25,2	24,8	7,8	7,4	250	7,9	5,8
12	25,4	24,8	7,8	7,5	288	7,9	6,3
100	25,6	24,3	7,2	7,1	570	7,9	5,5
Before	25,0		6,7		550	8,8	

Pre-aeration of 20 minutes at the rate of 100 bubbles/min

Hardness (mg/L of CaCO₃) : Dilution water : 91 mg/L
Sample at 100% : 136 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (%v/v)	Daily mortality Rate														Cumulative mortality rate (St. Dev.)	Biomass	
	day 1		day 2		day 3		day 4		day 5		day 6		day 7			Mean (ug)	St. Dev.
	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%			
0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	620	117,5
1.5	1	3,3	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	6,7 (5,8)	599	64,7
3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	1	3,3	0	0,0	3,3 (5,8)	565	84,3
6	0	0,0	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	1	3,3	6,7 (11,5)	595	106,2
12	0	0,0	0	0,0	1	3,3	0	0,0	0	0,0	3	10,0	0	0,0	13,3 (5,8)	556	148,6
25	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	738	14,2
50	0	0,0	0	0,0	1	3,3	1	3,3	0	0,0	0	0,0	0	0,0	6,7 (5,8)	615	72,3
100	0	0,0	0	0,0	1	3,3	0	0,0	0	0,0	0	0,0	0	0,0	3,3 (5,8)	661	55,1

IC_{25} (C.L. at 95%) : >100% v/v

$T. U.c (100/IC_{25})$: <1

Statistical Method : -----

LC_{50} (C.L. at 95%) : >100% v/v

Statistical Method : -----

Comments :

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant: Pentachlorophenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (µg/L): 0; 9; 13; 20; 30; 44; 67; 100

Test Date: 2011-01-20

Test duration: 7 days

Obtained value IC₂₅ (C.L. at 95%) at 7 days with Fathead minnow : 35,71 µg/L (28,92 - 42,26)

Anterior geometric mean (± 2 standard deviations) : 40,27 µg/L (19,24 - 84,28)

ANALYTICAL METHOD

Analytical method : QUE SOP - 00401/6

Reference method : Biological Test Method: Test of Larval Growth and Survival using Fathead Minnows. EPS 1/RM/22 - Environment Canada. 1992. (including September 2008 Amendments)


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 28 janvier 2011

Maxxam Job # : B101383
 Report # : 19007
 Order # : N/A
 Laboratory # : M67762-01R
 Project : Sample Characterization
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Test for Measuring the Inhibition of Growth using *Lemna minor*, 7 days
 Sample Type : Water
 Sample Appearance : Clear and translucent
 Brief description of Sampling Location : Projet #12285 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-01-10 / 06:20
 Date/Time Received : 2011-01-12 / 09:30
 Starting Date/Time : 2011-01-13 / 10:15
 Ending Date/Time : 2011-01-20 / 10:15
 Volume obtained : 10 litres
 Sampled by : M. Theriault / S. Gaudreault
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature upon arrival : 13.6 °C
 IC_{25-7d} (C.L. at 95%) Dry Weight : 76,2% v/v (46,1 - 97,0)
 IC_{25-7d} (C.L. at 95%) Frond Number : 46,0% v/v (28,9 - 65,5)
 Sample Condition at reception : Compliant
 Test Performed by : R. Debes / J. Rondeau / I. Parenteau



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organism: *Lemna minor*

Source of Tested Species: University of Toronto Culture Collection, maintained by Maxxam Analytics.

Stain number: UTCC 492, Landolt 7730

Age of culture at test start: 8 days, axenic culture.

Culture Medium: Sterile, modified Hoagland's E+ medium

Acclimatation Period in Culture Medium: *Lemna* was transferred to at least 2 cm of fresh medium for 18 to 24 hours before testing.

Health of Test Organisms: The fronds number increased to at least 8 times in 7 days. Plants in test culture must be healthy.

There was no unusual treatment or appearance of test organisms before their use.

TEST CONDITIONS AND PROCEDURES

Lighting: Continuous

Temperature: Incubator controlled at $25^{\circ}\text{C} \pm 2$

Control/Dilution Water type: Sterile ultra-pure water. Modified APHA medium. No chemical added.

Test Vessels: 300 mL Erlenmeyer flasks with Kimcaps

Volume/Depth of test solution: 150 mL / 5 cm

Number of *Lemna*/fronds at the beginning: 2 *Lemna* with 3 fronds / test vessel (6 fronds at $T = 0$)

Number of replicates per treatment: 4

Use of Sample: Static test with none renewal.

Concentrations of the solutions used and corrected for the volume of nutrient stock (% v/v) : 0; 0.97; 2.1; 4.5; 9.7; 21; 45; 97

Aeration: pre-aeration of 20 minutes before starting the solutions preparation at a rate of 100 bubbles/min

Sample Treatment: Modified APHA medium, no pH and hardness adjustments and no filtration.

There was nothing unusual observed during the test and no deviation was made to the test method.

The fronds number in the controls must have increased to at least 8-times the original number of fronds by the end of the 7-day test period.

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS*Day 0 and 7*

Concentration (%v/v)	Temperature (°C)		pH		Light Intensity Klux		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	24,1	24,8	8,3	8,7	4,6	4,7	-
0.97	24,2	26,0	8,2	8,3	4,7	4,8	-
9.7	24,2	26,4	8,1	8,4	4,5	4,6	-
97	24,3	26,5	7,8	8,4	4,7	4,5	-
Before	23,6		6,5		-		536

Day 1 - 2 - 3 - 4 - 5 - 6

Concentration (%v/v)	Temperature (°C)					
	1	2	3	4	5	6
0	25,0	26,6	25,5	23,2	25,1	27,0
0.97	26,0	27,0	25,4	26,4	26,6	27,0
9.7	26,4	27,0	26,9	25,3	27,0	27,0
97	26,4	27,0	26,5	25,6	27,0	27,0

Hardness (mg/L of CaCO₃) : Sample at 100% : 130 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

#19007

	Fronde increase at the end of the test								Dry weight at the end of the test (µg)						
	# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.		# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.
Control	68	71	68	60	66,8	4,7	7,1		5320	5430	5240	4220	5053	560,4	11,1
0.97	50	59	64	65	59,5	6,9	11,5		4180	4580	5230	5030	4755	469,9	9,9
2.1	63	70	74	72	69,8	4,8	6,9		5150	4350	5930	4620	5013	696,1	13,9
4.5	77	79	62	45	65,8	15,8	24,0		5800	6120	4750	3570	5060	1152,9	22,8
9.7	66	56	51	78	62,8	11,9	19,0		5180	4570	3850	5650	4813	779,2	16,2
21	56	83	69	44	63,0	16,8	26,7		4780	6300	5160	3590	4958	1117,3	22,5
45	53	46	55	36	47,5	8,6	18,1		4280	4370	5620	3690	4490	811,5	18,1
97	34	24	31	41	32,5	7,0	21,7		1970	5590	2610	2570	3185	1629,8	51,2

IC_{25} (C. L. at 95%) Dry weight : 76,2% v/v (46,1 - 97,0)

Statistical Method : Nonlineaire Regression (cumulative normal model) including a transformation of the log concentrations (CETIS 2001-2007)

IC_{25} (C.L. at 95%) Frond Increase : 46,0% v/v (28,9 - 65,5)

Statistical Method : Nonlineaire Regression (cumulative normal model) including a transformation of the log concentrations (CETIS 2001-2007)

Comments :

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Chloride

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (g/L de Cr) : 0; 0.514; 0.922; 1.65; 3.01; 5.43; 9.7; 17.5

Test Date : 2011-01-20

Test Duration: 7 days

Obtained Value IC_{25} (C.L. at 95%) - Dry Weight - 7days with : 2,51 g/L (1,97 - 3,08)
Lemna minor

Anterior geometric mean (± 2 standard deviations) : 3.63 g/L (2.17 - 6,08)

ANALYTICAL METHOD

Analytical method : QUE SOP - 00407/8


Reference method : Biological Test Method: Test for Measuring the Inhibition of Growth Using the Freshwater Macrophyte, *Lemna minor* . EPS 1/RM/37 - Second Edition, january 2007.

Quebec, 17 janvier 2011

Maxxam Job # : B101383
 Report # : 19008
 Order # : N/A
 Laboratory # : M67762-01R
 Project : Sample Characterization
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

ANALYSIS REPORT

Type of Bioassay : Growth inhibition test using a Freshwater alga (*Pseudokirchneriella subcapitata*), 72 hours
 Sample Type : Water
 Sample Appearance : Incolore and translucide
 Brief description of Sampling Location : Projet #12285 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-01-10 / 06:20
 Date/Time Received : 2011-01-12 / 09:30
 Starting Date/Time : 2011-01-13 / 09:05
 Ending Date/Time : 2011-01-16 / 09:05
 Volume Obtained : 1 litre
 Sampled by : M. Theriault / S. Gaudreault
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature upon Arrival : 5,1 °C
 IC₂₅ (I. C. à 95%) : >90.90% v/v
 Sample Condition at reception : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

INFORMATIONS RELATED TO THE ORGANISMS TESTED AND BREEDING CONDITIONS

Organisms: *Pseudokirchneriella subcapitata*

Culture origin : Canadian Phycological Culture Centre, maintained by Maxxam Analytics

Culture number : CPCC #37

Age of culture : 6 days old

Inoculum prepared less than 3 hours before the test microplate incubation and harvested in logarithmic phase of growth.

Inoculum cell count: $22,5 \times 10^4$ cells / ml

Initial cell density of inoculum: $10\,000 \pm 1\,000$ cells / ml

Health of test organisms: No unusual treatment or appearance of test organisms.

Algal growth curve, starting with an inoculum of the algal stock, is determined over an 8 to 10 day period, using an Erlenmeyer flask (at least 4 times/year).

TEST CONDITIONS AND PROCEDURES

Photoperiod: continuous

Temperature: rc Incubator controlled at $24^\circ\text{C} \pm 2$

Control/Dilution Water Type: sterile demineralized water. No chemical added

Test vessels: microplate Costar 96 U-shaped wells.

Microplate Final Volume: $220\ \mu\text{l}$ / well (200 μl of test sample, 10 μl of enrichment medium, 10 μl of algal inoculum)

Number of replicates per treatment: 3 (10 for the blank, 2 of which are used for the pH measurement)

Concentrations of the solutions used and corrected to

take into account the volume of algal inoculum and : 0; 0.63; 1.36; 2.72; 5.45; 10.90; 22.72; 45.45; 90.90
enrichment media (% v/v)

Aeration: none

Sample Treatment: a subsample was filtered through a preconditioned membrane of 0.45 μm pore diameter

There was nothing unusual observed during the test and no deviation was made to the test method

The number of algal cells measured for standard controls must have increased by a factor greater than 16 in 72h

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS**Before the Sample Preparation**

Temperature (°C) :	23,2
Dissolved Oxygen (mg/L) :	8,8
pH :	6,7
Conductivity (μS/cm) :	541

Temperature¹ during the test

Time	Temperature (°C)
0	24,3
24	23,0
48	23,5
72	23,7

¹ Incubator temperature**pH² of the test concentration**

Concentration	Initial pH	Final pH
0	7,0	6,7
0.63	-	6,8
1.36	-	6,8
2.72	-	7,0
5.45	-	7,1
10.9	-	7,1
22.72	-	7,6
45.45	-	7,7
90.9	-	8,4

² Initial and final pH of the controls measured in the median microplate wells

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (% v/v)	Cells Count X 10 ⁴ (cells / ml)*							
	Rep. 1	Rep. 2	Rep. 3	Rep. 4	Rep. 5	Rep. 6	Rep. 7	Rep. 8
0	19,3	28,0	25,7	26,7	23,7	24,0	22,3	23,0
0.63	28,0	30,3	28,0	-	-	-	-	-
1.36	30,0	30,3	30,0	-	-	-	-	-
2.72	29,0	29,3	30,0	-	-	-	-	-
5.45	29,3	33,0	31,3	-	-	-	-	-
10.9	35,0	41,6	37,6	-	-	-	-	-
22.75	64,3	67,7	63,0	-	-	-	-	-
45.45	99,0	123,0	118,3	-	-	-	-	-
90.9	139,7	139,3	141,7	-	-	-	-	-

Conc. (% v/v)	Mean cells count X 10 ⁴ (cells / ml)	Standard Deviation	Coefficient of Variation	% Inhibition (-) or Stimulation (+)
0	24,1	2,7	11,3	-
0.63	28,8	1,3	4,6	+19,4
1.36	30,1	0,2	0,6	+25,0
2.72	29,4	0,5	1,7	+22,2
5.45	31,2	1,9	5,9	+29,5
10.9	38,1	3,3	8,7	+58,0
22.75	65,0	2,4	3,7	+169,8
45.45	113,4	12,7	11,2	+370,9
90.9	140,2	1,3	0,9	+482,2

* Cell count made in the counting chamber on the last day of the test end

No gradient of effect (= 0.15) in the standard control wells

Probability¹ = 0.399 ⁽¹⁾ Mann-Kendall Test

IC₂₅ (I.C. at 95%) : >90.90 %v/v

Statistical method : -----

Comments : The dilutions $\geq 0.63\%$ v/v has a stimulating effect that significantly deviate (ANOVA - CETIS 2001-2007) from the one observed in the blank.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Anydrous zinc sulfate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentrations (ug/L of zinc) : 0; 2.9355; 5.2922; 9.5301; 17.158; 30.802; 55.403; 100.056

Test date : 2011-01-07

Obtained Value IC_{25} (C.L. at 95%) : 15.86 ug/L de Zn (12.89 - 19,49)

Anterior geometric mean (± 2 standard deviations) : : 17,93 $\mu\text{g/L}$ de Zn (7,65 - 42,03)

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00400/8

Reference Method : **Biological Test Method: Growth Inhibition Test using a Freshwater Alga.**
EPS1/RM/25 - Second Edition. Environment Canada. March 2007.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 19, 2011

Sampled by: M Theriault

Matrix: Water

Lab number:	12349	12350
Sample name:	EEM-3 (TPS)	EEM-3(TPN)
Sampling date:	17-01-2011	17-01-2011
Alkalinity mg CaCO ₃ /L	18	25
Aluminium (Al) mg/L	0.046	0.016
Arsenic (As) mg/L	<0.0005	<0.0005
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	<0.05
Cadmium (Cd) mg/L	<0.00008	<0.00008
Copper (Cu) mg/L	0.0009	<0.0005
Total Cyanide (CNt) mg/L	0.005	<0.005
Hardness mg CaCO ₃ /L	6	6
Iron (Fe) mg/L	0.25	0.03
Total Suspended Solids mg/L	<1	1
Mercury (Hg) mg/L	<0.00001	<0.00001
Molybdenum (Mo) mg/L	<0.0005	<0.0005
Nickel (Ni) mg/L	<0.0005	<0.0005
Nitrate (NO ₃) mg N/L	0.01	0.01
Dissolved oxygen mg/L	11.89	12.4
pH	5.21	5.45
Lead (Pb) mg/L	0.0124	<0.0003
Turbidity NTU	0.11	0.13
Zinc (Zn) mg/L	0.004	<0.001
Radium (Ra 226) Becquerels/L	<0.002	<0.002

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 07, 2011

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 19, 2011

Sampled by: M Theriault

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	149	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0781-2010-18	6.78	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2929	0.224 - 0.416	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0858-2010-NH3	2.0	1.58 - 2.14	
Cadmium (Cd) mg/L	<0.00008	DMR-0781-2010-18	0.81588	0.708 - 0.958	
Cuivre (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.330	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	dmr-0844-2010-3	0.322	0.259 - 0.351	
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01	DMR-0781-2010-18	11.2	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES	252	194 - 306	
Mercure (Hg) mg/L	<0.00001 EU Hg	DMR-0488-10-13	0.04630	0.0405 - 0.0639	
Molybdene (Mo) mg/L	<0.0005	DMR-0781-2010-18	0.6129	0.562 - 0.760	
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.143	0.98 - 1.32	
Nitrates (NO ₃) mg N/L	<0.01				
pH		STD pH 7.00	7.04	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.097	0.819 - 1.109	
Radium (RA 226) Becquerels		STD 0.100	0.117	0.070 - 0.130	
Radium (RA 226) Becquerels	<0.002	STD 0.050	0.061	0.035 - 0.065	
Turbidité UTN		DMR-0858-2010-Turb	5.5	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.68	3.83 - 5.19	

Reported on: February 07, 2011

Lab number: 12349:12350

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-94176

Sampling date: April 11, 2011
Sampling hour: 07:34
Date received: April 12, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: Steve G.
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Result	Method name	Date analyzed
Alkalinity	45 mg CaCO ₃ /L	M-ALCA-2.0	April 13, 2011
Aluminium (Al)	1.10 mg/L	M-MET-3.0	April 14, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	6.7 mg N/L	M-NH3-2.0	April 13, 2011
Cadmium (Cd)	<0.00008 mg/L	M-MET-3.0	April 14, 2011
Hardness	215 mg CaCO ₃ /L	M-MET-3.0	April 14, 2011
Iron (Fe)	<0.01 mg/L	M-MET-3.0	April 14, 2011
Mercury (Hg)	<0.00001 mg/L	M-MET-3.0	April 15, 2011
Molybdenum (Mo)	0.0148 mg/L	M-MET-3.0	April 14, 2011
Nitrate (NO ₃)	1.0 mg N/L	M-NITR-2.0	April 14, 2011

Reported on: April 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-94176
Sampling date: April 11, 2011
Sampling hour: 07:34
Date received: April 12, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: Steve G.
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Aluminium (Al)	0.006 mg/L		M-MET-3.0	Oui
Ammonia nitrogen (NH3-NH4)	0.05 mg N/L		M-NH3-2.0	Oui
Cadmium (Cd)	0.00008 mg/L		M-MET-3.0	Oui
Hardness	1 mg CaCO3/L		M-MET-3.0	
Iron (Fe)	0.01 mg/L		M-MET-3.0	Oui
Mercury (Hg)	0.00001 mg/L		M-MET-3.0	Oui
Molybdenum (Mo)	0.0005 mg/L		M-MET-3.0	
Nitrate (NO3)	0.01 mg N/L		M-NITR-2.0	

Reported on: April 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-94176
Sampling date: April 11, 2011
Sampling hour: 07:34
Date received: April 12, 2011
Sampling location: DD-FD1 (EEM-1)
Sampled by: Steve G.
Matrix: Water
Sample name: DD-FD1 (EEM-1)

Parameter	Blank	Name	Standard	Limit	Sample duplicate	
			Result		1	2
Alkalinity mg CaCO ₃ /L		Std-Alcalinité-21-02-2011	200	170 - 230		
Alkalinity mg CaCO ₃ /L		DMR-0189-2011-17-Alc	36	31 - 43		
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.85	5.27 - 7.13		
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH ₃	1.90	1.58 - 2.14		
Cadmium (Cd) mg/L	<0.00008	DMR-0011-2011-18	0.855	0.708 - 0.958		
Hardness mg CaCO ₃ /L						
Iron (Fe) mg/L	<0.01	DMR-0011-2011-18	10.0	8.8 - 12.0		
Mercury (Hg) mg/L	<0.00001	DMR-0011-2011-13	0.0419	0.0351 - 0.0653		
Molybdenum (Mo) mg/L	<0.0005	DMR-0011-2011-18	0.621	0.562 - 0.760		
Nitrate (NO ₃) mg N/L	<0.01					

Reported on: April 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 14, 2011

Sampled by: Martin T/Steve G

Matrix: Water

Lab number:	12902	12903
Sample name:	TPN (EEM discharge 1)	TPS (EEM reference 1)
Sampling date:	12-04-2011	12-04-2011
Alkalinity mg CaCO ₃ /L	15	12
Aluminium (Al) mg/L	0.149	0.033
Arsenic (As) mg/L	0.0008	<0.0005
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	0.25	<0.05
Cadmium (Cd) mg/L	<0.00008	<0.00008
Copper (Cu) mg/L	<0.0005	<0.0005
Total Cyanide (CNt) mg/L	<0.005	<0.005
Hardness mg CaCO ₃ /L	10	5
Iron (Fe) mg/L	<0.01	<0.01
Total Suspended Solids mg/L	<1	<1
Molybdenum (Mo) mg/L	<0.0005	<0.0005
Nickel (Ni) mg/L	<0.0005	<0.0005
Nitrate (NO ₃) mg N/L	0.03	0.08
Lead (Pb) mg/L	<0.0003	<0.0003
Radium (Ra 226) Becquerels/L	<0.002	0.002
Zinc (Zn) mg/L	0.009	0.003
Mercury (Hg) mg/L	<0.00001	<0.00001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 04, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 14, 2011

Sampled by: Martin T/Steve G

Matrix: Water

Detection limit			
Parameter	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
Radium (Ra 226)	0.002	Becquerels/L	M-RA-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: May 04, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 14, 2011
Sampled by: Martin T/Steve G
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	139	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.90	5.27 - 7.13	
Arsenic (As) mg/L	<0.0005	DMR-0011-2011-18	0.2762	0.224 - 0.416	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.8	1.58 - 2.14	
Cadmium (Cd) mg/L	<0.00008	DMR-0011-2011-18	0.84162	0.708 - 0.958	
Cuivre (Cu) mg/L	<0.0005	DMR-0011-2011-18	1.221	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0187-2011-8	0.0870	0.0777 - 0.1051	
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01	DMR-0011-2011-18	11.6	8.8 - 12.0	
M.E.S. mg/L	<1	STD-MES 50mg/L	50	39 - 61	
Magnésium (Mg) mg/L	<0.02	DMR-0011-2011-18	10.2	9.1 - 12.3	
Mercure (Hg) mg/L	<0.00001	DMR-0011-2011-13	0.03833	0.0351 - 0.0653	
Molybdene (Mo) mg/L	<0.0005	DMR-0011-2011-18	0.6218	0.562 - 0.760	
Nickel (Ni) mg/L	<0.0005	DMR-0011-2011-18	1.134	0.98 - 1.32	
Nitrates (NO ₃) mg N/L	<0.01				0.03 0.03
Nitrates (NO ₃) mg N/L	<0.01				
Plomb (Pb) mg/L	<0.0003	DMR-0011-2011-18	1.031	0.819 - 1.109	
Radium (RA 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.119	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0011-2011-18	4.62	3.83 - 5.19	

Reported on: May 04, 2011
Lab number: 12902:12903

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	15134	15135	15136
Sample name:	(EEM-1)	DUP (EEM-1)	FB (EEM-1)
Sampling date:	24-08-2011	24-08-2011	24-08-2011
Alkalinity mg CaCO ₃ /L	82	81	<2
Aluminium (Al) mg/L	0.541	1.49	0.011
Cadmium (Cd) mg/L	0.00025	0.00013	0.00009
Hardness mg CaCO ₃ /L	200	203	3
Iron (Fe) mg/L	0.69	0.23	<0.01
Mercury (Hg) mg/L	0.00293	0.00298	0.00250
Molybdenum (Mo) mg/L	0.0329	0.0271	0.0028
Ammonia (NH ₃) mg N/L	<0.05	<0.05	<0.05
Nitrate (NO ₃) mg N/L	1.6	1.6	<0.01

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 06, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alcalinité mg CaCO ₃ /L		std Alk	142	123 - 167		
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	5.36	5.26 - 7.12		
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	5.36	5.26 - 7.12	1.49	1.50
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.83477	0.8 - 1.0		
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.83477	0.8 - 1.0	0.00013	0.00009
Dureté mg CaCO ₃ /L	<1					
Dureté mg CaCO ₃ /L	<1				203	204
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	9.2	8.9 - 12.1	0.23	0.21
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	9.2	8.9 - 12.1		
Mercure (Hg) mg/L	<0.00001	DMR-0407-2011-13	0.05082	0.0316 - 0.0588		
Molybdene (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6371	0.599 - 0.811	0.0271	0.0259
Molybdene (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6371	0.599 - 0.811		
NH ₃ mg N/L	<0.05					
Nitrates (NO ₃) mg N/L	<0.01					

Reported on: September 06, 2011
 Lab number: 15134:15136

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
 Company: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Date received: August 26, 2011
 Sampled by: Env. Tech.
 Matrix: Water

Lab number:	15137	15138	15139	15140
Sample name:	TPN(EEM-3DISCHA.1)	TPS(EEM-3REFER.1)	EEM-3 DUP (TPS)	EEM-3 FB (TPS)
Sampling date:	24-08-2011	24-08-2011	24-08-2011	24-08-2011
Alkalinity mg CaCO ₃ /L	10	9	10	<2
Aluminium (Al) mg/L	0.009	<0.006	<0.006	<0.006
Arsenic (As) mg/L	<0.0005	<0.0005	<0.0005	<0.0005
Cadmium (Cd) mg/L	<0.00002	<0.00002	<0.00002	<0.00002
Copper (Cu) mg/L	0.0271	0.0131	0.0095	0.0075
Total Cyanide (CNt) mg/L	<0.005	0.005	<0.005	<0.005
Hardness mg CaCO ₃ /L	7	6	6	2
Iron (Fe) mg/L	<0.01	<0.01	<0.01	<0.01
Total Suspended Solids mg/L	2	1	3	2
Mercury (Hg) mg/L	<0.00001	<0.00001	<0.00001	<0.00001
Molybdenum (Mo) mg/L	0.0016	0.0005	<0.0005	<0.0005
Ammonia (NH ₃) mg N/L	<0.05	<0.05	<0.05	<0.05
Nickel (Ni) mg/L	0.0014	0.0008	0.0008	0.0009
Nitrate (NO ₃) mg N/L	0.05	0.01	0.01	<0.01
Lead (Pb) mg/L	<0.0003	0.0005	0.0004	0.0035
Radium (Ra 226) Becquerels/L	<0.002	<0.002	<0.002	<0.002
Zinc (Zn) mg/L	<0.001	<0.001	<0.001	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.
 In case of difference between these files , the results are singed on the results summary

Reported on: September 06, 2011

F-02-13
 Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 26, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		std Alk	142	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3306	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.83477	0.8 - 1.0	
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.252	1.05 - 1.43	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0518-2011-8	0.0790	0.0777 - 0.1051	
Dureté mg CaCO ₃ /L	<1				
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	9.2	8.9 - 12.1	
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	
Mercure (Hg) mg/L	<0.00001	DMR-0407-2011-13	0.05082	0.0316 - 0.0588	
Molybdène (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6371	0.599 - 0.811	
NH ₃ mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.110	0.96 - 1.30	
Nitrates (NO ₃) mg N/L	<0.01				
Nitrates (NO ₃) mg N/L	<0.01				0.01 0.01
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9920	0.8 - 1.0	
Radium (RA 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.095	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.53	3.83 - 5.19	

Reported on: September 06, 2011
 Lab number: 15137:15140

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.


All samples will be disposed of after 30 days following analysis.

Quebec 6 septembre 2011

Maxxam Job # : B146125
 Report # : 20814
 Order # : n/d
 Laboratory # : O60968-01R
 Project : Sample characterization
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

Certificate of Analysis

Type of Bioassay : Test of reproduction and survival using the cladoceran *Ceriodaphnia dubia*
 Sample Type : Waste water
 Sample appearance : Clear et translucent
 Brief Description of the Sampling location : Projet #15133 / DD-FD1 (EMM-2)
 Sampling Date/Time : 2011-08-25 / 00:00
 Date/Time Received : 2011-08-27 / 09:00
 Starting Date/Time : 2011-08-27 / 13:30
 Ending Date/Time : 2011-09-02 / 13:30
 Volume obtained : 10 litres
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,0 °C
 IC25 (C. L. at 95%) : 10,78 % v/v (7,40 - 14,04)
 LC50 (C. L. at 95%) : 65,98 % v/v (57,57 - 75,61)
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau / M. Lalande / D. Gagnon



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: *Ceriodaphnia dubia*

Source of test species: Maxxam Analytics. Single brood.

Culture water : Dechlorinated City Water. No chemical added.

Culture conditions : Controlled conditions (temperature $25^{\circ}\text{C} \pm 1$; lighting $16\text{h} \pm 1$ light, $8\text{h} \pm 1$ dark). Feeding with unicellular algae and YCT.

Age of test organisms: <24 hours (5h à 12h30)

Health of culture : No unusual treatment or appearance of the test organisms. No ephippia present in the culture. An average of at least 15 young per adult must be produced during the first 3 broods within the week preceding the test. At least 8 young must be produced by each brood organism in their third or subsequent brood, and in the brood to be used in a test.

Mean mortality rate of brood in 7 days preceding the test: 16,7%

Mean # of surviving live young produced per female during the first 3 broods within 7days preceding the test: 31,2

Mean # of surviving live young produced per female during the last brood: 13,8

TEST CONDITIONS AND PROCEDURES

Photoperiod : 16 hours of light and 8 hours of darkness

Temperature : Incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution water type : Same than culture water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 15 ml / 10 cm

Volume/Depth of test solutions: 1

Number of organisms per test vessel: 10

3 subsamples: subsample A used on days 1 and 2

subsample B used on days 3 and 4

subsample C used at days 5 and 6

Concentrations/test solutions (% v/v) : 0; 1.58; 3,16; 6.25; 12.5; 25; 50; 100

Aeration: pre-aeration of 20 minutes before the solutions preparation at day 2 (100 bubbles/min).

Sample Treatment: None

No discrepancies observed during the test. No change was made to the method.

When applicable, any neonates produced as a fourth or subsequent brood must not be included in the final counting.

CHEMICAL DATA OF TEST CONCENTRATIONS*Day 1*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,3	26,0	7,6	7,6	261	8,0	6,6
1,58	25,3	26,0	7,6	7,6	276	7,9	6,6
12,5	25,5	26,0	7,6	7,5	354	7,9	6,4
100	24,5	25,6	7,4	7,3	911	8,0	4,8
Before	24,5		7,3		954	7,8	
Incubator temperature				no pre-aeration of test solutions			

Day 2

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,2	26,0	7,7	7,6	262	8,3	6,7
1,58	24,4	25,9	7,7	7,6	277	8,3	6,7
12,5	24,4	25,8	7,7	7,6	355	8,2	6,6
100	24,6	26,0	8,1	7,5	927	8,0	5,5
Before	25,5		7,4		939	8,4	
Incubator temperature				Pre-aeration of 20 minutes at the rate of 100 bubbles/min			

Day 3

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,2	25,4	7,6	7,6	261	8,0	6,7
1,58	24,4	25,9	7,6	7,6	275	8,1	6,5
12,5	24,5	25,9	7,6	7,6	357	8,2	6,9
100	24,3	25,9	7,4	7,4	945	8,2	5,7
Before	24,5		7,3		972	7,9	
Incubator temperature				no pre-aeration of test solutions			

Day 4

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	25,0	24,6	7,6	7,5	253	7,8	6,9
1,58	25,3	25,1	7,6	7,4	269	7,9	6,2
12,5	25,3	25,6	7,6	7,4	351	7,8	6,4
100	25,5	25,8	7,3	7,4	948	7,5	5,9
Before	26,0		7,3		972	7,5	
Incubator temperature				no pre-aeration of test solutions			

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)*Day 5*

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,1	24,0	7,6	7,5	238	8,1	6,1
1,58	24,1	24,3	7,7	7,5	251	8,2	6,1
12,5	24,1	24,2	7,7	7,4	330	8,1	6,1
100	25,2	24,4	7,5	7,3	921	8,0	5,2
Before	25,1		7,2		959	7,1	
Incubator temperature		no pre-aeration of test solutions					

Day 6

Concentration (%v/v)	Temperature (°C)		pH		Conductivity (µS/cm)	Dissolved oxygen (mg/L)	
	Start	End	Start	End	Start	Start	End
0	24,6	24,0	7,6	7,5	250	7,9	5,7
1,58	24,8	24,2	7,6	7,5	264	7,9	5,9
12,5	24,5	24,0	7,6	7,5	341	8,0	6,2
100	24,4	24,1	7,4	7,4	939	7,8	6,0
Before	25,1		7,3		962	7,4	
Incubator temperature		no pre-aeration of test solutions					

Hardness (mg/L of CaCO₃) : Dilution water : 96 mg/L
 Sample at 100% : 309 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (%v/v)	Daily mortality Rate								Mean number of neonates (St. Dev.)	Cumulative Mortality Rate
	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7	Day 8		
0	0	0	0	0	0	0	-	-	27,1 (6,4)	0
1,58	0	0	0	0	0	0	-	-	29,4 (6,9)	0
3,16	0	0	0	0	0	0	-	-	27,7 (8,9)	0
6,25	0	0	0	0	0	0	-	-	27,9 (8,0)	0
12,5	0	0	0	10	0	0	-	-	19,3 (6,5)	10
25	0	0	0	0	10	10	-	-	8,2 (3,3)	20
50	0	0	0	0	10	0	-	-	0	10
100	0	20	40	30	0	0	-	-	0	90

IC25 (C.L. at 95%) : 10,78 % v/v (7,40 - 14,04)

T. U.c (100/IC25) : 9,28

Statistical Method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

LC50 (C.L. at 95%) : 65,98 % v/v (57,57 - 75,61)

Statistical Method : Spearman Kärber estimation

Comments : Test ended on Day 6 i.e. when 60% of the test controls produced 3 broods.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium dichromate

Concentration (mg/L of Cr) : 0; 0,0141; 0,0255; 0,0458; 0,0824; 0,1485; 0,2672; 0,4808

Test Date : 2011-08-17

Test Duration : 7 days

Obtained Value IC25 (C.L.. at 95%) Ceriodaphnia dubia : : 0,065 mg/L (0,052 - 0,079)

Anterior geometric mean ($\pm$ 2 standard deviations) : 0,064 mg/L (0,027 - 0,150)

ANALYTICAL METHOD

Reference Method : QUE SOP - 00402/10


Méthode de référence : Biological Test Method: Test of Reproduction and Survival Using the Cladoceran Ceriodaphnia Dubia. EPS 1/RM/21 - Environment Canada. 2007.

Quebec 6 septembre 2011

Maxxam Job # : B146125
 Report # : 20812
 Order # : n/d
 Laboratory # : O60968-01R
 Project : Sample characterization
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

CERTIFICATE OF ANALYSIS

Type of Bioassay : Test of larval growth and survival using fathead minnows (*Pimephales promelas*), 7 days
 Sample Type : Waste water
 Sample appearance : Clear and translucent
 Brief Description of the sampling location : Projet #15133 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-08-25 / 00:00
 Date/Time Received : 2011-08-27 / 09:00
 Starting Date/Time : 2011-08-28 / 12:50
 Ending Date/Time : 2011-09-04 / 12:50
 Volume obtained : 40 litres
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,0 °C
 IC25 (C. L. at 95%) : 91,49% v/v (51,79 - non-calc.)
 LC50 (C. L. at 95%) : >100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau / I. Parenteau / D. Gagnon



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: *Pimephales promelas*; fathead minnow

Source of test species : Maxxam Analytics. All from the same batch.

Source of culture water : Dechlorinated City Water. No chemical added.

Culture conditions : Controlled conditions (temperature $25 \pm 2^{\circ}\text{C}$; lighting $16 \pm 1\text{h}$ light, $8 \pm 1\text{h}$ dark). Feeding with frozen brine shrimp supplemented by flaked food.

Age of test organisms at test start : <24 hours old larvae. Their swim bladders are inflated.

Health of culture : No unusual treatment or appearance of test organisms.

Mortality rate in culture 7 days preceding collection of eggs : 0,1%

TEST CONDITIONS AND PROCEDURES

Photoperiod : 16 hours of light and 8 hours of darkness

Temperature : Incubator controlled at $25^{\circ}\text{C} \pm 1$

Control/Dilution water type : Same than culture water

Test Vessels : 400 mL beakers of borosilicate glass

Volume and depth of test solution : 250 mL / 7 cm

Number of larvae per test vessel : 10

Number of replicates per concentration : 3

3 subsamples: subsample A used on days 1 and 2
 subsample B used on days 3 and 4
 subsample C used at days 5, 6 and 7

Concentrations/test solutions (% v/v) : 0; 1,5; 3; 6; 12; 25; 50; 100

Aeration: no pre-aeration of test solutions

Sample Treatment: None

There was nothing unusual observed during about the test and no deviation was made to the from test method.

The test end on the 7th day

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS*Day 1*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	25,0	25,6	8,0	7,5	8,2	6,7	241
1,5	25,1	24,4	8,0	7,5	8,2	6,6	258
12	25,1	25,1	7,9	7,5	8,1	6,4	332
100	24,6	24,8	7,9	7,3	7,7	4,8	956
Before	25,0		7,3		7,6		968

*no pre-aeration of test solutions**Day 2*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	25,1	24,9	7,9	7,4	7,9	5,0	241
1,5	25,0	24,6	8,0	7,4	7,9	5,2	256
12	25,0	24,7	7,8	7,4	7,7	4,9	345
100	24,7	25,1	7,3	7,4	6,6	5,0	974
Before	25,4		7,2		6,5		977

*no pre-aeration of test solutions**Day 3*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	25,1	24,3	7,9	7,4	7,7	5,4	237
1,5	25,1	24,6	7,9	7,5	7,6	5,9	251
12	25,4	25,4	7,8	7,4	7,7	5,5	346
100	24,8	25,0	7,5	7,4	7,8	5,1	972
Before	24,9		7,2		8,0		1000

*no pre-aeration of test solutions**Day 4*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	25,2	25,6	7,9	7,5	8,0	5,0	231
1,5	25,0	26,0	8,0	7,4	8,0	4,9	241
12	25,1	26,0	7,9	7,4	7,9	4,3	291
100	25,2	25,2	7,3	7,3	8,1	4,1	983
Before	25,1		7,2		7,6		955

*no pre-aeration of test solutions**This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.*

CHEMICAL DATA OF TEST CONCENTRATIONS (cont'd)*Day 5*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	24,8	24,5	8,0	7,4	7,8	5,6	232
1,5	25,0	24,8	8,0	7,4	7,7	5,8	245
12	25,1	24,6	7,8	7,3	7,8	5,3	338
100	25,3	24,3	7,2	7,3	7,8	4,9	958
Before	26,0		7,2		7,5		965

*no pre-aeration of test solutions**Day 6*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	24,8	24,8	8,0	7,4	7,5	6,5	233
1,5	24,7	25,5	8,0	7,5	7,4	6,3	245
12	24,8	25,9	7,8	7,4	7,5	5,5	358
100	24,8	25,8	7,3	7,3	7,8	4,7	967
Before	24,1		7,2		7,4		948

*no pre-aeration of test solutions**Day 7*

Concentration (%v/v)	Temperature (°C)		pH		Dissolved oxygen (mg/L)		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	24,7	25,4	7,9	7,5	7,4	6,7	222
1,5	25,1	25,6	7,9	7,6	7,4	6,7	230
12	25,0	26,0	7,8	7,5	7,4	6,5	317
100	24,0	25,7	7,3	7,3	7,8	4,6	976
Before	24,4		7,2		7,9		976

no pre-aeration of test solutions

Hardness (mg/L of CaCO₃) : Dilution water : 95 mg/L
 Sample at 100% : 300 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (%v/v)	Daily mortality Rate (a)														Cumulative mortality rate (St. Dev.)	Biomass	
	Day 1		Day 2		Day 3		Day 4		Day 5		Day 6		Day 7			Mean (ug)	St. Dev.
	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%	nb	%			
0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	533	0,6
1,5	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	535	42,2
3	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	493	72,2
6	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	518	21,1
12	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	509	36,7
25	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	523	54,8
50	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0,0 (0)	466	30,0
100	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	0	0,0	1	3,3	3,3 (5,8)	391	49,9

(a) Number and percentage of dead fish and/or fish having atypical behavior are registered in superscript if necessary. No atypical behavior observed

IC25 (C.L. at 95%) : 91,49% v/v (51,79 - non-calc.)

T. U.c (100/IC25) : 1,09

Statistical Method : Linear Interpolation including a transformation of the log concentrations
(CETIS 2001-2007)

LC50 (C.L. at 95%) : >100 % v/v

Statistical Method : -----

Comments : -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Pentachlorophenol

Concentration (µg/L) : 0; 9; 13; 20; 30; 44; 67; 100

Test Date : 2011-08-17

Test Duration : 7 days

*Obtained value IC25, 7 days with Fathead minnow:
C.L.. at 95%)*

52,15 µg/L (41,07 - 62,13)

Anterior geometric mean ($\pm$ 2 standard deviations) :

38,74 µg/L (22,72 - 66,04)

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00401/9

Reference Method : Biological Test Method: Test of Larval Growth and Survival using Fathead Minnows. SPE1/RM/22 - Environment Canada. 2nd edition, February 2011


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 9 septembre 2011

Maxxam Job # : B146125
 Report # : 20815
 Order # : n/d
 Laboratory # : O60968-01R
 Project : Sample characterization
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

Certificate of Analysis

Type of Bioassay : Inhibition of Growth using Lemna minor, 7 days
 Sample Type : Wastewater
 Sample appearance : Clear and translucent
 Brief Description of the sampling location : Projet #15133 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-08-25 / 00:00
 Date/Time Received : 2011-08-27 / 09:00
 Starting Date/Time : 2011-08-27 / 12:45
 Ending Date/Time : 2011-09-03 / 12:45
 Volume obtained : 10 litres
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,0 °C
 IC25 - 7d (C.L. at 95%) Dry Weight : 1,81v/v (0,67 - non-calc.)
 IC25 - 7d (C.L. at 95%) Frond Number : 1,77 % v/v (0,63 - 97,0)
 Sample Condition at the reception? : Compliant
 Test Performed by : R. Debes /D. Gagnon /J. Rondeau /I. Parenteau /A. Dionne



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: *Lemna minor*

Source of test species : University of Toronto Culture Collection, maintained by Maxxam Analytics.

Strain number : UTCC 492, Landolt 7730

Age of culture at test start: 10 days, axenic culture.

Culture Medium : Sterile, modified Hoagland's E+ medium

Acclimatation Period in Culture Medium : At least 2 cm of fresh medium for 18 to 24 hours

Health of Test Organisms : The fronds number increased to at least 8 times in 7 days. Plants in test culture must be healthy.

There was no unusual treatment or appearance of test organisms before their use.

TEST CONDITIONS AND PROCEDURES

Photoperiod : Continuous

Temperature : Incubator controlled at $25^{\circ}\text{C} \pm 2$

Control/Dilution water type : Sterile ultra-pure water. Modified APHA medium. No chemical added.

Test container: 300 mL Erlenmeyer flasks with Kimcaps

Volume/Depth of test solutions : 150 ml / 5 cm

Number of Lemna/fronds at the beginning : 2 Lemna with 3 fronds / test vessel (6 fronds at $T = 0$)

Number of replicates per treatment : 4

Use of Sample : Static test with none renewal.

Concentrations of the solutions used and corrected for the volume of nutrient stock (% v/v) : 0; 0,97; 2,1; 4,5; 9,7; 21; 45; 97

Aeration: pre-aeration of 20 minutes before starting the solutions preparation at a rate of 100 bubbles/min

Sample Treatment : Modified APHA medium, no pH and hardness adjustments and no filtration.

There was nothing unusual observed during the test and no deviation was made to the test method.

The fronds number in the controls must have increased to at least 8-times the original number of fronds by the end of the 7-day test period.

CHEMICAL DATA OF TEST CONCENTRATIONS*Days 0 - 7*

Concentration (%v/v)	Temperature (°C)		pH		Light Intensity Klux		Conductivity (µS/cm)
	Start	End	Start	End	Start	End	Start
0	23,0	24,1	8,4	9,0	4,6	4,8	-
0,97	23,0	24,1	8,4	9,5	4,7	4,5	-
9,7	23,0	24,1	8,3	9,5	4,5	4,6	-
97	23,0	24,6	8,0	9,6	4,3	4,6	-
Before	24,1		7,3		-		929

Days 1 - 2 - 3 - 4 - 5 - 6

Concentration (%v/v)	Temperature (°C)					
	1	2	3	4	5	6
0	23,6	23,7	23,3	23,2	23,2	23,0
0,97	24,1	23,9	23,5	23,4	23,4	23,4
9,7	24,2	24,0	23,7	23,6	23,6	23,7
97	24,2	24,4	24,1	23,8	24,0	24,2

Hardness (mg/L of CaCO₃) : Sample at 100% : 299 mg/L

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

#20815

% v/v	Fronde increase at the end of the test								Dry weight at the end of the test (µg)						
	# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.		# 1	# 2	# 3	# 4	Mean	st.dev.	c. v.
Control	42	54	43	--	46,3	6,7	14,4		4300	4800	3860	--	4320	470,3	10,9
0,97	37	45	42	38	40,5	3,7	9,1		3530	3990	3560	3410	3623	253,4	7,0
2,1	32	33	30	30	31,3	1,5	4,8		3140	3220	2680	3020	3015	238,0	7,9
4,5	32	26	32	33	30,8	3,2	10,4		2740	2860	3070	3150	2955	188,4	6,4
9,7	27	31	45	36	34,8	7,8	22,3		2800	3050	3760	3220	3208	406,7	12,7
21	40	27	29	34	32,5	5,8	17,9		3650	2480	2870	3260	3065	503,5	16,4
45	29	39	31	39	34,5	5,3	15,2		3020	3630	3250	3520	3355	274,5	8,2
97	27	37	21	24	27,3	6,9	25,5		3100	3880	2850	2860	3173	485,6	15,3

⁽¹⁾ CI25 : Inhibiting concentration for 25% of effects after 7 days

IC25 (C. L. at 95%)⁽¹⁾ Dry weight : 1,81v/v (0,67 - non-calc.)

Statistical Method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

IC25 (C. L. at 95%)⁽¹⁾ Frond Increase : 1,77 % v/v (0,63 - 97,0)

Statistical Method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

Comments : Blank rep 4; Outlier (Grubbs Test)

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Chloride

Concentration (g/L of KCl) : 0; 0,514; 0,922; 1,65; 3,01; 5,43; 9,7; 17,5

Test Date : 2011-09-01

Test Duration : 7 days

Obtained Value IC25 (C.L. at 95%) - Frond number- 7days
with *Lemna minor* : 1,97 g/L (0,95 - 2,37)

Anterior geometric mean ($\pm$ 2 standard deviations) : 2,23 g/L (1,34 - 3,71)

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00407/9

Reference Method : Méthode d'essai biologique: essai de mesure de l'inhibition de la croissance de la plante macroscopique dulcicole, *Lemna minor* . SPE 1/RM/37 - Deuxième édition, janvier 2007.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec, 31 août 2011

Maxxam Job # : B146125
 Report # : 20813
 Order # : n/d
 Laboratory # : O60968-01R
 Project : Sample characterization
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

Certificate of Analysis

Type of Bioassay : Growth inhibition test using a Freshwater alga (*Pseudokirchneriella subcapitata*), 72 hours
 Sample Type : Wastewater
 Sample appearance : Clear and translucent
 Brief Description of the sampling location : Projet #15133 / DD-FD1 (EEM-2)
 Sampling Date/Time : 2011-08-25 / 00:00
 Date/Time Received : 2011-08-27 / 09:00
 Starting Date/Time : 2011-08-27 / 14:55
 Ending Date/Time : 2011-08-30 / 14:55
 Volume obtained : 1 litre
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,0 °C
 IC25 (I. C. at 95%) : >90,90% v/v
 Sample Condition at the reception? : Compliant
 Test Performed by : J. Côté / J. Rondeau / I. Parenteau



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: *Pseudokirchneriella subcapitata*

Source of test species : Canadian Phycological Culture Centre, maintained by Maxxam Analytics

Culture number : CCPC # 37

Age of culture : : 4 days

Inoculum prepared less than 3 hours before the test microplate incubation and harvested in logarithmic phase of growth.

Inoculum cell count : $23,0 \times 10^4$ cells / ml

Initial cell density of inoculum : $10\,000 \pm 1\,000$ cells / ml

Health of test organisms : No unusual treatment or appearance of test organisms.

Algal growth curve, starting with an inoculum of the algal stock, is determined over an 8 to 10 day period, using an Erlenmeyer flask (at least 4 times/year).

TEST CONDITIONS AND PROCEDURES

Photoperiod : Continuous

Temperature : Incubator controlled at $24^{\circ}\text{C} \pm 2$

Control/Dilution water type : Sterile demineralized water. No chemical added

Test vessels : Microplate Costar 96 U-shaped wells.

Microplate Final Volume : $220\ \mu\text{l}$ / well (200 μl of test sample, 10 μl of enrichment medium, 10 μl of algal inoculum)

Number of replicates per treatment : 3 (10 for the blank, 2 of which are used for the pH measurement)

Concentrations of the solutions used and corrected to

take into account the volume of algal inoculum and : 0; 0,63*; 1,36; 2,72; 5,45; 10,90; 22,72; 45,45; 90,90
enrichment media (% v/v)

Aeration : None

Sample Treatment : A subsample was filtered through a preconditioned membrane of 0.45 μm pore diameter

There was nothing unusual observed during the test and no deviation was made to the test method

The number of algal cells measured for standard controls must have increased by a factor greater than 16 in 72h

* The cells count was not made at these concentrations, IC25 >0,63% v/v

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS**Before the Sample Preparation**

Temperature (°C) :	23,2
Dissolved Oxygen (mg/L) :	8,0
pH :	7,2
Conductivity (μS/cm) :	944

Temperature during the test ¹

Time	Temperature (°C)
0	24,0
24	24,7
48	24,2
72	24,4

¹ Incubator temperature**pH of the test concentration ²**

Concentration	Initial pH	Final pH
0	6,3	6,4
0,63	-	-
1,36	-	6,6
2,72	-	6,7
5,45	-	6,8
10,90	-	7,0
22,72	-	7,4
45,45	-	7,7
90,90	-	7,9

² Initial and final pH of the controls measured in the median microplate wells

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

Conc. (% v/v)	Cells Count $\times 10^4$ (cells / ml)*							
	Rep.1	Rep.2	Rep.3	Rep.4	Rep.5	Rep.6	Rep.7	Rep.8
0	19,0	18,3	19,3	20,3	21,3	23,0	21,3	21,3
0,63	-	-	-	-	-	-	-	-
1,36	19,7	21,0	21,3	-	-	-	-	-
2,72	22,0	20,3	21,7	-	-	-	-	-
5,45	24,7	23,0	24,7	-	-	-	-	-
10,90	42,7	37,7	43,7	-	-	-	-	-
22,75	98,7	105,0	80,0	-	-	-	-	-
45,45	91,7	86,3	102,0	-	-	-	-	-
90,90	75,0	111,0	82,0	-	-	-	-	-

Conc. (% v/v)	Mean cells count $\times 10^4$ (cells / ml)	Standard Deviation	Coefficient of Variation	% Inhibition (-) or Stimulation (+)
0	20,5	1,5	7,5	-
0,63	-	-	-	-
1,36	20,7	0,9	4,1	+1,0
2,72	21,3	0,9	4,3	+3,9
5,45	24,1	1,0	4,1	+17,6
10,90	41,4	3,2	7,8	+102,0
22,75	94,6	13,0	13,7	+361,5
45,45	93,3	8,0	8,5	+355,1
90,90	89,3	19,1	21,4	+335,6

* Cell count made in the counting chamber on the last day of the test end

No gradient of effect (α 0.05) in the standard control wells

Probability ⁽¹⁾ = --- ⁽¹⁾ The Mann-Kendall test was not performed, as the c.v. is < 10%.

IC25 (I.C. at 95%) : >90,90% v/v

U.T.c (100/CI₂₅) : <1

Statistical method : Linear Interpolation including a transformation of the log concentrations (CETIS 2001-2007)

Comments : The dilutions $\geq$ 5,45% v/v has a stimulating effect that significantly deviate (ANOVA - CETIS 2001-2007) from the one observed in the blank.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Anhydrous zinc sulfate

Concentrations (µg/L of Zn) : 0; 2,9355; 5,2922; 9,5301; 17,158; 30,802; 55,403; 100,056

Test Date : 2011-08-26

Obtained Value IC25 (C.L. at 95%) : 10,26 µg/L (8,86 - 11,67)

Anterior geometric mean (± 2 standard deviations) : 20,77 µg/L (8,90 - 48,47)

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00400/10

**Reference Method : Biological Test Method: Growth Inhibition Test using a Freshwater Alga.
EPS1/RM/25 - Second Edition. Environment Canada. March 2007.**

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17472

Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN (EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN (EEM discharge 1)

Parameter	Result	Method name	Date analyzed
Alkalinity	<2 mg CaCO ₃ /L	M-ALCA-2.0	December 22, 2011
Aluminium (Al)	0.060 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Hardness	10 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	December 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Nitrate (NO ₃)	0.03 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Lead (Pb)	0.0109 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Radium (Ra 226)	0.003 Becquerels/L	M-RA-2.0	January 11, 2012
Zinc (Zn)	0.035 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Cyanide (CNT)	0.005 mg/L	Sous-traitance\Multilab Direct	February 21, 2012

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17472

Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN (EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN (EEM discharge 1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Radium (Ra 226)	0.002 Becquerels/L		M-RA-2.0	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17472
Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN (EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN (EEM discharge 1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3296	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.93256	0.8 - 1.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0687-2011-2	1.12	0.842 - 1.139	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6312	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.150	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9520	0.8 - 1.0	
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.096	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17472

Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN (EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN (EEM discharge 1)

Parameter	Result	Method name	Date analyzed
Alkalinity	<2 mg CaCO ₃ /L	M-ALCA-2.0	December 22, 2011
Aluminium (Al)	0.060 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Hardness	10 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	December 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	0.0006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Nitrate (NO ₃)	0.03 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Lead (Pb)	0.0109 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Radium (Ra 226)	0.003 Becquerels/L	M-RA-2.0	January 11, 2012
Zinc (Zn)	0.035 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Cyanide (CNT)	0.005 mg/L	Sous-traitance\Multilab Direct	February 21, 2012

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17472

Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN (EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN (EEM discharge 1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Radium (Ra 226)	0.002 Becquerels/L		M-RA-2.0	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17472
Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN (EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN (EEM discharge 1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3296	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.93256	0.8 - 1.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0687-2011-2	1.12	0.842 - 1.139	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6312	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.150	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9520	0.8 - 1.0	
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.096	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17472 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17473

Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPS (EEM reference 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPS (EEM reference 1)

Parameter	Result	Method name	Date analyzed
Alkalinity	<2 mg CaCO ₃ /L	M-ALCA-2.0	December 22, 2011
Aluminium (Al)	0.030 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Copper (Cu)	0.0010 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Hardness	11 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	December 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Nitrate (NO ₃)	0.03 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Radium (Ra 226)	0.003 Becquerels/L	M-RA-2.0	January 11, 2012
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Cyanide (CNT)	<0.005 mg/L	Sous-traitance\Multilab Direct	February 21, 2012

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17473 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17473
 Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPS (EEM reference 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPS (EEM reference 1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3296	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.93256	0.8 - 1.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0687-2011-2	1.12	0.842 - 1.139	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6312	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.150	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9520	0.8 - 1.0	
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.096	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17473 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17474

Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN-DUP(EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN-DUP(EEM discharge 1)

Parameter	Result	Method name	Date analyzed
Alkalinity	2 mg CaCO ₃ /L	M-ALCA-2.0	December 22, 2011
Aluminium (Al)	<0.006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Hardness	8 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	December 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Nitrate (NO ₃)	0.04 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Radium (Ra 226)	0.005 Becquerels/L	M-RA-2.0	January 11, 2012
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Cyanide (CNT)	<0.005 mg/L	Sous-traitance\Multilab Direct	February 21, 2012

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17474 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17474

Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN-DUP(EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN-DUP(EEM discharge 1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Radium (Ra 226)	0.002 Becquerels/L		M-RA-2.0	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17474 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17474
 Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN-DUP(EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN-DUP(EEM discharge 1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3296	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.93256	0.8 - 1.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0687-2011-2	1.12	0.842 - 1.139	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6312	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.150	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9520	0.8 - 1.0	
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.096	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17474 done on February 14 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17475

Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN-FB(EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN-FB(EEM discharge 1)

Parameter	Result	Method name	Date analyzed
Alkalinity	<2 mg CaCO ₃ /L	M-ALCA-2.0	December 22, 2011
Aluminium (Al)	0.082 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Arsenic (As)	0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Hardness	<1 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Suspended Solids	1 mg/L	M-SOLI-1.0	December 23, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Nickel (Ni)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Nitrate (NO ₃)	<0.01 mg N/L	Sous-traitance\Multilab Direct	December 29, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Radium (Ra 226)	0.002 Becquerels/L	M-RA-2.0	January 11, 2012
Zinc (Zn)	0.006 mg/L	Sous-traitance\Multilab Direct	December 28, 2011
Total Cyanide (CNT)	<0.005 mg/L	Sous-traitance\Multilab Direct	February 21, 2012

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17475 done on February 01 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17475

Sampling date: December 20, 2011
Sampling hour: 13:00
Date received: December 22, 2011
Sampling location: TPN-FB(EEM discharge 1)
Sampled by: Env. Tech.
Matrix: Water
Sample name: TPN-FB(EEM discharge 1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Radium (Ra 226)	0.002 Becquerels/L		M-RA-2.0	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17475 done on February 01 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17475
 Sampling date: December 20, 2011
 Sampling hour: 13:00
 Date received: December 22, 2011
 Sampling location: TPN-FB(EEM discharge 1)
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: TPN-FB(EEM discharge 1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	5.36	5.26 - 7.12	
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3296	0.198 - 0.368	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.93256	0.8 - 1.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Hardness mg CaCO ₃ /L	<1				
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03653	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6312	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.150	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9520	0.8 - 1.0	
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.096	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.84	3.83 - 5.19	

Reported on: February 22, 2012

Corrected certificate, replacing the certificate V-17475 done on February 01 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12554

Sampling date: February 23, 2011
Sampling hour: N/D
Date received: February 25, 2011
Sampling location: Incinerator 13 ash
Sampled by: P.Roy/J.Kataluk
Matrix: Solid
Sample name: Incinerator 13 ash

Parameter	Result	Method name	Date analyzed
Silver (Ag)	<0.0005 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Arsenic (As)	0.9084 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Barium (Ba)	0.0593 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Cadmium (Cd)	0.0124 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Chromium (Cr)	0.0009 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Leaching (TCLP)		Sous-traitance\Multilab Direct	
Mercury (Hg)	0.00052 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Lead (Pb)	<0.0005 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Selenium (Se)	0.005 mg/L	Sous-traitance\Multilab Direct	March 03, 2011
Zinc (Zn)	1.02 mg/L	Sous-traitance\Multilab Direct	March 03, 2011

Reported on: March 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12554

Sampling date: February 23, 2011
Sampling hour: N/D
Date received: February 25, 2011
Sampling location: Incinerator 13 ash
Sampled by: P.Roy/J.Kataluk
Matrix: Solid
Sample name: Incinerator 13 ash

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Silver (Ag) mg/L	<0.0005				
Arsenic (As) mg/L	<0.0005				
Barium (Ba) mg/L	<0.0005				
Cadmium (Cd) mg/L	<0.0001				
Chromium (Cr) mg/L	<0.0006				
Mercury (Hg) mg/L	<0.00002				
Lead (Pb) mg/L	<0.0005				
Selenium (Se) mg/L	<0.001				
Zinc (Zn) mg/L	<0.001				

Reported on: March 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15641

Sampling date: September 13, 2011
Sampling hour: N/D
Date received: September 16, 2011
Sampling location: Incinerator ash
Sampled by: Env. Tech.
Matrix: Solid
Sample name: Incinerator ash

Parameter	Result	Method name	Date analyzed
Silver (Ag)	<0.01 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Arsenic (As)	0.46 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Barium (Ba)	0.13 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Cadmium (Cd)	0.018 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Chrome (Cr)	0.075 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Leaching (TCLP)		Sous-traitance\Maxxam Analytics Inc	September 19, 2011
Mercury (Hg)	<0.01 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Lead (Pb)	0.02 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Selenium (Se)	<0.005 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011
Zinc (Zn)	6.6 mg/L	Sous-traitance\Maxxam Analytics Inc	September 23, 2011

Reported on: September 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13676

Sampling date: June 01, 2011
 Sampling hour: N/D
 Date received: June 02, 2011
 Sampling location: MB tank farm
 Sampled by: Env Tech ext. 6747
 Matrix: Water
 Sample name: MB tank farm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0128 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	0.12 mg N/L	Sous-traitance\Multilab Direct	June 06, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	June 02, 2011
- Total Xylene	0.3 µg/L	M-COV-1.0	June 02, 2011
Copper (Cu)	0.0070 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	June 02, 2011
Oils & Greases (Pre/Abs)	Absence mg/L	M-HYD-1.0	June 09, 2011
Total Suspended Solids	81 mg/L	M-SOLI-1.0	June 03, 2011
Nickel (Ni)	0.0185 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
pH	7.71	M-PH-2.0	June 02, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Zinc (Zn)	0.014 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	June 08, 2011

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13676
Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: MB tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: MB tank farm

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNt)	0.005 mg/L		M-CN-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Total oil and grease	1 mg/L		M-HYD-1.0	Oui

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13676
Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: MB tank farm
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: MB tank farm

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
- Dichloromethane µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		
- 1,2-dichloropropane µg/L	<0.3	MR-02-06-2011	10.4	7.8 - 12.3		
- 1,2-dichloroéthylène (cis+trans)	<0.3	MR-02-06-2011	22.9	15.5 - 24.5		
- 1,1-Dichloroethylene µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3		
- 1,3-dichloropropane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3		
- 1,2-Dichloroethane µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3		
- 1,3-dichloropropène (cis+trans)	<0.3	MR-02-06-2011	17.4	15.5 - 24.5		
- Tetrachloroethylene µg/L	<0.3	MR-02-06-2011	9.5	7.8 - 12.3		
- 1,1,2-Trichloroéthane µg/L	<0.3	MR-02-06-2011	9.6	7.8 - 12.3		
- 1,1,1-Trichloroéthane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3		
- Carbon Tetrachloride µg/L	<0.3	MR-02-06-2011	9.9	7.8 - 12.3		
- 1,1,2,2-tétrachloroéthane µg/L	<0.3	MR-02-06-2011	8.2	7.8 - 12.3		
- Trichloroethylene µg/L	<0.3	MR-02-06-2011	12.1	7.8 - 12.3		
- Vinyl chloride µg/L	<0.6	MR-02-06-2011	11.3	7.8 - 12.3		
- Total Xylene µg/L	0.8	MR-02-06-2011	27.2	23.3 - 36.8		
- 1,2-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		
- Chlorobenzene µg/L	<0.3	MR-02-06-2011	11.1	7.8 - 12.3		
- Benzene µg/L	<0.3	MR-02-06-2011	8.1	7.8 - 12.3		
- Chloroform µg/L	<0.3	MR-02-06-2011	8.5	7.8 - 12.3		
- 1,3-Dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3		

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13676
 Sampling date: June 01, 2011
 Sampling hour: N/D
 Date received: June 02, 2011
 Sampling location: MB tank farm
 Sampled by: Env Tech ext. 6747
 Matrix: Water
 Sample name: MB tank farm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Ethylbenzene µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,4-Dichlorobenzene µg/L	<0.3	MR-02-06-2011	8.6	7.8 - 12.3	
- Toluene µg/L	<0.3	MR-02-06-2011	9.0	7.8 - 12.3	
- 1,1-Dichloroéthane µg/L	<0.3	MR-02-06-2011	10.7	7.8 - 12.3	
µg/L	0.3	MR-02-06-2011	9.8	7.8 - 12.3	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2756	0.198 - 0.368	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH ₃	1.8	1.64 - 2.22	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.345	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	92	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.178	0.96 - 1.30	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9610	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.92	3.83 - 5.19	

Reported on: June 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 02, 2011

Sampled by: Env Tech ext. 6747

Matrix: Water

Lab number:	13677	13678
Sample name:	DUP-1 MB tank farm	FB-1 MB tank farm
Sampling date:	01-06-2011	01-06-2011
Arsenic (As) mg/L	0.0129	<0.0005
Ammonia nitrogen (NH ₃ -NH ₄) m	0.13	0.08
BTEX (L)		
- Benzene µg/L	<0.3	<0.3
- Toluene µg/L	<0.3	<0.3
- Ethylbenzene µg/L	<0.3	<0.3
- Total Xylene µg/L	0.3	<0.3
Copper (Cu) mg/L	0.0072	0.0016
Total Cyanide (CNt) mg/L	<0.005	<0.005
Total Suspended Solids mg/L	90	5
Nickel (Ni) mg/L	0.0197	<0.0005
pH	7.75	5.58
Lead (Pb) mg/L	<0.0003	<0.0003
Zinc (Zn) mg/L	0.015	0.001
Total oil and grease mg/L	<1	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 09, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: June 02, 2011
 Sampled by: Env Tech ext. 6747
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Dichlorométhane µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- Benzène µg/L	<0.3	MR-02-06-2011	8.1	7.8 - 12.3	
- Chlorobenzène µg/L	<0.3	MR-02-06-2011	11.1	7.8 - 12.3	
- 1,2-Dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,3-Dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- Éthylbenzène µg/L	<0.3	MR-02-06-2011	8.9	7.8 - 12.3	
- 1,4-dichlorobenzène µg/L	<0.3	MR-02-06-2011	8.6	7.8 - 12.3	
- Styrène µg/L	0.3	MR-02-06-2011	9.8	7.8 - 12.3	
- 1,1-Dichloroéthane µg/L	<0.3	MR-02-06-2011	10.7	7.8 - 12.3	
- Toluène µg/L	<0.3	MR-02-06-2011	9.0	7.8 - 12.3	
- Xylènes Totaux µg/L	0.8	MR-02-06-2011	27.2	23.3 - 36.8	
- Chlorure de vinyle µg/L	<0.6	MR-02-06-2011	11.3	7.8 - 12.3	
- Chloroforme µg/L	<0.3	MR-02-06-2011	8.5	7.8 - 12.3	
- 1,1,2,2-tétrachloroéthane µg/L	<0.3	MR-02-06-2011	8.2	7.8 - 12.3	
- 1,1-Dichloroéthylène µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3	
- 1,2-dichloroéthylène (cis+trans) µg/L	<0.3	MR-02-06-2011	22.9	15.5 - 24.5	
- Trichloroéthylène µg/L	<0.3	MR-02-06-2011	12.1	7.8 - 12.3	
- 1,3-dichloropropane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3	
- 1,2-dichloroéthane µg/L	<0.3	MR-02-06-2011	11.2	7.8 - 12.3	
- 1,2-dichloropropane µg/L	<0.3	MR-02-06-2011	10.4	7.8 - 12.3	

Reported on: June 09, 2011
 Lab number: 13677:13678

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 02, 2011
Sampled by: Env Tech ext. 6747
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
- Tétrachlorure de carbone µg/L	<0.3	MR-02-06-2011	9.9	7.8 - 12.3	
- 1,1,1-Trichloroéthane µg/L	<0.3	MR-02-06-2011	8.8	7.8 - 12.3	
- 1,3-dichloropropène (cis+trans)	<0.3	MR-02-06-2011	17.4	15.5 - 24.5	
- Tétrachloroéthylène µg/L	<0.3	MR-02-06-2011	9.5	7.8 - 12.3	
- 1,1,2-Trichloroéthane µg/L	<0.3	MR-02-06-2011	9.6	7.8 - 12.3	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2756	0.198 - 0.368	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.8	1.64 - 2.22	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.8	1.64 - 2.22	0.08 0.08
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.345	1.05 - 1.43	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Huiles & graisses totales mg/L	<1	std-H&GTa100mg/l	90	78 - 123	
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	90 86
M.E.S. mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.178	0.96 - 1.30	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Plomb (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9610	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.92	3.83 - 5.19	

Reported on: June 09, 2011
Lab number: 13677:13678

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15299

Sampling date: September 01, 2011
Sampling hour: N/D
Date received: September 02, 2011
Sampling location: MBK-FSF-Berm
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: MBK-FSF-Berm

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0009 mg/L	Sous-traitance\Multilab Direct	September 02, 2011
BTEX (L)		M-COV-1.0	
- Benzene	<0.3 µg/L	M-COV-1.0	September 02, 2011
- Toluene	<0.3 µg/L	M-COV-1.0	September 02, 2011
- Ethylbenzene	<0.3 µg/L	M-COV-1.0	September 02, 2011
- Total Xylene	<0.3 µg/L	M-COV-1.0	September 02, 2011
Copper (Cu)	0.0041 mg/L	Sous-traitance\Multilab Direct	September 02, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	September 02, 2011
Total oil and grease	<1 mg/L	M-HYD-1.0	September 06, 2011
Total Suspended Solids	4 mg/L	M-SOLI-1.0	September 06, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 02, 2011
Nickel (Ni)	0.0029 mg/L	Sous-traitance\Multilab Direct	September 02, 2011
Lead (Pb)	105.1 µg/L	Sous-traitance\Multilab Direct	September 02, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 02, 2011

Reported on: September 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15299
Sampling date: September 01, 2011
Sampling hour: N/D
Date received: September 02, 2011
Sampling location: MBK-FSF-Berm
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: MBK-FSF-Berm

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
- Benzene	0.3 µg/L		M-COV-1.0	
- Toluene	0.3 µg/L		M-COV-1.0	
- Ethylbenzene	0.3 µg/L		M-COV-1.0	
- Total Xylene	0.3 µg/L		M-COV-1.0	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Total oil and grease	1 mg/L		M-HYD-1.0	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.3 µg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: September 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15299
 Sampling date: September 01, 2011
 Sampling hour: N/D
 Date received: September 02, 2011
 Sampling location: MBK-FSF-Berm
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: MBK-FSF-Berm

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Benzene µg/L	<0.3	DMR-0518-2011-13	8.40	6.76 - 10.68	
- Toluene µg/L	<0.3	DMR-0518-2011-13	6.40	5.64 - 8.92	
- Total Xylene µg/L	0.6	DMR-0518-2011-13	6.30	5.79 - 9.15	
- Ethylbenzene µg/L	<0.3	DMR-0518-2011-13	2.60	2.50 - 3.94	
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3610	0.198 - 0.368	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.417	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0518-2011-8	0.0790	0.0777 - 0.1051	
Total oil and grease mg/L	<1	std-H&GTa100mg/l	89	78 - 123	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Ammonia (NH3) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.192	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9340	0.8 - 1.0	
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.88	3.83 - 5.19	

Reported on: September 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12247

Sampling date: January 04, 2011
Sampling hour: 09:30
Date received: January 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Samuel Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0029 mg/L	Sous-traitance\Multilab Direct	January 11, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	January 11, 2011
Total Cyanide (CNT)	0.039 mg/L	M-CN-1.0	January 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 11, 2011
Total Suspended Solids	2 mg/L	M-SOLI-1.0	January 06, 2011
Nickel (Ni)	0.0073 mg/L	Sous-traitance\Multilab Direct	January 11, 2011
pH	6.44	M-PH-2.0	January 05, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	January 11, 2011
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	January 11, 2011

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12247

Sampling date: January 04, 2011
Sampling hour: 09:30
Date received: January 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Samuel Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12247
Sampling date: January 04, 2011
Sampling hour: 09:30
Date received: January 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Samuel Tapp
Matrix: Waste Water
Sample name: MMER

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2840	0.224 - 0.416	0.0029	0.0027
Copper (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.220	1.04 - 1.40	<0.0005	<0.0005
Total Cyanide (CNT) mg/L	<0.005	dmr-0844-2010-3	0.318	0.259 - 0.351		
Iron (Fe) mg/L	<0.01	DMR-0781-2010-18	10.5	8.8 - 12.0	<0.01	<0.01
Total Suspended Solids mg/L	<1	STD-MES	246	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.100	0.98 - 1.32	0.0073	0.0070
pH		STD pH 7.00	7.02	6.96 - 7.04		
Lead (Pb) mg/L	<0.0003	DMR-0781-2010-18	1.010	0.819 - 1.109	<0.0003	<0.0003
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.58	3.83 - 5.19	0.002	0.001

Reported on: January 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quebec, 20 janvier 2011

Maxxam Job # : B100457
 Report # : 18556
 Order # : N/A
 Laboratory # : M64741-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : incolore, translucide
 Brief Description on the
 Sampling location : Project #12234 / DD-FD1 (MM2)
 Sampling Date/Time : 2011-01-04 /
 Date/Time Received : 2011-01-06 / 09:00
 Starting Date/Time : 2011-01-06 / 13:40
 Volume obtained : 1 litre
 Sampled by : S. Tapp
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 1,6 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Rondeau / I. Parenteau / D. Gagnon



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,7 Days

Average number of neonates per brood: 18,8

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: Aucune

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	18,0	20,3	7,9	7,9	378	9,4	9,0
6,25	18,0	21,0	7,9	7,9	383	9,4	8,9
12,5	18,0	21,0	7,8	7,9	387	9,4	8,9
25	18,0	20,5	7,8	7,8	398	9,4	8,9
50	18,0	20,7	7,7	7,8	428	9,4	8,9
100	18,5	21,1	7,4	7,6	490	9,3	8,8
Sample at 100% before the test	19,9		6,8		499	12,3	

Hardness (mg/L of CaCO₃) : Water dilution : 173 mg/L
 Sample at 100% : 130 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in percent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2011-01-03

*Obtained value LC50 (C.L. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :*

0,1920 mg/L (0,1730 - 0,2150)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2283 mg/L (0,1672 - 0,3116)

Statistical Method Moyenne mobile

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 7

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 9 mai 2011

This report supersedes all previous reports with the same Maxxam job number

Maxxam Job # : B100457
 Report # : 18557
 Order # : N/A
 Laboratory # : M64741-02R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB DIRECT
 a/s M. Roger Turmel
 125, boulevard Industriel
 Rouyn-Noranda (Québec)
 J9X 6P2

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
 Sample Type : Waste water
 Sample appearance : Clear and translucide
 Brief Description on the :
 Sampling location : Project #12234 / DD-FD1 (MM2)
 Sampling Date/Time : 2011-01-04 /
 Date/Time Received : 2011-01-06 / 09:00
 Starting Date/Time : 2011-01-06 / 13:50
 Volume obtained : 40 litres
 Sampled by : S. Tapp
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 1,6 °C
 LC50 at 96 hours with rainbow trout
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Côté / J. Rondeau / D. Gagnon



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (O.mykiss)

Source of test species: Pisciculture Aquamérik, T251

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimatation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: 0,00 %

Mean weight of fish: 0,56 g SD: 0,09

Mean fork length of fish: 37,7 mm SD: 1,9 Min: 35 Max: 40

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,35 g/L

Concentrations of test : (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5mL/min/L $\pm$ 1,0 mL/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,0	15,0	7,7	8,1	183	10,2	9,1
6,25	14,0	14,0	7,6	8,0	198	10,2	10,0
12,5	14,0	14,0	7,6	8,0	214	10,1	9,7
25	14,0	14,1	7,6	7,9	248	10,1	10,0
50	14,0	14,0	7,5	7,8	317	10,1	9,2
100	14,5	14,7	7,4	7,8	454	9,6	9,8
Sample at 100% before the test	14,4		7,2		456	11,3	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

QUALITY CONTROL

Reference toxicant : Phenol

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2010-12-23

Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :

9,36 mg/L (7,92 - 10,90)

Anterior geometric mean ($\pm$ 2 standard deviations) :

10,40 mg/L (8,13 - 13,31)

Statistical Method Méthode Probit

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 5

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Lab number:	12280	12281
Sample name:	MMER	2011-01-10 DUP-2
Sampling date:	10-01-2011	10-01-2011
Arsenic (As) mg/L	0.0023	0.0023
Copper (Cu) mg/L	0.0009	0.0010
Total Cyanide (CNT) mg/L	0.019	<0.005
Iron (Fe) mg/L	<0.01	<0.01
Total Suspended Solids mg/L	6	6
Nickel (Ni) mg/L	0.0099	0.0096
pH	6.37	6.36
Lead (Pb) mg/L	0.0022	0.0019
Radium (Ra 226) Becquerels/L	0.071	0.067
Zinc (Zn) mg/L	0.006	0.004

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 21, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0
Radium (Ra 226)	0.003	Becquerels/L	M-RA-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: January 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0781-2010-18	0.2784	0.224 - 0.416		
Cuivre (Cu) mg/L	<0.0005	DMR-0781-2010-18	1.198	1.04 - 1.40		
Cyanures totaux (CNt) mg/L	<0.005	dmr-0844-2010-3	0.340	0.259 - 0.351		
Fer (Fe) mg/L	<0.01	DMR-0781-2010-18	9.4	8.8 - 12.0		
M.E.S. mg/L	<1	STD-MES	249	194 - 306		
Nickel (Ni) mg/L	<0.0005	DMR-0781-2010-18	1.044	0.98 - 1.32		
pH		STD pH 7.00	6.98	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	DMR-0781-2010-18	0.9075	0.819 - 1.109		
Radium (RA 226) Becquerels	<0.003	STD 0.100	0.119	0.078 - 0.123		
Zinc (Zn) mg/L	<0.001	DMR-0781-2010-18	4.51	3.83 - 5.19		

Reported on: January 21, 2011
Lab number: 12280:12281

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12635

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	14 mg/L	M-SOLI-1.0	March 17, 2011
pH	6.47	M-PH-2.0	March 16, 2011

Reported on: March 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12635

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: March 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12635

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin Theriault
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES	246	194 - 306	
pH	---	STD pH 7.00	7.01	6.96 - 7.04	

Reported on: March 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Jamie K/Philip R.

Matrix: Waste Water

Lab number:	12732	12733
Sample name:	DD-FD1 (MMER-1)	DD-FD1 (MMER-1)
Sampling date:	24-03-2011	29-03-2011
Total Suspended Solids mg/L	4	4
pH	6.35	6.38

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Jamie K/Philip R.

Matrix: Waste Water

Commentaire

Sampling date:

Projet 12732

Delay exceeded, results as an indication only, for the following parameter : pH

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 30, 2011
Sampled by: Jamie K/Philip R.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 30, 2011
Sampled by: Jamie K/Philip R.
Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	51	39 - 61		
M.E.S. mg/L	<1	STD-MES 50mg/L	51	39 - 61	4	4
pH		STD pH 7.00	7.03	6.96 - 7.04	6.38	6.42
pH		STD pH 7.00	7.03	6.96 - 7.04		

Reported on: April 01, 2011
Lab number: 12732:12733

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quebec, 15 avril 2011

Maxxam Job # : B116167
 Report # : 19484
 Order # : n/d
 Laboratory # : N24847-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with Daphnia magna
 Sample Type : Waste water
 Sample appearance : incolore, translucent
 Brief Description on the :
 Sampling location : Projet 12783 MMER (pails)
 Sampling Date/Time : 2011-04-04 /
 Date/Time Received : 2011-04-06 / 10:00
 Starting Date/Time : 2011-04-07 / 13:30
 Volume obtained : 1 litre
 Sampled by : Martin T. / Steve G.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 8,5 °C
 LC50 at 48 hours with Daphnia magna
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : R. Debes / J. Côté / J. Rondeau / D. Gagnon



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: *Daphnia magna*

Source of test species: In-house culture

Time, in days, to first brood: 7,8 Days

Average number of neonates per brood: 22,2

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: Aucune

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	19,0	21,2	8,0	8,0	406	9,2	9,1
6,25	19,0	20,5	8,0	8,0	419	9,2	9,0
12,5	19,1	20,3	8,0	8,0	432	9,1	9,0
25	19,2	20,3	8,0	8,0	457	9,2	9,0
50	19,4	20,7	7,9	7,9	516	9,1	9,0
100	19,7	20,5	7,8	7,9	630	9,0	9,0
Sample at 100% before the test	19,8		6,9		625	9,7	

Hardness (mg/L of CaCO₃) : Water dilution : 173 mg/L
 Sample at 100% : 169 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with Daphnia magna
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration of
sample, in pourcent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with Daphnia magna
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2011-03-28

Obtained value LC50 (C.L. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :

0,2280 mg/L (0,2050 - 0,2540)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2244 mg/L (0,1628 - 0,3093)

Statistical Method : Probit Method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 7

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 12 avril 2011

Maxxam Job # : B116167
Report # : 19485
Order # : n/d
Laboratory # : N24847-02R
Project : Determining Acute Lethality
Client Name and Address : MULTILAB Val D'OR
a/s M. Roger Turmel
900, 5e avenue,
Val D'Or, (Québec)
J9P 1B9

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
Sample Type : Waste water
Sample appearance : Transparent and translucent
Brief Description on the
Sampling location : Projet #12783 / MMER (pails)
Sampling Date/Time : 2011-04-04 /
Date/Time Received : 2011-04-06 / 10:00
Starting Date/Time : 2011-04-07 / 10:45
Volume obtained : 40 litres
Sampled by : Martin T. / Steve G.
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature Upon Arrival : 8,5 °C
LC50 at 96 hours with rainbow trout
(C. L. at 95 %) : > 100 % v/v
Sample Condition at the reception ? : Compliant
Test Performed by : D. Gagnon / J. Rondeau



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduced, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (O.mykiss)

Source of test species: Pisciculture Aquamérik, T259

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimatation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: 0,00 %

Mean weight of fish: 0,58 g SD: 0,14

Mean fork length of fish: 35,7 mm SD: 1,9 Min: 33 Max: 39

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,36 g/L

Concentrations of test : (%v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5 ± 1 ml/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,5	15,7	7,7	7,7	203	10,0	9,9
6,25	14,3	15,5	7,7	7,7	225	10,0	9,9
12,5	14,3	15,6	7,6	7,6	249	10,1	9,8
25	14,5	15,6	7,5	7,7	296	10,1	10,0
50	14,3	15,4	7,5	7,7	387	10,1	10,0
100	14,4	15,5	7,2	7,6	565	10,1	10,0
Sample at 100% before the test	14,2		6,9		569	10,2	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration of sample, in percent, which kills or affect 50% test organisms.

QUALITY CONTROL

Reference toxicant : Phenol

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2011-03-29

Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :

12,60 mg/L (10,50 - 15,20)

Anterior geometric mean ($\pm$ 2 standard deviations) :

10,30 mg/L (7,85 - 13,52)

Statistical Method : Probit Method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 5

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12782

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0021 mg/L	Sous-traitance\Multilab Direct	April 06, 2011
Copper (Cu)	<0.0005 mg/L	Sous-traitance\Multilab Direct	April 06, 2011
Total Cyanide (CNT)	0.068 mg/L	M-CN-1.0	April 05, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	April 06, 2011
Nickel (Ni)	0.0102 mg/L	Sous-traitance\Multilab Direct	April 06, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	April 06, 2011
Radium (Ra 226)	0.067 Becquerels/L	M-RA-2.0	April 14, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	April 06, 2011

Reported on: April 14, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12782

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005	mg/L	Sous-traitance	
Copper (Cu)	0.0005	mg/L	Sous-traitance	
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0	
Iron (Fe)	0.01	mg/L	Sous-traitance	
Nickel (Ni)	0.0005	mg/L	Sous-traitance	
Lead (Pb)	0.0003	mg/L	Sous-traitance	
Radium (Ra 226)	0.002	Becquerels/L	M-RA-2.0	
Zinc (Zn)	0.001	mg/L	Sous-traitance	

Reported on: April 14, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12782

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0011-2011-18	0.2926	0.224 - 0.416		
Copper (Cu) mg/L	<0.0005	DMR-0011-2011-18	1.250	1.04 - 1.40		
Total Cyanide (CNT) mg/L	<0.005	DMR-0111-2011-8	0.0930	0.0777 - 0.1051		
Iron (Fe) mg/L	<0.01	DMR-0011-2011-18	10.2	8.8 - 12.0		
Nickel (Ni) mg/L	<0.0005	DMR-0011-2011-18	1.131	0.98 - 1.32		
Lead (Pb) mg/L	<0.0003	DMR-0011-2011-18	0.9552	0.819 - 1.109		
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.119	0.078 - 0.123		
Zinc (Zn) mg/L	<0.001	DMR-0011-2011-18	4.70	3.83 - 5.19		

Reported on: April 14, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12781

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	8 mg/L	M-SOLI-1.0	April 06, 2011
pH	6.43	M-PH-2.0	April 05, 2011

Reported on: April 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12781

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: April 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12781

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Martin T/Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	54	39 - 61	
pH		STD pH 7.00	7.00	6.96 - 7.04	

Reported on: April 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12863

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	April 13, 2011
pH	6.50	M-PH-2.0	April 12, 2011

Reported on: April 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12863

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: April 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12863

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Steve G.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	50	39 - 61	
pH		STD pH 7.00	7.02	6.96 - 7.04	

Reported on: April 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12943	12944
Sample name:	DD-FD1 (MMER-1)	DD-FD1 (MMER-1) (DUP-1)
Sampling date:	18-04-2011	18-04-2011
Total Suspended Solids mg/L	6	4
pH	6.37	6.52

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 20, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
pH		STD pH 7.00	6.99	6.96 - 7.04		
pH		STD pH 7.00	6.99	6.96 - 7.04	6.52	6.54

Reported on: April 20, 2011
Lab number: 12943:12944

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13033

Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	April 28, 2011
pH	6.45	M-PH-2.0	April 27, 2011

Reported on: April 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13033

Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: April 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13033
Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	54	39 - 61	
pH		STD pH 7.00	7.00	6.96 - 7.04	

Reported on: April 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13105

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	May 04, 2011

Reported on: May 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13105

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: May 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13105

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	49	39 - 61	

Reported on: May 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13253

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	9 mg/L	M-SOLI-1.0	May 11, 2011

Reported on: May 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13253

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: May 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13253

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	59	39 - 61	9	8

Reported on: May 11, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13392

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	4 mg/L	M-SOLI-1.0	May 18, 2011

Reported on: May 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13392

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: May 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13392

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	47	39 - 61	

Reported on: May 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13504

Sampling date: May 23, 2011
Sampling hour: N/D
Date received: May 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	9 mg/L	M-SOLI-1.0	May 25, 2011
pH	7.20	M-PH-2.0	May 24, 2011

Reported on: May 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13504

Sampling date: May 23, 2011
Sampling hour: N/D
Date received: May 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: May 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13504
Sampling date: May 23, 2011
Sampling hour: N/D
Date received: May 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	50	39 - 61	
pH		STD pH 7.00	7.03	6.96 - 7.04	

Reported on: May 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13587

Sampling date: May 30, 2011
Sampling hour: N/D
Date received: May 31, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	June 01, 2011
pH	7.05	M-PH-2.0	May 31, 2011

Reported on: June 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13587

Sampling date: May 30, 2011
Sampling hour: N/D
Date received: May 31, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: June 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13587

Sampling date: May 30, 2011
Sampling hour: N/D
Date received: May 31, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	
pH		STD pH 7.00	7.04	6.96 - 7.04	

Reported on: June 01, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	14091	14092
Sample name:	DD-FD1 (MMER-1)	DD-FD1-DUP(MMER-1)
Sampling date:	04-07-2011	04-07-2011
Arsenic (As) mg/L	<0.0005	<0.0005
Copper (Cu) mg/L	<0.0005	0.0019
Total Cyanide (CNT) mg/L	0.067	0.091
Daphnia Magna		---
- Toxic unit	<1	---
- CL50 à 48 heures % v/v	>100	---
Total Suspended Solids mg/L	6	10
Nickel (Ni) mg/L	0.0037	0.0046
Lead (Pb) mg/L	<0.0003	0.2135
Radium (Ra 226) Becquerels/L	0.025	0.024
Rainbow trout		---
- Toxic unit	<1	---
- CL-50 à 96 heures % v/v	>100	---
Zinc (Zn) mg/L	<0.001	0.009

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 26, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2897	0.198 - 0.368	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2897	0.198 - 0.368	<0.0005 <0.0005
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.211	1.05 - 1.43	0.0019 0.0017
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.211	1.05 - 1.43	
Cyanures totaux (CNT) mg/L	<0.005	DMR-0301-2011-8	0.0810	0.0777 - 0.1051	
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.085	0.96 - 1.30	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.085	0.96 - 1.30	0.0046 0.0043
Plomb (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9670	0.8 - 1.0	
Plomb (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9670	0.8 - 1.0	0.2135 <0.0003
Radium (RA 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.100	0.078 - 0.123	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.41	3.83 - 5.19	0.009 <0.001
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.41	3.83 - 5.19	

Reported on: July 26, 2011
 Lab number: 14091:14092

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quebec, 19 juillet 2011

Maxxam Job # : B134508
 Report # : 20290
 Order # : N/D
 Laboratory # : 007437-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : colorless, translucent
 Brief Description on the :
 Sampling location : Projet #14091 / DD-FD1 (MMER-1)
 Sampling Date/Time : 2011/07/04 /
 Date/Time Received : 2011/07/06 / 10:30
 Starting Date/Time : 2011/07/07 / 12:15
 Volume obtained : 1 litre
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,4 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Rondeau / I. Parenteau / D. Gagnon



Alain Dionne, B.Sc., Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,8 Days

Average number of neonates per brood: 22,2

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: Aucune

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	20,6	19,0	8,0	7,9	419	8,9	9,1
6,25	20,6	19,5	8,0	7,9	412	8,8	8,9
12,5	20,5	20,5	7,9	7,9	398	8,9	8,9
25	20,5	20,0	7,8	7,8	365	8,9	9,1
50	20,5	21,2	7,6	7,8	303	8,9	8,8
100	20,3	19,5	7,1	7,5	181	8,8	9,1
Sample at 100% before the test	20,0		6,1		174	8,7	

Hardness (mg/L of CaCO₃) : Water dilution : 177 mg/L
 Sample at 100% : 48 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in percent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2011/07/04

*Obtained value LC50 (C.L.. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :*

0,2480 mg/L (0,2250 - 0,2730)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2225 mg/L (0,1643 - 0,3012)

Statistical Method : Probit Method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 7

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 14 juillet 2011

Maxxam Job # : B134508
 Report # : 20291
 Order # : N/D
 Laboratory # : 007437-02R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
 Sample Type : Waste water
 Sample appearance : Transparent and translucent
 Brief Description on the :
 Sampling location : Projet #14091 / DD-FD1 (MMER-1)
 Sampling Date/Time : 2011/07/04 /
 Date/Time Received : 2011/07/06 / 10:30
 Starting Date/Time : 2011/07/07 / 15:20
 Volume obtained : 40 litres
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 23,4 °C
 LC50 at 96 hours with rainbow trout
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Rondeau / D. Gagnon / M. Lalande



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (*O. mykiss*)

Source of test species: Pisciculture des Arpents Verts, T265

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: %

Mean weight of fish: 0,40 g SD: 0,11

Mean fork length of fish: 37,5 mm SD: 2,3 Min: 33 Max: 40

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,25 g/L

Concentrations of test : (%v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5 ± 1 ml/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,2	15,1	7,8	8,1	163	10,2	10,0
6,25	14,2	15,1	7,8	8,0	162	10,1	10,0
12,5	14,3	14,9	7,8	8,0	160	10,0	10,0
25	14,4	14,8	7,6	7,9	157	9,9	10,0
50	14,9	14,7	7,5	7,8	151	9,8	10,2
100	15,7	14,7	7,2	7,5	139	9,6	10,2
Sample at 100% before the test	16,0		7,2		139	9,3	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in pourcent, which kills or
affect 50% test organisms.

QUALITY CONTROL

Reference toxicant : Phenol

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2011/06/30

Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :

9,43 mg/L (6,00 - 13,00)

Anterior geometric mean (± 2 standard deviations) :

10,12 mg/L (7,94 - 12,91)

Statistical Method : Binomial Method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 6

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14263

Sampling date: July 11, 2011
Sampling hour: N/D
Date received: July 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	12 mg/L	M-SOLI-1.0	July 13, 2011

Reported on: July 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14263

Sampling date: July 11, 2011
Sampling hour: N/D
Date received: July 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14263

Sampling date: July 11, 2011
Sampling hour: N/D
Date received: July 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: July 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14431

Sampling date: July 18, 2011
Sampling hour: N/D
Date received: July 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	12 mg/L	M-SOLI-1.0	July 20, 2011

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14431

Sampling date: July 18, 2011
Sampling hour: N/D
Date received: July 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14431

Sampling date: July 18, 2011
Sampling hour: N/D
Date received: July 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Philip Roy
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14573

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	July 28, 2011

Reported on: July 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14573

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: July 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14573

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31	

Reported on: July 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14650

Sampling date: August 01, 2011
Sampling hour: 09:00
Date received: August 02, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	6 mg/L	M-SOLI-1.0	August 03, 2011

Reported on: August 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14650

Sampling date: August 01, 2011
Sampling hour: 09:00
Date received: August 02, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14650

Sampling date: August 01, 2011
Sampling hour: 09:00
Date received: August 02, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31		

Reported on: August 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14756

Sampling date: August 08, 2011
Sampling hour: N/D
Date received: August 09, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	5 mg/L	M-SOLI-1.0	August 10, 2011

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14756

Sampling date: August 08, 2011
Sampling hour: N/D
Date received: August 09, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14999

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14999

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	August 23, 2011

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14999

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 19, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14756

Sampling date: August 08, 2011
Sampling hour: N/D
Date received: August 09, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	28	19 - 31	

Reported on: August 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15095

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	August 25, 2011

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15095

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15095

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 24, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: August 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 31, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15228	15229	15230
Sample name:	DD-FD1 (MMER-1) DD-FD1-DUP(MMER-1) DD-FD1-FB (MMER-1)		
Sampling date:	29-08-2011	29-08-2011	29-08-2011
Total Suspended Solids mg/L	5	5	<1

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		

Reported on: September 01, 2011
Lab number: 15228:15230

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15347

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	3 mg/L	M-SOLI-1.0	September 08, 2011

Reported on: September 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15347

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15347

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		

Reported on: September 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	15470	15471	15472
Sample name:	DD-FD1(MMER-1)	DD-FD1-DUP(MMER-1)	DD-FD1-FB(MMER-1)
Sampling date:	12-09-2011	12-09-2011	12-09-2011
Total Suspended Solids mg/L	3	2	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: September 14, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		

Reported on: September 14, 2011
Lab number: 15470:15472

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15728

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1-FB(MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	10 mg/L	M-SOLI-1.0	September 22, 2011

Reported on: September 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15728

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1-FB(MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: September 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15728

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1-FB(MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: September 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16007

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Arsenic (As)	0.0207 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Copper (Cu)	0.0029 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Total Cyanide (CNT)	<0.005 mg/L	M-CN-1.0	October 04, 2011
Nickel (Ni)	0.0098 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Lead (Pb)	0.0048 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Radium (Ra 226)	0.100 Becquerels/L	M-RA-2.0	October 14, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 13, 2011

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16007

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Radium (Ra 226)	0.002 Becquerels/L		M-RA-2.0	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16007

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3590	0.198 - 0.368		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.430	1.05 - 1.43		
Total Cyanide (CNT) mg/L	<0.005	DMR-0608-2011-8	0.0790	0.0777 - 0.1051		
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.235	0.96 - 1.30		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9670	0.8 - 1.0		
Radium (Ra 226) Becquerels/L	<0.002	STD 0.100Bq/L	0.119	0.078 - 0.123		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.01	3.83 - 5.19		

Reported on: October 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16016

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Daphnia Magna		Sous-traitance\Maxxam	
- Toxic unit	<1	Sous-traitance\Maxxam	October 05, 2011
- CL50 à 48 heures	>100 % v/v	Sous-traitance\Maxxam	October 05, 2011
Rainbow trout		Sous-traitance\Maxxam	
- Toxic unit	<1	Sous-traitance\Maxxam	October 06, 2011
- CL-50 à 96 heures	>100 % v/v	Sous-traitance\Maxxam	October 06, 2011

Reported on: October 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16016

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
- Toxic unit	1		Sous-traitance	
- Toxic unit	1		Sous-traitance	

Reported on: October 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.


All samples will be disposed of after 30 days following analysis.

Quebec, 14 octobre 2011

Maxxam Job # : B154349
 Report # : 21139
 Order # : N/D
 Laboratory # : P01163-01R
 Project : Determining Acute Lethality
 Client Name and Address : MULTILAB Val D'OR
 a/s M. Roger Turmel
 900, 5e avenue,
 Val D'Or, (Québec)
 J9P 1B9

CERTIFICATE OF ANALYSIS

Type of Bioassay : LC50 at 48 hours with *Daphnia magna*
 Sample Type : Waste water
 Sample appearance : Clear and translucent
 Brief Description on the :
 Sampling location : Projet #16016 / DD-FD1 (MMER-1)
 Sampling Date/Time : 2011-10-03 /
 Date/Time Received : 2011-10-05 / 10:00
 Starting Date/Time : 2011-10-05 / 13:40
 Volume obtained : 1 litre
 Sampled by : Env. Tech.
 Sampling Method : Grab
 Storage Temperature : 4,0 °C
 Sample Temperature Upon Arrival : 13,5 °C
 LC50 at 48 hours with *Daphnia magna*
 (C. L. at 95 %) : > 100 % v/v
 Sample Condition at the reception ? : Compliant
 Test Performed by : J. Côté / I. Parenteau



Marie-Renée Doyon, M.Sc.,
 Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Daphnia magna

Source of test species: In-house culture

Time, in days, to first brood: 7,3 Days

Average number of neonates per brood: 26,6

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Occurrence and ration: Seven 13 L glass aquariums. The neonates are removed every day with sieve. One third of the water volume is changed daily. Low aeration in each aquarium. Temperature maintained at $20^{\circ}\text{C} \pm 2$.

Diet: Concentrated solution of algua, two times per day. Feed supplement of digested trout chow, yeast and cerophyll three times per week.

Photoperiod: 16 hours of light and 8 hours of darkness

Mortality in culture, previous 7 days: <2%

Age of test animals: neonates (young), less than 24 hours

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $20^{\circ}\text{C} \pm 2$

Control/Dilution water type: same as the culture water

Test container: 400 mL disposable polyethylene glasses

Volume of test solution per container: 300 ml

Number of neonates per container: 20

Volume of solution / Daphnid: 15

Concentrations: (% v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : Aeration of 30 minutes before the test at the rate of 40 ± 5 mL/min/L.

Sample treatment: Aucune

No discrepancies observed during the test. No change was made to the method.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (μS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	48h	0h	48h		0h	48h
0	19,0	21,7	8,1	7,9	429	9,2	8,7
6,25	19,0	21,8	8,1	8,0	451	9,2	8,7
12,5	19,0	20,8	8,1	8,0	473	9,2	8,6
25	19,0	21,1	8,1	8,0	515	9,2	8,6
50	18,8	21,6	8,1	7,9	604	9,2	8,4
100	18,7	21,6	8,1	8,1	771	9,2	8,5
Sample at 100% before the test	19,2		7,6		777	9,8	

Hardness (mg/L of CaCO₃) : Water dilution : 176 mg/L
 Sample at 100% : 246 mg/L

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	IMMOBILITY (after 48 hours)	IMMOBILITY (%)	MORTALITY (after 48 hours)	MORTALITY (%)
0	20	0	0	0	0
6,25	20	0	0	0	0
12,5	20	0	0	0	0
25	20	0	0	0	0
50	20	0	0	0	0
100	20	0	0	0	0

LC50 at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in pourcent, which kills or
affect 50% test organisms.

EC50 inhibition of mobility at 48 hours with *Daphnia magna*
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method: -----

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

QUALITY CONTROL

Reference toxicant : Potassium Dichromate

The reference toxicant is conducted under the same conditions as the definitive testing.

Concentration (mg/L of Cr) : 0; 0,0884; 0,1237; 0,1767; 0,2510; 0,3535

Test Date : 2011-10-05

*Obtained value LC50 (C.L. at 95%) at 48 hours with Daphnia magna
(confidence level at 95%) computed :*

0,2000 mg/L (0,1800 - 0,2240)

Anterior geometric mean ($\pm$ 2 standard deviations) :

0,2262 mg/L (0,1653 - 0,3095)

Statistical Method : Moving average

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00406 / 8

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Daphnia Magna. EPS1/RM/14. Second edition. December 2000.


This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Quebec 18 octobre 2011

Maxxam Job # : B154349
Report # : 21138
Order # : N/D
Laboratory # : P01163-02R
Project : Determining Acute Lethality
Client Name and Address : MULTILAB Val D'OR
a/s M. Roger Turmel
900, 5e avenue,
Val D'Or, (Québec)
J9P 1B9

Certificate of Analysis

Type of Bioassay : LC50 at 96 hours with rainbow trout
Sample Type : Waste water
Sample appearance : Clear and translucent
Brief Description on the :
Sampling location : Projet #16016 / DD-FD1 (MMER-1)
Sampling Date/Time : 2011-10-03 /
Date/Time Received : 2011-10-05 / 10:00
Starting Date/Time : 2011-10-06 / 14:35
Volume obtained : 40 litres
Sampled by : Env. Tech.
Sampling Method : Grab
Storage Temperature : 4,0 °C
Sample Temperature Upon Arrival : 13,5 °C
LC50 at 96 hours with rainbow trout
(C. L. at 95 %) : > 100 % v/v
Sample Condition at the reception ? : Compliant
Test Performed by : A. Dionne



Marie-Renée Doyon, M.Sc.,
Biologiste

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

ORGANISMS TESTED AND CULTURE CONDITIONS

Organisms: Rainbow trout (*O. mykiss*)

Source of test species: Pisciculture de la Jacques-Cartier, T269

Culture water: Dechlorinated City Water; hardness adjusted to 170mg/L

Acclimation Temperature: Basin controlled at 15 ± 2 °C

Occurrence and ration: 3 times per day at a rate of 3% of their weight

Photoperiod: 16 hours of light and 8 hours of darkness

Waterflow exchange: 2 litres/minute

Cumulative mortality, previous 7 days: 0,00 %

Mean weight of fish: 0,41 g SD: 0,19

Mean fork length of fish: 34,8 mm SD: 3,1 Min: 32 Max: 43

Number of individuals used: 60

TEST CONDITIONS

Photoperiod: 16 hours of light and 8 hours of darkness

Temperature: Room controlled at $15^{\circ}\text{C} \pm 1$

Control/Dilution water type: Dechlorinated City Water

Size and material of test container: 20 L glass aquarium with polyethylene bag

Volume of test solution/test vessel: 16 L

Depth of test material in each test vessel: 20 cm

Number of fish per test vessel: 10

Loading density: 0,26 g/L

Concentrations of test : (%v/v) : 0, 6,25; 12,5; 25; 50; 100

Aeration : 6.5 ± 1 ml/min/L (30 minutes before and during the test with air stones).

Sample treatment: None

No discrepancies observed during the test. No change was made to the method.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

CHEMICAL DATA OF TEST CONCENTRATIONS

CONCENTRATION (%v/v)	TEMPERATURE (°C)		pH		CONDUCTIVITY (µS/cm)	DISSOLVED OXYGENE (mg/L)	
	0 h	96h	0h	96h	0h	0h	96h
0	14,8	16,0	7,9	7,8	222	10,0	9,4
6,25	14,8	16,0	7,8	7,8	259	10,0	9,4
12,5	14,8	15,9	7,8	7,8	289	10,0	9,3
25	14,7	15,4	7,8	7,9	355	10,0	9,6
50	14,6	15,6	7,7	7,8	486	9,9	9,5
100	14,7	15,7	7,7	8,0	733	9,9	9,5
Sample at 100% before the test	14,8		7,6		735	9,7	

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

TEST RESULTS

CONCENTRATION (%v/v)	NUMBER OF ORGANISMS TESTED	ATYPICAL ORGANISMS (after 96 hours)	ATYPICAL ORGANISMS (%)	MORTALITY (after 96 hours)	MORTALITY (%)
0	10	0	0	0	0
6,25	10	0	0	0	0
12,5	10	0	0	0	0
25	10	0	0	0	0
50	10	0	0	0	0
100	10	0	0	0	0

LC50 at 96 hours with rainbow trout
(Confidence level at 95%) computed:

> 100 % v/v

Statistical method : -----

Toxicity unit : <1

Comment : Non-toxic sample

LC50 / EC50 : indicates concentration
of sample, in pourcent, which kills or
affect 50% test organisms.

QUALITY CONTROL

Reference toxicant : Phenol

Concentration (mg/L of phenol) : 0; 4; 6; 9; 13; 18

Test Date : 2011-10-04

Obtained Value of LC50 at 96 hours with rainbow trout
(confidence level at 95%) computed :

9,43 mg/L (6,00 - 13,00)

Anterior geometric mean (± 2 standard deviations) :

10,19 mg/L (8,30 - 12,52)

Statistical Method : Binomial Method

ANALYTICAL METHOD

Analytical Method : QUE SOP - 00408 / 7

Reference Method : Reference Method for Determining Acute Lethality of Effluents to Rainbow Trout. SPE 1/RM/13 - Second Edition. Environment Canada. 2000. (including may 2007 modifications)

Basically, it's a static test that last 96 hours. Ten individuals are submitted to various effluent concentrations to measure the LC50 in controlled temperature, lighting and loading density conditions.

This certificate may not be reproduce, except in its entirety, without the written approval of the laboratory. These results only apply to the samples analyzed.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15994

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	<1 mg/L	M-SOLI-1.0	October 05, 2011

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15994

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15994

Sampling date: October 03, 2011
Sampling hour: N/D
Date received: October 04, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	

Reported on: October 06, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16189

Sampling date: October 11, 2011
Sampling hour: N/D
Date received: October 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	5 mg/L	M-SOLI-1.0	October 13, 2011
pH	7.49	M-PH-2.0	October 12, 2011

Reported on: October 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16189

Sampling date: October 11, 2011
Sampling hour: N/D
Date received: October 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16189

Sampling date: October 11, 2011
Sampling hour: N/D
Date received: October 12, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	28	19 - 31	
pH		STD pH 7.00	7.00	6.96 - 7.04	

Reported on: October 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16405

Sampling date: October 19, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	October 21, 2011

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16405

Sampling date: October 19, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16405

Sampling date: October 19, 2011
Sampling hour: N/D
Date received: October 20, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: October 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16506

Sampling date: October 24, 2011
Sampling hour: N/D
Date received: October 25, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	1 mg/L	M-SOLI-1.0	October 26, 2011

Reported on: October 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16506

Sampling date: October 24, 2011
Sampling hour: N/D
Date received: October 25, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: October 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16506

Sampling date: October 24, 2011
Sampling hour: N/D
Date received: October 25, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31	

Reported on: October 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16661

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	5 mg/L	M-SOLI-1.0	November 02, 2011

Reported on: November 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16661

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: November 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16661

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	5	6

Reported on: November 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16799

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	2 mg/L	M-SOLI-1.0	November 09, 2011

Reported on: November 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16799

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: November 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16799

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31	

Reported on: November 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16939

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Result	Method name	Date analyzed
Total Suspended Solids	11 mg/L	M-SOLI-1.0	November 16, 2011

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16939

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16939

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: DD-FD1 (MMER-1)
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: DD-FD1 (MMER-1)

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14854	14855
Sample name:	ST-17	ST-17-DUP
Sampling date:	11-08-2011	11-08-2011
Alkalinity mg CaCO ₃ /L	87	87
Dissolved Aluminium (Al) mg/L	<0.01	<0.01
Dissolved Silver (Ag) mg/L	<0.005	<0.005
Arsenic (As) mg/L	0.0112	0.0068
Dissolved Arsenic (As) mg/L	<0.005	<0.005
Dissolved Barium (Ba) mg/L	0.097	0.107
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005
Chloride mg/L	73.4	73.4
Copper (Cu) mg/L	0.0815	0.0202
Dissolved Copper (Cu) mg/L	0.013	0.013
Hardness mg CaCO ₃ /L	246	247
Dissolved Iron (Fe) mg/L	<0.05	<0.05
Fluoride (F) mg/L	0.34	0.35
Dissolved Manganese (Mn) mg/L	0.007	0.006
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005
Dissolved Molybdenum (Mo) mg/L	0.072	0.081
Ammonia (NH ₃) mg N/L	1.0	0.98
Nickel (Ni) mg/L	<0.0005	<0.0005
Dissolved Nickel (Ni) mg/L	0.019	0.017
Nitrate (NO ₃) mg N/L	45.1	44.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 29, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14854	14855
Sample name:	ST-17	ST-17-DUP
Sampling date:	11-08-2011	11-08-2011
Nitrite (NO2) mg N/L	1.2	1.2
Lead (Pb) mg/L	<0.0003	0.0364
Dissolved Lead (Pb) mg/L	<0.005	<0.005
Dissolved Selenium (Se) mg/L	0.005	0.006
Dissolved Solids mg/L	763	745
Sulfate (SO4) mg SO4/L	90	86
Dissolved thallium (Tl) mg/L	<0.01	<0.01
Zinc (Zn) mg/L	<0.001	<0.001
Dissolved Zinc mg/L	0.009	<0.005

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 29, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		std Alk	151	123 - 167	
Aluminium dissous (Al) mg/L	<0.01	DMR-0302-11-18	6.3	5.26 - 7.12	
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3245	0.198 - 0.368	
Arsenic dissous (As) mg/L	<0.005	DMR-0302-11-18	0.329	0.219 - 0.347	
Baryum dissous (Ba) mg/L	<0.005	DMR-0302-11-18	2.39	2.0 - 2.8	
Cadmium dissous (Cd) mg/L	<0.005	DMR-0302-11-18	0.879	0.8 - 1.0	
Chlorure (Cl) mg/L	<0.5	DMR-0517-2011-CL	56.5	51.0 - 65.0	
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.192	1.05 - 1.43	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0302-11-18	1.24	1.05 - 1.43	
Dureté mg CaCO ₃ /L					
Fer dissous (Fe) mg/L	<0.05	DMR-0302-11-18	11.9	8.9 - 12.1	
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	3.7	3.57 - 4.15	0.34
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	3.7	3.57 - 4.15	0.35
Manganèse dissous (Mn) mg/L	<0.005	DMR-0302-11-18	3.77	3.28 - 4.44	
Mercure dissous (Hg) mg/L	<0.0005	Dmr-0302-2011-13	0.0074	0.0059 - 0.0093	
Molybdène dissous (Mo) mg/L	<0.005	DMR-0302-11-18	0.602	0.599 - 0.811	
NH ₃ mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.161	0.96 - 1.30	
Nickel (Ni) mg/L	<0.0005				

Reported on: August 29, 2011

Lab number: 14854:14855

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 12, 2011
 Sampled by: Env. Tech.
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Nickel dissous (Ni) mg/L	<0.005	DMR-0302-11-18	1.15	0.96 - 1.30	
Nitrates (NO3) mg N/L	<0.01				
Nitrites (NO2) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05	
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9610	0.8 - 1.0	
Plomb dissous (Pb) mg/L	<0.005	DMR-0302-11-18	0.854	0.8 - 1.0	
Sélénium dissous (Se) mg/L	<0.005	DMR-0302-11-18	1.40	1.15 - 1.55	
Solides dissous mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0517-2011-SO4	71	63 - 77	
Thallium dissous (Tl) mg/L	<0.01	D TI SC0187114 1000p	1032	850 - 1150	
Zinc (Zn) mg/L	<0.001				
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.73	3.83 - 5.19	
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.69	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	DMR-0302-11-18	4.55	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	DMR-0302-11-18	4.69	3.83 - 5.19	

Reported on: August 29, 2011
 Lab number: 14854:14855

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15350

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Result	Method name	Date analyzed
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Arsenic (As)	0.0008 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Barium (Ba)	0.097 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Chloride	54.0 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Copper (Cu)	0.0026 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Copper (Cu)	0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Hardness	102 mg CaCO3/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Fluoride (F)	0.42 mg/L	Sous-traitance\Multilab Direct	September 21, 2011
Dissolved Manganese (Mn)	0.077 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 15, 2011
Dissolved Molybdenum (Mo)	0.196 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Ammonia (NH3)	0.72 mg N/L	Sous-traitance\Multilab Direct	September 12, 2011
Nickel (Ni)	0.0078 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Nitrate (NO3)	76.9 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Nitrite (NO2)	1.5 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Lead (Pb)	0.0021 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15350

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Result	Method name	Date analyzed
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Selenium (Se)	0.009 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Solids	907 mg/L	M-SOLI-2.0	September 07, 2011
Sulfate (SO4)	179 mg SO4/L	Sous-traitance\Multilab Direct	September 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 18, 2011
Zinc (Zn)	0.011 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Zinc	0.006 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Alkalinity	110 mg CaCO3/L	M-ALCA-2.0	September 07, 2011
Dissolved Nickel (Ni)	0.007 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15350
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-17
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-17

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15350

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15350
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-17
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-17

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	137	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0302-11-18	7.1	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2924	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0302-11-18	0.299	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0302-11-18	2.21	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0302-11-18	0.878	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0517-2011-CL	55.9	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.264	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0302-11-18	1.27	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0302-11-18	9.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0302-11-18	3.76	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0407-2011-13	0.0401	0.0350 - 0.0554	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0302-11-18	0.647	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				0.72 0.76
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.097	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.11	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15350

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9470	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0302-11-18	1.37	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0517-2011-SO4	70	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1085	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.63	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0302-11-18	4.56	3.83 - 5.19		

Reported on: September 26, 2011

Corrected certificate, replacing the certificate V-15350 done on September 23 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16065

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Result	Method name	Date analyzed
Alkalinity	92 mg CaCO ₃ /L	M-ALCA-2.0	October 05, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Arsenic (As)	0.0016 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Barium (Ba)	0.082 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Chloride	42.2 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Copper (Cu)	0.0037 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Hardness	325 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Fluoride (F)	0.35 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Dissolved Manganese (Mn)	0.110 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Dissolved Molybdenum (Mo)	0.223 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Ammonia (NH ₃)	0.64 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0309 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Dissolved Nickel (Ni)	0.024 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Nitrate (NO ₃)	45.4 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16065

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Result	Method name	Date analyzed
Nitrite (NO ₂)	0.33 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Dissolved Lead (Pb)	0.007 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Selenium (Se)	0.011 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Solids	731 mg/L	M-SOLI-2.0	October 05, 2011
Sulfate (SO ₄)	190 mg SO ₄ /L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.013 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Dissolved Zinc	0.015 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16065
 Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-17
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-17

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16065

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO ₄)	1 mg SO ₄ /L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16065
 Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-17
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-17

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	151	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2957	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.315	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.54	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.978	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.337	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.40	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.17	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0403	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.682	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.210	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.20	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16065
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-17
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-17

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.6	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9469	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.984	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.55	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0607-2011-SO4	73	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	986	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.05	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.01	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17136

Sampling date: November 20, 2011
Sampling hour: 14:20
Date received: November 23, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Alkalinity	116 mg CaCO ₃ /L	M-ALCA-2.0	November 23, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Arsenic (As)	0.0042 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Barium (Ba)	0.115 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Chloride	30.3 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Copper (Cu)	0.0034 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Hardness	273 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 29, 2011
Iron (Fe)	0.25 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Fluoride (F)	0.61 mg/L	Sous-traitance\Multilab Direct	December 02, 2011
Dissolved Manganese (Mn)	2.06 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Ammonia (NH ₃)	0.06 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Nickel (Ni)	0.0140 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Nickel (Ni)	0.013 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17136

Sampling date: November 20, 2011
Sampling hour: 14:20
Date received: November 23, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Nitrate (NO3)	4.7 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Nitrite (NO2)	0.11 mg N/L	Sous-traitance\Multilab Direct	November 24, 2011
Lead (Pb)	0.0028 mg/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 28, 2011
Dissolved Solids	530 mg/L	M-SOLI-2.0	November 23, 2011
Sulfate (SO4)	240 mg SO4/L	Sous-traitance\Multilab Direct	November 29, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 27, 2011
Zinc (Zn)	0.059 mg/L	Sous-traitance\Multilab Direct	December 05, 2011
Dissolved Zinc	0.017 mg/L	Sous-traitance\Multilab Direct	November 28, 2011

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17136
 Sampling date: November 20, 2011
 Sampling hour: 14:20
 Date received: November 23, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17136

Sampling date: November 20, 2011
Sampling hour: 14:20
Date received: November 23, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17136
 Sampling date: November 20, 2011
 Sampling hour: 14:20
 Date received: November 23, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	155	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.9	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2773	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.245	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.44	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.4	43 - 55	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.378	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.4	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.1	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.39	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0519	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.657	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.188	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.28	0.96 - 1.30	

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17136
 Sampling date: November 20, 2011
 Sampling hour: 14:20
 Date received: November 23, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrate (NO3) mg N/L	<0.01				4.7	4.7
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	0.11	0.11
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9770	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.945	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.34	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	56	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1012	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.58	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.84	3.83 - 5.19		

Reported on: December 05, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17332

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Arsenic (As)	0.0077 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Barium (Ba)	0.140 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Chloride	34.2 mg/L	Sous-traitance\Multilab Direct	December 07, 2011
Copper (Cu)	0.0073 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Copper (Cu)	0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Hardness	281 mg CaCO3/L	Sous-traitance\Multilab Direct	December 13, 2011
Iron (Fe)	0.74 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Fluoride (F)	0.78 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Manganese (Mn)	1.79 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
Dissolved Molybdenum (Mo)	0.030 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Ammonia (NH3)	0.12 mg N/L	Sous-traitance\Multilab Direct	December 07, 2011
Nickel (Ni)	0.0142 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Nickel (Ni)	0.014 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Nitrate (NO3)	7.6 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17332

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Nitrite (NO ₂)	0.18 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011
Lead (Pb)	0.0020 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Dissolved Solids	553 mg/L	M-SOLI-2.0	December 06, 2011
Sulfate (SO ₄)	198 mg SO ₄ /L	Sous-traitance\Multilab Direct	December 06, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 21, 2011
Zinc (Zn)	0.015 mg/L	Sous-traitance\Multilab Direct	December 18, 2011
Dissolved Zinc	0.015 mg/L	Sous-traitance\Multilab Direct	December 08, 2011
Alkalinity	126 mg CaCO ₃ /L	M-ALCA-2.0	December 06, 2011

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17332

Sampling date: December 05, 2011
 Sampling hour: N/D
 Date received: December 06, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17332

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17332
 Sampling date: December 05, 2011
 Sampling hour: N/D
 Date received: December 06, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alkalinity mg CaCO3/L		std Alk	151	123 - 167		
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	7.0	5.26 - 7.12		
Dissolved Silver (Ag) mg/L	<0.005					
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3489	0.198 - 0.368	0.0077	0.0076
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.264	0.219 - 0.347		
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.57	2.0 - 2.8		
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.922	0.8 - 1.0		
Chloride mg/L	<0.5	DMR-0773-2011-CL	46.7	43 - 55		
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.340	1.05 - 1.43	0.0073	0.0069
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.43	1.05 - 1.43		
Hardness mg CaCO3/L					281	263
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.1	8.9 - 12.1		
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.2	8.9 - 12.1		
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15		
Dissolved Manganese (Mn) mg/	<0.005	DMR-0427-2011-18	4.24	3.28 - 4.44		
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0445	0.0353 - 0.0559		
Dissolved Molybdenum (Mo) mg	<0.005	DMR-0427-2011-18	0.725	0.599 - 0.811		
Ammonia (NH3) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.098	0.96 - 1.30	0.0142	0.0134
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.24	0.96 - 1.30		

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17332
 Sampling date: December 05, 2011
 Sampling hour: N/D
 Date received: December 06, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-18

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0	0.0020	0.0008
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.17	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	53	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1001	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.56	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.20	3.83 - 5.19		

Reported on: December 22, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17388

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Alkalinity	132 mg CaCO ₃ /L	M-ALCA-2.0	December 13, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Arsenic (As)	0.0050 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Barium (Ba)	0.124 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Chloride	37.4 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Copper (Cu)	0.0032 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Hardness	264 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 22, 2011
Iron (Fe)	0.83 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Fluoride (F)	0.74 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Dissolved Manganese (Mn)	2.54 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 19, 2011
Dissolved Molybdenum (Mo)	0.022 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Ammonia (NH ₃)	0.17 mg N/L	Sous-traitance\Multilab Direct	December 14, 2011
Nickel (Ni)	0.0183 mg/L	Sous-traitance\Multilab Direct	January 13, 2012
Dissolved Nickel (Ni)	0.014 mg/L	Sous-traitance\Multilab Direct	December 20, 2011

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17388

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18

Parameter	Result	Method name	Date analyzed
Nitrate (NO3)	6.0 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Nitrite (NO2)	0.19 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Solids	623 mg/L	M-SOLI-2.0	December 13, 2011
Sulfate (SO4)	278 mg SO4/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 21, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	January 13, 2012
Dissolved Zinc	0.016 mg/L	Sous-traitance\Multilab Direct	December 20, 2011

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17388

Sampling date: December 12, 2011
 Sampling hour: N/D
 Date received: December 13, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17388

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrate (NO3)	0.01	mg N/L	Sous-traitance	Oui
Nitrite (NO2)	0.01	mg N/L	Sous-traitance	Oui
Lead (Pb)	0.0003	mg/L	Sous-traitance	Oui
Dissolved Lead (Pb)	0.005	mg/L	Sous-traitance	
Dissolved Selenium (Se)	0.005	mg/L	Sous-traitance	
Dissolved Solids	1	mg/L	M-SOLI-2.0	
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Dissolved thallium (Tl)	0.01	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17388
Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.957	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.33	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	53	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1001	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.12	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.81	3.83 - 5.19		

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17388
 Sampling date: December 12, 2011
 Sampling hour: N/D
 Date received: December 13, 2011
 Sampling location: ST-18
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: ST-18

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2879	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.271	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.25	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	47.1	43 - 55	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.267	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.34	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.14	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0426	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.663	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.263	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.16	0.96 - 1.30	

Reported on: January 23, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17389

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18-DUP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18-DUP

Parameter	Result	Method name	Date analyzed
Alkalinity	131 mg CaCO ₃ /L	M-ALCA-2.0	December 13, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Arsenic (As)	0.0023 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Barium (Ba)	0.117 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Chloride	37.1 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Copper (Cu)	0.0035 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Hardness	263 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 22, 2011
Iron (Fe)	0.72 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Fluoride (F)	0.75 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Dissolved Manganese (Mn)	2.44 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 19, 2011
Dissolved Molybdenum (Mo)	0.021 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Ammonia (NH ₃)	0.15 mg N/L	Sous-traitance\Multilab Direct	December 14, 2011
Nickel (Ni)	0.0159 mg/L	Sous-traitance\Multilab Direct	January 13, 2012
Dissolved Nickel (Ni)	0.021 mg/L	Sous-traitance\Multilab Direct	December 20, 2011

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17389
Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18-DUP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18-DUP

Parameter	Result	Method name	Date analyzed
Nitrate (NO3)	6.0 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Nitrite (NO2)	0.19 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Lead (Pb)	0.0004 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Solids	617 mg/L	M-SOLI-2.0	December 13, 2011
Sulfate (SO4)	270 mg SO4/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 21, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	January 13, 2012
Dissolved Zinc	0.015 mg/L	Sous-traitance\Multilab Direct	December 20, 2011

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17389

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18-DUP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18-DUP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17389

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18-DUP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18-DUP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrate (NO3)	0.01	mg N/L	Sous-traitance	Oui
Nitrite (NO2)	0.01	mg N/L	Sous-traitance	Oui
Lead (Pb)	0.0003	mg/L	Sous-traitance	Oui
Dissolved Lead (Pb)	0.005	mg/L	Sous-traitance	
Dissolved Selenium (Se)	0.005	mg/L	Sous-traitance	
Dissolved Solids	1	mg/L	M-SOLI-2.0	
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Dissolved thallium (Tl)	0.01	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17389
 Sampling date: December 12, 2011
 Sampling hour: N/D
 Date received: December 13, 2011
 Sampling location: ST-18-DUP
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: ST-18-DUP

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2879	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.271	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.25	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	47.1	43 - 55	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.267	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.34	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	10.0	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.14	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0426	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.663	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.263	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.16	0.96 - 1.30	

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17389
Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: ST-18-DUP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: ST-18-DUP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9570	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.957	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.33	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0773-2011-SO4	53	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1001	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.12	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.81	3.83 - 5.19		

Reported on: January 18, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15963

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: Saddle Dam Water
Sampled by: Env. Tech.
Matrix: Water
Sample name: Saddle Dam Water

Parameter	Result	Method name	Date analyzed
Total Cyanide (CNT)	0.005 mg/L	M-CN-1.0	September 30, 2011

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15963

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: Saddle Dam Water
Sampled by: Env. Tech.
Matrix: Water
Sample name: Saddle Dam Water

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15963

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: Saddle Dam Water
Sampled by: Env. Tech.
Matrix: Water
Sample name: Saddle Dam Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Total Cyanide (CNT) mg/L	<0.005	DMR-0608-2011-8	0.0790	0.0777 - 0.1051	

Reported on: October 03, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15969

Sampling date: September 29, 2011
 Sampling hour: N/D
 Date received: September 30, 2011
 Sampling location: SW-SD-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-SD-1

Parameter	Result	Method name	Date analyzed
Alkalinity	78 mg CaCO ₃ /L	M-ALCA-2.0	September 30, 2011
Aluminium (Al)	0.573 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Arsenic (As)	0.0753 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Barium (Ba)	0.0488 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Chloride	13.7 mg/L	Sous-traitance\Multilab Direct	October 05, 2011
Chrome (Cr)	0.0017 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Copper (Cu)	0.0043 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Hardness	290 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 11, 2011
Iron (Fe)	0.64 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Fluoride (F)	0.31 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Manganese (Mn)	0.1946 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	October 06, 2011
Molybdenum (Mo)	0.0257 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Ammonia (NH ₃)	0.08 mg N/L	Sous-traitance\Multilab Direct	October 03, 2011
Nickel (Ni)	0.0278 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Nitrate (NO ₃)	31.4 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Selenium (Se)	0.003 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15969

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: SW-SD-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-SD-1

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	97 mg SO4/L	Sous-traitance\Multilab Direct	October 04, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.010 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15969

Sampling date: September 29, 2011
 Sampling hour: N/D
 Date received: September 30, 2011
 Sampling location: SW-SD-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-SD-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15969

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: SW-SD-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-SD-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15969
 Sampling date: September 29, 2011
 Sampling hour: N/D
 Date received: September 30, 2011
 Sampling location: SW-SD-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-SD-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	157	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.57	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.3537	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.476	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.90272	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	61.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.021	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.369	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.2	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.606	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04732	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6870	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.175	0.96 - 1.30	
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9780	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.41	1.15 - 1.55	
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0607-2011-SO ₄	70	63 - 77	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15969

Sampling date: September 29, 2011
Sampling hour: N/D
Date received: September 30, 2011
Sampling location: SW-SD-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-SD-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.78	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778

Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Result	Method name	Date analyzed
Alkalinity	137 mg CaCO ₃ /L	M-ALCA-2.0	February 21, 2011
Dissolved Aluminium (Al)	0.06 mg/L	M-MET-3.0	February 23, 2011
Dissolved Silver (Ag)	<0.005 mg/L	M-MET-3.0	February 23, 2011
Arsenic (As)	0.0147 mg/L	M-MET-3.0	February 22, 2011
Dissolved Arsenic (As)	0.011 mg/L	M-MET-3.0	February 23, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	3.5 mg N/L	M-NH3-2.0	February 21, 2011
Dissolved Barium (Ba)	0.005 mg/L	M-MET-3.0	February 23, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	M-MET-3.0	February 23, 2011
Chloride	11.8 mg/L	M-CL-2.0	February 22, 2011
Copper (Cu)	0.0017 mg/L	M-MET-3.0	February 22, 2011
Dissolved Copper (Cu)	<0.005 mg/L	M-MET-3.0	February 23, 2011
Hardness	106 mg CaCO ₃ /L	M-MET-3.0	February 22, 2011
Dissolved Iron (Fe)	<0.05 mg/L	M-MET-3.0	February 23, 2011
Fluoride (F)	1.4 mg/L	M-CI-1.0	February 28, 2011
Dissolved Manganese (Mn)	0.012 mg/L	M-MET-3.0	February 23, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	M-MET-3.0	February 23, 2011
Dissolved Molybdenum (Mo)	0.036 mg/L	M-MET-3.0	February 23, 2011
Ammonia (NH ₃)	0.51 mg N/L	M-NH3-1.0	February 21, 2011
Nickel (Ni)	0.0067 mg/L	M-MET-3.0	February 22, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	M-MET-3.0	February 23, 2011

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778

Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Result	Method name	Date analyzed
Nitrite-Nitrate	5.8 mg N/L	M-NITR-2.0	March 10, 2011
Lead (Pb)	<0.0003 mg/L	M-MET-3.0	February 22, 2011
Dissolved Lead (Pb)	<0.005 mg/L	M-MET-3.0	February 23, 2011
Dissolved Selenium (Se)	<0.005 mg/L	M-MET-3.0	February 23, 2011
Sulfate (SO4)	26 mg SO4/L	M-SULF-2.0	February 22, 2011
Dissolved thallium (Tl)	<0.01 mg/L	M-MET-3.0	March 01, 2011
Zinc (Zn)	0.006 mg/L	M-MET-3.0	February 22, 2011
Dissolved Zinc	<0.005 mg/L	M-MET-3.0	February 23, 2011
Dissolved Solids	274 mg/L	M-SOLI-2.0	February 21, 2011
Nitrate (NO3)	5.6 mg N/L	M-NITR-2.0	March 10, 2011
Nitrite (NO2)	0.14 mg N/L	M-NITR-2.0	March 10, 2011

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778

Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Detection limit		Method name
	Valeur	Unité	
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0
Dissolved Aluminium (Al)	0.01 mg/L		M-MET-3.0
Dissolved Silver (Ag)	0.005 mg/L		M-MET-3.0
Arsenic (As)	0.0005 mg/L		M-MET-3.0
Dissolved Arsenic (As)	0.005 mg/L		M-MET-3.0
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		M-NH3-2.0
Dissolved Barium (Ba)	0.005 mg/L		M-MET-3.0
Dissolved Cadmium (Cd)	0.005 mg/L		M-MET-3.0
Chloride	0.5 mg/L		M-CL-2.0
Copper (Cu)	0.0005 mg/L		M-MET-3.0
Dissolved Copper (Cu)	0.005 mg/L		M-MET-3.0
Hardness	1 mg CaCO ₃ /L		M-MET-3.0
Dissolved Iron (Fe)	0.05 mg/L		M-MET-3.0
Fluoride (F)	0.02 mg/L		M-CI-1.0
Dissolved Manganese (Mn)	0.005 mg/L		M-MET-3.0
Dissolved Mercury (Hg)	0.0005 mg/L		M-MET-3.0
Dissolved Molybdenum (Mo)	0.005 mg/L		M-MET-3.0
Ammonia (NH ₃)	0.05 mg N/L		M-NH3-1.0
Nickel (Ni)	0.0005 mg/L		M-MET-3.0
Dissolved Nickel (Ni)	0.005 mg/L		M-MET-3.0

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778

Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Detection limit		Method name
	Valeur	Unité	
Nitrite-Nitrate	0.01 mg N/L		M-NITR-2.0
Lead (Pb)	0.0003 mg/L		M-MET-3.0
Dissolved Lead (Pb)	0.005 mg/L		M-MET-3.0
Dissolved Selenium (Se)	0.005 mg/L		M-MET-3.0
Sulfate (SO4)	1 mg SO4/L		M-SULF-2.0
Dissolved thallium (Tl)	0.01 mg/L		M-MET-3.0
Zinc (Zn)	0.001 mg/L		M-MET-3.0
Dissolved Zinc	0.005 mg/L		M-MET-3.0
Dissolved Solids	1 mg/L		M-SOLI-2.0
Nitrate (NO3)	0.01 mg N/L		M-NITR-2.0
Nitrite (NO2)	0.01 mg N/L		M-NITR-2.0

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778
Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		Std-Alcalinité-24/08/2011	150	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0011-2011-18	6.60	5.27 - 7.13	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0011-2011-18	0.317	0.224 - 0.416	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0011-2011-18	0.322	0.248 - 0.392	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.90	1.58 - 2.14	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0011-2011-18	2.15	1.91 - 2.59	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0011-2011-18	0.874	0.708 - 0.958	
Chloride mg/L	<0.5	DMR-0011-2011-Cl	55.9	46.6 - 59.4	
Copper (Cu) mg/L	<0.0005	DMR-0011-2011-18	1.37	1.04 - 1.40	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0011-2011-18	11.7	8.8 - 12.0	
Fluoride (F) mg/L	<0.1	DMR-0011-2011-F	1.60	1.44 - 1.68	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0011-2011-18	4.06	3.20 - 4.32	
Dissolved Mercury (Hg) mg/L	<0.0005				
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0011-2011-18	0.625	0.562 - 0.760	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0011-2011-18	1.25	0.98 - 1.32	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0011-2011-18	1.22	0.98 - 1.32	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: C-92778

Sampling date: February 17, 2011
Sampling hour: N/D
Date received: February 18, 2011
Sampling location: SW5a & SW5b
Sampled by: Steve Gaudreault
Matrix: Water
Sample name: SW5a & SW5b

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0104-2011-NO2	2.60	2.25 - 3.05	
Nitrite-Nitrate mg N/L	<0.005	MR-0104-2011-NO2-NC	3.00	2.41 - 3.25	
Nitrite-Nitrate mg N/L	<0.01	MR-0011-2011-NO2-NC	9.10	7.53 - 10.19	
Lead (Pb) mg/L	<0.0003	DMR-0011-2011-18	1.002	0.819 - 1.109	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0011-2011-18	0.940	0.819 - 1.109	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0011-2011-18	1.51	1.21 - 1.63	
Dissolved Solids mg/L					
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0011-2011-SO4	55	49 - 61	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	953	850 - 1150	
Zinc (Zn) mg/L	<0.001	DMR-0011-2011-18	4.72	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0011-2011-18	4.44	3.83 - 5.19	

Reported on: March 10, 2011

Corrected certificate, replacing the certificate C-92778 done on March 02 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12586

Sampling date: March 02, 2011
Sampling hour: N/D
Date received: March 03, 2011
Sampling location: SW5a
Sampled by: J.Kataluk/P.Roy
Matrix: Water
Sample name: SW5a

Parameter	Result	Method name	Date analyzed
Alkalinity	447 mg CaCO ₃ /L	M-ALCA-2.0	March 03, 2011
Arsenic (As)	0.0085 mg/L	Sous-traitance\Multilab Direct	March 04, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	250 mg N/L	Sous-traitance\Multilab Direct	March 07, 2011
Copper (Cu)	0.0654 mg/L	Sous-traitance\Multilab Direct	March 04, 2011
Nickel (Ni)	0.0919 mg/L	Sous-traitance\Multilab Direct	March 04, 2011
pH	7.64	M-PH-2.0	March 03, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	March 04, 2011
Turbidity	80.1 NTU	Sous-traitance\Multilab Direct	March 03, 2011
Zinc (Zn)	0.014 mg/L	Sous-traitance\Multilab Direct	March 04, 2011
Total Suspended Solids	114 mg/L	M-SOLI-1.0	March 08, 2011

Reported on: March 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12586

Sampling date: March 02, 2011
Sampling hour: N/D
Date received: March 03, 2011
Sampling location: SW5a
Sampled by: J.Kataluk/P.Roy
Matrix: Water
Sample name: SW5a

Parameter	Detection limit		Method name
	Valeur	Unité	
Alkalinity	2 mg	CaCO ₃ /L	M-ALCA-2.0
pH	N.D.		M-PH-2.0
Total Suspended Solids	1 mg/L		M-SOLI-1.0

Reported on: March 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12586

Sampling date: March 02, 2011
Sampling hour: N/D
Date received: March 03, 2011
Sampling location: SW5a
Sampled by: J.Kataluk/P.Roy
Matrix: Water
Sample name: SW5a

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	145	123 - 167	
Arsenic (As) mg/L	<0.0005	DMR-0011-2011-18	0.2879	0.224 - 0.416	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0104-2011-NH ₃	1.9	1.58 - 2.14	
Copper (Cu) mg/L	<0.0005	DMR-0011-2011-18	1.245	1.04 - 1.40	
Total Suspended Solids mg/L	<1	STD-MES	228	194 - 306	
Nickel (Ni) mg/L	<0.0005	DMR-0011-2011-18	1.163	0.98 - 1.32	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0011-2011-18	1.064	0.819 - 1.109	
Turbidity UTN		DMR-0104-2011-TURB	5.87	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0011-2011-18	4.57	3.83 - 5.19	

Reported on: March 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B116803

Received: 2011/04/08, 09:00

Sample Matrix: OIL
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value	1	2011/04/11	2011/04/12	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges	1	N/A	2011/04/08		
Flash Point	1	N/A	2011/04/12	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil	1	N/A	2011/04/12	SOP STL-00070/1	ASTM D6304 - 07
Metals by ICP	1	2011/04/11	2011/04/12	STL SOP-00006/10	MA.200-Met 1.2
PCB	1	2011/04/11	2011/04/11	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX)	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

Sample Matrix: WASTE WATER
Samples Received: 6

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Total Alkalinity (pH end point 4.5)	1	2011/04/08	2011/04/08	STL SOP-00038/7	SM 2320 B-Titration
Disposal Charges	6	N/A	2011/04/08		
Total Suspended Solids	5	2011/04/09	2011/04/09	STL SOP-00015/6	MA. 104 - S.S. 1.0
Metals by ICP-MS	1	2011/04/08	2011/04/08	STL SOP-00006/10	MA.200- Mét 1.2
Ammonia Nitrogen	1	2011/04/11	2011/04/11	STL SOP-00040/5	MA. 300 - N 1.1
pH	1	2011/04/08	2011/04/08	STL SOP-00038/7	MA.100- pH1.1
Total Dissolved Solids	1	2011/04/09	2011/04/09	STL SOP-00050/3	MA. 103 - S.T. 1.0
Turbidity	6	N/A	2011/04/08	STL SOP-00022/6	MA. 103 - Tur. 1.0

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

-2-

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

KARIMA DLIMI, B.Sc., Chemist, Project manager assistant
Email: KDlimi@maxxam.ca
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

METALS				
Arsenic (As)	mg/kg	<2	2	862039
Cadmium (Cd)	mg/kg	<1	1	862039
Chromium (Cr)	mg/kg	<1	1	862039
Lead (Pb)	mg/kg	<5	5	862039
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

CONVENTIONALS				
Flash point	Celcius	73	25	862081
Heating Value	kJ/kg	45000	2000	862124
Sulfur (S)	% p/p	0.3	0.2	862152
Water	%w/w	0.66	0.005	862527
Total Halides (TX)	mg/kg	240	100	862153
Chlorine	mg/kg	240	100	862153

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

PCB (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

PCB				
Aroclor 1242	mg/kg	<0.5	0.5	862135
Aroclor 1248	mg/kg	<0.5	0.5	862135
Aroclor 1254	mg/kg	<0.5	0.5	862135
Aroclor 1260	mg/kg	<0.5	0.5	862135
Total PCB	mg/kg	<0.5	0.5	862135
Surrogate Recovery (%)				
Decachlorobiphenyl	%	98	N/A	862135

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (WASTE WATER)

Maxxam ID		N27455		
Sampling Date		2011/04/06		
	Units	SW5A	RDL	QC Batch

METALS ICP-MS				
Arsenic (As)	ug/L	14	1.0	861782
Copper (Cu)	ug/L	28	5.0	861782
Nickel (Ni)	ug/L	130	2.0	861782
Zinc (Zn)	ug/L	22	7.0	861782
Lead (Pb)	ug/L	4.2	1.0	861782
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (WASTE WATER)

Maxxam ID		N27410	N27411	N27412		
Sampling Date		2011/04/06	2011/04/06	2011/04/05		
	Units	DD-WTP-01-04/06/2011	DD-WTP-IN-04/06/2011	DD-WTP-01-04/05/2011	RDL	QC Batch

CONVENTIONALS						
Turbidity	NTU	0.2	3.9	0.4	0.1	861871
Total suspended solids (TSS)	mg/L	4	5	3	2	861891

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		N27413	N27414	N27455		
Sampling Date		2011/04/05	2011/04/05	2011/04/06		
	Units	DD-WTP-IN-04/05/2011	DD-TPL-01	SW5A	RDL	QC Batch

CONVENTIONALS						
Nitrogen ammonia (N-NH3)	mg/L	N/A	N/A	22	0.5	861988
pH	pH	N/A	N/A	7.77	N/A	861823
Turbidity	NTU	4.3	0.3	410	0.1	861871
Alkalinity Total (as CaCO3) pH 4.5	mg/L	N/A	N/A	130	1	861829
Total Dissolved Solids	mg/L	N/A	N/A	230	10	861885
Total suspended solids (TSS)	mg/L	5	4	N/A	2	861891

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

TX_O: The total is calculated only for the parameters requested.

PCB (OIL)

Please note that the results have not been corrected for QC recoveries (spiked blank and method blank) nor for the surrogates.

METALS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.
Reported detection limits are multiplied by dilution factors used for sample analysis.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: B116803

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
861782 SC5	Spiked Blank	Arsenic (As)	2011/04/08		115	%
		Copper (Cu)	2011/04/08		110	%
		Nickel (Ni)	2011/04/08		112	%
		Zinc (Zn)	2011/04/08		107	%
		Lead (Pb)	2011/04/08		113	%
	Method Blank	Arsenic (As)	2011/04/08	<1.0		ug/L
		Copper (Cu)	2011/04/08	<5.0		ug/L
		Nickel (Ni)	2011/04/08	<2.0		ug/L
		Zinc (Zn)	2011/04/08	<7.0		ug/L
		Lead (Pb)	2011/04/08	<1.0		ug/L
861823 MR4	Spiked Blank	pH	2011/04/08		101	%
861829 MH1	QC STANDARD	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		94	%
	Spiked Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		100	%
	Method Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08	<1		mg/L
861871 CN1	QC STANDARD	Turbidity	2011/04/08		102	%
	Method Blank	Turbidity	2011/04/08	0.1, RDL=0.1		NTU
861885 LI	Spiked Blank	Total Dissolved Solids	2011/04/09		101	%
	Spiked Blank DUP	Total Dissolved Solids	2011/04/09		101	%
	Method Blank	Total Dissolved Solids	2011/04/09	<10		mg/L
861891 LI	Spiked Blank	Total suspended solids (TSS)	2011/04/09		99	%
	Spiked Blank DUP	Total suspended solids (TSS)	2011/04/09		99	%
	Method Blank	Total suspended solids (TSS)	2011/04/09	<2		mg/L
861988 DKH	Spiked Blank	Nitrogen ammonia (N-NH3)	2011/04/11		114	%
	Method Blank	Nitrogen ammonia (N-NH3)	2011/04/11	0.03, RDL=0.02		mg/L
862039 KQ	QC STANDARD	Cadmium (Cd)	2011/04/12		72 (1)	%
		Chromium (Cr)	2011/04/12		85	%
		Lead (Pb)	2011/04/12		105	%
	Spiked Blank	Arsenic (As)	2011/04/12		103	%
		Cadmium (Cd)	2011/04/12		100	%
		Chromium (Cr)	2011/04/12		99	%
		Lead (Pb)	2011/04/12		107	%
	Method Blank	Arsenic (As)	2011/04/12	<2		mg/kg
		Cadmium (Cd)	2011/04/12	<1		mg/kg
		Chromium (Cr)	2011/04/12	<1		mg/kg
		Lead (Pb)	2011/04/12	<5		mg/kg
862081 AM6	Spiked Blank	Flash point	2011/04/12		116	%
862124 AM6	Spiked Blank	Heating Value	2011/04/12		103	%
862135 AK2	Spiked Blank	Decachlorobiphenyl	2011/04/11		90	%
		Aroclor 1242	2011/04/11		99	%
		Aroclor 1260	2011/04/11		100	%
	Method Blank	Decachlorobiphenyl	2011/04/11		79	%
		Aroclor 1242	2011/04/11	<0.5		mg/kg
		Aroclor 1248	2011/04/11	<0.5		mg/kg
		Aroclor 1254	2011/04/11	<0.5		mg/kg
		Aroclor 1260	2011/04/11	<0.5		mg/kg
		Total PCB	2011/04/11	<0.5		mg/kg
862152 AM6	Spiked Blank	Sulfur (S)	2011/04/12		86	%
	Method Blank	Sulfur (S)	2011/04/12	<0.2		% p/p
862153 AM6	Spiked Blank	Total Halides (TX)	2011/04/12		82	%
	Method Blank	Total Halides (TX)	2011/04/12	<100		mg/kg
		Chlorine	2011/04/12	<100		mg/kg
862527 AM6	Spiked Blank	Water	2011/04/12		97	%

RDL = Reportable Detection Limit

QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)


Maxxam Job Number: B116803

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.
(1) Recovery or relative percent difference (RPD) for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria


Validation Signature Page

Maxxam Job #: B116803

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




 DELIA BARBUL, B.Sc., Chemist,




 KATHIE QUEVILLON, B.Sc., Chemist,




 STELIANA CALESTRU, B.Sc. Chemist,




 TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13194
Sampling date: May 04, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: SW5a-ST-19
Sampled by: Philip Roy
Matrix: Water
Sample name: SW5a-ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	123 mg CaCO ₃ /L	M-ALCA-2.0	May 05, 2011
Arsenic (As)	0.0107 mg/L	Sous-traitance\Multilab Direct	May 06, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	11.4 mg N/L	Sous-traitance\Multilab Direct	May 09, 2011
Copper (Cu)	0.0138 mg/L	Sous-traitance\Multilab Direct	May 06, 2011
Nickel (Ni)	0.0109 mg/L	Sous-traitance\Multilab Direct	May 06, 2011
pH	7.19	M-PH-2.0	May 05, 2011
Lead (Pb)	0.0072 mg/L	Sous-traitance\Multilab Direct	May 06, 2011
Dissolved Solids	272 mg/L	M-SOLI-2.0	May 05, 2011
Turbidity	10.9 NTU	Sous-traitance\Multilab Direct	May 05, 2011
Zinc (Zn)	0.004 mg/L	Sous-traitance\Multilab Direct	May 06, 2011

Reported on: May 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13194
Sampling date: May 04, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: SW5a-ST-19
Sampled by: Philip Roy
Matrix: Water
Sample name: SW5a-ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Turbidity	0.02 UTN		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: May 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13194
Sampling date: May 04, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: SW5a-ST-19
Sampled by: Philip Roy
Matrix: Water
Sample name: SW5a-ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	148	123 - 167	
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2764	0.198 - 0.368	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH ₃	1.9	1.64 - 2.22	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.174	1.05 - 1.43	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.081	0.96 - 1.30	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9740	0.8 - 1.0	
Dissolved Solids mg/L					
Turbidity UTN		DMR-0262-2011-Turbidity	5.8	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.41	3.83 - 5.19	

Reported on: May 09, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13680

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: ST-19
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	132 mg CaCO ₃ /L	M-ALCA-2.0	June 02, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Arsenic (As)	0.0053 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Ammonia nitrogen (NH ₃ -NH ₄)	17.1 mg N/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Barium (Ba)	0.022 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Chloride	11.5 mg/L	Sous-traitance\Multilab Direct	June 08, 2011
Copper (Cu)	0.0261 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Copper (Cu)	0.011 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Hardness	289 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Fluoride (F)	0.97 mg/L	Sous-traitance\Multilab Direct	June 09, 2011
Total Suspended Solids	558 mg/L	M-SOLI-1.0	June 03, 2011
Dissolved Manganese (Mn)	0.025 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Molybdenum (Mo)	0.028 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Nickel (Ni)	0.0597 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Nickel (Ni)	0.021 mg/L	Sous-traitance\Multilab Direct	June 06, 2011

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13680

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: ST-19
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Nitrate (NO3)	22.0 mg N/L	Sous-traitance\Multilab Direct	June 09, 2011
Nitrite (NO2)	0.57 mg N/L	Sous-traitance\Multilab Direct	June 09, 2011
pH	8.05	M-PH-2.0	June 02, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Sulfate (SO4)	30 mg SO4/L	Sous-traitance\Multilab Direct	June 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	June 07, 2011
Turbidity	544 NTU	Sous-traitance\Multilab Direct	June 02, 2011
Zinc (Zn)	0.035 mg/L	Sous-traitance\Multilab Direct	June 06, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	June 06, 2011

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13680
 Sampling date: June 01, 2011
 Sampling hour: N/D
 Date received: June 02, 2011
 Sampling location: ST-19
 Sampled by: Env Tech ext. 6747
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Ammonia nitrogen (NH ₃ -NH ₄)	0.05 mg N/L		Sous-traitance	Oui
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13680

Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: ST-19
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Turbidity	0.02 UTN		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13680
Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: ST-19
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0189-2011-18d	6.7	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2756	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0189-2011-18d	0.260	0.219 - 0.347	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.8	1.64 - 2.22	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.21	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.861	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0302-2011-Cl	58.5	51 - 65	11.5 11.8
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.345	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.25	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0189-2011-18d	10.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.1	DMR-0302-2011-F	3.9	3.57 - 4.15	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31	
Dissolved Manganese (Mn) mg/	<0.005	DMR-0189-2011-18d	3.96	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0189-2011-13	0.0067	0.0059 - 0.0093	
Dissolved Molybdenum (Mo) m	<0.005	DMR-0189-2011-18d	0.641	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.178	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.13	0.96 - 1.30	

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13680
Sampling date: June 01, 2011
Sampling hour: N/D
Date received: June 02, 2011
Sampling location: ST-19
Sampled by: Env Tech ext. 6747
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Nitrate (NO3) mg N/L	<0.01				
Nitrite (NO2) mg N/L	<0.01	DMR-0302-2011-NO2	2.7	2.25 - 3.05	
pH		STD pH 7.00	7.02	6.96 - 7.04	
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9610	0.8 - 1.0	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.873	0.8 - 1.0	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0189-2011-18d	1.43	1.15 - 1.55	
Sulfate (SO4) mg SO4/L	<1	DMR-0302-2011-SO4	74	63 - 77	
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	892	850 - 1150	
Turbidity UTN		DMR-0302-2011-Turbidit	5.6	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.92	3.83 - 5.19	
Dissolved Zinc mg/L	<0.005	DMR-0189-2011-18d	4.85	3.83 - 5.19	

Reported on: June 10, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14154

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-19
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	121 mg CaCO ₃ /L	M-ALCA-2.0	July 06, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Barium (Ba)	0.042 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Chloride	12.5 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Copper (Cu)	0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Hardness	157 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Fluoride (F)	0.94 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Manganese (Mn)	0.023 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Molybdenum (Mo)	0.040 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Nickel (Ni)	0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Nitrate (NO ₃)	23.6 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Nitrite (NO ₂)	0.54 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Sulfate (SO ₄)	31 mg SO ₄ /L	Sous-traitance\Multilab Direct	July 12, 2011

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14154
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-19
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Arsenic (As)	<0.0005 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Copper (Cu)	0.0099 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Iron (Fe)	<0.01 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Ammonia (NH3)	1.2 mg N/L	Sous-traitance\Multilab Direct	July 27, 2011
Nickel (Ni)	0.0049 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Zinc (Zn)	0.007 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Dissolved Solids	21 mg/L	Sous-traitance\Multilab Direct	July 26, 2011

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14154
 Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Sulfate (SO ₄)	1 mg SO ₄ /L		Sous-traitance	Oui

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14154
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-19
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14154
 Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0189-2011-18d	6.9	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2805	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0189-2011-18d	0.324	0.219 - 0.347	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0407-2011-NH3	2.0	1.64 - 2.22	15.4 15.2
Dissolved Barium (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.69	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.926	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0407-2011-Cl	61.4	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.192	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.31	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0302-11-18	9.5	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0189-2011-18d	12.0	8.9 - 12.1	
Fluoride (F) mg/L	<0.1	DMR-0302-2011-F	3.6	3.57 - 4.15	0.94 0.97
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Dissolved Manganese (Mn) mg/	<0.005	DMR-0189-2011-18d	3.60	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	Dmr-0302-2011-13	0.0078	0.0059 - 0.0093	
Dissolved Molybdenum (Mo) m	<0.005	DMR-0189-2011-18d	0.639	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14154
 Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: ST-19

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.185	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.24	0.96 - 1.30		
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0407-2011-NO2	2.7	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9370	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.968	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0189-2011-18d	1.38	1.15 - 1.55		
Sulfate (SO4) mg SO4/L	<1	DMR-0407-2011-SO4	72	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1013	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.49	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0189-2011-18d	5.01	3.83 - 5.19		

Reported on: July 28, 2011

Corrected certificate, replacing the certificate V-14154 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14681	14682
Sample name:	ST-19	ST-19-DUP
Sampling date:	02-08-2011	02-08-2011
Alkalinity mg CaCO ₃ /L	109	109
Dissolved Aluminium (Al) mg/L	<0.01	<0.01
Dissolved Silver (Ag) mg/L	<0.005	<0.005
Arsenic (As) mg/L	0.0044	0.0167
Dissolved Arsenic (As) mg/L	<0.005	<0.005
Dissolved Barium (Ba) mg/L	0.015	0.014
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005
Chloride mg/L	14.5	14.5
Copper (Cu) mg/L	<0.0005	<0.0005
Dissolved Copper (Cu) mg/L	<0.005	<0.005
Hardness mg CaCO ₃ /L	187	188
Dissolved Iron (Fe) mg/L	<0.05	0.39
Fluoride (F) mg/L	0.99	1.0
Dissolved Manganese (Mn) mg/L	0.051	0.055
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005
Dissolved Molybdenum (Mo) mg/L	0.029	0.029
Ammonia (NH ₃) mg N/L	0.45	0.50
Nickel (Ni) mg/L	0.0365	0.0313
Dissolved Nickel (Ni) mg/L	0.031	0.052
Nitrate (NO ₃) mg N/L	27.118	26.516

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14681	14682
Sample name:	ST-19	ST-19-DUP
Sampling date:	02-08-2011	02-08-2011
Nitrite (NO2) mg N/L	0.482	0.484
Lead (Pb) mg/L	0.0103	<0.0003
Dissolved Lead (Pb) mg/L	0.005	<0.005
Dissolved Selenium (Se) mg/L	<0.005	<0.005
Dissolved Solids mg/L	492	470
Sulfate (SO4) mg SO4/L	114	119
Dissolved thallium (Tl) mg/L	<0.01	<0.01
Zinc (Zn) mg/L	<0.001	0.004
Dissolved Zinc mg/L	0.010	0.009

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: August 15, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Alcalinité mg CaCO ₃ /L		std Alk	141	123 - 167		
Aluminium dissous (Al) mg/L	<0.01	DMR-0302-11-18	6.2	5.26 - 7.12		
Aluminium dissous (Al) mg/L	<0.01	DMR-0302-11-18	6.2	5.26 - 7.12	<0.01	<0.01
Argent dissous (Ag) mg/L	<0.005					
Argent dissous (Ag) mg/L	<0.005				<0.005	<0.005
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3270	0.198 - 0.368		
Arsenic dissous (As) mg/L	<0.005	DMR-0302-11-18	0.327	0.219 - 0.347		
Arsenic dissous (As) mg/L	<0.005	DMR-0302-11-18	0.327	0.219 - 0.347	<0.005	<0.005
Baryum dissous (Ba) mg/L	<0.005	DMR-0302-11-18	2.67	2.0 - 2.8		
Baryum dissous (Ba) mg/L	<0.005	DMR-0302-11-18	2.67	2.0 - 2.8	0.014	0.014
Cadmium dissous (Cd) mg/L	<0.005	DMR-0302-11-18	0.982	0.8 - 1.0	<0.005	<0.005
Cadmium dissous (Cd) mg/L	<0.005	DMR-0302-11-18	0.982	0.8 - 1.0		
Chlorure (Cl) mg/L	<0.5	DMR-0427-2011-Cl	63.7	51.0 - 65.0		
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.220	1.05 - 1.43		
Cuivre dissous (Cu) mg/L	<0.005	DMR-0302-11-18	1.43	1.05 - 1.43	<0.005	<0.005
Cuivre dissous (Cu) mg/L	<0.005	DMR-0302-11-18	1.43	1.05 - 1.43		
Dureté mg CaCO ₃ /L						
Fer dissous (Fe) mg/L	<0.05	DMR-0302-11-18	11.6	8.9 - 12.1	0.39	0.37
Fer dissous (Fe) mg/L	<0.05	DMR-0302-11-18	11.6	8.9 - 12.1		
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	4.1	3.57 - 4.15		

Reported on: August 15, 2011

Lab number: 14681:14682

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011
 Sampled by: Env. Tech.
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Manganèse dissous (Mn) mg/L	<0.005	DMR-0302-11-18	4.41	3.28 - 4.44	0.055
Manganèse dissous (Mn) mg/L	<0.005	DMR-0302-11-18	4.41	3.28 - 4.44	0.048
Mercure dissous (Hg) mg/L	<0.0005	Dmr-0302-2011-13	0.0062	0.0059 - 0.0093	
Molybdène dissous (Mo) mg/L	<0.005	DMR-0302-11-18	0.711	0.599 - 0.811	
Molybdène dissous (Mo) mg/L	<0.005	DMR-0302-11-18	0.711	0.599 - 0.811	0.029
NH3 mg N/L	<0.05				
NH3 mg N/L	<0.05				0.50
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.006	0.96 - 1.30	0.51
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.165	0.96 - 1.30	
Nickel dissous (Ni) mg/L	<0.005	DMR-0302-11-18	1.11	0.96 - 1.30	
Nickel dissous (Ni) mg/L	<0.005	DMR-0302-11-18	1.11	0.96 - 1.30	0.052
Nitrates (NO3) mg N/L	0				0.049
Nitrites (NO2) mg N/L	0	DMR-0427-2011-NO2	2.7	2.25 - 3.05	
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9606	0.8 - 1.0	
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9370	0.8 - 1.0	
Plomb dissous (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0	
Plomb dissous (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0	<0.005
Sélénium dissous (Se) mg/L	<0.005	DMR-0302-11-18	1.30	1.15 - 1.55	<0.005
Sélénium dissous (Se) mg/L	<0.005	DMR-0302-11-18	1.30	1.15 - 1.55	<0.005
Solides dissous mg/L					

Reported on: August 15, 2011
 Lab number: 14681:14682

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	68	63 - 77		
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	68	63 - 77	114	116
Thallium dissous (TI) mg/L	<0.01	D TI SC0187114 1000p	982	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	5.04	3.83 - 5.19		
Zinc dissous (Zn) mg/L	<0.005	DMR-0302-11-18	5.03	3.83 - 5.19	0.009	0.007
Zinc dissous (Zn) mg/L	<0.005	DMR-0302-11-18	5.03	3.83 - 5.19		

Reported on: August 15, 2011
Lab number: 14681:14682

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15343

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	93 mg CaCO ₃ /L	M-ALCA-2.0	September 07, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Arsenic (As)	0.0010 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Barium (Ba)	0.014 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Chloride	7.4 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Copper (Cu)	0.0021 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Hardness	101 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Fluoride (F)	0.51 mg/L	Sous-traitance\Multilab Direct	September 21, 2011
Dissolved Manganese (Mn)	0.075 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 15, 2011
Dissolved Molybdenum (Mo)	0.016 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Ammonia (NH ₃)	0.07 mg N/L	Sous-traitance\Multilab Direct	September 12, 2011
Nickel (Ni)	0.0085 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Nickel (Ni)	0.008 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Nitrate (NO ₃)	11.1 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15343

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Nitrite (NO ₂)	0.28 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Lead (Pb)	0.0008 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Solids	244 mg/L	M-SOLI-2.0	September 07, 2011
Sulfate (SO ₄)	28 mg SO ₄ /L	Sous-traitance\Multilab Direct	September 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 18, 2011
Zinc (Zn)	0.002 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15343

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15343

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO ₄)	1 mg SO ₄ /L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15343
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	137	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0302-11-18	7.1	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2924	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0302-11-18	0.299	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0302-11-18	2.21	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0302-11-18	0.878	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0517-2011-CL	55.9	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.264	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0302-11-18	1.27	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0302-11-18	9.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0302-11-18	3.76	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0407-2011-13	0.0401	0.0350 - 0.0554	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0302-11-18	0.647	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.097	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0302-11-18	1.11	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15343

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9470	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0302-11-18	1.37	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0517-2011-SO4	70	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1085	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.63	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0302-11-18	4.56	3.83 - 5.19		

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16062

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	54 mg CaCO ₃ /L	M-ALCA-2.0	October 05, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Arsenic (As)	0.0072 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Barium (Ba)	0.016 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Chloride	4.3 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Copper (Cu)	0.0152 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Hardness	96 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Fluoride (F)	0.61 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Dissolved Manganese (Mn)	0.072 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Ammonia (NH ₃)	0.11 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0184 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Nitrate (NO ₃)	6.0 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16062

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Nitrite (NO ₂)	0.16 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Lead (Pb)	0.0007 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Solids	177 mg/L	M-SOLI-2.0	October 05, 2011
Sulfate (SO ₄)	34 mg SO ₄ /L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	0.030 mg/L	Sous-traitance\Multilab Direct	October 14, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16062

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16062

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO ₄)	1 mg SO ₄ /L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16062
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	151	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2957	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.315	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.54	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.978	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.337	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.40	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.17	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0403	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.682	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.224	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.20	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16062
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.6	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.984	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.55	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0607-2011-SO4	73	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	986	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	5.05	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.01	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16687

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	97 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Arsenic (As)	0.0062 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Dissolved Barium (Ba)	0.030 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Chloride	10.0 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Copper (Cu)	0.0264 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Copper (Cu)	0.011 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Hardness	124 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Fluoride (F)	0.91 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Manganese (Mn)	0.040 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Dissolved Molybdenum (Mo)	0.023 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Ammonia (NH ₃)	0.23 mg N/L	Sous-traitance\Multilab Direct	November 07, 2011
Nickel (Ni)	0.0059 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Nitrate (NO ₃)	13.2 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16687

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Nitrite (NO2)	0.27 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	0.0076 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 10, 2011
Dissolved Solids	273 mg/L	M-SOLI-2.0	November 02, 2011
Sulfate (SO4)	24 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	0.043 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Dissolved Zinc	0.036 mg/L	Sous-traitance\Multilab Direct	November 17, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16687

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16687

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO ₄)	1 mg SO ₄ /L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16687
 Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2856	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.286	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.41	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.920	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.380	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.28	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	9.6	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.81	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0412	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.651	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.104	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.09	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16687

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.5	2.25 - 3.05		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	1.00	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0687-2011-SO4	68	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	981	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.71	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.79	3.83 - 5.19		

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17372

Sampling date: December 08, 2011
Sampling hour: N/D
Date received: December 09, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Alkalinity	111 mg CaCO ₃ /L	M-ALCA-2.0	December 09, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Arsenic (As)	0.0251 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Arsenic (As)	0.008 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Barium (Ba)	0.017 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Chloride	7.9 mg/L	Sous-traitance\Multilab Direct	December 14, 2011
Copper (Cu)	0.0260 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Copper (Cu)	0.014 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Hardness	113 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Iron (Fe)	0.06 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Fluoride (F)	0.86 mg/L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved Manganese (Mn)	0.083 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 19, 2011
Dissolved Molybdenum (Mo)	0.021 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Ammonia (NH ₃)	0.34 mg N/L	Sous-traitance\Multilab Direct	December 12, 2011
Nickel (Ni)	0.0180 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Nickel (Ni)	0.007 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Nitrate (NO ₃)	10.1 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17372

Sampling date: December 08, 2011
Sampling hour: N/D
Date received: December 09, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Result	Method name	Date analyzed
Nitrite (NO ₂)	0.34 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Solids	252 mg/L	M-SOLI-2.0	December 09, 2011
Sulfate (SO ₄)	16 mg SO ₄ /L	Sous-traitance\Multilab Direct	December 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	December 21, 2011
Zinc (Zn)	0.019 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved Zinc	0.005 mg/L	Sous-traitance\Multilab Direct	December 20, 2011

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17372

Sampling date: December 08, 2011
 Sampling hour: N/D
 Date received: December 09, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	Oui

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17372

Sampling date: December 08, 2011
Sampling hour: N/D
Date received: December 09, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Nitrite (NO ₂)	0.01	mg N/L	Sous-traitance	Oui
Lead (Pb)	0.0003	mg/L	Sous-traitance	Oui
Dissolved Lead (Pb)	0.005	mg/L	Sous-traitance	
Dissolved Selenium (Se)	0.005	mg/L	Sous-traitance	
Dissolved Solids	1	mg/L	M-SOLI-2.0	
Sulfate (SO ₄)	1	mg SO ₄ /L	Sous-traitance	Oui
Dissolved thallium (Tl)	0.01	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17372
 Sampling date: December 08, 2011
 Sampling hour: N/D
 Date received: December 09, 2011
 Sampling location: ST-19
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-19

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	148	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2831	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.271	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.25	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.899	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	47.1	43 - 55	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.354	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.34	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.3	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.6	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.14	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0426	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.663	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.193	0.96 - 1.30	
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.16	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17372
Sampling date: December 08, 2011
Sampling hour: N/D
Date received: December 09, 2011
Sampling location: ST-19
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-19

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	0.9580	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.957	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.33	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0773-2011-SO4	50	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1001	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.80	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.81	3.83 - 5.19		

Reported on: December 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64006

Sampling date: January 10, 2011
Sampling hour: 07:30
Date received: January 11, 2011
Sampling location: STP-OUT
Sampled by: M. Thériault/S. Gaudreault
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 000 CFU/ml	M-BHAA-1,0	January 12, 2011
Fecal coliforms	300 000 CFU/100ml	M-COLI-1,0	January 12, 2011
Total coliforms	20 000 000 CFU/100ml	M-COLI-2,0	January 12, 2011
Atypical colonies	290 000 000 CFU/100ml	M-COLI-2,0	January 12, 2011
Temperature	10.5 °C	M-TEMP-1.0	January 11, 2011

Reported on: January 17, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 11, 2011

Sampled by: M Theriault/S Gaudreault

Matrix: Waste Water

Lab number:	12286	12287
Sample name:	STP-OUT	STP-IN
Sampling date:	10-01-2011	10-01-2011
Ammonia (NH ₃ -NH ₄) mg N/L	18.7	127
BOD-5 mg/L	77	254
COD mg/L	303	619
Total Suspended Solids mg/L	108	124
Nitrite-Nitrate mg N/L	0.03	<0.01
pH	6.23	7.78
Total Phosphorus (P) mg P/L	8.0	12.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: January 17, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 11, 2011
Sampled by: M Theriault/S Gaudreault
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0858-2010-NH3	1.9	1.58 - 2.14	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0858-2010-NH3	2.0	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0858-2010-7	200	171 - 270	
DCO mg/L	<2	DMR-0858-2010-9	323	255 - 403	
M.E.S. mg/L	<1	STD-MES	249	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0858-2010-NO2-NC	8.7	7.53 - 10.19	
pH		STD pH 7.00	6.98	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0858-2010-Ptot	1.8	1.68 - 2.14	

Reported on: January 17, 2011
Lab number: 12286:12287

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64161

Sampling date: January 17, 2011
Sampling hour: 07:30
Date received: January 18, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	100 CFU/ml	M-BHAA-1,0	January 19, 2011
Fecal coliforms	0 CFU/100ml	M-COLI-1,0	January 19, 2011
Total coliforms	4 CFU/100ml	M-COLI-2,0	January 19, 2011
Atypical colonies	< 4 CFU/100ml	M-COLI-2,0	January 19, 2011
Temperature	13.3 °C	M-TEMP-1.0	January 18, 2011

Reported on: January 24, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12335

Sampling date: January 17, 2011
Sampling hour: 07:30
Date received: January 18, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia (NH ₃ -NH ₄)	26.6 mg N/L	Sous-traitance\Multilab Direct	January 19, 2011
BOD-5	2 mg/L	Sous-traitance\Multilab Direct	January 24, 2011
COD	62 mg/L	Sous-traitance\Multilab Direct	January 20, 2011
Total Suspended Solids	8 mg/L	M-SOLI-1.0	January 19, 2011
Nitrite-Nitrate	41.4 mg N/L	Sous-traitance\Multilab Direct	January 20, 2011
pH	3.54	M-PH-2.0	January 18, 2011
Total Phosphorus (P)	13.7 mg P/L	Sous-traitance\Multilab Direct	January 21, 2011

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12335

Sampling date: January 17, 2011
Sampling hour: 07:30
Date received: January 18, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12335

Sampling date: January 17, 2011
Sampling hour: 07:30
Date received: January 18, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃ -NH ₄) mg N/L	<0.05	DMR-0858-2010-NH3	2.0	1.58 - 2.14		
BOD-5 mg/L	<1	DMR-0858-2010-7	222	171 - 270		
COD mg/L	<2	DMR-0858-2010-9	343	255 - 403		
Total Suspended Solids mg/L	<1	STD-MES	258	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	MR-0858-2010-NO2-NC	8.4	7.53 - 10.19		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.05	DMR-0858-2010-Ptot	1.9	1.68 - 2.14		

Reported on: January 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64321

Sampling date: January 24, 2011
Sampling hour: N/D
Date received: January 26, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Marti T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	4 CFU/ml	M-BHAA-1,0	January 26, 2011
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	January 26, 2011
Total coliforms	<4 CFU/100ml	M-COLI-2,0	January 26, 2011
Atypical colonies	<4 CFU/100ml	M-COLI-2,0	January 26, 2011
Temperature	4.4 °C	M-TEMP-1.0	January 26, 2011

Reported on: January 31, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: January 25, 2011

Sampled by: Martin T.

Matrix: Waste Water

Lab number:	12371	12372	12373	12374
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	24-01-2011	24-01-2011	24-01-2011	24-01-2011
Ammonia (NH ₃ -NH ₄) mg N/L	32.2	139	35.7	38.4
BOD-5 mg/L	3	302	68	43
COD mg/L	51	599	84	79
Total Suspended Solids mg/L	5	168	27	26
Nitrite-Nitrate mg N/L	44.9	<0.01	42.4	38.0
pH	3.22	7.60	4.91	6.13
Total Phosphorus (P) mg P/L	16.1	17.6	16.5	15.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: January 25, 2011

Sampled by: Martin T.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.9	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0858-2010-7	238	171 - 270	
DCO mg/L	<2	DMR-0858-2010-9	319	255 - 403	
M.E.S. mg/L	<1	STD-MES	225	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0858-2010-NO2-NC	8.7	7.53 - 10.19	
pH		STD pH 7.00	6.99	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0858-2010-Ptot	1.9	1.68 - 2.14	

Reported on: February 01, 2011
Lab number: 12371:12374

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64447

Sampling date: January 31, 2011
Sampling hour: N/D
Date received: February 01, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Philip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 CFU/ml	M-BHAA-1,0	February 02, 2011
Fecal coliforms	<2 CFU/100ml	M-COLI-1,0	February 02, 2011
Total coliforms	2 CFU/100ml	M-COLI-2,0	February 02, 2011
Atypical colonies	<2 CFU/100ml	M-COLI-2,0	February 02, 2011
Temperature	15.0 °C	M-TEMP-1.0	February 01, 2011

Reported on: February 07, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 01, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	12411	12412
Sample name:	Seprotech STP-OUT	STP-IN
Sampling date:	31-01-2011	31-01-2011
Ammonia (NH ₃ -NH ₄) mg N/L	36.8	137
BOD-5 mg/L	2	242
COD mg/L	26	310
Total Suspended Solids mg/L	6	150
Nitrite-Nitrate mg N/L	46.0	0.04
pH	3.33	7.63
Total Phosphorus (P) mg P/L	13.6	15.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: February 07, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 01, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: February 07, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 01, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.9	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0011-2011-7	207	171 - 270		
DCO mg/L	<2	DMR-0011-2011-9	311	255 - 403		
M.E.S. mg/L	<1	STD-MES	210	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0011-2011-NO2-NC	8.7	7.53 - 10.19		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0858-2010-Ptot	1.8	1.68 - 2.14		
Phosphore total (P) mg P/L	<0.05	DMR-0858-2010-Ptot	1.8	1.68 - 2.14	15.1	15.7

Reported on: February 07, 2011
Lab number: 12411:12412

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64706

Sampling date: February 14, 2011
Sampling hour: N/D
Date received: February 15, 2011
Sampling location: Seprotech STP-OUT
Sampled by: J. Kataluk
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	280 CFU/ml	M-BHAA-1,0	February 15, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	February 15, 2011
Total coliforms	10 CFU/100ml	M-COLI-2,0	February 15, 2011
Atypical colonies	2 CFU/100ml	M-COLI-2,0	February 15, 2011
Temperature	8.9 °C	M-TEMP-1.0	February 15, 2011

Reported on: February 18, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 15, 2011

Sampled by: J. Kataluk

Matrix: Waste Water

Lab number:	12471	12472	12473	12474
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	14-02-2011	14-02-2011	14-02-2011	14-02-2011
Ammonia (NH ₃ -NH ₄) mg N/L	30.1	137	31.6	29.7
BOD-5 mg/L	2	249	14	14
COD mg/L	17	310	48	50
Total Suspended Solids mg/L	6	110	260	26
Nitrite-Nitrate mg N/L	51.5	0.02	46.8	45.4
pH	3.33	7.72	4.31	3.81
Total Phosphorus (P) mg P/L	12.9	16.2	13.2	11.8

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 21, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: February 15, 2011
Sampled by: J. Kataluk
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: February 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: February 15, 2011

Sampled by: J. Kataluk

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.9	1.58 - 2.14		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.9	1.58 - 2.14	29.7	30.2
DBO5 mg/L	<1	DMR-0011-2011-7	225	171 - 270		
DCO mg/L	<2	DMR-0011-2011-9	320	255 - 403		
DCO mg/L	<2	DMR-0011-2011-9	320	255 - 403	48	48
M.E.S. mg/L	<1	STD-MES	236	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0011-2011-NO2-NC	8.9	7.53 - 10.19		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0011-2011-Ptot	1.8	1.68 - 2.14		
Phosphore total (P) mg P/L	<0.05	DMR-0011-2011-Ptot	1.8	1.68 - 2.14	11.8	11.8

Reported on: February 21, 2011
 Lab number: 12471:12474

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-64846

Sampling date: February 21, 2011
Sampling hour: N/D
Date received: February 22, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Philip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	5 CFU/ml	M-BHAA-1,0	February 22, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	February 22, 2011
Total coliforms	38 CFU/100ml	M-COLI-2,0	February 22, 2011
Atypical colonies	< 2 CFU/100ml	M-COLI-2,0	February 22, 2011
Temperature	12.4 °C	M-TEMP-1.0	February 22, 2011

Reported on: March 07, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: February 22, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	12515	12516	12517	12518
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	21-02-2011	21-02-2011	21-02-2011	21-02-2011
Ammonia (NH ₃ -NH ₄) mg N/L	33.0	133	25.0	30.8
BOD-5 mg/L	1	219	12	19
COD mg/L	27	429	60	58
Total Suspended Solids mg/L	12	196	34	28
Nitrite-Nitrate mg N/L	43.3	0.01	39.0	39.3
pH	3.33	7.43	4.53	4.96
Total Phosphorus (P) mg P/L	13.0	12.9	12.2	11.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: February 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: February 22, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0011-2011-NH3	1.9	1.58 - 2.14	
DBO5 mg/L	<1	Dmr-0104-7-2011	208	171 - 270	
DCO mg/L	<2	DMR-0011-2011-9	336	255 - 403	
M.E.S. mg/L	<1	STD-MES	280	194 - 306	
Nitrites-Nitrates mg N/L	<0.01	MR-0011-2011-NO2-NC	9.1	7.53 - 10.19	
pH		STD pH 7.00	7.01	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0011-2011-Ptot	1.8	1.68 - 2.14	
Phosphore total (P) mg P/L	<0.05	DMR-0011-2011-Ptot	1.8	1.68 - 2.14	11.0 11.4

Reported on: February 28, 2011
Lab number: 12515:12518

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65032

Sampling date: February 28, 2011
Sampling hour: N/D
Date received: March 01, 2011
Sampling location: Seprotech STP-OUT
Sampled by: P. Roy/J. Kataluk
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	90 CFU/ml	M-BHAA-1,0	March 01, 2011
Fecal coliforms	2 CFU/100ml	M-COLI-1,0	March 01, 2011
Total coliforms	32 CFU/100ml	M-COLI-2,0	March 01, 2011
Atypical colonies	420 CFU/100ml	M-COLI-2,0	March 01, 2011
Temperature	11.7 °C	M-TEMP-1.0	March 01, 2011

Reported on: March 04, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 01, 2011

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Lab number:	12562	12563	12564	12565
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	28-02-2011	28-02-2011	28-02-2011	28-02-2011
Ammonia (NH ₃ -NH ₄) mg N/L	16.2	128	24.4	24.3
BOD-5 mg/L	2	319	39	20
COD mg/L	50	519	60	45
Total Suspended Solids mg/L	21	136	52	30
Nitrite-Nitrate mg N/L	30.5	0.03	30.6	36.2
pH	3.89	7.53	6.16	4.99
Total Phosphorus (P) mg P/L	12.3	13.6	11.8	11.2

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 08, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 01, 2011

Sampled by: P.Roy/J.Kataluk

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: March 01, 2011
 Sampled by: P.Roy/J.Kataluk
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0104-2011-NH3	1.9	1.58 - 2.14	16.2	14.4
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0104-2011-NH3	1.9	1.58 - 2.14		
DBO5 mg/L	<1	Dmr-0104-7-2011	222	171 - 270		
DCO mg/L	<2	Dmr-0104-9-2011	326	255 - 403	519	527
DCO mg/L	<2	Dmr-0104-9-2011	326	255 - 403		
M.E.S. mg/L	<1	STD-MES	236	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0104-2011-NO ₂ -NC	2.9	2.41 - 3.25		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0104-2011-Ptotal	1.9	1.68 - 2.14		

Reported on: March 08, 2011
 Lab number: 12562:12565

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65198

Sampling date: March 07, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: Seprotech STP-OUT
Sampled by: M. Theriault/P. Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	166 000 CFU/ml	M-BHAA-1,0	March 08, 2011
Fecal coliforms	2 CFU/100ml	M-COLI-1,0	March 08, 2011
Total coliforms	12 CFU/100ml	M-COLI-2,0	March 08, 2011
Atypical colonies	56 CFU/100ml	M-COLI-2,0	March 08, 2011
Temperature	9.6 °C	M-TEMP-1.0	March 08, 2011

Reported on: March 11, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12600

Sampling date: March 07, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: Seprotech STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	24.5 mg N/L	Sous-traitance\Multilab Direct	March 09, 2011
BOD-5	1 mg/L	Sous-traitance\Multilab Direct	March 14, 2011
COD	17 mg/L	Sous-traitance\Multilab Direct	March 10, 2011
Total Suspended Solids	10 mg/L	M-SOLI-1.0	March 09, 2011
Nitrite-Nitrate	46.3 mg N/L	Sous-traitance\Multilab Direct	March 10, 2011
pH	3.48	M-PH-2.0	March 08, 2011
Total Phosphorus (P)	12.9 mg P/L	Sous-traitance\Multilab Direct	March 11, 2011

Reported on: March 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12600

Sampling date: March 07, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: Seprotech STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Detection limit		Method name
	Valeur	Unité	
Total Suspended Solids	1 mg/L		M-SOLI-1.0
pH	N.D.		M-PH-2.0

Reported on: March 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12600

Sampling date: March 07, 2011
Sampling hour: N/D
Date received: March 08, 2011
Sampling location: Seprotech STP-OUT
Sampled by: M.Theriault/P.Roy
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0104-2011-NH ₃	1.9	1.58 - 2.14	24.5	23.1
BOD-5 mg/L	<1	Dmr-0104-7-2011	201	171 - 270		
COD mg/L	<2	Dmr-0104-9-2011	338	255 - 403		
Total Suspended Solids mg/L	<1	STD-MES	256	194 - 306		
Nitrite-Nitrate mg N/L	<0.01	MR-0104-2011-NO ₂ -NC	3.0	2.41 - 3.25		
pH		STD pH 7.00	6.99	6.96 - 7.04		
Total Phosphorus (P) mg P/L	<0.05	DMR-0104-2011-Ptotal	1.8	1.68 - 2.14		

Reported on: March 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65434

Sampling date: March 15, 2011
Sampling hour: N/D
Date received: March 16, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 CFU/ml	M-BHAA-1,0	March 16, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	March 16, 2011
Total coliforms	8 CFU/100ml	M-COLI-2,0	March 16, 2011
Atypical colonies	14 CFU/100ml	M-COLI-2,0	March 16, 2011
Temperature	15.3 °C	M-TEMP-1.0	March 16, 2011

Reported on: March 28, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Lab number:	12636	12637	12638	12639
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	15-03-2011	15-03-2011	15-03-2011	15-03-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	10.1	71.7	0.71	2.1
BOD-5 mg/L	2	250	28	18
COD mg/L	29	361	31	47
Total Suspended Solids mg/L	33	174	25	30
Nitrite-Nitrate mg N/L	37.7	0.01	19.8	30.5
pH	3.70	6.82	6.02	5.22
Total Phosphorus (P) mg P/L	12.4	8.8	9.0	9.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 21, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 16, 2011

Sampled by: Martin Theriault

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0104-2011-NH ₃	1.7	1.58 - 2.14		
DBO ₅ mg/L	<1	Dmr-0104-7-2011	228	171 - 270		
DBO ₅ mg/L	<1	Dmr-0104-7-2011	235	171 - 270		
DCO mg/L	<2	Dmr-0104-9-2011	321	255 - 403		
DCO mg/L	<2	Dmr-0104-9-2011	321	255 - 403	29	28
M.E.S. mg/L	<1	STD-MES	246	194 - 306		
Nitrites-Nitrates mg N/L	<0.01	MR-0104-2011-NO ₂ -NC	3.0	2.41 - 3.25		
pH	---	STD pH 7.00	7.01	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0104-2011-Ptotal	1.8	1.68 - 2.14		

Reported on: March 21, 2011

Lab number: 12636:12639

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65595

Sampling date: March 22, 2011
Sampling hour: N/D
Date received: March 23, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 200 CFU/ml	M-BHAA-1,0	March 23, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	March 23, 2011
Total coliforms	4 CFU/100ml	M-COLI-2,0	March 23, 2011
Atypical colonies	18 CFU/100ml	M-COLI-2,0	March 23, 2011
Temperature	11.0 °C	M-TEMP-1.0	March 23, 2011

Reported on: March 28, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 23, 2011

Sampled by: Martin T.

Matrix: Waste Water

Lab number:	12688	12689	12690
Sample name:	Seprotech STP-OUT	LJ(1) OUT	LJ(2) OUT
Sampling date:	22-03-2011	22-03-2011	22-03-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg N/L	6.8	19.1	25.2
BOD-5 mg/L	2	32	34
COD mg/L	22	53	51
Total Suspended Solids mg/L	7	23	26
Nitrate (NO ₃) mg N/L	32.1	39.9	44.1
Nitrite (NO ₂) mg N/L	0.03	0.02	0.02
pH	3.52	3.95	3.82
Total Phosphorus (P) mg P/L	12.6	13.5	12.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: March 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 23, 2011

Sampled by: Martin T.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	2.0	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0189-2011-7	214	160 - 252	
DCO mg/L	<2	DMR-0189-2011	330	255 - 403	
M.E.S. mg/L	<1	STD-MES 50mg/L	39	39 - 61	
Nitrates (NO ₃) mg N/L	<0.01				
Nitrites (NO ₂) mg N/L	<0.01	DMR-0104-2011-NO2	2.6	2.25 - 3.05	
pH		STD pH 7.00	6.99	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0104-2011-Ptotal	1.9	1.68 - 2.14	

Reported on: March 28, 2011
Lab number: 12688:12690

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65704

Sampling date: March 29, 2011
Sampling hour: N/D
Date received: March 30, 2011
Sampling location: Seprotech STP-OUT
Sampled by: J. Kataluk/P. Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 CFU/ml	M-BHAA-1,0	March 30, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	March 30, 2011
Total coliforms	6 CFU/100ml	M-COLI-2,0	March 30, 2011
Atypical colonies	14 CFU/100ml	M-COLI-2,0	March 30, 2011
Temperature	12.4 °C	M-TEMP-1.0	March 30, 2011

Reported on: April 04, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: March 30, 2011

Sampled by: Jamie K/Philip R.

Matrix: Waste Water

Lab number:	12728	12729	12730	12731
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	29-03-2011	29-03-2011	29-03-2011	29-03-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	8.8	78.5	12.9	14.7
BOD-5 mg/L	1	225	33	28
COD mg/L	50	657	94	102
Total Suspended Solids mg/L	6	126	36	42
Nitrite-Nitrate mg N/L	30.6	0.02	36.8	39.6
pH	3.53	6.96	3.93	3.77
Total Phosphorus (P) mg P/L	8.0	8.7	9.6	9.3

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 05, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: March 30, 2011
Sampled by: Jamie K/Philip R.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 05, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: March 30, 2011
Sampled by: Jamie K/Philip R.
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.9	1.58 - 2.14	
DBO5 mg/L	<1	DMR-0189-2011-7	198	160 - 252	
DCO mg/L	<2	DMR-0189-2011	354	255 - 403	
M.E.S. mg/L	<1	STD-MES 50mg/L	51	39 - 61	
Nitrites-Nitrates mg N/L	<0.01	MR-0189-2011-NO2-NC	3	2.41 - 3.25	
pH		STD pH 7.00	7.03	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0189-2011-Ptot	1.9	1.68 - 2.14	

Reported on: April 05, 2011
Lab number: 12728:12731

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65894

Sampling date: April 04, 2011
Sampling hour: N/D
Date received: April 05, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Martin T.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 CFU/ml	M-BHAA-1,0	April 06, 2011
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	April 06, 2011
Total coliforms	20 CFU/100ml	M-COLI-2,0	April 06, 2011
Atypical colonies	184 CFU/100ml	M-COLI-2,0	April 06, 2011
Temperature	10.0 °C	M-TEMP-1.0	April 05, 2011

Reported on: April 11, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 05, 2011

Sampled by: Martin T.

Matrix: Waste Water

Lab number:	12777	12778	12779	12780
Sample name:	Seprotech STP-OUT-dup	Seprotech STP-OUT	LJ(1) OUT	LJ(2) STP
Sampling date:	04-04-2011	04-04-2011	04-04-2011	04-04-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	10.3	17.9	21.6	25.6
BOD-5 mg/L	1	2	43	46
COD mg/L	33	34	88	112
Total Suspended Solids mg/L	6	5	47	43
Nitrate (NO ₃) mg N/L	32.1	33.2	43.9	44.0
Nitrite (NO ₂) mg N/L	0.01	0.01	0.02	0.35
pH	4.07	4.05	4.65	5.59
Total Phosphorus (P) mg P/L	10.9	10.8	11.6	10.5

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 12, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 05, 2011

Sampled by: Martin T.

Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 12, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 05, 2011

Sampled by: Martin T.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.9	1.58 - 2.14		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.9	1.58 - 2.14	21.6	21.6
DBO5 mg/L	<1	DMR-0189-2011-7	199	160 - 252		
DCO mg/L	<2	DMR-0189-2011	331	255 - 403		
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrates (NO ₃) mg N/L	<0.01				44.0	45.7
Nitrites (NO ₂) mg N/L	<0.01	DMR-0189-2011-NO2	2.6	2.25 - 3.05		
Nitrites (NO ₂) mg N/L	<0.01	DMR-0189-2011-NO2	2.6	2.25 - 3.05	0.35	0.35
pH		STD pH 7.00	7.00	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0189-2011-Ptot	1.7	1.68 - 2.14		

Reported on: April 12, 2011
Lab number: 12777:12780

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-65974

Sampling date: April 11, 2011
Sampling hour: N/D
Date received: April 12, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Steve G.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	400 CFU/ml	M-BHAA-1,0	April 12, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	April 12, 2011
Total coliforms	4 CFU/100ml	M-COLI-2,0	April 12, 2011
Atypical colonies	356 CFU/100ml	M-COLI-2,0	April 12, 2011
Temperature	13.3 °C	M-TEMP-1.0	April 12, 2011

Reported on: April 15, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 12, 2011

Sampled by: Steve G.

Matrix: Waste Water

Lab number:	12852	12853	12854
Sample name:	Seprotech STP-OUT	LJ(1) OUT	LJ(2) STP
Sampling date:	11-04-2011	11-04-2011	11-04-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	15.1	34.3	37.6
BOD-5 mg/L	3	42	55
COD mg/L	51	130	127
Total Suspended Solids mg/L	2	36	38
Nitrate (NO ₃) mg N/L	36.0	43.3	36.7
Nitrite (NO ₂) mg N/L	0.01	1.1	1.7
pH	4.06	6.28	6.71
Total Phosphorus (P) mg P/L	14.2	15.4	15.1

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 19, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 12, 2011
Sampled by: Steve G.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 12, 2011

Sampled by: Steve G.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.9	1.58 - 2.14		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	1.9	1.58 - 2.14	34.3	34.5
DBO5 mg/L	<1	DMR-0189-2011-7	202	160 - 252		
DCO mg/L	<2	DMR-0189-2011	353	255 - 403		
M.E.S. mg/L	<1	STD-MES 50mg/L	50	39 - 61		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0189-2011-NO2	2.7	2.25 - 3.05		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0189-2011-Ptot	1.9	1.68 - 2.14		

Reported on: April 19, 2011
Lab number: 12852:12854

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-66147

Sampling date: April 18, 2011
Sampling hour: N/D
Date received: April 19, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 CFU/ml	M-BHAA-1,0	April 19, 2011
Fecal coliforms	134 CFU/100ml	M-COLI-1,0	April 19, 2011
Total coliforms	400 CFU/100ml	M-COLI-2,0	April 19, 2011
Atypical colonies	8 900 CFU/100ml	M-COLI-2,0	April 19, 2011
Temperature	11.9 °C	M-TEMP-1.0	April 19, 2011

Reported on: April 26, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12956	12957	12958
Sample name:	Seprotech STP-OUT	LJ(1) OUT	LJ(2) STP
Sampling date:	18-04-2011	18-04-2011	18-04-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	25.4	39.0	27.1
BOD-5 mg/L	3	31	20
COD mg/L	81	124	95
Total Suspended Solids mg/L	12	58	41
Nitrite-Nitrate mg N/L	36.6	36.4	47.5
pH	5.79	6.61	5.63
Total Phosphorus (P) mg P/L	13.3	13.5	13.7

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 27, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 19, 2011
Sampled by: Env. Tech
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 27, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	2.1	1.58 - 2.14		
DBO5 mg/L	<1	DMR-0262-2011-7	205	160 - 252		
DCO mg/L	<2	DMR-0189-2011	332	255 - 403		
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61	12	14
M.E.S. mg/L	<1	STD-MES 50mg/L	52	39 - 61		
Nitrites-Nitrates mg N/L	<0.01	MR-0189-2011-NO2-NC	3.0	2.41 - 3.25		
pH		STD pH 7.00	6.99	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0189-2011-Ptot	1.9	1.68 - 2.14		
Phosphore total (P) mg P/L	<0.05	DMR-0189-2011-Ptot	1.9	1.68 - 2.14	13.7	13.7

Reported on: April 27, 2011
Lab number: 12956:12958

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-66346

Sampling date: April 26, 2011
Sampling hour: N/D
Date received: April 27, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 140 CFU/ml	M-BHAA-1,0	April 27, 2011
Fecal coliforms	16 CFU/100ml	M-COLI-1,0	April 27, 2011
Total coliforms	100 CFU/100ml	M-COLI-2,0	April 27, 2011
Atypical colonies	6 200 CFU/100ml	M-COLI-2,0	April 27, 2011
Temperature	16.2 °C	M-TEMP-1.0	April 27, 2011

Reported on: May 02, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13034	13035	13036	13037
Sample name:	Seprotech STP-OUT	STP-IN	LJ(1) OUT	LJ(2) OUT
Sampling date:	26-04-2011	26-04-2011	26-04-2011	26-04-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	15.3	106	25.2	26.7
BOD-5 mg/L	5	220	48	17
COD mg/L	33	398	48	35
Total Suspended Solids mg/L	6	155	19	13
Nitrite-Nitrate mg N/L	33.2	0.02	40.5	47.4
pH	4.12	7.31	5.42	4.01
Total Phosphorus (P) mg P/L	12.5	14.0	12.0	12.2

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 02, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 27, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH3	2.0	1.64 - 2.22	
DBO5 mg/L	<1	DMR-0262-2011-7	209	160 - 252	
DCO mg/L	<2	DMR-0262-2011-9	296	235 - 371	
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61	
Nitrites-Nitrates mg N/L	<0.01	MR-0262-2011-NO2-NC	2.8	2.41 - 3.25	
pH		STD pH 7.00	7.00	6.96 - 7.04	
Phosphore total (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.9	1.72 - 2.20	

Reported on: May 02, 2011
Lab number: 13034:13037

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-66568

Sampling date: May 02, 2011
Sampling hour: N/D
Date received: May 03, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env tech
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	280 CFU/ml	M-BHAA-1,0	May 04, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	May 04, 2011
Total coliforms	32 CFU/100ml	M-COLI-2,0	May 04, 2011
Atypical colonies	136 CFU/100ml	M-COLI-2,0	May 04, 2011
Temperature	13.7 °C	M-TEMP-1.0	May 03, 2011

Reported on: May 11, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13112	13113	13114
Sample name:	Seprotech STP-OUT	LJ(1) OUT	LJ(2) STP
Sampling date:	02-05-2011	02-05-2011	02-05-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	7.6	20.5	18.3
BOD-5 mg/L	1	17	23
COD mg/L	59	54	56
Total Suspended Solids mg/L	6	21	19
Nitrate (NO ₃) mg N/L	27.9	32.8	32.9
Nitrite (NO ₂) mg N/L	<0.01	0.01	0.03
Total Phosphorus (P) mg P/L	11.3	10.9	11.0

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 10, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 03, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: May 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 03, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH3	1.8	1.64 - 2.22		
DBO5 mg/L	<1	DMR-0262-2011-7	208	160 - 252		
DCO mg/L	<2	DMR-0262-2011-9	300	235 - 371		
M.E.S. mg/L	<1	STD-MES 50mg/L	49	39 - 61		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrates (NO ₃) mg N/L	<0.01				32.9	32.8
Nitrites (NO ₂) mg N/L	<0.01	DMR-0262-2011-NO2	2.7	2.25 - 3.05		
Nitrites (NO ₂) mg N/L	<0.01	DMR-0262-2011-NO2	2.7	2.25 - 3.05	0.03	0.03
Phosphore total (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.9	1.72 - 2.20	11.3	11.3
Phosphore total (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.9	1.72 - 2.20		

Reported on: May 10, 2011

Lab number: 13112:13114

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-66771

Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	780 CFU/ml	M-BHAA-1,0	May 11, 2011
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	May 11, 2011
Total coliforms	< 10 CFU/100ml	M-COLI-2,0	May 11, 2011
Atypical colonies	340 CFU/100ml	M-COLI-2,0	May 11, 2011
Temperature	13.8 °C	M-TEMP-1.0	May 10, 2011

Reported on: May 16, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 10, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13263	13264	13265
Sample name:	Seprotech STP-OUT	LJ (1) OUT	LJ (2) STP
Sampling date:	09-05-2011	09-05-2011	09-05-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	5.6	14.4	19.5
BOD-5 mg/L	2	12	66
COD mg/L	36	84	81
Total Suspended Solids mg/L	25	44	35
Nitrate (NO ₃) mg N/L	27.5	34.6	37.2
Nitrite (NO ₂) mg N/L	<0.01	0.01	1.9
Total Phosphorus (P) mg P/L	12.3	12.3	13.2

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 16, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13265
Sampling date: May 09, 2011
Sampling hour: N/D
Date received: May 10, 2011
Sampling location: LJ (2) STP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: LJ (2) STP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0262-2011-7	201	160 - 252		
COD mg/L	<2	DMR-0262-2011-9	300	235 - 371	81	79
Total Suspended Solids mg/L	<1	STD-MES 50mg/L	59	39 - 61		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0262-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.8	1.72 - 2.20		

Reported on: May 24, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-66941

Sampling date: May 16, 2011
Sampling hour: N/D
Date received: May 17, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	May 18, 2011
Total coliforms	104 CFU/100ml	M-COLI-2,0	May 18, 2011
Atypical colonies	148 CFU/100ml	M-COLI-2,0	May 18, 2011
Temperature	14.8 °C	M-TEMP-1.0	May 17, 2011
AAHB	900 CFU/ml	M-BHAA-1,0	May 18, 2011

Reported on: May 24, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 17, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	13387	13388	13389	13390
Sample name:	Seprotech STP-OUT	STP-IN	LJ (1) OUT	LJ (2) STP
Sampling date:	16-05-2011	16-05-2011	16-05-2011	16-05-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	6.5	111	16.1	13.7
BOD-5 mg/L	2	248	10	13
COD mg/L	22	529	57	31
Total Suspended Solids mg/L	8	216	20	21
Nitrite-Nitrate mg N/L	37.9	0.01	28.8	36.5
pH	3.85	7.09	4.40	4.18
Total Phosphorus (P) mg P/L	11.3	13.5	11.3	11.5

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

F-02-13
Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 17, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Detection limit			
Parameter	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 17, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0262-2011-NH3	2.0	1.64 - 2.22		
DBO5 mg/L	<1	DMR-0302-7-2011	212	160 - 252		
DCO mg/L	<2	DMR-0262-2011-9	306	235 - 371		
M.E.S. mg/L	<1	STD-MES 50mg/L	47	39 - 61		
Nitrites-Nitrates mg N/L	<0.01	MR-0262-2011-NO2-NC	2.9	2.41 - 3.25		
Nitrites-Nitrates mg N/L	<0.01	MR-0262-2011-NO2-NC	2.9	2.41 - 3.25	36.5	37.4
pH		STD pH 7.00	7.02	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.8	1.72 - 2.20	11.3	11.6
Phosphore total (P) mg P/L	<0.05	DMR-0262-2011-Ptot	1.8	1.72 - 2.20		

Reported on: May 25, 2011

Lab number: 13387:13390

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-67030

Sampling date: May 23, 2011
Sampling hour: N/D
Date received: May 24, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 760 CFU/ml	M-BHAA-1,0	May 24, 2011
Fecal coliforms	2 CFU/100ml	M-COLI-1,0	May 24, 2011
Total coliforms	80 CFU/100ml	M-COLI-2,0	May 24, 2011
Atypical colonies	890 CFU/100ml	M-COLI-2,0	May 24, 2011
Temperature	15.4 °C	M-TEMP-1.0	May 24, 2011

Reported on: May 27, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13490	13491	13492
Sample name:	Seprotech STP-OUT	LJ (1) OUT	LJ (2) STP
Sampling date:	23-05-2011	23-05-2011	23-05-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	11.2	20.5	24.1
BOD-5 mg/L	2	13	36
COD mg/L	32	41	52
Total Suspended Solids mg/L	9	22	21
Nitrite-Nitrate mg N/L	31.7	41.6	40.5
pH	4.57	4.94	5.37
Total Phosphorus (P) mg P/L	13.2	12.6	12.6

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: May 31, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: May 24, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: May 31, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 24, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.9	1.64 - 2.22		
DBO5 mg/L	<1	DMR-0302-7-2011	207	160 - 252		
DCO mg/L	<2	DMR-0262-2011-9	304	235 - 371		
M.E.S. mg/L	<1	STD-MES 50mg/L	54	39 - 61		
Nitrites-Nitrates mg N/L	<0.01	MR-0302-2011-NO2-NC	2.9	2.41 - 3.25		
Nitrites-Nitrates mg N/L	<0.01	MR-0302-2011-NO2-NC	2.8	2.41 - 3.25		
pH		STD pH 7.00	7.03	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.9	1.72 - 2.20	12.6	12.8
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.9	1.72 - 2.20		

Reported on: May 31, 2011
Lab number: 13490:13492

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-67293

Sampling date: May 30, 2011
Sampling hour: N/D
Date received: May 31, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 CFU/ml	M-BHAA-1,0	May 31, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	May 31, 2011
Total coliforms	48 CFU/100ml	M-COLI-2,0	May 31, 2011
Atypical colonies	428 CFU/100ml	M-COLI-2,0	May 31, 2011
Temperature	16.9 °C	M-TEMP-1.0	May 31, 2011

Reported on: June 03, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13600	13601	13602	13603
Sample name:	Seprotech STP-OUT	STP-IN	LJ (1) OUT	LJ (2) OUT
Sampling date:	30-05-2011	30-05-2011	30-05-2011	30-05-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	9.7	123	10.0	29.9
BOD-5 mg/L	3	169	15	12
COD mg/L	16	341	23	22
Total Suspended Solids mg/L	4	124	25	37
Nitrite-Nitrate mg N/L	33.8	0.01	33.6	27.1
pH	4.35	7.61	5.58	7.06
Total Phosphorus (P) mg P/L	13.6	13.0	12.5	11.8

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: May 31, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.9	1.64 - 2.22		
DBO5 mg/L	<1	DMR-0302-7-2011	208	160 - 252		
DCO mg/L	<2	DMR-0262-2011-9	327	235 - 371		
DCO mg/L	<2	DMR-0262-2011-9	327	235 - 371	16	15
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	4	4
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrites-Nitrates mg N/L	<0.01	MR-0302-2011-NO2-NC	2.8	2.41 - 3.25		
Nitrites-Nitrates mg N/L	<0.01	MR-0302-2011-NO2-NC	2.8	2.41 - 3.25	27.1	27.4
pH		STD pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: June 08, 2011

Lab number: 13600:13603

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-67524

Sampling date: June 06, 2011
Sampling hour: N/D
Date received: June 07, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	1 530 CFU/ml	M-BHAA-1,0	June 07, 2011
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	June 07, 2011
Total coliforms	10 CFU/100ml	M-COLI-2,0	June 07, 2011
Atypical colonies	300 CFU/100ml	M-COLI-2,0	June 07, 2011
Temperature	19.0 °C	M-TEMP-1.0	June 07, 2011

Reported on: June 10, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 07, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	13716	13717	13718	13719
Sample name:	Seprotech STP-OUT	DUPSeprotechSTP-OUT	LJ (1) OUT	LJ (2) OUT
Sampling date:	06-06-2011	06-06-2011	06-06-2011	06-06-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	17.0	13.2	17.9	24.8
BOD-5 mg/L	4	4	52	42
COD mg/L	30	31	69	67
Total Suspended Solids mg/L	7	9	24	29
Nitrate (NO ₃) mg N/L	36.4	36.7	31.3	33.3
Nitrite (NO ₂) mg N/L	0.01	0.01	0.51	3.6
pH	4.45	---	6.52	6.36
Total Phosphorus (P) mg P/L	11.6	11.0	12.3	11.4

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: June 27, 2011

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 07, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.9	1.64 - 2.22	17.9	17.6
DBO5 mg/L	<1	DMR-0302-7-2011	211	160 - 252		
DCO mg/L	<2	DMR-0302-2011-9-DCO	308	255 - 403		
DCO mg/L	<2	DMR-0302-2011-9-DCO	308	255 - 403	31	31
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0302-2011-NO2	2.7	2.25 - 3.05		
pH		STD pH 7.00	7.04	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: June 27, 2011

Lab number: 13716:13719

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-67749

Sampling date: June 13, 2011
Sampling hour: N/D
Date received: June 14, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Philip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 460 CFU/ml	M-BHAA-1,0	June 14, 2011
Fecal coliforms	18 CFU/100ml	M-COLI-1,0	June 14, 2011
Total coliforms	130 CFU/100ml	M-COLI-2,0	June 14, 2011
Atypical colonies	1 520 CFU/100ml	M-COLI-2,0	June 14, 2011
Temperature	17.9 °C	M-TEMP-1.0	June 14, 2011

Reported on: June 17, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 14, 2011
Sampled by: Philip Roy
Matrix: Waste Water

Lab number:	13827	13828	13829
Sample name:	Seprotech STP-OUT	LJ (1) OUT	LJ (2) STP
Sampling date:	13-06-2011	13-06-2011	13-06-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	16.4	8.2	12.9
BOD-5 mg/L	3	20	36
COD mg/L	41	68	71
Total Suspended Solids mg/L	9	20	21
Nitrite-Nitrate mg N/L	41.2	33.0	34.3
pH	4.52	5.37	6.24
Total Phosphorus (P) mg P/L	11.8	12.1	11.9

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: June 21, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: June 14, 2011
Sampled by: Philip Roy
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0
pH	N.D.		M-PH-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are signed on the results summary

Reported on: June 21, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: June 14, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH ₃	2.0	1.64 - 2.22		
DBO ₅ mg/L	<1	MR-0407-2011-7-DBO ₅	201	160 - 252		
DCO mg/L	<2	DMR-0302-2011-9-DCO	299	255 - 403	68	65
DCO mg/L	<2	DMR-0302-2011-9-DCO	299	255 - 403		
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	9	10
Nitrites-Nitrates mg N/L	<0.01	MR-0407-2011-NO ₂ -NC	2.9	2.41 - 3.25		
pH		STD pH 7.00	6.96	6.96 - 7.04		
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: June 21, 2011
 Lab number: 13827:13829

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-67996

Sampling date: June 20, 2011
Sampling hour: N/D
Date received: June 21, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Phillip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 CFU/ml	M-BHAA-1,0	June 21, 2011
Fecal coliforms	90 CFU/100ml	M-COLI-1,0	June 21, 2011
Total coliforms	< 1 000 CFU/100ml	M-COLI-2,0	June 21, 2011
Atypical colonies	35 000 CFU/100ml	M-COLI-2,0	June 21, 2011
Temperature	14.1 °C	M-TEMP-1.0	June 21, 2011

Reported on: June 27, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 21, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	13952	13953	13954	13955	13956
Sample name:	Seprotech STP-OUT	DUPSeprotechSTP-OUT	STP-IN	LJ (1) OUT	LJ (2) OUT
Sampling date:	20-06-2011	20-06-2011	20-06-2011	20-06-2011	20-06-2011
BOD-5 mg/L	8	9	61	46	46
COD mg/L	74	62	567	86	93
Total Suspended Solids mg/L	10	12	138	28	22
Ammonia (NH3) mg N/L	<0.05	<0.05	4.8	0.43	<0.05
Nitrate (NO3) mg N/L	36.9	37.2	<0.01	32.6	30.2
Nitrite (NO2) mg N/L	0.05	0.04	<0.01	0.45	2.2
Total Phosphorus (P) mg P/L	11.9	11.4	11.9	11.3	11.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 21, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
DBO5 mg/L	<1	DMR-0407-2011-7-DBO5	211	160 - 252	
DCO mg/L	<2	DMR-0407-2011-9-DCO	306	235 - 371	
DCO mg/L	<2	DMR-0407-2011-9-DCO	306	235 - 371	74 70
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	
NH3 mg N/L	<0.05				
Nitrates (NO3) mg N/L	<0.01				
Nitrites (NO2) mg N/L	<0.01	DMR-0407-2011-NO2	2.7	2.25 - 3.05	
Phosphore total (P) mg P/L	<0.05	DMR-0302-2011-Ptotal	1.8	1.72 - 2.20	

Reported on: June 28, 2011
Lab number: 13952:13956

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-68331

Sampling date: June 27, 2011
Sampling hour: N/D
Date received: June 29, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 CFU/ml	M-BHAA-1,0	June 29, 2011
Fecal coliforms	44 CFU/100ml	M-COLI-1,0	June 29, 2011
Total coliforms	>20 000 CFU/100ml	M-COLI-2,0	June 29, 2011
Atypical colonies	> 20 000 CFU/100ml	M-COLI-2,0	June 29, 2011
Temperature	15.8 °C	M-TEMP-1.0	June 29, 2011

Reported on: July 04, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14025

Sampling date: June 27, 2011
Sampling hour: N/D
Date received: June 28, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	11 mg/L	Sous-traitance\Multilab Direct	July 04, 2011
COD	66 mg/L	Sous-traitance\Multilab Direct	July 04, 2011
Total Suspended Solids	25 mg/L	M-SOLI-1.0	June 29, 2011
Nitrate (NO3)	38.7 mg N/L	Sous-traitance\Multilab Direct	June 30, 2011
Nitrite (NO2)	0.04 mg N/L	Sous-traitance\Multilab Direct	June 30, 2011
Total Phosphorus (P)	12.3 mg P/L	Sous-traitance\Multilab Direct	June 30, 2011
Ammonia nitrogen (NH3-NH4)	18.6 mg N/L	Sous-traitance\Multilab Direct	June 29, 2011
BOD-5 replicata 2	9 mg/L	Sous-traitance\Multilab Direct	July 18, 2011

Reported on: July 21, 2011

Corrected certificate, replacing the certificate V-14025 done on July 19 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14025

Sampling date: June 27, 2011
Sampling hour: N/D
Date received: June 28, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui
Ammonia nitrogen (NH3-NH4)	0.01 mg N/L		Sous-traitance	Oui
BOD-5	1 mg/L		Sous-traitance	Oui

Reported on: July 21, 2011

Corrected certificate, replacing the certificate V-14025 done on July 19 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14025

Sampling date: June 27, 2011
Sampling hour: N/D
Date received: June 28, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Env. Tech
Matrix: Waste Water
Sample name: Seprotech STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.05	DMR-0407-200-NH ₃	2.00	1.64 - 2.22		
BOD-5 mg/L	<1	MR-0407-2011-7-DBO ₅	219	160 - 252		
COD mg/L	<2	DMR-0407-2011-9-DCO	327	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrite (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO ₂	2.70	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.05	DMR-0407-2011-Ptot	1.80	1.72 - 2.20		

Reported on: July 21, 2011

Corrected certificate, replacing the certificate V-14025 done on July 19 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-68549

Sampling date: July 04, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	9 900 CFU/ml	M-BHAA-1,0	July 06, 2011
Fecal coliforms	< 4 CFU/100ml	M-COLI-1,0	July 06, 2011
Total coliforms	600 CFU/100ml	M-COLI-2,0	July 06, 2011
Atypical colonies	9 900 CFU/100ml	M-COLI-2,0	July 06, 2011
Temperature	21.5 °C	M-TEMP-1.0	July 06, 2011

Reported on: July 11, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	14089	14090
Sample name:	STP-OUT	STP-OUT-DUP
Sampling date:	04-07-2011	04-07-2011
BOD-5 mg/L	4	7
COD mg/L	54	70
Total Suspended Solids mg/L	16	17
Ammonia (NH3) mg N/L	<0.05	<0.05
Nitrate (NO3) mg N/L	39.4	38.0
Nitrite (NO2) mg N/L	<0.01	<0.01
Total Phosphorus (P) mg P/L	11.8	11.9

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 19, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 05, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
DBO5 mg/L	<1	DMR-0407-2011-7-DBO5	216	160 - 252	
DCO mg/L	<2	DMR-0407-2011-9-DCO	318	235 - 371	
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	
NH3 mg N/L	<0.05				
Nitrates (NO3) mg N/L	<0.01				
Nitrites (NO2) mg N/L	<0.01	DMR-0407-2011-NO2	2.7	2.25 - 3.05	
Phosphore total (P) mg P/L	<0.01	DMR-0407-2011-Ptot	1.8	1.72 - 2.20	

Reported on: July 19, 2011
Lab number: 14089:14090

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-68850

Sampling date: July 12, 2011
Sampling hour: N/D
Date received: July 13, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Philip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	2 CFU/100ml	M-COLI-1,0	July 14, 2011
Total coliforms	10 CFU/100ml	M-COLI-2,0	July 14, 2011
Atypical colonies	< 10 CFU/100ml	M-COLI-2,0	July 14, 2011
Temperature	16.1 °C	M-TEMP-1.0	July 13, 2011
AAHB	400 CFU/ml	M-BHAA-1,0	July 14, 2011

Reported on: July 18, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	14316	14317	14318	14319	14320
Sample name:	STP-OUT	STP-IN	Seprotech -OUT	LJ (1) OUT	LJ (2) OUT
Sampling date:	12-07-2011	12-07-2011	12-07-2011	12-07-2011	12-07-2011
BOD-5 mg/L	49	296	4	35	37
COD mg/L	178	661	59	101	93
Total Suspended Solids mg/L	20	165	8	21	14
Nitrate (NO3) mg N/L	14.8	0.02	40.9	18.9	16.4
Nitrite (NO2) mg N/L	3.7	0.05	<0.01	2.5	2.5
Total Phosphorus (P) mg P/L	9.5	14.3	11.8	13.9	13.0
Ammonia (NH3) mg N/L	0.13	1.3	<0.05	<0.05	<0.05

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: July 13, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Total Suspended Solids	1	mg/L	M-SOLI-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: July 28, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: July 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0407-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0407-2011-NH3	1.9	1.64 - 2.22	54.3	53.4
DBO5 mg/L	<1	DMR-0427-2011-7-DBO5	206	160 - 252		
DCO mg/L	<2	DMR-0407-2011-9-DCO	311	235 - 371	178	178
DCO mg/L	<2	DMR-0407-2011-9-DCO	311	235 - 371		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
NH ₃ mg N/L						
Nitrates (NO ₃) mg N/L	<0.01					
Nitrates (NO ₃) mg N/L	<0.01				16.4	16.4
Nitrites (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO2	2.6	2.25 - 3.05		
Nitrites (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO2	2.6	2.25 - 3.05	2.5	2.5
Phosphore total (P) mg P/L	<0.01	DMR-0407-2011-Ptot	2.0	1.72 - 2.20		

Reported on: July 28, 2011
 Lab number: 14316:14320

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-68998

Sampling date: July 18, 2011
Sampling hour: N/D
Date received: July 20, 2011
Sampling location: Seprotech STP-OUT
Sampled by: Phillip Roy
Matrix: Waste water
Sample name: Seprotech STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	710 CFU/ml	M-BHAA-1,0	July 20, 2011
Fecal coliforms	< 2 CFU/100ml	M-COLI-1,0	July 20, 2011
Total coliforms	20 CFU/100ml	M-COLI-2,0	July 20, 2011
Atypical colonies	900 CFU/100ml	M-COLI-2,0	July 20, 2011
Temperature	21.6 °C	M-TEMP-1.0	July 20, 2011

Reported on: July 25, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Lab number:	14429	14430
Sample name:	Seprotech -OUT	LJ MIX
Sampling date:	18-07-2011	18-07-2011
BOD-5 mg/L	4	12
COD mg/L	41	61
Total Suspended Solids mg/L	11	32
Nitrate (NO3) mg N/L	43.0	34.3
Nitrite (NO2) mg N/L	0.01	0.71
Total Phosphorus (P) mg P/L	13.8	13.7
Ammonia (NH3) mg N/L	<0.05	<0.05

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 25, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: July 19, 2011

Sampled by: Philip Roy

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	12
DBO5 mg/L	<1	DMR-0427-2011-7-DBO5	206	160 - 252	
DCO mg/L	<2	DMR-0427-2011-9-DCO	274	235 - 371	
M.E.S. mg/L	<1	STD-MES 25mg/L	24	19 - 31	
NH3 mg N/L	<0.05				
Nitrates (NO3) mg N/L	<0.01				
Nitrites (NO2) mg N/L	<0.01	DMR-0427-2011-NO2	2.6	2.25 - 3.05	
Phosphore total (P) mg P/L	<0.05	DMR-0427-2011-Ptotal	2.0	1.72 - 2.20	

Reported on: July 25, 2011
Lab number: 14429:14430

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-69280

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 26, 2011
Sampling location: Seprotech-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech-OUT

Parameter	Result	Method name	Date analyzed
AAHB	2 620 CFU/ml	M-BHAA-1,0	July 27, 2011
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	July 27, 2011
Total coliforms	4 CFU/100ml	M-COLI-2,0	July 27, 2011
Atypical colonies	304 CFU/100ml	M-COLI-2,0	July 27, 2011
Temperature	17.0 °C	M-TEMP-1.0	July 26, 2011

Reported on: August 08, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14575

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: SEPROTECH-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEPROTECH-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	1 mg/L	Sous-traitance\Multilab Direct	August 04, 2011
COD	45 mg/L	Sous-traitance\Multilab Direct	August 08, 2011
Total Suspended Solids	6 mg/L	M-SOLI-1.0	July 28, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	August 01, 2011
Nitrate (NO3)	38.9 mg N/L	Sous-traitance\Multilab Direct	July 28, 2011
Nitrite (NO2)	<0.01 mg N/L	Sous-traitance\Multilab Direct	July 28, 2011
Total Phosphorus (P)	12.8 mg P/L	Sous-traitance\Multilab Direct	July 29, 2011

Reported on: August 10, 2011

Corrected certificate, replacing the certificate V-14575 done on August 08 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14575

Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: SEPROTECH-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEPROTECH-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: August 10, 2011

Corrected certificate, replacing the certificate V-14575 done on August 08 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14575
Sampling date: July 25, 2011
Sampling hour: N/D
Date received: July 27, 2011
Sampling location: SEPROTECH-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: SEPROTECH-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	DMR-0427-2011-7-DBO5	218	160 - 252		
COD mg/L	<2	DMR-0427-2011-9-DCO	301	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31		
Ammonia (NH3) mg N/L	<0.05					
Nitrate (NO3) mg N/L	<0.01				3.7	3.9
Nitrite (NO2) mg N/L	<0.01	DMR-0427-2011-NO2	2.9	2.25 - 3.05	<0.01	<0.01
Total Phosphorus (P) mg P/L	<0.05	DMR-0427-2011-Ptotal	1.9	1.72 - 2.20		

Reported on: August 10, 2011

Corrected certificate, replacing the certificate V-14575 done on August 08 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-69364

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	120 000 CFU/ml	M-BHAA-1,0	August 02, 2011
Fecal coliforms	88 CFU/100ml	M-COLI-1,0	August 02, 2011
Total coliforms	400 CFU/100ml	M-COLI-2,0	August 02, 2011
Atypical colonies	6 000 CFU/100ml	M-COLI-2,0	August 02, 2011
Temperature	13.1 °C	M-TEMP-1.0	August 02, 2011

Reported on: August 05, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14649

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	11 mg/L	Sous-traitance\Multilab Direct	August 08, 2011
COD	54 mg/L	Sous-traitance\Multilab Direct	August 08, 2011
Total Suspended Solids	16 mg/L	M-SOLI-1.0	August 03, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	August 03, 2011
Nitrate (NO3)	33.3 mg N/L	Sous-traitance\Multilab Direct	August 04, 2011
Nitrite (NO2)	0.09 mg N/L	Sous-traitance\Multilab Direct	August 04, 2011
Total Phosphorus (P)	14.6 mg P/L	Sous-traitance\Multilab Direct	August 05, 2011

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14649

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14649

Sampling date: August 01, 2011
Sampling hour: N/D
Date received: August 02, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	DMR-0427-2011-7-DBO5	230	160 - 252		
COD mg/L	<2	DMR-0427-2011-9-DCO	301	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	24	19 - 31		
Ammonia (NH3) mg N/L	<0.05					
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0427-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.05	DMR-0427-2011-Ptotal	2.1	1.72 - 2.20		

Reported on: August 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-69700

Sampling date: August 08, 2011
Sampling hour: N/D
Date received: August 09, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	6 700 CFU/ml	M-BHAA-1,0	August 10, 2011
Fecal coliforms	4 CFU/100ml	M-COLI-1,0	August 10, 2011
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	August 10, 2011
Atypical colonies	11 400 CFU/100ml	M-COLI-2,0	August 10, 2011
Temperature	16.1 °C	M-TEMP-1.0	August 09, 2011

Reported on: August 15, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14747

Sampling date: August 08, 2011
Sampling hour: 08:30
Date received: August 09, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
BOD-5	7 mg/L	Sous-traitance\Multilab Direct	August 15, 2011
COD	52 mg/L	Sous-traitance\Multilab Direct	August 15, 2011
Total Suspended Solids	11 mg/L	M-SOLI-1.0	August 10, 2011
Ammonia (NH3)	<0.05 mg N/L	Sous-traitance\Multilab Direct	August 10, 2011
Nitrate (NO3)	34.3 mg N/L	Sous-traitance\Multilab Direct	August 11, 2011
Nitrite (NO2)	0.16 mg N/L	Sous-traitance\Multilab Direct	August 11, 2011
Total Phosphorus (P)	14.3 mg P/L	Sous-traitance\Multilab Direct	August 12, 2011

Reported on: August 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14747

Sampling date: August 08, 2011
Sampling hour: 08:30
Date received: August 09, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: August 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14747
 Sampling date: August 08, 2011
 Sampling hour: 08:30
 Date received: August 09, 2011
 Sampling location: STP-OUT
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
BOD-5 mg/L	<1	DMR-0427-2011-7-DBO5	218	160 - 252		
COD mg/L	<2	DMR-0427-2011-9-DCO	302	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	28	19 - 31		
Ammonia (NH3) mg N/L	<0.05					
Nitrate (NO3) mg N/L	<0.01					
Nitrite (NO2) mg N/L	<0.01	DMR-0427-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0427-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: August 16, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-69900

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 16, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	11 000 CFU/ml	M-BHAA-1,0	August 17, 2011
Fecal coliforms	10 CFU/100ml	M-COLI-1,0	August 17, 2011
Total coliforms	100 CFU/100ml	M-COLI-2,0	August 17, 2011
Atypical colonies	700 CFU/100ml	M-COLI-2,0	August 17, 2011
Temperature	11.4 °C	M-TEMP-1.0	August 16, 2011

Reported on: August 22, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14908

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 16, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	17.9 mg N/L	Sous-traitance\Multilab Direct	August 17, 2011
BOD-5	7 mg/L	Sous-traitance\Multilab Direct	August 22, 2011
COD	95 mg/L	Sous-traitance\Multilab Direct	August 19, 2011
Total Suspended Solids	15 mg/L	M-SOLI-1.0	August 17, 2011
Nitrate (NO ₃)	40.7 mg N/L	Sous-traitance\Multilab Direct	August 18, 2011
Nitrite (NO ₂)	0.01 mg N/L	Sous-traitance\Multilab Direct	August 18, 2011
Total Phosphorus (P)	13.9 mg P/L	Sous-traitance\Multilab Direct	August 19, 2011

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14908

Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 16, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01	mg N/L	Sous-traitance	Oui
BOD-5	1	mg/L	Sous-traitance	Oui
COD	2	mg/L	Sous-traitance	Oui
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01	mg N/L	Sous-traitance	
Nitrite (NO ₂)	0.01	mg N/L	Sous-traitance	
Total Phosphorus (P)	0.01	mg P/L	Sous-traitance	Oui

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14908
Sampling date: August 15, 2011
Sampling hour: N/D
Date received: August 16, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0517-2011-NH3	1.8	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0517-2011-7	207	160 - 252		
COD mg/L	<2	DMR-0517-2011-9	322	235 - 371	95	97
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	20	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.9	1.72 - 2.20	13.9	14.0

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-70161

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 22, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Fecal coliforms	1 000 CFU/100ml	M-COLI-1,0	August 24, 2011
Total coliforms	9 000 CFU/100ml	M-COLI-2,0	August 24, 2011
Atypical colonies	7 000 CFU/100ml	M-COLI-2,0	August 24, 2011
Temperature	14.7 °C	M-TEMP-1.0	August 22, 2011
AAHB	205 000 CFU/ml	M-BHAA-1,0	August 24, 2011

Reported on: August 29, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15058

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	21.4 mg N/L	Sous-traitance\Multilab Direct	August 24, 2011
BOD-5	28 mg/L	Sous-traitance\Multilab Direct	August 29, 2011
COD	76 mg/L	Sous-traitance\Multilab Direct	August 29, 2011
Total Suspended Solids	19 mg/L	M-SOLI-1.0	August 24, 2011
Nitrate (NO ₃)	37.8 mg N/L	Sous-traitance\Multilab Direct	August 25, 2011
Nitrite (NO ₂)	0.16 mg N/L	Sous-traitance\Multilab Direct	August 25, 2011
Total Phosphorus (P)	13.1 mg P/L	Sous-traitance\Multilab Direct	August 26, 2011

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15058

Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01	mg N/L	Sous-traitance	Oui
BOD-5	1	mg/L	Sous-traitance	Oui
COD	2	mg/L	Sous-traitance	Oui
Total Suspended Solids	1	mg/L	M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01	mg N/L	Sous-traitance	
Nitrite (NO ₂)	0.01	mg N/L	Sous-traitance	
Total Phosphorus (P)	0.01	mg P/L	Sous-traitance	Oui

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15058
Sampling date: August 22, 2011
Sampling hour: N/D
Date received: August 23, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0517-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0517-2011-7	206	160 - 252		
COD mg/L	<2	DMR-0517-2011-9	302	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.7	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: August 29, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-70334

Sampling date: August 29, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	31 000 CFU/ml	M-BHAA-1,0	August 31, 2011
Fecal coliforms	92 CFU/100ml	M-COLI-1,0	August 31, 2011
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	August 31, 2011
Atypical colonies	10 000 CFU/100ml	M-COLI-2,0	August 31, 2011
Temperature	17.2 °C	M-TEMP-1.0	August 30, 2011

Reported on: September 06, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15204

Sampling date: August 29, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	35.2 mg N/L	Sous-traitance\Multilab Direct	August 31, 2011
BOD-5	9 mg/L	Sous-traitance\Multilab Direct	September 06, 2011
COD	110 mg/L	Sous-traitance\Multilab Direct	September 02, 2011
Total Suspended Solids	11 mg/L	M-SOLI-1.0	August 31, 2011
Nitrate (NO ₃)	39.8 mg N/L	Sous-traitance\Multilab Direct	September 01, 2011
Nitrite (NO ₂)	0.20 mg N/L	Sous-traitance\Multilab Direct	September 01, 2011
Total Phosphorus (P)	13.9 mg P/L	Sous-traitance\Multilab Direct	September 02, 2011

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15204

Sampling date: August 29, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15204

Sampling date: August 29, 2011
Sampling hour: N/D
Date received: August 30, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0517-2011-NH3	1.8	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0517-2011-7	209	160 - 252		
COD mg/L	<2	DMR-0517-2011-9	307	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.7	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: September 07, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-70539

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 06, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 500 000 CFU/ml	M-BHAA-1,0	September 07, 2011
Fecal coliforms	1 500 000 CFU/100ml	M-COLI-1,0	September 07, 2011
Total coliforms	57 000 000 CFU/100ml	M-COLI-2,0	September 07, 2011
Atypical colonies	68 000 000 CFU/100ml	M-COLI-2,0	September 07, 2011
Temperature	10.7 °C	M-TEMP-1.0	September 06, 2011

Reported on: September 12, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15332

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 06, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	14.1 mg N/L	Sous-traitance\Multilab Direct	September 07, 2011
BOD-5	76 mg/L	Sous-traitance\Multilab Direct	September 12, 2011
COD	173 mg/L	Sous-traitance\Multilab Direct	September 09, 2011
Total Suspended Solids	65 mg/L	M-SOLI-1.0	September 07, 2011
Nitrate (NO ₃)	18.5 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Nitrite (NO ₂)	0.60 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Total Phosphorus (P)	7.1 mg P/L	Sous-traitance\Multilab Direct	September 09, 2011

Reported on: September 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15332

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 06, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: September 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15332

Sampling date: September 05, 2011
Sampling hour: N/D
Date received: September 06, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0517-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0517-2011-7	210	160 - 252		
COD mg/L	<2	DMR-0517-2011-9	299	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.5	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: September 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-70669

Sampling date: September 12, 2011
Sampling hour: N/D
Date received: September 13, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 000 CFU/ml	M-BHAA-1,0	September 13, 2011
Fecal coliforms	< 100 000 CFU/100ml	M-COLI-1,0	September 13, 2011
Total coliforms	117 000 000 CFU/100ml	M-COLI-2,0	September 13, 2011
Atypical colonies	< 1 000 000 CFU/100ml	M-COLI-2,0	September 13, 2011
Temperature	16.1 °C	M-TEMP-1.0	September 13, 2011

Reported on: September 16, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: September 13, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Lab number:	15464	15465
Sample name:	STP-OUT	STP-OUT-DUP
Sampling date:	12-09-2011	12-09-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	13.8	14.9
BOD-5 mg/L	34	27
COD mg/L	156	147
Total Suspended Solids mg/L	37	34
Nitrate (NO ₃) mg N/L	26.0	27.5
Nitrite (NO ₂) mg N/L	0.34	0.29
Total Phosphorus (P) mg P/L	11.1	12.0

These results are as followed on the Certificate's analisis of the coresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: September 23, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: September 13, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard			Sample duplicate	
		Name	Result	Limit	1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0517-2011-NH3	1.9	1.64 - 2.22		
DBO5 mg/L	<1	DMR-0607-2011-7-DBO5	208	160 - 252		
DCO mg/L	<2	DMR-0607-2011-9-DCO	321	235 - 371		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31		
M.E.S. mg/L	<1	STD-MES 25mg/L	23	19 - 31	34	37
Nitrates (NO ₃) mg N/L	<0.01				26.0	25.8
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.5	2.25 - 3.05		
Nitrites (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.5	2.25 - 3.05	0.34	0.34
Phosphore total (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: September 23, 2011
Lab number: 15464:15465

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71032

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 21, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	5 000 000 CFU/ml	M-BHAA-1,0	September 21, 2011
Fecal coliforms	< 100 000 CFU/100ml	M-COLI-1,0	September 21, 2011
Total coliforms	25 000 000 CFU/100ml	M-COLI-2,0	September 21, 2011
Atypical colonies	12 000 000 CFU/100ml	M-COLI-2,0	September 21, 2011
Temperature	14.1 °C	M-TEMP-1.0	September 21, 2011

Reported on: October 04, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15684

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	27.8 mg N/L	Sous-traitance\Multilab Direct	September 21, 2011
BOD-5	36 mg/L	Sous-traitance\Multilab Direct	September 26, 2011
COD	231 mg/L	Sous-traitance\Multilab Direct	September 22, 2011
Total Suspended Solids	87 mg/L	M-SOLI-1.0	September 21, 2011
Nitrate (NO ₃)	20.7 mg N/L	Sous-traitance\Multilab Direct	September 22, 2011
Nitrite (NO ₂)	0.18 mg N/L	Sous-traitance\Multilab Direct	September 22, 2011
Total Phosphorus (P)	12.1 mg P/L	Sous-traitance\Multilab Direct	September 23, 2011

Reported on: September 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15684

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: September 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15684

Sampling date: September 19, 2011
Sampling hour: N/D
Date received: September 20, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0607-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0607-2011-7-DBO!	227	160 - 252		
COD mg/L	<2	DMR-0607-2011-9-DCO	321	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.5	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0517-2011-Ptotal	1.8	1.72 - 2.20		

Reported on: September 27, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71214

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech
Matrix: Waste water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 000 CFU/ml	M-BHAA-1,0	September 28, 2011
Fecal coliforms	20 000 000 CFU/100ml	M-COLI-1,0	September 28, 2011
Total coliforms	680 000 000 CFU/100ml	M-COLI-2,0	September 28, 2011
Atypical colonies	50 000 000 CFU/100ml	M-COLI-2,0	September 28, 2011
Temperature	17.5 °C	M-TEMP-1.0	September 27, 2011

Reported on: October 03, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15832

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	16.5 mg N/L	Sous-traitance\Multilab Direct	September 28, 2011
BOD-5	73 mg/L	Sous-traitance\Multilab Direct	October 03, 2011
COD	858 mg/L	Sous-traitance\Multilab Direct	September 29, 2011
Total Suspended Solids	235 mg/L	M-SOLI-1.0	September 28, 2011
Nitrate (NO ₃)	5.9 mg N/L	Sous-traitance\Multilab Direct	September 29, 2011
Nitrite (NO ₂)	7.0 mg N/L	Sous-traitance\Multilab Direct	September 29, 2011
Total Phosphorus (P)	10.9 mg P/L	Sous-traitance\Multilab Direct	September 30, 2011

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15832

Sampling date: September 26, 2011
Sampling hour: N/D
Date received: September 27, 2011
Sampling location: STP-OUT
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-OUT

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15832
 Sampling date: September 26, 2011
 Sampling hour: N/D
 Date received: September 27, 2011
 Sampling location: STP-OUT
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: STP-OUT

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0607-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0607-2011-7-DBO!	221	160 - 252		
COD mg/L	<2	DMR-0607-2011-9-DCO	307	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31	235	246
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.5	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0607-2011-Ptot	1.8	1.72 - 2.20	10.9	10.8

Reported on: October 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71526
Sampling date: October 10, 2011
Sampling hour: N/D
Date received: October 11, 2011
Sampling location: Seprotech-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech-OUT

Parameter	Result	Method name	Date analyzed
AAHB	850 CFU/ml	M-BHAA-1,0	October 11, 2011
Fecal coliforms	6 CFU/100ml	M-COLI-1,0	October 11, 2011
Total coliforms	60 CFU/100ml	M-COLI-2,0	October 11, 2011
Atypical colonies	620 CFU/100ml	M-COLI-2,0	October 11, 2011
Temperature	17.9 °C	M-TEMP-1.0	October 11, 2011

Reported on: October 14, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71525

Sampling date: October 10, 2011
Sampling hour: N/D
Date received: October 11, 2011
Sampling location: LJ-mix
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: LJ-mix

Parameter	Result	Method name	Date analyzed
AAHB	55000 CFU/ml	M-BHAA-1,0	October 11, 2011
Fecal coliforms	68 CFU/100ml	M-COLI-1,0	October 11, 2011
Total coliforms	200 CFU/100ml	M-COLI-2,0	October 11, 2011
Atypical colonies	7800 CFU/100ml	M-COLI-2,0	October 11, 2011
Temperature	17.2 °C	M-TEMP-1.0	October 11, 2011

Reported on: October 14, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16161	16162	16163	16164
Sample name:	STP-IN	LJ (2) OUT	LJ (1) OUT	Seprotech -OUT
Sampling date:	10-10-2011	10-10-2011	10-10-2011	10-10-2011
Ammonia nitrogen (NH ₃ -NH ₄) m	122	17.2	16.0	13.6
Kjeldahl nitrogen mg N/L	140	21	17	17
BOD-5 mg/L	221	40	3	4
COD mg/L	421	69	30	44
Total Suspended Solids mg/L	107	32	9	17
Nitrate (NO ₃) mg N/L	0.01	26.1	35.9	37.0
Nitrite (NO ₂) mg N/L	0.01	0.85	0.23	0.01
Total Phosphorus (P) mg P/L	13.8	11.5	11.6	12.7

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: October 18, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 11, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0607-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0607-2011-NH3	1.9	1.64 - 2.22	13.6	13.5
DBO5 mg/L	<1	DMR-0687-2011-7-DBO!	203	160 - 252		
DBO5 mg/L	<1	DMR-0687-2011-7-DBO!	206	160 - 252		
DCO mg/L	<2	DMR-0687-2011-9-DCO	300	235 - 371		
DCO mg/L	<2	DMR-0687-2011-9-DCO	300	235 - 371	421	421
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31	9	12
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.6	2.25 - 3.05		
Phosphore total (P) mg P/L	<0.01	DMR-0607-2011-Ptot	1.9	1.72 - 2.20		

Reported on: October 18, 2011

Lab number: 16161:16164

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71895

Sampling date: October 18, 2011
Sampling hour: N/D
Date received: October 19, 2011
Sampling location: Seprotech-OUT
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: Seprotech-OUT

Parameter	Result	Method name	Date analyzed
AAHB	>500 CFU/ml	M-BHAA-1,0	October 19, 2011
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	October 19, 2011
Total coliforms	52 CFU/100ml	M-COLI-2,0	October 19, 2011
Atypical colonies	228 CFU/100ml	M-COLI-2,0	October 19, 2011
Temperature	13.9 °C	M-TEMP-1.0	October 19, 2011

Reported on: October 24, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71894

Sampling date: October 18, 2011
Sampling hour: N/D
Date received: October 19, 2011
Sampling location: LJ-mix
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: LJ-mix

Parameter	Result	Method name	Date analyzed
AAHB	7 300 CFU/ml	M-BHAA-1,0	October 19, 2011
Fecal coliforms	< 100 CFU/100ml	M-COLI-1,0	October 19, 2011
Total coliforms	4 800 CFU/100ml	M-COLI-2,0	October 19, 2011
Atypical colonies	4 000 CFU/100ml	M-COLI-2,0	October 19, 2011
Temperature	13.9 °C	M-TEMP-1.0	October 19, 2011

Reported on: November 03, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16355	16356	16357	16358	16359
Sample name:	STP-OUT	STP-IN	LJ (2) OUT	LJ (1) OUT	Seprotech -OUT
Sampling date:	18-10-2011	18-10-2011	18-10-2011	18-10-2011	18-10-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	10.2	110	31.3	18.3	11.4
Kjeldahl nitrogen mg N/L	22	110	32	19	13
BOD-5 mg/L	281	243	32	5	6
COD mg/L	851	446	81	43	50
Total Suspended Solids mg/L	121	37	188	13	19
Nitrate (NO ₃) mg N/L	0.01	0.01	9.4	33.9	32.3
Nitrite (NO ₂) mg N/L	0.01	<0.01	3.2	0.57	<0.01
Total Phosphorus (P) mg P/L	6.5	11.4	11.1	11.4	12.5

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 01, 2011

F-02-13

Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: October 19, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	1.9	1.64 - 2.22	11.4	11.4
DBO5 mg/L	<1	DMR-0687-2011-7-DBO5	210	160 - 252		
DCO mg/L	<2	DMR-0687-2011-9-DCO	302	235 - 371		
M.E.S. mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.6	2.25 - 3.05		
Phosphore total (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.9	1.72 - 2.20		

Reported on: November 01, 2011
Lab number: 16355:16359

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71980

Sampling date: October 24, 2011
Sampling hour: N/D
Date received: October 25, 2011
Sampling location: Seprotech-OUT
Sampled by: Env. Tech
Matrix: Waste water
Sample name: Seprotech-OUT

Parameter	Result	Method name	Date analyzed
AAHB	89 000 CFU/ml	M-BHAA-1,0	October 25, 2011
Fecal coliforms	20 CFU/100ml	M-COLI-1,0	October 25, 2011
Total coliforms	140 CFU/100ml	M-COLI-2,0	October 25, 2011
Atypical colonies	1 780 CFU/100ml	M-COLI-2,0	October 25, 2011
Temperature	16.8 °C	M-TEMP-1.0	October 25, 2011

Reported on: October 31, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-71979

Sampling date: October 24, 2011
Sampling hour: N/D
Date received: October 25, 2011
Sampling location: LJ-mix
Sampled by: Env. Tech
Matrix: Waste water
Sample name: LJ-mix

Parameter	Result	Method name	Date analyzed
AAHB	74 000 CFU/ml	M-BHAA-1,0	October 25, 2011
Fecal coliforms	<1 000 CFU/100ml	M-COLI-1,0	October 25, 2011
Total coliforms	<10 000 CFU/100ml	M-COLI-2,0	October 25, 2011
Atypical colonies	1 320 000 CFU/100ml	M-COLI-2,0	October 25, 2011
Temperature	16.8 °C	M-TEMP-1.0	October 25, 2011

Reported on: October 31, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	16490	16491	16492	16493	16494
Sample name:	STP-OUT	STP-IN	LJ (2) OUT	LJ (1) OUT	Seprotech -OUT
Sampling date:	24-10-2011	24-10-2011	24-10-2011	24-10-2011	24-10-2011
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	10.5	115	35.8	40.0	4.1
Kjeldahl nitrogen mg N/L	1	130	38	43	7
BOD-5 mg/L	237	329	3	8	5
COD mg/L	521	553	74	67	53
Total Suspended Solids mg/L	107	162	8	11	12
Nitrate (NO ₃) mg N/L	<0.01	0.01	20.1	14.1	27.7
Nitrite (NO ₂) mg N/L	0.01	0.01	2.0	2.9	<0.01
Total Phosphorus (P) mg P/L	6.9	13.0	9.5	9.6	11.4

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: November 01, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: October 25, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	1.9	1.64 - 2.22		
Azote ammoniacal (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	1.9	1.64 - 2.22	4.1	4.0
DBO5 mg/L	<1	DMR-0687-2011-7-DBO!	231	160 - 252		
DBO5 mg/L	<1	DMR-0687-2011-7-DBO!	218	160 - 252		
DCO mg/L	<2	DMR-0687-2011-9-DCO	306	235 - 371		
DCO mg/L	<2	DMR-0687-2011-9-DCO	306	235 - 371	67	68
M.E.S. mg/L	<1	STD-MES 25mg/L	22	19 - 31		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.5	2.25 - 3.05		
Nitrites (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.6	2.25 - 3.05		
Phosphore total (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20		
Phosphore total (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20	6.9	6.9

Reported on: November 01, 2011
 Lab number: 16490:16494

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72160

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 CFU/ml	M-BHAA-1,0	November 01, 2011
Fecal coliforms	200 CFU/100ml	M-COLI-1,0	November 01, 2011
Total coliforms	1 000 CFU/100ml	M-COLI-2,0	November 01, 2011
Atypical colonies	20 000 CFU/100ml	M-COLI-2,0	November 01, 2011
Temperature	16.2 °C	M-TEMP-1.0	November 01, 2011

Reported on: November 07, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72159

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	26 200 CFU/ml	M-BHAA-1,0	November 01, 2011
Fecal coliforms	190 CFU/100ml	M-COLI-1,0	November 01, 2011
Total coliforms	2 000 CFU/100ml	M-COLI-2,0	November 01, 2011
Atypical colonies	8 000 CFU/100ml	M-COLI-2,0	November 01, 2011
Temperature	15.5 °C	M-TEMP-1.0	November 01, 2011

Reported on: November 04, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16665

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	39.8 mg N/L	Sous-traitance\Multilab Direct	November 02, 2011
Kjeldahl nitrogen	100 mg N/L	Sous-traitance\Maxxam	November 03, 2011
BOD-5	25 mg/L	Sous-traitance\Multilab Direct	November 07, 2011
COD	61 mg/L	Sous-traitance\Multilab Direct	November 04, 2011
Total Suspended Solids	25 mg/L	M-SOLI-1.0	November 02, 2011
Nitrate (NO ₃)	15.6 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Nitrite (NO ₂)	6.3 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Total Phosphorus (P)	12.4 mg P/L	Sous-traitance\Multilab Direct	November 04, 2011

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16665
Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16665
Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	2.0	1.64 - 2.22	39.8	40.1
BOD-5 mg/L	<1	DMR-0687-2011-7-DBO!	221	160 - 252		
COD mg/L	<2	DMR-0687-2011-9-DCO	313	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20		

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16666

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	11.3 mg N/L	Sous-traitance\Multilab Direct	November 02, 2011
Kjeldahl nitrogen	39 mg N/L	Sous-traitance\Maxxam	November 03, 2011
BOD-5	8 mg/L	Sous-traitance\Multilab Direct	November 07, 2011
COD	63 mg/L	Sous-traitance\Multilab Direct	November 04, 2011
Total Suspended Solids	25 mg/L	M-SOLI-1.0	November 02, 2011
Nitrate (NO ₃)	33.4 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Nitrite (NO ₂)	0.05 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Total Phosphorus (P)	13.0 mg P/L	Sous-traitance\Multilab Direct	November 04, 2011

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16666

Sampling date: October 31, 2011
Sampling hour: N/D
Date received: November 01, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16666
 Sampling date: October 31, 2011
 Sampling hour: N/D
 Date received: November 01, 2011
 Sampling location: STP-SEP
 Sampled by: Env. Tech.
 Matrix: Waste Water
 Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0687-2011-7-DBO!	221	160 - 252		
COD mg/L	<2	DMR-0687-2011-9-DCO	313	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20		

Reported on: November 08, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72463

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	> 5 000 CFU/ml	M-BHAA-1,0	November 09, 2011
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	November 09, 2011
Total coliforms	300 CFU/100ml	M-COLI-2,0	November 09, 2011
Atypical colonies	3 300 CFU/100ml	M-COLI-2,0	November 09, 2011
Temperature	18.3 °C	M-TEMP-1.0	November 08, 2011

Reported on: November 22, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72462

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	90 000 CFU/ml	M-BHAA-1,0	November 09, 2011
Fecal coliforms	68 CFU/100ml	M-COLI-1,0	November 09, 2011
Total coliforms	200 CFU/100ml	M-COLI-2,0	November 09, 2011
Atypical colonies	7 700 CFU/100ml	M-COLI-2,0	November 09, 2011
Temperature	17.6 °C	M-TEMP-1.0	November 08, 2011

Reported on: November 22, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16782

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	16.4 mg N/L	Sous-traitance\Multilab Direct	November 09, 2011
Kjeldahl nitrogen	22 mg N/L	Sous-traitance\Maxxam	November 10, 2011
BOD-5	11 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
COD	55 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Total Suspended Solids	23 mg/L	M-SOLI-1.0	November 09, 2011
Nitrate (NO ₃)	33.2 mg N/L	Sous-traitance\Multilab Direct	November 10, 2011
Nitrite (NO ₂)	1.9 mg N/L	Sous-traitance\Multilab Direct	November 10, 2011
Total Phosphorus (P)	12.7 mg P/L	Sous-traitance\Multilab Direct	November 12, 2011

Reported on: November 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16782

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16782

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH3	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0687-2011-7-DBO!	206	160 - 252		
COD mg/L	<2	DMR-0687-2011-9-DCO	268	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO2	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20		

Reported on: November 15, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16783

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	10.2 mg N/L	Sous-traitance\Multilab Direct	November 09, 2011
Kjeldahl nitrogen	13 mg N/L	Sous-traitance\Maxxam	November 15, 2011
BOD-5	6 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
COD	52 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Total Suspended Solids	15 mg/L	M-SOLI-1.0	November 09, 2011
Nitrate (NO ₃)	31.1 mg N/L	Sous-traitance\Multilab Direct	November 10, 2011
Nitrite (NO ₂)	0.01 mg N/L	Sous-traitance\Multilab Direct	November 10, 2011
Total Phosphorus (P)	12.2 mg P/L	Sous-traitance\Multilab Direct	November 12, 2011

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16783

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16783

Sampling date: November 07, 2011
Sampling hour: N/D
Date received: November 08, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH ₃	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0687-2011-7-DBO ₅	206	160 - 252		
COD mg/L	<2	DMR-0687-2011-9-DCO	268	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO ₂	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.8	1.72 - 2.20	12.2	12.8

Reported on: November 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72689

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	700 CFU/ml	M-BHAA-1,0	November 16, 2011
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	November 16, 2011
Total coliforms	200 CFU/100ml	M-COLI-2,0	November 16, 2011
Atypical colonies	5 000 CFU/100ml	M-COLI-2,0	November 16, 2011
Temperature	14.6 °C	M-TEMP-1.0	November 15, 2011

Reported on: November 21, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72688

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	12 800 CFU/ml	M-BHAA-1,0	November 16, 2011
Fecal coliforms	24 CFU/100ml	M-COLI-1,0	November 16, 2011
Total coliforms	30 000 CFU/100ml	M-COLI-2,0	November 16, 2011
Atypical colonies	8 000 CFU/100ml	M-COLI-2,0	November 16, 2011
Temperature	14.7 °C	M-TEMP-1.0	November 15, 2011

Reported on: November 21, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16970

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	10.3 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Kjeldahl nitrogen	14 mg N/L	Sous-traitance\Maxxam	November 17, 2011
BOD-5	5 mg/L	Sous-traitance\Multilab Direct	November 21, 2011
COD	44 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Total Suspended Solids	8 mg/L	M-SOLI-1.0	November 16, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Nitrate (NO ₃)	32.6 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Nitrite (NO ₂)	0.01 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Total Phosphorus (P)	13.7 mg P/L	Sous-traitance\Multilab Direct	November 18, 2011

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16970

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16970

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH ₃	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO ₅	143	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	303	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31		
Ammonia (NH ₃) mg N/L	<0.05					
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO ₂	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.9	1.72 - 2.20		

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16969

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	16.7 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Kjeldahl nitrogen	21 mg N/L	Sous-traitance\Maxxam	November 17, 2011
BOD-5	19 mg/L	Sous-traitance\Multilab Direct	November 21, 2011
COD	65 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Total Suspended Solids	15 mg/L	M-SOLI-1.0	November 16, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 16, 2011
Nitrate (NO ₃)	34.8 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Nitrite (NO ₂)	0.32 mg N/L	Sous-traitance\Multilab Direct	November 17, 2011
Total Phosphorus (P)	14.1 mg P/L	Sous-traitance\Multilab Direct	November 18, 2011

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16969

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16969

Sampling date: November 14, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0687-2011-NH ₃	2.0	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO ₅	143	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	303	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	27	19 - 31		
Ammonia (NH ₃) mg N/L	<0.05					
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0687-2011-NO ₂	2.6	2.25 - 3.05		
Total Phosphorus (P) mg P/L	<0.01	DMR-0687-2011-Ptot	1.9	1.72 - 2.20		

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72833

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	800 CFU/ml	M-BHAA-1,0	November 23, 2011
Fecal coliforms	32 CFU/100ml	M-COLI-1,0	November 23, 2011
Total coliforms	80 CFU/100ml	M-COLI-2,0	November 23, 2011
Atypical colonies	280 CFU/100ml	M-COLI-2,0	November 23, 2011
Temperature	19.6 °C	M-TEMP-1.0	November 23, 2011

Reported on: November 28, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-72832

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	7 600 CFU/ml	M-BHAA-1,0	November 23, 2011
Fecal coliforms	148 CFU/100ml	M-COLI-1,0	November 23, 2011
Total coliforms	500 CFU/100ml	M-COLI-2,0	November 23, 2011
Atypical colonies	1 400 CFU/100ml	M-COLI-2,0	November 23, 2011
Temperature	19.5 °C	M-TEMP-1.0	November 23, 2011

Reported on: November 28, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17134

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	4.4 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Kjeldahl nitrogen	7 mg N/L	Sous-traitance\Maxxam	November 29, 2011
BOD-5	2 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
COD	66 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Total Suspended Solids	18 mg/L	M-SOLI-1.0	September 28, 2011
Nitrate (NO ₃)	29.4 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Nitrite (NO ₂)	0.01 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Total Phosphorus (P)	13.7 mg P/L	Sous-traitance\Multilab Direct	November 25, 2011

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17134

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17134

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO!	134	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	308	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.8	1.72 - 2.20		

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17133

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	42.3 mg N/L	Sous-traitance\Multilab Direct	November 28, 2011
Kjeldahl nitrogen	43 mg N/L	Sous-traitance\Maxxam	November 29, 2011
BOD-5	6 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
COD	73 mg/L	Sous-traitance\Multilab Direct	November 30, 2011
Total Suspended Solids	24 mg/L	M-SOLI-1.0	September 28, 2011
Nitrate (NO ₃)	13.0 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Nitrite (NO ₂)	5.3 mg N/L	Sous-traitance\Multilab Direct	December 01, 2011
Total Phosphorus (P)	13.0 mg P/L	Sous-traitance\Multilab Direct	November 25, 2011

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17133

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17133

Sampling date: November 21, 2011
Sampling hour: N/D
Date received: November 23, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO!	134	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	308	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	26	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.8	1.72 - 2.20		

Reported on: December 02, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73099

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	9 900 CFU/ml	M-BHAA-1,0	December 06, 2011
Fecal coliforms	56 CFU/100ml	M-COLI-1,0	December 06, 2011
Total coliforms	500 CFU/100ml	M-COLI-2,0	December 06, 2011
Atypical colonies	2 500 CFU/100ml	M-COLI-2,0	December 06, 2011
Temperature	10.3 °C	M-TEMP-1.0	December 06, 2011

Reported on: December 09, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73098

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	16 500 CFU/ml	M-BHAA-1,0	December 06, 2011
Fecal coliforms	28 CFU/100ml	M-COLI-1,0	December 06, 2011
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	December 06, 2011
Atypical colonies	3 800 CFU/100ml	M-COLI-2,0	December 06, 2011
Temperature	10.4 °C	M-TEMP-1.0	December 06, 2011

Reported on: December 09, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17336

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	38.2 mg N/L	Sous-traitance\Multilab Direct	December 07, 2011
Kjeldahl nitrogen	39 mg N/L	Sous-traitance\Maxxam	December 09, 2011
BOD-5	14 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
COD	57 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Total Suspended Solids	16 mg/L	M-SOLI-1.0	December 07, 2011
Nitrate (NO ₃)	21.6 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011
Nitrite (NO ₂)	1.1 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011
Total Phosphorus (P)	13.3 mg P/L	Sous-traitance\Multilab Direct	December 09, 2011

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17336

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17336

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO!	138	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	308	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01				21.6	21.6
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	1.1	1.0
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	2.1	1.72 - 2.20	13.3	14.2

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17337

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	5.9 mg N/L	Sous-traitance\Multilab Direct	December 07, 2011
Kjeldahl nitrogen	9 mg N/L	Sous-traitance\Maxxam	December 09, 2011
BOD-5	6 mg/L	Sous-traitance\Multilab Direct	December 12, 2011
COD	57 mg/L	Sous-traitance\Multilab Direct	December 09, 2011
Total Suspended Solids	9 mg/L	M-SOLI-1.0	December 07, 2011
Nitrate (NO ₃)	30.2 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011
Nitrite (NO ₂)	0.02 mg N/L	Sous-traitance\Multilab Direct	December 08, 2011
Total Phosphorus (P)	13.8 mg P/L	Sous-traitance\Multilab Direct	December 09, 2011

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17337

Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17337
Sampling date: December 05, 2011
Sampling hour: N/D
Date received: December 06, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO!	138	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	308	235 - 371	57	56
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	22	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	2.1	1.72 - 2.20		

Reported on: December 13, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73350

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	1 200 CFU/ml	M-BHAA-1,0	December 13, 2011
Fecal coliforms	8 CFU/100ml	M-COLI-1,0	December 13, 2011
Total coliforms	< 100 CFU/100ml	M-COLI-2,0	December 13, 2011
Atypical colonies	1 600 CFU/100ml	M-COLI-2,0	December 13, 2011
Temperature	13.1 °C	M-TEMP-1.0	December 13, 2011

Reported on: December 16, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73349

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	> 500 000 CFU/ml	M-BHAA-1,0	December 13, 2011
Fecal coliforms	250 000 CFU/100ml	M-COLI-1,0	December 13, 2011
Total coliforms	400 000 CFU/100ml	M-COLI-2,0	December 13, 2011
Atypical colonies	8 100 000 CFU/100ml	M-COLI-2,0	December 13, 2011
Temperature	11.5 °C	M-TEMP-1.0	December 13, 2011

Reported on: December 18, 2011

Amélie Lafrance-Pouliot, Microbiologiste

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17383

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	76.7 mg N/L	Sous-traitance\Multilab Direct	December 14, 2011
Kjeldahl nitrogen	90 mg N/L	Sous-traitance\Maxxam	December 16, 2011
BOD-5	41 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
COD	71 mg/L	Sous-traitance\Multilab Direct	December 15, 2011
Total Suspended Solids	69 mg/L	M-SOLI-1.0	December 14, 2011
Nitrate (NO ₃)	0.16 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Nitrite (NO ₂)	0.12 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Total Phosphorus (P)	12.4 mg P/L	Sous-traitance\Multilab Direct	December 16, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17383

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17383

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH ₃	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO ₅	138	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	326	235 - 371	71	71
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO ₂	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.9	1.72 - 2.20		

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17384

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	11.9 mg N/L	Sous-traitance\Multilab Direct	December 14, 2011
Kjeldahl nitrogen	14 mg N/L	Sous-traitance\Maxxam	December 16, 2011
BOD-5	4 mg/L	Sous-traitance\Multilab Direct	December 20, 2011
COD	55 mg/L	Sous-traitance\Multilab Direct	December 15, 2011
Total Suspended Solids	10 mg/L	M-SOLI-1.0	December 14, 2011
Nitrate (NO ₃)	33.6 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Nitrite (NO ₂)	0.02 mg N/L	Sous-traitance\Multilab Direct	December 15, 2011
Total Phosphorus (P)	13.4 mg P/L	Sous-traitance\Multilab Direct	December 16, 2011

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17384

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17384

Sampling date: December 12, 2011
Sampling hour: N/D
Date received: December 13, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0773-2011-7-DBO!	138	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	326	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	25	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.9	1.72 - 2.20		

Reported on: December 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73571

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
AAHB	56000 CFU/ml	M-BHAA-1,0	December 20, 2011
Fecal coliforms	92 CFU/100ml	M-COLI-1,0	December 20, 2011
Total coliforms	600 CFU/100ml	M-COLI-2,0	December 20, 2011
Atypical colonies	11800 CFU/100ml	M-COLI-2,0	December 20, 2011
Temperature	13.6 °C	M-TEMP-1.0	December 20, 2011

Reported on: December 28, 2011

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: M-73570
Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
AAHB	110000 CFU/ml	M-BHAA-1,0	December 20, 2011
Fecal coliforms	600 CFU/100ml	M-COLI-1,0	December 20, 2011
Total coliforms	2000 CFU/100ml	M-COLI-2,0	December 20, 2011
Atypical colonies	43000 CFU/100ml	M-COLI-2,0	December 20, 2011
Temperature	12.0 °C	M-TEMP-1.0	December 20, 2011

Reported on: December 28, 2011

Results relate only to the sample tested.
This report shall not be reproduced except in full without the written authority of the laboratory.
All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17459

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	94.7 mg N/L	Sous-traitance\Multilab Direct	December 21, 2011
Kjeldahl nitrogen	93 mg N/L	Sous-traitance\Maxxam	December 22, 2011
BOD-5	24 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
COD	100 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Total Suspended Solids	20 mg/L	M-SOLI-1.0	December 21, 2011
Nitrate (NO ₃)	1.4 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite (NO ₂)	1.6 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Total Phosphorus (P)	12.4 mg P/L	Sous-traitance\Multilab Direct	December 22, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17459

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17459
Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-LJMIX
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-LJMIX

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0893-2011-7-DBO!	129	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	330	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01				1.4	1.6
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	1.6	1.7
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.8	1.72 - 2.20		

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17460

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Result	Method name	Date analyzed
Ammonia nitrogen (NH ₃ -NH ₄)	8.4 mg N/L	Sous-traitance\Multilab Direct	December 21, 2011
Kjeldahl nitrogen	11 mg N/L	Sous-traitance\Maxxam	December 22, 2011
BOD-5	6 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
COD	73 mg/L	Sous-traitance\Multilab Direct	December 22, 2011
Total Suspended Solids	17 mg/L	M-SOLI-1.0	December 21, 2011
Nitrate (NO ₃)	30.6 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite (NO ₂)	0.25 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Total Phosphorus (P)	13.3 mg P/L	Sous-traitance\Multilab Direct	December 22, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17460

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Ammonia nitrogen (NH ₃ -NH ₄)	0.01 mg N/L		Sous-traitance	Oui
Kjeldahl nitrogen	1 mg N/L		Sous-traitance	
BOD-5	1 mg/L		Sous-traitance	Oui
COD	2 mg/L		Sous-traitance	Oui
Total Suspended Solids	1 mg/L		M-SOLI-1.0	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	Oui
Total Phosphorus (P)	0.01 mg P/L		Sous-traitance	Oui

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17460

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: STP-SEP
Sampled by: Env. Tech.
Matrix: Waste Water
Sample name: STP-SEP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0773-2011-NH3	1.9	1.64 - 2.22		
BOD-5 mg/L	<1	DMR-0893-2011-7-DBO!	129	109 - 172		
COD mg/L	<2	DMR-0773-2011-9-DCO	330	235 - 371		
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31		
Nitrate (NO ₃) mg N/L	<0.01					
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37		
Total Phosphorus (P) mg P/L	<0.01	DMR-0773-2011-PTOT	1.8	1.72 - 2.20		

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12961	12962
Sample name:	ST-21	ST-21 (DUP-1)
Sampling date:	18-04-2011	18-04-2011
Alkalinity mg CaCO ₃ /L	90	90
Aluminium (Al) mg/L	0.122	0.131
Dissolved Aluminium (Al) mg/L	0.06	0.08
Silver (Ag) mg/L	0.0080	0.0078
Dissolved Silver (Ag) mg/L	0.008	0.008
Arsenic (As) mg/L	0.0909	0.0917
Dissolved Arsenic (As) mg/L	0.091	0.089
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	70.9	69.2
Barium (Ba) mg/L	0.0574	0.0562
Dissolved Barium (Ba) mg/L	0.055	0.055
Cadmium (Cd) mg/L	0.00074	0.00068
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005
Chloride mg/L	548	543
Copper (Cu) mg/L	2.938	1.586
Dissolved Copper (Cu) mg/L	1.50	1.40
Total Cyanide (CNt) mg/L	8.37	7.84
Hardness mg CaCO ₃ /L	1110	1117
Iron (Fe) mg/L	1.2	0.86
Dissolved Iron (Fe) mg/L	0.43	0.46
Fluoride (F) mg/L	0.11	0.13

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12961	12962
Sample name:	ST-21	ST-21 (DUP-1)
Sampling date:	18-04-2011	18-04-2011
Manganese (Mn) mg/L	0.0181	0.0174
Dissolved Manganese (Mn) mg/L	0.013	0.013
Mercury (Hg) mg/L	0.00033	0.00034
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005
Molybdenum (Mo) mg/L	0.2483	0.2333
Dissolved Molybdenum (Mo) mg/L	0.055	0.057
Nickel (Ni) mg/L	0.2047	0.1942
Dissolved Nickel (Ni) mg/L	0.087	0.089
Nitrate (NO3) mg N/L	7.2	7.2
Nitrite (NO2) mg N/L	0.13	0.13
pH	8.48	8.48
Lead (Pb) mg/L	<0.0003	<0.0003
Dissolved Lead (Pb) mg/L	<0.005	<0.005
Selenium (Se) mg/L	0.010	0.011
Dissolved Selenium (Se) mg/L	0.009	0.010
Dissolved Solids mg/L	3580	3461
Sulfate (SO4) mg SO4/L	2170	2041
Thallium (Tl) mg/L	<0.005	<0.005
Dissolved thallium (Tl) mg/L	<0.01	<0.01
Turbidity NTU	5.7	5.4

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: April 28, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Sylvain Doire

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Lab number:	12961	12962
Sample name:	ST-21	ST-21 (DUP-1)
Sampling date:	18-04-2011	18-04-2011
Zinc (Zn) mg/L	0.001	<0.001
Dissolved Zinc mg/L	<0.005	<0.005

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: April 19, 2011
Sampled by: Env. Tech
Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Thallium (Tl)	N.D.	mg/L	M-MET-3.0
Dissolved thallium (Tl)	N.D.	mg/L	M-MET-3.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: April 28, 2011

F-02-13
Version 2ième: 18/10/2006

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011

Sampled by: Env. Tech

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alcalinité mg CaCO ₃ /L		std Alk	143	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0011-2011-18	6.38	5.27 - 7.13	
Aluminium dissous (Al) mg/L	<0.01	DMR-0011-2011-18	6.4	5.27 - 7.13	
Argent (Ag) mg/L	<0.0005				
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0011-2011-18	0.2431	0.224 - 0.416	
Arsenic dissous (As) mg/L	<0.005	DMR-0189-2011-18d	0.292	0.219 - 0.347	
Arsenic dissous (As) mg/L	<0.005	DMR-0011-2011-18	0.258	0.248 - 0.392	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	2.1	1.58 - 2.14	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0189-2011-NH3	2.1	1.58 - 2.14	70.9 70.2
Baryum (Ba) mg/L	<0.0005	DMR-0011-2011-18	2.315	1.91 - 2.59	
Baryum dissous (Ba) mg/L	<0.005	DMR-0011-2011-18	2.33	1.91 - 2.59	
Cadmium (Cd) mg/L	<0.00008	DMR-0011-2011-18	0.85728	0.708 - 0.958	
Cadmium dissous (Cd) mg/L	<0.005	DMR-0011-2011-18	0.884	0.708 - 0.958	
Chlorure (Cl) mg/L	<0.5	DMR-0189-2011-Cl	55.1	47 - 59	
Cuivre (Cu) mg/L	<0.0005	DMR-0011-2011-18	1.352	1.04 - 1.40	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0011-2011-18	1.34	1.04 - 1.40	
Cyanures totaux (CNt) mg/L	<0.005	DMR-0187-2011-8	0.1040	0.0777 - 0.1051	
Dureté mg CaCO ₃ /L					
Fer (Fe) mg/L	<0.01	DMR-0011-2011-18	10.8	8.8 - 12.0	

Reported on: April 28, 2011

Lab number: 12961:12962

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011
Sampled by: Env. Tech
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Fer dissous (Fe) mg/L	<0.05	DMR-0011-2011-18	11.3	8.8 - 12.0		
Fluorures (F) mg/L	<0.1	DMR-0104-2011-F	1.5	1.44 - 1.68	0.11	0.12
Fluorures (F) mg/L	<0.1	DMR-0104-2011-F	1.5	1.44 - 1.68		
Manganèse (Mn) mg/L	<0.0005	DMR-0011-2011-18	3.829	3.20 - 4.32		
Manganèse dissous (Mn) mg/L	<0.005	DMR-0011-2011-18	3.90	3.20 - 4.32		
Mercuré (Hg) mg/L	<0.00001	DMR-0011-2011-13	0.04706	0.0351 - 0.0653		
Mercuré dissous (Hg) mg/L	<0.0005	DMR-0011-2011-13-Hgc	0.0532	0.0389 - 0.0615		
Molybdène (Mo) mg/L	<0.0005	DMR-0011-2011-18	0.6702	0.562 - 0.760		
Molybdène dissous (Mo) mg/L	<0.005	DMR-0011-2011-18	0.577	0.562 - 0.760		
Nickel (Ni) mg/L	<0.0005	DMR-0011-2011-18	1.141	0.98 - 1.32		
Nickel dissous (Ni) mg/L	<0.005	DMR-0011-2011-18	1.18	0.98 - 1.32		
Nitrates (NO3) mg N/L	<0.01					
Nitrites (NO2) mg N/L	<0.01	DMR-0189-2011-NO2	2.8	2.25 - 3.05		
pH		STD pH 7.00	6.99	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	DMR-0011-2011-18	1.101	0.819 - 1.109		
Plomb dissous (Pb) mg/L	<0.005	DMR-0011-2011-18	1.07	0.819 - 1.109		
Sélénium (Se) mg/L	<0.001	DMR-0011-2011-18	1.30	1.21 - 1.63		
Sélénium dissous (Se) mg/L	<0.005	DMR-0011-2011-18	1.39	1.21 - 1.63		
Sélénium dissous (Se) mg/L	<0.005	DMR-0189-2011-18d	1.46	1.15 - 1.55		
Solides dissous mg/L						

Reported on: April 28, 2011
Lab number: 12961:12962

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: April 19, 2011
Sampled by: Env. Tech
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Sulfate (SO4) mg SO4/L	<1	DMR-0189-2011-SO4	52	49 - 61	
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	964	850 - 1150	
Thallium dissous (Tl) mg/L	<0.01	D Tl SC0187114 1000p	1024	850 - 1150	
Turbidité UTN		DMR-0189-2011-Turbidit	5.7	5.10 - 6.90	
Zinc (Zn) mg/L	<0.001	DMR-0011-2011-18	4.58	3.83 - 5.19	
Zinc dissous (Zn) mg/L	<0.005	DMR-0011-2011-18	4.71	3.83 - 5.19	

Reported on: April 28, 2011
Lab number: 12961:12962

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13569	13570	13571
Sample name:	ST-21	DUP-2 (ST-21)	FB-2 (ST-21)
Sampling date:	25-05-2011	25-05-2011	25-05-2011
Alkalinity mg CaCO ₃ /L	108	110	<2
Aluminium (Al) mg/L	0.184	0.185	<0.006
Dissolved Aluminium (Al) mg/L	0.08	0.07	<0.01
Silver (Ag) mg/L	0.0046	0.0049	<0.0005
Dissolved Silver (Ag) mg/L	<0.005	<0.005	<0.005
Arsenic (As) mg/L	0.0586	0.0457	<0.0005
Dissolved Arsenic (As) mg/L	0.033	0.036	<0.005
Ammonia nitrogen (NH ₃ -NH ₄) mg N/L	49.3	49.4	0.22
Barium (Ba) mg/L	0.0221	0.0213	<0.0005
Dissolved Barium (Ba) mg/L	0.020	0.020	<0.005
Cadmium (Cd) mg/L	0.00022	0.00024	<0.00008
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005	<0.005
Chloride mg/L	331	319	<0.5
Copper (Cu) mg/L	3.447	3.720	---
Dissolved Copper (Cu) mg/L	3.44	3.58	<0.005
Total Cyanide (CNt) mg/L	6.97	6.77	<0.005
Hardness mg CaCO ₃ /L	714	719	<1
Iron (Fe) mg/L	0.45	0.49	<0.01
Dissolved Iron (Fe) mg/L	<0.05	0.10	<0.05
Fluoride (F) mg/L	0.11	0.12	<0.1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 14, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13569	13570	13571
Sample name:	ST-21	DUP-2 (ST-21)	FB-2 (ST-21)
Sampling date:	25-05-2011	25-05-2011	25-05-2011
Manganese (Mn) mg/L	0.0240	0.0232	<0.0005
Dissolved Manganese (Mn) mg/L	<0.005	<0.005	<0.005
Mercury (Hg) mg/L	0.00039	0.00038	<0.00001
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005	<0.0005
Molybdenum (Mo) mg/L	0.1687	0.1715	<0.0005
Dissolved Molybdenum (Mo) mg/L	0.174	0.176	<0.005
Nickel (Ni) mg/L	0.4597	0.4910	<0.0005
Dissolved Nickel (Ni) mg/L	0.457	0.476	<0.005
Nitrate (NO3) mg N/L	6.0	5.9	0.12
Nitrite (NO2) mg N/L	0.10	0.10	<0.01
pH	10.19	10.20	3.76
Lead (Pb) mg/L	0.0097	0.0126	0.0235
Dissolved Lead (Pb) mg/L	0.006	<0.005	<0.005
Selenium (Se) mg/L	<0.001	0.003	<0.001
Dissolved Selenium (Se) mg/L	<0.005	<0.005	<0.005
Dissolved Solids mg/L	1696	2006	55
Thallium (Tl) mg/L	<0.005	<0.005	<0.005
Dissolved thallium (Tl) mg/L	<0.01	<0.01	<0.01
Turbidity NTU	6.8	5.3	0.18
Zinc (Zn) mg/L	0.009	0.011	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 14, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13569	13570	13571
Sample name:	ST-21	DUP-2 (ST-21)	FB-2 (ST-21)
Sampling date:	25-05-2011	25-05-2011	25-05-2011
Dissolved Zinc mg/L	0.013	0.008	<0.005
Sulfate (SO4) mg SO4/L	1400	1400	<0.5
Volatile Organic Compounds (L)	---	---	
- Benzene µg/L	---	---	<0.3
- Chlorobenzene µg/L	---	---	<0.3
- 1,2-Dichlorobenzene µg/L	---	---	<0.3
- 1,3-Dichlorobenzène µg/L	---	---	<0.3
- 1,4-Dichlorobenzene µg/L	---	---	<0.3
- Ethylbenzene µg/L	---	---	<0.3
µg/L	---	---	<0.3
- Toluene µg/L	---	---	<0.3
- Total Xylene µg/L	---	---	<0.3
- Chloroform µg/L	---	---	<0.3
Vinyl chloride µg/L	---	---	<0.6
- 1,1-Dichloroéthane µg/L	---	---	<0.3
- 1,2-Dichloroethane µg/L	---	---	<0.3
- 1,1-Dichloroethylene µg/L	---	---	0.3
- 1,2-dichloroéthylène (cis+trans) µg/L	---	---	<0.3
- Dichloromethane µg/L	---	---	<0.3
- 1,2-dichloropropane µg/L	---	---	<0.3

These results are as followed on the Certificate's analisis of the coresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 14, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Lab number:	13569	13570	13571
Sample name:	ST-21	DUP-2 (ST-21)	FB-2 (ST-21)
Sampling date:	25-05-2011	25-05-2011	25-05-2011
- 1,3-dichloropropène (cis+trans) µg/L	---	---	<0.3
- 1,1,2,2-tétrachloroéthane µg/L	---	---	<0.3
- Tetrachloroethylene µg/L	---	---	<0.3
- Carbon Tetrachloride µg/L	---	---	<0.3
- 1,1,1-Trichloroéthane µg/L	---	---	<0.3
- 1,1,2-Trichloroéthane µg/L	---	---	<0.3
- Trichloroethylene µg/L	---	---	<0.3
- 1,3-dichloropropane µg/L	---	---	<0.3
Copper (Cu) mg/L	---	---	0.0017

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 14, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit	Valeur	
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
pH	N.D.		M-PH-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0
Volatile Organic Compounds (L)	N.D.		M-COV-1.0
- Benzene	N.D.	µg/L	M-COV-1.0
- Chlorobenzene	N.D.	µg/L	M-COV-1.0
- 1,2-Dichlorobenzene	N.D.	µg/L	M-COV-1.0
- 1,3-Dichlorobenzène	N.D.	µg/L	M-COV-1.0
- 1,4-Dichlorobenzene	N.D.	µg/L	M-COV-1.0
- Ethylbenzene	N.D.	µg/L	M-COV-1.0
- Toluene	N.D.	µg/L	M-COV-1.0
- Total Xylene	N.D.	µg/L	M-COV-1.0
- Chloroform	N.D.	µg/L	M-COV-1.0
Vinyl chloride	N.D.	µg/L	M-COV-1.0
- 1,1-Dichloroéthane	N.D.	µg/L	M-COV-1.0
- 1,2-Dichloroethane	N.D.	µg/L	M-COV-1.0
- 1,1-Dichloroethylene	N.D.	µg/L	M-COV-1.0
- 1,2-dichloroéthylène (cis+trans)	N.D.	µg/L	M-COV-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: June 14, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Detection limit		
	Valeur		
- Dichloromethane	N.D.	µg/L	M-COV-1.0
- 1,2-dichloropropane	N.D.	µg/L	M-COV-1.0
- 1,3-dichloropropène (cis+trans)	N.D.	µg/L	M-COV-1.0
- 1,1,2,2-tétrachloroéthane	N.D.	µg/L	M-COV-1.0
- Tetrachloroethylene	N.D.	µg/L	M-COV-1.0
- Carbon Tetrachloride	N.D.	µg/L	M-COV-1.0
- 1,1,1-Trichloroéthane	N.D.	µg/L	M-COV-1.0
- 1,1,2-Trichloroéthane	N.D.	µg/L	M-COV-1.0
- Trichloroethylene	N.D.	µg/L	M-COV-1.0
- 1,3-dichloropropane	N.D.	µg/L	M-COV-1.0

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: June 14, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011

Sampled by: Env. Tech.

Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
- Toluène µg/L	0.6	DMR-0301-2011-13	6.80	5.64 - 8.92	
- 1,3-dichloropropène (cis+trans)	---	DMR-0301-2011-13	5.80	4.71 - 7.45	
- 1,3-dichloropropane µg/L	---	DMR-0301-2011-13	6.00	4.56 - 7.22	
- 1,2-dichloropropane µg/L	---	DMR-0301-2011-13	7.80	5.71 - 9.03	
- 1,1,2,2-tétrachloroéthane µg/L	---	DMR-0301-2011-13	6.50	5.08 - 8.04	
- Tétrachloroéthylène µg/L	---	DMR-0301-2011-13	4.10	3.33 - 5.27	
- Tétrachlorure de carbone µg/L	---	DMR-0301-2011-13	4.70	4.60 - 7.26	
- Trichloroéthylène µg/L	---	DMR-0301-2011-13	4.00	3.38 - 5.34	
- 1,1,2-Trichloroéthane µg/L	---	DMR-0301-2011-13	9.6	9.0 - 14.2	
- 1,1,1-Trichloroéthane µg/L	---	DMR-0301-2011-13	7.00	5.67 - 8.95	
- Dichlorométhane µg/L	---	DMR-0301-2011-13	7.90	6.12 - 9.68	
- 1,1-Dichloroéthane µg/L	---	DMR-0301-2011-13	10.00	7.46 - 11.78	
- 1,2-dichloroéthylène (cis+trans)	---	DMR-0301-2011-13	10.70	8.08 - 12.76	
- 1,2-dichloroéthane µg/L	---	DMR-0301-2011-13	2.50	2.02 - 3.19	
- 1,3-Dichlorobenzène µg/L	---	DMR-0301-2011-13	3.80	3.61 - 5.71	
- 1,4-dichlorobenzène µg/L	---	DMR-0301-2011-13	7.90	7.11 - 11.23	
- Éthylbenzène µg/L	<0.3	DMR-0301-2011-13	2.80	2.50 - 3.94	
- 1,2-Dichlorobenzène µg/L	---	DMR-0301-2011-13	2.80	2.19 - 3.47	
- Chlorobenzène µg/L	---	DMR-0301-2011-13	8.80	7.32 - 11.56	
- Benzène µg/L	<0.3	DMR-0301-2011-13	6.80	6.76 - 10.68	

Reported on: June 14, 2011

Lab number: 13569:13571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011
 Sampled by: Env. Tech.
 Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
- Chlorure de vinyle µg/L	---	DMR-0301-2011-13	5.00	4.49 - 7.09	
- Chloroforme µg/L	---	DMR-0301-2011-13	18.0	13.0 - 20.6	
- Xylènes Totaux µg/L	<0.3	DMR-0301-2011-13	6.80	5.79 - 9.15	
- 1,1-Dichloroéthylène µg/L	---	DMR-0301-2011-13	2.00	1.60 - 2.54	
- Styrène µg/L	---	DMR-0301-2011-13	2.00	1.80 - 2.84	
Alcalinité mg CaCO ₃ /L		std Alk	150	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	6.43	5.26 - 7.12	
Aluminium dissous (Al) mg/L	<0.01	DMR-0189-2011-18d	6.7	5.26 - 7.12	
Aluminium dissous (Al) mg/L	<0.01	DMR-0189-2011-18d	6.7	5.26 - 7.12	0.08 0.07
Argent (Ag) mg/L	<0.0005				
Argent dissous (Ag) mg/L	<0.005				<0.005 <0.005
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.3104	0.198 - 0.368	
Arsenic dissous (As) mg/L	<0.005	DMR-0189-2011-18d	0.320	0.219 - 0.347	0.033 0.036
Arsenic dissous (As) mg/L	<0.005	DMR-0189-2011-18d	0.320	0.219 - 0.347	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.8	1.64 - 2.22	49.4 48.6
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.8	1.64 - 2.22	
Baryum (Ba) mg/L	<0.0005	DMR-0189-2011-18t	2.250	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.41	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.41	2.0 - 2.8	0.020 0.019

Reported on: June 14, 2011
 Lab number: 13569:13571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cadmium (Cd) mg/L	<0.00008	DMR-0189-2011-18t	0.89036	0.8 - 1.0	
Cadmium dissous (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.829	0.8 - 1.0	
Cadmium dissous (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.829	0.8 - 1.0	<0.005 <0.005
Chlorure (Cl) mg/L	<0.5	DMR-0302-2011-Cl	64.2	51 - 65	
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.391	1.05 - 1.43	
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.326	1.05 - 1.43	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.25	1.05 - 1.43	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.25	1.05 - 1.43	3.44 3.57
Cyanures totaux (CNt) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Dureté mg CaCO ₃ /L	<1				
Fer (Fe) mg/L	<0.01	DMR-0189-2011-18t	9.5	8.9 - 12.1	
Fer dissous (Fe) mg/L	<0.05	DMR-0189-2011-18d	8.9	8.9 - 12.1	
Fer dissous (Fe) mg/L	<0.05	DMR-0189-2011-18d	8.9	8.9 - 12.1	<0.05 0.16
Fluorures (F) mg/L	<0.1	DMR-0104-2011-F	1.5	1.44 - 1.68	
Manganèse (Mn) mg/L	<0.0005	DMR-0189-2011-18t	3.980	3.28 - 4.44	
Manganèse dissous (Mn) mg/L	<0.005	DMR-0189-2011-18d	3.79	3.28 - 4.44	
Manganèse dissous (Mn) mg/L	<0.005	DMR-0189-2011-18d	3.79	3.28 - 4.44	<0.005 <0.005
Mercure (Hg) mg/L	<0.00001	DMR-0189-2011-13	0.00874	0.0053 - 0.0099	
Mercure dissous (Hg) mg/L	<0.0005	DMR-0189-2011-13	0.0088	0.0059 - 0.0093	
Molybdene (Mo) mg/L	<0.0005	DMR-0189-2011-18t	0.6915	0.599 - 0.811	

Reported on: June 14, 2011
Lab number: 13569:13571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011
 Sampled by: Env. Tech.
 Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Molybdene dissous (Mo) mg/L	<0.005	DMR-0189-2011-18d	0.653	0.599 - 0.811	0.174	0.176
Molybdene dissous (Mo) mg/L	<0.005	DMR-0189-2011-18d	0.653	0.599 - 0.811		
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.133	0.96 - 1.30		
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.143	0.96 - 1.30		
Nickel dissous (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.11	0.96 - 1.30	0.457	0.472
Nickel dissous (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.11	0.96 - 1.30		
Nitrates (NO3) mg N/L	<0.01					
Nitrites (NO2) mg N/L	<0.01	DMR-0302-2011-NO2	2.6	2.25 - 3.05		
pH		STD pH 7.00	7.02	6.96 - 7.04		
Plomb (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9740	0.8 - 1.0		
Plomb dissous (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.947	0.8 - 1.0		
Plomb dissous (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.947	0.8 - 1.0	0.006	<0.005
Sélénium (Se) mg/L	<0.001	DMR-0189-2011-18t	1.48	1.15 - 1.55		
Sélénium dissous (Se) mg/L	<0.005	DMR-0189-2011-18d	1.42	1.15 - 1.55		
Sélénium dissous (Se) mg/L	<0.005	DMR-0189-2011-18d	1.42	1.15 - 1.55	<0.005	<0.005
Solides dissous mg/L						
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	914	850 - 1150		
Thallium dissous (Tl) mg/L	<0.01	D TI SC0187114 1000p	953	850 - 1150		
Turbidité UTN		MR-0302-2011-Turbidit	5.7	5.10 - 6.90	6.8	6.9
Turbidité UTN		MR-0302-2011-Turbidit	5.7	5.10 - 6.90		

Reported on: June 14, 2011
 Lab number: 13569:13571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: May 26, 2011
Sampled by: Env. Tech.
Matrix: Waste Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.57	3.83 - 5.19		
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.37	3.83 - 5.19		
Zinc dissous (Zn) mg/L	<0.005	DMR-0189-2011-18d	4.35	3.83 - 5.19	0.013	0.012
Zinc dissous (Zn) mg/L	<0.005	DMR-0189-2011-18d	4.35	3.83 - 5.19		

Reported on: June 14, 2011
Lab number: 13569:13571

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 08, 2011

Sampled by: Env Tech ext. 6747

Matrix: Water

Lab number:	13764	13765
Sample name:	ST-21	FB-2 (ST-21)
Sampling date:	06-06-2011	06-06-2011
Alkalinity mg CaCO ₃ /L	72	10
Aluminium (Al) mg/L	0.555	<0.006
Dissolved Aluminium (Al) mg/L	<0.01	<0.01
Antimony (Sb) mg/L	0.0014	<0.0001
Dissolved Silver (Ag) mg/L	0.005	<0.005
Arsenic (As) mg/L	0.0565	<0.0005
Dissolved Arsenic (As) mg/L	0.040	<0.005
Ammonia nitrogen (NH ₃ -NH ₄) mg/L	54.6	0.09
Barium (Ba) mg/L	0.0466	<0.0005
Dissolved Barium (Ba) mg/L	0.043	<0.005
Beryllium (Be) mg/L	<0.0005	<0.0005
Cadmium (Cd) mg/L	0.00033	<0.00008
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005
Chloride mg/L	379	<0.5
Chrome (Cr) mg/L	0.0043	<0.0006
Cobalt (Co) mg/L	0.1622	0.0005
Copper (Cu) mg/L	2.484	0.0141
Dissolved Copper (Cu) mg/L	0.794	0.007
Total Cyanide (CNt) mg/L	5.65	<0.005
Hardness mg CaCO ₃ /L	774	<1

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 08, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 08, 2011

Sampled by: Env Tech ext. 6747

Matrix: Water

Lab number:	13764	13765
Sample name:	ST-21	FB-2 (ST-21)
Sampling date:	06-06-2011	06-06-2011
Tin (Sn) mg/L	<0.001	<0.001
Iron (Fe) mg/L	0.62	<0.01
Dissolved Iron (Fe) mg/L	0.23	<0.05
Fluoride (F) mg/L	<0.1	<0.1
Manganese (Mn) mg/L	0.0530	<0.0005
Dissolved Manganese (Mn) mg/L	0.045	<0.005
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005
Molybdenum (Mo) mg/L	0.1791	<0.0005
Dissolved Molybdenum (Mo) mg/L	0.176	<0.005
Nickel (Ni) mg/L	0.3598	0.0006
Dissolved Nickel (Ni) mg/L	0.335	<0.005
Nitrate (NO3) mg N/L	6.1	<0.01
Nitrite (NO2) mg N/L	0.10	<0.01
Lead (Pb) mg/L	<0.0003	<0.0003
Dissolved Lead (Pb) mg/L	<0.005	<0.005
Selenium (Se) mg/L	0.008	<0.001
Dissolved Selenium (Se) mg/L	0.006	<0.005
Sulfate (SO4) mg SO4/L	1557	3
Thallium (Tl) mg/L	<0.005	<0.005
Dissolved thallium (Tl) mg/L	<0.01	<0.01

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: July 08, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: June 08, 2011

Sampled by: Env Tech ext. 6747

Matrix: Water

Lab number:	13764	13765
Sample name:	ST-21	FB-2 (ST-21)
Sampling date:	06-06-2011	06-06-2011
Titanium (Ti) mg/L	0.22	<0.01
Uranium (U) mg/L	0.070	<0.001
Vanadium (V) mg/L	<0.0005	<0.0005
Zinc (Zn) mg/L	0.003	<0.001
Dissolved Zinc mg/L	<0.005	<0.005
Dissolved Solids mg/L	2350	1
Lithium (Li) mg/L	<0.005	<0.005
Strontium (Sr) mg/L	0.435	<0.005
Silver (Ag) mg/L	---	<0.0005
Mercury (Hg) mg/L	---	<0.00001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are signed on the results summary

Reported on: July 08, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: June 08, 2011
 Sampled by: Env Tech ext. 6747
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	163	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0189-2011-18t	5.80	5.26 - 7.12	
Aluminium dissous (Al) mg/L	<0.01	DMR-0189-2011-18d	5.8	5.26 - 7.12	
Antimoine (Sb) mg/L	<0.0001	DMR-0189-2011-18t	0.1950	0.188 - 0.254	
Argent (Ag) mg/L	<0.0005				
Argent dissous (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.2740	0.198 - 0.368	
Arsenic dissous (As) mg/L	<0.005	DMR-0189-2011-18d	0.274	0.219 - 0.347	
Azote ammoniacal (NH ₃ -NH ₄) r	<0.05	DMR-0302-2011-NH3	1.9	1.64 - 2.22	
Baryum (Ba) mg/L	<0.0005	DMR-0189-2011-18t	2.400	2.0 - 2.8	
Baryum dissous (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.40	2.0 - 2.8	
Béryllium (Be) mg/L	<0.0005	DMR-0189-2011-18t	1.810	1.4 - 2.0	
Cadmium (Cd) mg/L	<0.00008	DMR-0189-2011-18t	0.93400	0.8 - 1.0	
Cadmium dissous (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.934	0.8 - 1.0	
Chlorure (Cl) mg/L	<0.5	DMR-0302-2011-Cl	58.4	51 - 65	
Chrome (Cr) mg/L	<0.0006	DMR-0189-2011-18t	3.980	3.44 - 4.66	
Cobalt (Co) mg/L	<0.0005	DMR-0189-2011-18t	1.520	1.33 - 1.79	
Cuivre (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.340	1.05 - 1.43	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.43	1.05 - 1.43	
Cuivre dissous (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.23	1.05 - 1.43	

Reported on: July 08, 2011
 Lab number: 13764:13765

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: June 08, 2011
Sampled by: Env Tech ext. 6747
Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Cyanures totaux (CNT) mg/L	<0.005	DMR-0261-2011-8	0.0800	0.0777 - 0.1051	
Dureté mg CaCO ₃ /L	<1				
Étain (Sn) mg/L	<0.001				
Fer (Fe) mg/L	<0.01	DMR-0189-2011-18t	9.9	8.9 - 12.1	
Fer dissous (Fe) mg/L	<0.05	DMR-0189-2011-18d	9.9	8.9 - 12.1	
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	3.9	3.57 - 4.15	
Lithium (Li) mg/L	<0.005	DMR-0189-2011-LiSr	0.782	0.714 - 0.966	
Manganèse (Mn) mg/L	<0.0005	DMR-0189-2011-18t	3.920	3.28 - 4.44	
Manganèse dissous (Mn) mg/L	<0.005	DMR-0189-2011-18d	3.92	3.28 - 4.44	
Mercuré (Hg) mg/L	<0.00001	DMR-0189-2011-13	0.0053	0.0053 - 0.0099	
Mercuré dissous (Hg) mg/L	<0.0005	DMR-0189-2011-13	0.0063	0.0059 - 0.0093	
Molybdène (Mo) mg/L	<0.0005	DMR-0189-2011-18t	0.6710	0.599 - 0.811	
Molybdène dissous (Mo) mg/L	<0.005	DMR-0189-2011-18d	0.671	0.599 - 0.811	
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.150	0.96 - 1.30	
Nickel dissous (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.15	0.96 - 1.30	
Nickel dissous (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.09	0.96 - 1.30	
Nitrates (NO ₃) mg N/L	<0.01				
Nitrites (NO ₂) mg N/L	<0.01	DMR-0302-2011-NO2	2.7	2.25 - 3.05	
Plomb (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9670	0.8 - 1.0	
Plomb dissous (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.967	0.8 - 1.0	

Reported on: July 08, 2011
Lab number: 13764:13765

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: June 08, 2011
 Sampled by: Env Tech ext. 6747
 Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sélénium (Se) mg/L	<0.001	DMR-0189-2011-18t	1.37	1.15 - 1.55		
Sélénium dissous (Se) mg/L	<0.005	DMR-0189-2011-18d	1.37	1.15 - 1.55		
Solides dissous mg/L						
Strontium (Sr) mg/L	<0.005	DMR-0189-2011-LiSr	1.09	1.05 - 1.43		
Sulfate (SO4) mg SO4/L	<1	DMR-0302-2011-SO4	72	63 - 77		
Sulfate (SO4) mg SO4/L	<1	DMR-0302-2011-SO4	72	63 - 77	3	3
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	895	850 - 1150		
Thallium dissous (Tl) mg/L	<0.01	D TI SC0187114 1000p	944	850 - 1150		
Titane (Ti) mg/L	<0.01					
Uranium (U) mg/L	<0.001	DMR-0189-2011-18t	1.88	1.49 - 2.01		
Vanadium (V) mg/L	<0.0005	DMR-0189-2011-18t	1.890	1.69 - 2.29		
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.82	3.83 - 5.19		
Zinc dissous (Zn) mg/L	<0.005	DMR-0189-2011-18d	4.56	3.83 - 5.19		
Zinc dissous (Zn) mg/L	<0.005	DMR-0189-2011-18d	4.82	3.83 - 5.19		

Reported on: July 08, 2011
 Lab number: 13764:13765

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14153

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-21
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Alkalinity	81 mg CaCO ₃ /L	M-ALCA-2.0	July 06, 2011
Dissolved Aluminium (Al)	0.02 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Silver (Ag)	0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Arsenic (As)	0.036 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Barium (Ba)	0.040 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Chloride	335 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Copper (Cu)	2.84 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Total Cyanide (CNT)	2.61 mg/L	M-CN-1.0	July 08, 2011
Hardness	757 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Fluoride (F)	<0.1 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Manganese (Mn)	0.130 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Mercury (Hg)	0.0006 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Molybdenum (Mo)	0.158 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Nickel (Ni)	0.330 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Nitrate (NO ₃)	3.5 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Nitrite (NO ₂)	0.08 mg N/L	Sous-traitance\Multilab Direct	July 07, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved Selenium (Se)	0.006 mg/L	Sous-traitance\Multilab Direct	July 12, 2011

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14153
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-21
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	1157 mg SO4/L	Sous-traitance\Multilab Direct	July 12, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	July 13, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	July 12, 2011
Copper (Cu)	3.459 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Iron (Fe)	1.0 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Ammonia (NH3)	1.9 mg N/L	Sous-traitance\Multilab Direct	July 20, 2011
Nickel (Ni)	0.4109 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Lead (Pb)	0.0102 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Zinc (Zn)	0.008 mg/L	Sous-traitance\Multilab Direct	July 27, 2011
Dissolved Solids	2002 mg/L	Sous-traitance\Multilab Direct	July 21, 2011
Arsenic (As)	0.0508 mg/L	Sous-traitance\Multilab Direct	July 27, 2011

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14153
 Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14153

Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-21
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Ammonia (NH3)	0.05 mg	N/L	Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-14153
 Sampling date: July 05, 2011
 Sampling hour: N/D
 Date received: July 06, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: ST-21

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Alkalinity mg CaCO ₃ /L		std Alk	146	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0189-2011-18d	6.9	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Arsenic (As) mg/L	<0.0005	DMR-0189-2011-18t	0.3319	0.198 - 0.368	
Dissolved Arsenic (As) mg/L	<0.005	DMR-0189-2011-18d	0.324	0.219 - 0.347	
Ammonia nitrogen (NH ₃ -NH ₄) r	<0.01	DMR-0407-2011-NH3	2.0	1.64 - 2.22	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.69	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.926	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0407-2011-Cl	61.4	51.0 - 65.0	
Copper (Cu) mg/L	<0.0005	DMR-0189-2011-18t	1.402	1.05 - 1.43	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.31	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0301-2011-8	0.0780	0.0777 - 0.1051	
Hardness mg CaCO ₃ /L					757 686
Iron (Fe) mg/L	<0.01	DMR-0189-2011-18t	10.8	8.9 - 12.1	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0189-2011-18d	12.0	8.9 - 12.1	
Fluoride (F) mg/L	<0.1	DMR-0302-2011-F	3.6	3.57 - 4.15	
Total Suspended Solids mg/L	<1	STD-MES 25mg/L	23	19 - 31	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0189-2011-18d	3.60	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	Dmr-0302-2011-13	0.0078	0.0059 - 0.0093	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0189-2011-18d	0.639	0.599 - 0.811	

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14153
Sampling date: July 05, 2011
Sampling hour: N/D
Date received: July 06, 2011
Sampling location: ST-21
Sampled by: Env. Tech
Matrix: Water
Sample name: ST-21

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Ammonia (NH ₃) mg N/L	<0.05					
Nickel (Ni) mg/L	<0.0005	DMR-0189-2011-18t	1.252	0.96 - 1.30		
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.24	0.96 - 1.30		
Nitrate (NO ₃) mg N/L	<0.01				3.5	3.3
Nitrite (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO2	2.7	2.25 - 3.05	0.08	0.08
Lead (Pb) mg/L	<0.0003	DMR-0189-2011-18t	0.9410	0.8 - 1.0		
Dissolved Lead (Pb) mg/L	<0.005	DMR-0189-2011-18d	0.968	0.8 - 1.0		
Dissolved Selenium (Se) mg/L	<0.005	DMR-0189-2011-18d	1.38	1.15 - 1.55		
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0407-2011-SO4	72	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1013	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0189-2011-18t	4.83	3.83 - 5.19		
Dissolved Zinc mg/L	<0.005	DMR-0189-2011-18d	5.01	3.83 - 5.19		

Reported on: July 27, 2011

Corrected certificate, replacing the certificate V-14153 done on July 14 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14677	14678
Sample name:	ST-21	ST-21-DUP
Sampling date:	02-08-2011	02-08-2011
Alkalinity mg CaCO ₃ /L	147	148
Dissolved Aluminium (Al) mg/L	0.01	0.15
Dissolved Silver (Ag) mg/L	<0.005	<0.005
Dissolved Arsenic (As) mg/L	0.050	0.056
Dissolved Barium (Ba) mg/L	0.038	0.045
Dissolved Cadmium (Cd) mg/L	<0.005	<0.005
Chloride mg/L	230	231
Dissolved Copper (Cu) mg/L	0.361	0.482
Total Cyanide (CNt) mg/L	0.014	0.039
Hardness mg CaCO ₃ /L	808	800
Dissolved Iron (Fe) mg/L	0.31	0.41
Fluoride (F) mg/L	0.32	0.33
Dissolved Manganese (Mn) mg/L	0.113	0.130
Dissolved Mercury (Hg) mg/L	<0.0005	<0.0005
Dissolved Molybdenum (Mo) mg/L	0.180	0.208
Ammonia (NH ₃) mg N/L	1.2	1.1
Dissolved Nickel (Ni) mg/L	0.093	0.102
Nitrate (NO ₃) mg N/L	4.3	4.5
Nitrite (NO ₂) mg N/L	0.33	0.33
Dissolved Lead (Pb) mg/L	<0.005	0.009

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14677	14678
Sample name:	ST-21	ST-21-DUP
Sampling date:	02-08-2011	02-08-2011
Dissolved Selenium (Se) mg/L	<0.005	<0.005
Dissolved Solids mg/L	2106	2118
Sulfate (SO4) mg SO4/L	1532	1594
Dissolved thallium (Tl) mg/L	<0.01	<0.01
Dissolved Zinc mg/L	0.010	0.017

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Total Cyanide (CNT)	0.005	mg/L	M-CN-1.0
Dissolved Solids	1	mg/L	M-SOLI-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 15, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Name	Standard		Sample duplicate	
			Result	Limit	1	2
Alcalinité mg CaCO ₃ /L		std Alk	141	123 - 167		
Aluminium dissous (Al) mg/L	<0.01	DMR-0302-11-18	6.2	5.26 - 7.12		
Argent dissous (Ag) mg/L	<0.005					
Arsenic dissous (As) mg/L	<0.005	DMR-0302-11-18	0.327	0.219 - 0.347		
Baryum dissous (Ba) mg/L	<0.005	DMR-0302-11-18	2.67	2.0 - 2.8		
Cadmium dissous (Cd) mg/L	<0.005	DMR-0302-11-18	0.982	0.8 - 1.0		
Chlorure (Cl) mg/L	<0.5	DMR-0427-2011-Cl	63.7	51.0 - 65.0		
Cuivre dissous (Cu) mg/L	<0.005	DMR-0302-11-18	1.43	1.05 - 1.43		
Cyanures totaux (CNt) mg/L	<0.005	DMR-0429-2011-82	0.0780	0.0777 - 0.1051		
Dureté mg CaCO ₃ /L						
Dureté mg CaCO ₃ /L					808	797
Fer dissous (Fe) mg/L	<0.05	DMR-0302-11-18	11.6	8.9 - 12.1		
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	4.1	3.57 - 4.15		
Manganèse dissous (Mn) mg/L	<0.005	DMR-0302-11-18	4.41	3.28 - 4.44		
Mercure dissous (Hg) mg/L	<0.0005	Dmr-0302-2011-13	0.0062	0.0059 - 0.0093		
Molybdène dissous (Mo) mg/L	<0.005	DMR-0302-11-18	0.711	0.599 - 0.811		
NH ₃ mg N/L	<0.05					
Nickel dissous (Ni) mg/L	<0.005	DMR-0302-11-18	1.11	0.96 - 1.30		
Nitrates (NO ₃) mg N/L	<0.01					
Nitrites (NO ₂) mg N/L	<0.01	DMR-0427-2011-NO ₂	2.7	2.25 - 3.05		

Reported on: August 15, 2011

Lab number: 14677:14678

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 03, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Plomb dissous (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0		
Sélénium dissous (Se) mg/L	<0.005	DMR-0302-11-18	1.30	1.15 - 1.55		
Solides dissous mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	68	63 - 77		
Thallium dissous (Tl) mg/L	<0.01	D TI SC0187114 1000p	982	850 - 1150		
Zinc dissous (Zn) mg/L	<0.005	DMR-0302-11-18	5.03	3.83 - 5.19		

Reported on: August 15, 2011
Lab number: 14677:14678

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15348

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Alkalinity	139 mg CaCO ₃ /L	M-ALCA-2.0	September 07, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Arsenic (As)	0.046 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Barium (Ba)	0.037 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Chloride	273 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Dissolved Copper (Cu)	0.823 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Total Cyanide (CNT)	0.388 mg/L	M-CN-1.0	September 08, 2011
Hardness	858 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Fluoride (F)	0.05 mg/L	Sous-traitance\Multilab Direct	September 21, 2011
Dissolved Manganese (Mn)	0.106 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 15, 2011
Dissolved Molybdenum (Mo)	0.210 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Ammonia (NH ₃)	1.3 mg N/L	Sous-traitance\Multilab Direct	September 12, 2011
Dissolved Nickel (Ni)	0.050 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Nitrate (NO ₃)	5.1 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Nitrite (NO ₂)	0.26 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15348

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Solids	2250 mg/L	M-SOLI-2.0	September 07, 2011
Sulfate (SO4)	1737 mg SO4/L	Sous-traitance\Multilab Direct	September 13, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	September 18, 2011
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15348

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15348

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15348
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	137	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0302-11-18	7.1	5.26 - 7.12	<0.01 <0.01
Dissolved Silver (Ag) mg/L	<0.005				<0.005 <0.005
Dissolved Arsenic (As) mg/L	<0.005	DMR-0302-11-18	0.299	0.219 - 0.347	0.046 0.046
Dissolved Barium (Ba) mg/L	<0.005	DMR-0302-11-18	2.21	2.0 - 2.8	0.037 0.037
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0302-11-18	0.878	0.8 - 1.0	<0.005 <0.005
Chloride mg/L	<0.5	DMR-0517-2011-CL	55.9	51.0 - 65.0	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0302-11-18	1.27	1.05 - 1.43	0.823 0.794
Total Cyanide (CNT) mg/L	<0.005	DMR-0518-2011-8	0.0820	0.0777 - 0.1051	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0302-11-18	9.3	8.9 - 12.1	<0.05 <0.05
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	0.05 0.04
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0302-11-18	3.76	3.28 - 4.44	0.106 0.104
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0407-2011-13	0.0401	0.0350 - 0.0554	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0302-11-18	0.647	0.599 - 0.811	0.210 0.213
Ammonia (NH ₃) mg N/L	<0.05				
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0302-11-18	1.11	0.96 - 1.30	0.050 0.049
Nitrate (NO ₃) mg N/L	<0.01				5.1 5.0
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05	0.26 0.27
Dissolved Lead (Pb) mg/L	<0.005	DMR-0302-11-18	0.934	0.8 - 1.0	<0.005 <0.005

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15348

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Selenium (Se) mg/L	<0.005	DMR-0302-11-18	1.37	1.15 - 1.55	<0.005	0.005
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0517-2011-SO4	70	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	1085	850 - 1150		
Dissolved Zinc mg/L	<0.005	DMR-0302-11-18	4.56	3.83 - 5.19	<0.005	<0.005

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16064

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Alkalinity	121 mg CaCO ₃ /L	M-ALCA-2.0	October 05, 2011
Dissolved Aluminium (Al)	0.03 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Arsenic (As)	0.036 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Barium (Ba)	0.038 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Chloride	277 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Dissolved Copper (Cu)	0.820 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Total Cyanide (CNT)	1.11 mg/L	M-CN-1.0	October 06, 2011
Hardness	748 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 13, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Fluoride (F)	0.07 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Dissolved Manganese (Mn)	0.097 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Dissolved Molybdenum (Mo)	0.198 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Ammonia (NH ₃)	1.1 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Dissolved Nickel (Ni)	0.047 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Nitrate (NO ₃)	4.8 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Nitrite (NO ₂)	0.21 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16064

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Dissolved Selenium (Se)	0.005 mg/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved Solids	2322 mg/L	M-SOLI-2.0	October 05, 2011
Sulfate (SO4)	1458 mg SO4/L	Sous-traitance\Multilab Direct	October 11, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Dissolved Zinc	0.010 mg/L	Sous-traitance\Multilab Direct	October 11, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16064

Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16064

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16064
 Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	151	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	6.5	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.315	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.54	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.978	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.40	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0608-2011-8	0.0790	0.0777 - 0.1051	
Hardness mg CaCO ₃ /L					
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	10.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	4.17	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0403	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.682	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.20	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0607-2011-NO2	2.6	2.25 - 3.05	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.984	0.8 - 1.0	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16064
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.55	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	73	63 - 77		
Dissolved thallium (Tl) mg/L	<0.01	D TI SC0187114 1000p	986	850 - 1150		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	5.01	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17462

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Alkalinity	132 mg CaCO ₃ /L	M-ALCA-2.0	December 21, 2011
Dissolved Aluminium (Al)	0.01 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Arsenic (As)	0.007 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Barium (Ba)	0.046 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Chloride	524 mg/L	Sous-traitance\Multilab Direct	December 21, 2011
Dissolved Copper (Cu)	5.98 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Hardness	818 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	December 28, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Fluoride (F)	<0.02 mg/L	Sous-traitance\Multilab Direct	January 04, 2012
Dissolved Manganese (Mn)	0.027 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Mercury (Hg)	<0.0005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Molybdenum (Mo)	0.286 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Ammonia (NH ₃)	1.6 mg N/L	Sous-traitance\Multilab Direct	December 21, 2011
Dissolved Nickel (Ni)	0.138 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Nitrate (NO ₃)	7.0 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Nitrite (NO ₂)	0.20 mg N/L	Sous-traitance\Multilab Direct	December 22, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17462

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Result	Method name	Date analyzed
Dissolved Solids	2465 mg/L	M-SOLI-2.0	December 21, 2011
Sulfate (SO4)	1659 mg SO4/L	Sous-traitance\Multilab Direct	December 20, 2011
Dissolved thallium (Tl)	<0.01 mg/L	Sous-traitance\Multilab Direct	January 06, 2012
Dissolved Zinc	<0.005 mg/L	Sous-traitance\Multilab Direct	December 27, 2011
Total Cyanide (CNT)	1.56 mg/L	Sous-traitance\Multilab Direct	December 21, 2011

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17462

Sampling date: December 19, 2011
 Sampling hour: N/D
 Date received: December 20, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO3/L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Hardness	1 mg CaCO3/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH3)	0.05 mg N/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO3)	0.01 mg N/L		Sous-traitance	Oui
Nitrite (NO2)	0.01 mg N/L		Sous-traitance	Oui
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17462

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Dissolved Solids	1 mg/L		M-SOLI-2.0	
Sulfate (SO4)	1 mg SO4/L		Sous-traitance	Oui
Dissolved thallium (Tl)	0.01 mg/L		Sous-traitance	
Dissolved Zinc	0.005 mg/L		Sous-traitance	
Total Cyanide (CNT)	0.005 mg/L		M-CN-1.0	Oui

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-17462
 Sampling date: December 19, 2011
 Sampling hour: N/D
 Date received: December 20, 2011
 Sampling location: ST-21
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: ST-21

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0427-2011-18	5.9	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	DMR-0427-2011-18	0.225	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0427-2011-18	2.33	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0427-2011-18	0.857	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0773-2011-CL	51.1	43 - 55	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0427-2011-18	1.33	1.05 - 1.43	
Total Cyanide (CNT) mg/L	<0.005	DMR-0687-2011-2	0.930	0.842 - 1.139	
Hardness mg CaCO ₃ /L					818 826
Dissolved Iron (Fe) mg/L	<0.05	DMR-0427-2011-18	11.9	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0427-2011-18	3.84	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0517-2011-13	0.0429	0.0353 - 0.0559	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0427-2011-18	0.659	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0427-2011-18	1.15	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0773-2011-NO2	1.1	1.01 - 1.37	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0427-2011-18	0.904	0.8 - 1.0	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0427-2011-18	1.41	1.15 - 1.55	

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17462

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: ST-21
Sampled by: Env. Tech.
Matrix: Water
Sample name: ST-21

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0773-2011-SO ₄	52	47 - 57		
Dissolved thallium (Tl) mg/L	<0.01	D Tl SC0187114 1000p	1023	850 - 1150		
Dissolved Zinc mg/L	<0.005	DMR-0427-2011-18	4.86	3.83 - 5.19		

Reported on: January 09, 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12288

Sampling date: January 09, 2011
Sampling hour: 17:00
Date received: January 11, 2011
Sampling location: Incinerator waste oil I1
Sampled by: M Theriault/S Gaudreault
Matrix: Oil
Sample name: Incinerator waste oil I1

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	170 ppm	Sous-traitance\Maxxam	January 17, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	January 14, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	January 14, 2011
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	January 17, 2011
Water content (Karl Fischer)	0.037 % v/v	Sous-traitance\Maxxam	January 18, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	January 17, 2011
Total halogen	170 ppm	Sous-traitance\Maxxam	January 17, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	January 17, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	January 17, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	January 17, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	January 17, 2011

Reported on: January 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Attention:
Roger Turmel, B.Sc., Chimiste

MULTILAB Direct

125, boul. Industriel

Rouyn-Noranda, PQ

CANADA J9X 6P2

Report Date: 2011/05/24
Report #: SF349188

This report supersedes all previous reports with the same Maxxam job number

CERTIFICATE OF ANALYSIS
MAXXAM JOB #: B101392
Received: 2011/01/12, 9:30

Sample Matrix: OIL

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value Ⓟ	1	2011/01/14	2011/01/14	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges Ⓟ	1	N/A	2011/01/12		
Flash Point Ⓟ	1	N/A	2011/01/14	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil Ⓟ	1	N/A	N/A		
Metals by ICP Ⓟ	1	2011/01/17	2011/01/17	STL SOP-00006/10	MA.200-Met 1.2
PCB Ⓟ	1	2011/01/13	2011/01/14	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur Ⓟ	1	2011/01/14	2011/01/17	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX) Ⓟ	1	2011/01/14	2011/01/17	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

(1) This test was performed by Maxxam -Ville St. Laurent

(2) This test was performed by Maxxam - Mississauga

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

MARTINE BERGERON,

Email: MBERGERON@maxxam.ca

Phone# (418) 658-5784 Ext:245

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B101392
Report Date: 2011/05/24

MULTILAB Direct

Sampler Initials: MT

METALS (OIL)

Maxxam ID		M67789		
Sampling Date		2011/01/09 17:00		
	Units	INCINERATOR WASTE OIL	RDL	QC Batch

Arsenic (As)	mg/kg	ND	2	837495
Cadmium (Cd)	mg/kg	ND	1	837495
Chromium (Cr)	mg/kg	ND	1	837495
Lead (Pb)	mg/kg	ND	5	837495

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B101392
Report Date: 2011/05/24

MULTILAB Direct

Sampler Initials: MT

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		M67789		
Sampling Date		2011/01/09 17:00		
	Units	INCINERATOR WASTE OIL	RDL	QC Batch

Flash point	Celcius	>80	25	837388
Heating Value	kJ/kg	44000	2000	837215
Sulfur (S)	% p/p	0.3	0.2	837324
Total Halides (TX)	mg/kg	170	100	837321
Chlorine	mg/kg	170	100	837321
Bromine	mg/kg	ND	100	837321

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B101392
Report Date: 2011/05/24

MULTILAB Direct

Sampler Initials: MT

PCB (OIL)

Maxxam ID		M67789		
Sampling Date		2011/01/09 17:00		
	Units	INCINERATOR WASTE OIL	RDL	QC Batch

Aroclor 1242	mg/kg	ND	0.5	836912
Aroclor 1248	mg/kg	ND	0.5	836912
Aroclor 1254	mg/kg	ND	0.5	836912
Aroclor 1260	mg/kg	ND	0.5	836912
Total PCB	mg/kg	ND	0.5	836912
Surrogate Recovery (%)				
Decachlorobiphenyl	%	104		836912

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B101392
Report Date: 2011/05/24

MULTILAB Direct

Sampler Initials: MT

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

CONVENTIONAL PARAMETERS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

PCB (OIL)

Veuillez noter que les résultats n'ont été corrigés ni pour la récupération des échantillons de contrôle qualité (blanc fortifié et blanc de méthode), ni pour les surrogates.

This report supersedes all previous reports with the same Maxxam job number

Results relate only to the items tested.

MULTILAB Direct
Attention: Roger Turmel, B.Sc., Chimiste
Client Project #:
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: B101392


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
836912 TN	Spiked Blank	Decachlorobiphenyl	2011/01/14		119	%
		Aroclor 1242	2011/01/14		110	%
		Aroclor 1260	2011/01/14		115	%
	Method Blank	Decachlorobiphenyl	2011/01/14		129	%
		Aroclor 1242	2011/01/14	ND, RDL=0.5		mg/kg
		Aroclor 1248	2011/01/14	ND, RDL=0.5		mg/kg
		Aroclor 1254	2011/01/14	ND, RDL=0.5		mg/kg
		Aroclor 1260	2011/01/14	ND, RDL=0.5		mg/kg
		Total PCB	2011/01/14	ND, RDL=0.5		mg/kg
837215 AM6	Spiked Blank	Heating Value	2011/01/14		93	%
837321 AM6	Spiked Blank	Total Halides (TX)	2011/01/17		117	%
	Method Blank	Total Halides (TX)	2011/01/17	ND, RDL=100		mg/kg
		Chlorine	2011/01/17	ND, RDL=100		mg/kg
		Bromine	2011/01/17	ND, RDL=100		mg/kg
837324 AM6	Spiked Blank	Sulfur (S)	2011/01/17		93	%
	Method Blank	Sulfur (S)	2011/01/17	ND, RDL=0.2		% p/p
837388 AM6	Spiked Blank	Flash point	2011/01/14		100	%
837495 KQ	QC STANDARD	Cadmium (Cd)	2011/01/17		89	%
		Chromium (Cr)	2011/01/17		74	%
		Lead (Pb)	2011/01/17		99	%
	Spiked Blank	Arsenic (As)	2011/01/17		109	%
		Cadmium (Cd)	2011/01/17		97	%
		Chromium (Cr)	2011/01/17		99	%
		Lead (Pb)	2011/01/17		104	%
	Method Blank	Arsenic (As)	2011/01/17	ND, RDL=2		mg/kg
		Cadmium (Cd)	2011/01/17	ND, RDL=1		mg/kg
		Chromium (Cr)	2011/01/17	ND, RDL=1		mg/kg
		Lead (Pb)	2011/01/17	ND, RDL=5		mg/kg

RDL = Reportable Detection Limit
QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

Validation Signature Page

Maxxam Job #: B101392

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




 DOMINIQUE PELLETIER, B. Sc., Chemist, Supervisor




 KATHIE QUEVILLON, B.Sc., Chemist,




 TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Dicom



Demande d'analyses (Sous-traitance)

De: Multilab Val-d'Or
Mme Louise Paradis
 900, 5e Avenue
 Val-d'Or, Québec
 J9P 1B6
 Téléphone : (819) 874-0350
 Fax : (819) 874-0360

Maxxam
 Marie-Renée Doyon
 2690, Avenue Dalton
 Saint-Foy (Québec)
 G1P 3S4
 Tél.: (418) 658-5784
 Fax: (418) 658-6594

Commentaire: Faire un certificat pour chaque échantillon Merci.

Échantillon	Type d'échantillon	Date prélèvement	Nom préleveur	Paramètres demandés
Projet 12285 Échantillon DD-FD1 (EEM-2) Lieu prélèvement DD-FD1 (EEM-2)	Eau	10 janvier 2011 06:20	M Theriault/S Gaudreault	Toxicité sublétales
Échantillon Incinerator waste oil I1 Lieu prélèvement Incinerator waste oil I1	Huile	09 janvier 2011 17:00	M Theriault/S Gau	Paramètres de brûlage

1201-11
9h30

10-10-10

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12421

Sampling date: February 01, 2011
Sampling hour: N/D
Date received: February 03, 2011
Sampling location: Incinerator waste oil I1
Sampled by: Philip Roy
Matrix: Oil
Sample name: Incinerator waste oil I1

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	2100 ppm	Sous-traitance\Maxxam	February 10, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	February 09, 2011
Sulfur	0.4 %	Sous-traitance\Maxxam	February 10, 2011
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	February 09, 2011
Water content (Karl Fischer)	0.2 % v/v	Sous-traitance\Maxxam	February 15, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	February 09, 2011
Total halogen	3300 ppm	Sous-traitance\Maxxam	February 10, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	February 09, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	February 09, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	February 09, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	February 09, 2011

Reported on: February 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Your Project #: B105662
Your C.O.C. #: na

Attention: Martine Bergeron

Maxxam Analytics
Sainte-Foy, Quebec (Dalton Av
2690 Avenue Dalton
Sainte-Foy, PQ
G1P 3S4

Report Date: 2011/02/16

This report supersedes all previous reports with the same Maxxam job number

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B116481

Received: 2011/02/08, 08:46

Sample Matrix: Oil
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Method Reference
Karl Fisher Water Content @	1	2011/02/09	2011/02/15	SLA SOP-00112	ASTM D6304 Method A

* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

(1) This test was performed by Maxxam Sladeview Petrochemical

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

ENVIRONMENTAL CUSTOMER SERVICE, Environmental Customer Service
Email: ecs@maxxam.ca
Phone# (905) 817-5700

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Total cover pages: 1

Page 1 of 5

Maxxam Job #: B116481
Report Date: 2011/02/16

Maxxam Analytics
Client Project #: B105662

RESULTS OF ANALYSES OF OIL

Maxxam ID		IP1055		
Sampling Date		2011/02/01		
COC Number		na		
	Units	M83556\12421	RDL	QC Batch

Miscellaneous Parameters				
Karl Fisher Water Content	%w/w	0.200	0.001	2401413
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116481
Report Date: 2011/02/16

Maxxam Analytics
Client Project #: B105662

GENERAL COMMENTS

Results relate only to the items tested.

Maxxam Analytics
 Attention: Martine Bergeron
 Client Project #: B105662
 P.O. #:
 Project name:

Quality Assurance Report
 Maxxam Job Number: MB116481

QA/QC Batch				Date Analyzed				
Num Init	QC Type	Parameter		yyyy/mm/dd	Value	Recovery	Units	QC Limits
2401413 VSH	RPD [IP1055-01]	Karl Fisher Water Content		2011/02/15	4.3		%	N/A
N/A = Not Applicable Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.								

Validation Signature Page

Maxxam Job #: B116481

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).



BRUCE REYNOLDS, Technical Leader

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Attention:
Roger Turmel, B.Sc., Chimiste
 MULTILAB DIRECT
 125, boul. Industriel
 Rouyn-Noranda, PQ
 CANADA J9X 6P2

Report Date: 2011/02/17

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B105662

Received: 2011/02/04, 10:30

Sample Matrix: OIL
 # Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value Ø	1	2011/02/09	2011/02/09	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Flash Point Ø	1	N/A	2011/02/09	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil Ø	1	N/A	N/A		
Metals by ICP Ø	1	2011/02/09	2011/02/09	STL SOP-00006/10	MA.200-Met 1.1
PCB Ø	1	2011/02/08	2011/02/09	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur Ø	1	2011/02/09	2011/02/10	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX) Ø	1	2011/02/09	2011/02/10	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

(1) This test was performed by Maxxam -Ville St. Laurent

(2) This test was performed by Maxxam - Mississauga

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

MARTINE BERGERON,
 Email: MBERGERON@maxxam.ca
 Phone# (418) 658-5784 Ext:245

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B105662
Report Date: 2011/02/17

MULTILAB DIRECT

Sampler Initials: 9R

METALS (OIL)

Maxxam ID		M83556		
Sampling Date		2011/02/01		
	Units	12421	RDL	QC Batch

Arsenic (As)	mg/kg	ND	2	844181
Cadmium (Cd)	mg/kg	ND	1	844181
Chromium (Cr)	mg/kg	ND	1	844181
Lead (Pb)	mg/kg	ND	5	844181

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B105662
Report Date: 2011/02/17

MULTILAB DIRECT

Sampler Initials: 9R

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		M83556		
Sampling Date		2011/02/01		
	Units	12421	RDL	QC Batch

Flash point	Celcius	>80	25	844571
Heating Value	kJ/kg	44000	2000	844468
Sulfur (S)	% p/p	0.4	0.2	844570
Chlorine	mg/kg	2100	100	844569
Bromine	mg/kg	1200	100	844569

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B105662
Report Date: 2011/02/17

MULTILAB DIRECT

Sampler Initials: 9R

PCB (OIL)

Maxxam ID		M83556		
Sampling Date		2011/02/01		
	Units	12421	RDL	QC Batch

Aroclor 1242	mg/kg	ND	0.5	843837
Aroclor 1248	mg/kg	ND	0.5	843837
Aroclor 1254	mg/kg	ND	0.5	843837
Aroclor 1260	mg/kg	ND	0.5	843837
Total PCB	mg/kg	ND	0.5	843837
Surrogate Recovery (%)				
Decachlorobiphenyl	%	94		843837

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B105662
Report Date: 2011/02/17

MULTILAB DIRECT

Sampler Initials: 9R

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

CONVENTIONAL PARAMETERS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

PCB (OIL)

Veuillez noter que les résultats n'ont été corrigés ni pour la récupération des échantillons de contrôle qualité (blanc fortifié et blanc de méthode), ni pour les surrogates.

Results relate only to the items tested.

MULTILAB DIRECT
Attention: Roger Turmel, B.Sc., Chimiste
Client Project #:
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: B105662


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
843837 TN	Spiked Blank	Decachlorobiphenyl	2011/02/09		98	%
		Aroclor 1242	2011/02/09		102	%
		Aroclor 1260	2011/02/09		103	%
	Method Blank	Decachlorobiphenyl	2011/02/09		99	%
		Aroclor 1242	2011/02/09	ND, RDL=0.5		mg/kg
		Aroclor 1248	2011/02/09	ND, RDL=0.5		mg/kg
		Aroclor 1254	2011/02/09	ND, RDL=0.5		mg/kg
		Aroclor 1260	2011/02/09	ND, RDL=0.5		mg/kg
		Total PCB	2011/02/09	ND, RDL=0.5		mg/kg
844181 KQ	QC STANDARD	Cadmium (Cd)	2011/02/09		95	%
		Chromium (Cr)	2011/02/09		69	%
		Lead (Pb)	2011/02/09		104	%
	Method Blank	Arsenic (As)	2011/02/09	ND, RDL=2		mg/kg
		Cadmium (Cd)	2011/02/09	ND, RDL=1		mg/kg
		Chromium (Cr)	2011/02/09	ND, RDL=1		mg/kg
		Lead (Pb)	2011/02/09	ND, RDL=5		mg/kg
844468 AM6	QC STANDARD	Heating Value	2011/02/09		96	%
	Spiked Blank	Heating Value	2011/02/09		102	%
844569 AM6	Method Blank	Chlorine	2011/02/10	ND, RDL=100		mg/kg
		Bromine	2011/02/10	ND, RDL=100		mg/kg
844570 AM6	Spiked Blank	Sulfur (S)	2011/02/10		82	%
	Method Blank	Sulfur (S)	2011/02/10	ND, RDL=0.2		% p/p
844571 AM6	Spiked Blank	Flash point	2011/02/09		100	%

RDL = Reportable Detection Limit
QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.


Validation Signature Page

Maxxam Job #: B105662

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




 DELIA BARBUL, B.Sc., Chemist,




 MARIE-CLAUDE LAUZIER, B.Sc., Chemist,




 TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Demande d'analyses (Sous-traitance)

De: Multilab Val-d'Or
Mme Louise Paradis
900, 5e Avenue
Val-d'Or, Québec
J9P 1B6
Téléphone : (819) 874-0350
Fax : (819) 874-0360

Maxxam
Marie-Renée Doyon
2690, Avenue Dalton
Saint-Foy (Québec)
G1P 3S4
Tél.: (418) 658-5784
Fax: (418) 658-6594

EN ANGALS

04 FEV 2011

10h30
- 809

13 13 13

Commentaire: Faire un certificat pour chaque échantillon Merci.

Échantillon	Type d'échantillon	Date prélèvement	Nom préleveur	Paramètres demandés
Projet 12421 Échantillon Incinerator wast oil 11 Lieu prélèvement Incinerator wast oil 11	Huile	01 février 2011	Philip Roy	Paramètres de brûlage 1 Litre

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Sylvain Doire
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-12587

Sampling date: March 01, 2011
Sampling hour: N/D
Date received: March 03, 2011
Sampling location: Incinerator waste oil
Sampled by: J.Kataluk/P.Roy/R.Gamez
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	<100 ppm	Sous-traitance\Maxxam	March 11, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	March 10, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	March 11, 2011
Heat capacity	46000 kJ/kg	Sous-traitance\Maxxam	March 11, 2011
Water content (Karl Fischer)	0.565 % v/v	Sous-traitance\Maxxam	March 14, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	March 11, 2011
Total halogen	<100 ppm	Sous-traitance\Maxxam	March 11, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	March 15, 2011
Chrome (Cr)	1 ppm	Sous-traitance\Maxxam	March 15, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	March 15, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	March 15, 2011

Reported on: March 17, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Votre # du projet: B110652

Votre # Bordereau: na

Attention: Martine Bergeron

Maxxam Analytics
Sainte-Foy, Quebec (Dalton Av
2690 Avenue Dalton
Sainte-Foy, PQ
G1P 3S4

Date du rapport: 2011/03/14**CERTIFICAT D'ANALYSES****# DE DOSSIER MAXXAM: B130348****Reçu: 2011/03/08, 08:55**

Matrice: Huile

Nombre d'échantillons reçus: 1

Analyses	Quantité	Date de l'Extrait	Date Analyse	Méthode de laboratoire	Méthode (référence)
Contenu en eau (Karl Fisher) Ø	1	2011/03/09	2011/03/14	SLA SOP-00112	

* Les données brutes sont utilisées pour le calcul du RPD (% d'écart relatif). L'arrondissement des résultats finaux peut expliquer la variation apparente.

(1) Cette analyse a été effectuée par Maxxam Sladeview Petrochemical

clé de cryptage

Veuillez adresser toute question concernant ce certificat d'analyse à votre chargé(e) de projets

ENVIRONMENTAL CUSTOMER SERVICE, Environmental Customer Service

Email: ecs@maxxam.ca

Phone# (905) 817-5700

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.

Pages couvertures totales: 1

Dossier Maxxam: B130348
Date du rapport: 2011/03/14

Maxxam Analytics
Votre # du projet: B110652

RÉSULTATS D'ANALYSES POUR LES ÉCHANTILLONS D'HUILE

ID Maxxam		IV4402		
Date d'échantillonnage		2011/03/01		
# Bordereau		na		
	Unites	N02352\12587	LDR	Lot CQ

DIVERS				
Karl Fisher Water Content	%w/w	0.565	0.001	2425325
LDR = limite de détection rapportée Lot CQ = Lot Contrôle Qualité				

Dossier Maxxam: B130348
Date du rapport: 2011/03/14

Maxxam Analytics
Votre # du projet: B110652

REMARQUES GÉNÉRALES

Les résultats s'appliquent seulement pour les paramètres analysés.

Maxxam Analytics
 Attention: Martine Bergeron
 Votre # du projet: B110652
 P.O. #:
 Nom de projet:

Rapport Assurance Qualité
 Dossier Maxxam: MB130348

Lot AQ/CQ Num Init	Type CQ	Paramètre	Date Analys, aaaa/mm/jj	Valeur	Réc	Unites	Limites CQ
2425325 RSR	Matériau de référence certifié	Karl Fisher Water Content	2011/03/14		0.12	%	N/A
Matériau de référence certifié: Matériau dont une ou plusieurs valeurs des propriétés sont certifiées par une procédure techniquement valide, délivré par un organisme de certification et accompagné d'un certificat. Sert à évaluer l'exactitude d'une méthode analytique.							

Maxxam Analytics International Corporation o/a Maxxam Analytics Mississauga Env: 6740 Campobello Road L5N 2L8 Telephone(905) 817-5700 FAX(905) 817-5777

Page des signatures de validation

Dossier Maxxam: B130348

Les résultats analytiques ainsi que les données de contrôle-qualité contenus dans ce rapport furent vérifiés et validés par les personnes suivantes:




GRACE SISON,

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.

Votre # du projet: B110652
 Votre # Bordereau: na

Attention: Martine Bergeron

Maxxam Analytics
 Sainte-Foy, Quebec (Dalton Av
 2690 Avenue Dalton
 Sainte-Foy, PQ
 G1P 3S4

Date du rapport: 2011/03/14

CERTIFICAT D'ANALYSES

DE DOSSIER MAXXAM: B130348

Reçu: 2011/03/08, 08:55

Matrice: Huile

Nombre d'échantillons reçus: 1

Analyses	Quantité	Date de l'Extrait	Date Analyse	Méthode de laboratoire	Méthode (référence)
Contenu en eau (Karl Fisher) Ø	1	2011/03/09	2011/03/14	SLA SOP-00112	

* Les données brutes sont utilisées pour le calcul du RPD (% d'écart relatif). L'arrondissement des résultats finaux peut expliquer la variation apparente.

(1) Cette analyse a été effectuée par Maxxam Sladeview Petrochemical

clé de cryptage

Veuillez adresser toute question concernant ce certificat d'analyse à votre chargé(e) de projets

ENVIRONMENTAL CUSTOMER SERVICE, Environmental Customer Service
 Email: ecs@maxxam.ca
 Phone# (905) 817-5700

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.

Pages couvertures totales: 1

Dossier Maxxam: B130348
Date du rapport: 2011/03/14

Maxxam Analytics
Votre # du projet: B110652

RÉSULTATS D'ANALYSES POUR LES ÉCHANTILLONS D'HUILE

ID Maxxam		IV4402		
Date d'échantillonnage		2011/03/01		
# Bordereau		na		
	Unites	N02352\12587	LDR	Lot CQ

DIVERS				
Karl Fisher Water Content	%w/w	0.565	0.001	2425325
LDR = limite de détection rapportée Lot CQ = Lot Contrôle Qualité				

Dossier Maxxam: B130348
Date du rapport: 2011/03/14

Maxxam Analytics
Votre # du projet: B110652

REMARQUES GÉNÉRALES

Les résultats s'appliquent seulement pour les paramètres analysés.

Maxxam Analytics
 Attention: Martine Bergeron
 Votre # du projet: B110652
 P.O. #:
 Nom de projet:

Rapport Assurance Qualité
 Dossier Maxxam: MB130348

Lot AQ/CQ Num Init	Type CQ	Paramètre	Date Analys, aaaa/mm/jj	Valeur	Réc	Unites	Limites CQ
2425325 RSR	Matériau de référence certifié	Karl Fisher Water Content	2011/03/14		0.12	%	N/A
Matériau de référence certifié: Matériau dont une ou plusieurs valeurs des propriétés sont certifiées par une procédure techniquement valide, délivré par un organisme de certification et accompagné d'un certificat. Sert à évaluer l'exactitude d'une méthode analytique.							

Maxxam Analytics International Corporation o/a Maxxam Analytics Mississauga Env: 6740 Campobello Road L5N 2L8 Telephone(905) 817-5700 FAX(905) 817-5777

Page des signatures de validation

Dossier Maxxam: B130348

Les résultats analytiques ainsi que les données de contrôle-qualité contenus dans ce rapport furent vérifiés et validés par les personnes suivantes:




GRACE SISON,

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.

Attention: Roger Turmel

MULTILAB - VAL-D'OR
900, 5e avenue
Val-d'Or, PQ
CANADA J9P 1B9

Report Date: 2011/05/24
Report #: SF355266

This report supersedes all previous reports with the same Maxxam job number

CERTIFICATE OF ANALYSIS
MAXXAM JOB #: B110652
Received: 2011/03/04, 10:00

Sample Matrix: OIL

Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value Ø	1	2011/03/11	2011/03/11	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges Ø	1	N/A	2011/03/04		
Flash Point Ø	1	N/A	2011/03/11	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil Ø	1	N/A	N/A		
Metals by ICP Ø	1	2011/03/09	2011/03/15	STL SOP-00006/10	MA.200-Met 1.2
PCB Ø	1	2011/03/10	2011/03/10	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur Ø	1	2011/03/11	2011/03/11	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX) Ø	1	2011/03/11	2011/03/11	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

(1) This test was performed by Maxxam -Ville St. Laurent

(2) This test was performed by Maxxam - Mississauga

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

MARTINE BERGERON,
Email: MBERGERON@maxxam.ca
Phone# (418) 658-5784 Ext:245

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B110652
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: JK

METALS (OIL)

Maxxam ID		N02352		
Sampling Date		2011/03/01		
	Units	12587	RDL	QC Batch

METALS				
Arsenic (As)	mg/kg	ND	2	852351
Cadmium (Cd)	mg/kg	ND	1	852351
Chromium (Cr)	mg/kg	1	1	852351
Lead (Pb)	mg/kg	ND	5	852351
ND = less than the reported detection limit RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B110652
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: JK

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		N02352		
Sampling Date		2011/03/01		
	Units	12587	RDL	QC Batch

CONVENTIONALS				
Flash point	Celcius	>80	25	853502
Heating Value	kJ/kg	46000	2000	853283
Sulfur (S)	% p/p	0.3	0.2	853284
Chlorine	mg/kg	ND	100	853285
Bromine	mg/kg	ND	100	853285
ND = less than the reported detection limit RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B110652
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: JK

PCB (OIL)

Maxxam ID		N02352		
Sampling Date		2011/03/01		
	Units	12587	RDL	QC Batch

PCB				
Aroclor 1242	mg/kg	ND	0.5	852988
Aroclor 1248	mg/kg	ND	0.5	852988
Aroclor 1254	mg/kg	ND	0.5	852988
Aroclor 1260	mg/kg	ND	0.5	852988
Total PCB	mg/kg	ND	0.5	852988
Surrogate Recovery (%)				
Decachlorobiphenyl	%	96	N/A	852988
ND = less than the reported detection limit N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B110652
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: JK

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Veillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

CONVENTIONAL PARAMETERS (OIL)

Veillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

PCB (OIL)

Veillez noter que les résultats n'ont été corrigés ni pour la récupération des échantillons de contrôle qualité (blanc fortifié et blanc de méthode), ni pour les surrogates.

This report supersedes all previous reports with the same Maxxam job number

Results relate only to the items tested.

MULTILAB - VAL-D'OR
Attention: Roger Turmel
Client Project #:
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: B110652


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
852351 KQ	QC STANDARD	Cadmium (Cd)	2011/03/15		98	%
		Chromium (Cr)	2011/03/15		74	%
		Lead (Pb)	2011/03/15		104	%
	Spiked Blank	Arsenic (As)	2011/03/15		122 (1)	%
		Cadmium (Cd)	2011/03/15		117	%
		Chromium (Cr)	2011/03/15		114	%
	Method Blank	Lead (Pb)	2011/03/15		112	%
		Arsenic (As)	2011/03/15	ND, RDL=2		mg/kg
		Cadmium (Cd)	2011/03/15	ND, RDL=1		mg/kg
		Chromium (Cr)	2011/03/15	ND, RDL=1		mg/kg
		Lead (Pb)	2011/03/15	ND, RDL=5		mg/kg
		Decachlorobiphenyl	2011/03/10		90	%
		Aroclor 1242	2011/03/10		84	%
852988 AK2	Spiked Blank	Aroclor 1260	2011/03/10		90	%
		Decachlorobiphenyl	2011/03/10		102	%
		Aroclor 1242	2011/03/10	ND, RDL=0.5		mg/kg
	Method Blank	Aroclor 1248	2011/03/10	ND, RDL=0.5		mg/kg
		Aroclor 1254	2011/03/10	ND, RDL=0.5		mg/kg
		Aroclor 1260	2011/03/10	ND, RDL=0.5		mg/kg
		Total PCB	2011/03/10	ND, RDL=0.5		mg/kg
		Heating Value	2011/03/11		104	%
853283 AM6	Spiked Blank	Sulfur (S)	2011/03/11		83	%
853284 AL8	Spiked Blank	Sulfur (S)	2011/03/11	ND, RDL=0.2		% p/p
853285 AL8	Method Blank	Chlorine	2011/03/11	160, RDL=100		mg/kg
		Bromine	2011/03/11	ND, RDL=100		mg/kg
853502 DB2	Spiked Blank	Flash point	2011/03/11		116	%

RDL = Reportable Detection Limit
QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.
(1) Recovery or relative percent difference (RPD) for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria


Validation Signature Page

Maxxam Job #: B110652

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




DELIA BARBUL, B.Sc., Chemist,

KATHIE QUEVILLON, B.Sc., Chemist,




TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Demande d'analyses (Sous-traitance)

De: Multilab Val-d'Or
Mme Louise Paradis
900, 5e Avenue
Val-d'Or, Québec
J9P 1B6
Téléphone : (819) 874-0350
Fax : (819) 874-0360

Maxxam
Marie-Renée Doyon
2690, Avenue Dalton
Saint-Foy (Québec)
G1P 3S4
Tél.: (418) 658-5784
Fax: (418) 658-6594

10h00
4-03-11
2-2-3

Commentaire: Faire un certificat pour chaque échantillon Merci.

Échantillon	Type d'échantillon	Date prélèvement	Nom préleveur	Paramètres demandés
Projet 12587 Échantillon Incinerator wast oil Lieu prélèvement Incinerator wast oil	Huile	01 mars 2011	J.Kataluk/P.Roy/R .Gamez	Paramètres de brûlage

Attention: Roger Turmel

MULTILAB - VAL-D'OR
900, 5e avenue
Val-d'Or, PQ
CANADA J9P 1B9

Date du rapport: 2011/03/16

CERTIFICAT D'ANALYSES

DE DOSSIER MAXXAM: B110652

Reçu: 2011/03/04, 10:00

Matrice: HUILE

Nombre d'échantillons reçus: 1

Analyses	Quantité	Date de l'extraction	Date Analysé	Méthode de laboratoire	Référence primaire
Valeur calorifique Ø	1	2011/03/11	2011/03/11	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Frais de gestion Ø	1	N/A	2011/03/04		
Point D'eclair Ø	1	N/A	2011/03/11	STL SOP-00058/3	MA. 108 - P.E. 1.0
Pourcentage d'eau dans l'huile Ø	1	N/A	N/A		
Métaux par ICP Ø	1	2011/03/09	2011/03/15	STL SOP-00006/10	MA.200-Met 1.2
BPC Ø	1	2011/03/10	2011/03/10	STL SOP-00155/3	MA. 409-BPC 1.0
Soufre Ø	1	2011/03/11	2011/03/11	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Halogènes totaux (HT) Ø	1	2011/03/11	2011/03/11	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

(1) Cette analyse a été effectuée par Maxxam -Ville St. Laurent

(2) Cette analyse a été effectuée par Maxxam - Mississauga

clé de cryptage

Veuillez adresser toute question concernant ce certificat d'analyse à votre chargé(e) de projets

MARTINE BERGERON, Chargée de projets

Email: MBERGERON@maxxam.ca

Phone# (418) 658-5784 Ext:245

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.

Dossier Maxxam: B110652
Date du rapport: 2011/03/16

MULTILAB - VAL-D'OR

Initiales du préleveur: JK

MÉTAUX (HUILE)

ID Maxxam		N02352		
Date d'échantillonnage		2011/03/01		
	Unités	12587	LDR	Lot CQ

MÉTAUX				
Arsenic (As)	mg/kg	ND	2	852351
Cadmium (Cd)	mg/kg	ND	1	852351
Chrome (Cr)	mg/kg	1	1	852351
Plomb (Pb)	mg/kg	ND	5	852351
ND = inférieur à la limite de détection rapportée LDR = Limite de détection rapportée Lot CQ = Lot contrôle qualité				

Dossier Maxxam: B110652
Date du rapport: 2011/03/16

MULTILAB - VAL-D'OR

Initiales du préleveur: JK

PARAMÈTRES CONVENTIONNELS (HUILE)

ID Maxxam		N02352		
Date d'échantillonnage		2011/03/01		
	Unités	12587	LDR	Lot CQ

CONVENTIONNELS				
Point éclair	Celcius	>80	25	853502
Soufre (S)	% p/p	0.3	0.2	853284
Valeur Calorifique	kJ/kg	46000	2000	853283
Chlore	mg/kg	ND	100	853285
Brome	mg/kg	ND	100	853285
ND = inférieur à la limite de détection rapportée LDR = Limite de détection rapportée Lot CQ = Lot contrôle qualité				

Dossier Maxxam: B110652
Date du rapport: 2011/03/16

MULTILAB - VAL-D'OR

Initiales du préleveur: JK

BPC (HUILE)

ID Maxxam		N02352		
Date d'échantillonnage		2011/03/01		
	Unités	12587	LDR	Lot CQ

BPC				
Aroclor 1242	mg/kg	ND	0.5	852988
Aroclor 1248	mg/kg	ND	0.5	852988
Aroclor 1254	mg/kg	ND	0.5	852988
Aroclor 1260	mg/kg	ND	0.5	852988
BPC Totaux	mg/kg	ND	0.5	852988
Récupération des Surrogates (%)				
Décachlorobiphényle	%	96	N/A	852988

ND = inférieur à la limite de détection rapportée
N/A = Non applicable
LDR = Limite de détection rapportée
Lot CQ = Lot contrôle qualité

Dossier Maxxam: B110652
Date du rapport: 2011/03/16

MULTILAB - VAL-D'OR

Initiales du préleveur: JK

REMARQUES GÉNÉRALES

État des échantillons à l'arrivée: BON

MÉTAUX (HUILE)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

PARAMÈTRES CONVENTIONNELS (HUILE)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

BPC (HUILE)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité (blanc fortifié et blanc de méthode), ni pour les surrogates.

Les résultats ne se rapportent qu'aux objets soumis à l'essai.

MULTILAB - VAL-D'OR
 Attention: Roger Turmel
 Votre # du projet:
 P.O. #:
 Nom de projet:

Rapport Assurance Qualité

Dossier Maxxam: B110652

Lot AQ/CQ Num Init	Type CQ	Paramètre	Date Analysé aaaa/mm/jj	Valeur	Réc	Unités
852351 KQ	ÉTALON CQ	Cadmium (Cd)	2011/03/15		98	%
		Chrome (Cr)	2011/03/15		74	%
		Plomb (Pb)	2011/03/15		104	%
	Blanc fortifié	Arsenic (As)	2011/03/15		122 (1)	%
		Cadmium (Cd)	2011/03/15		117	%
		Chrome (Cr)	2011/03/15		114	%
	Blanc de méthode	Plomb (Pb)	2011/03/15		112	%
		Arsenic (As)	2011/03/15	ND, LDR=2		mg/kg
		Cadmium (Cd)	2011/03/15	ND, LDR=1		mg/kg
		Chrome (Cr)	2011/03/15	ND, LDR=1		mg/kg
		Plomb (Pb)	2011/03/15	ND, LDR=5		mg/kg
		Décachlorobiphényle	2011/03/10		90	%
		Aroclor 1242	2011/03/10		84	%
852988 AK2	Blanc fortifié	Aroclor 1260	2011/03/10		90	%
		Décachlorobiphényle	2011/03/10		102	%
		Aroclor 1242	2011/03/10	ND, LDR=0.5		mg/kg
	Blanc de méthode	Aroclor 1248	2011/03/10	ND, LDR=0.5		mg/kg
		Aroclor 1254	2011/03/10	ND, LDR=0.5		mg/kg
		Aroclor 1260	2011/03/10	ND, LDR=0.5		mg/kg
		BPC Totaux	2011/03/10	ND, LDR=0.5		mg/kg
		Valeur Calorifique	2011/03/11		104	%
853283 AM6	Blanc fortifié	Soufre (S)	2011/03/11		83	%
853284 AL8	Blanc fortifié	Soufre (S)	2011/03/11	ND, LDR=0.2		% p/p
853285 AL8	Blanc de méthode	Chlore	2011/03/11	160, LDR=100		mg/kg
		Brome	2011/03/11	ND, LDR=100		mg/kg
853502 DB2	Blanc fortifié	Point éclair	2011/03/11		116	%

Matériau de référence certifié: Matériau dont une ou plusieurs valeurs des propriétés sont certifiées par une procédure techniquement valide, délivré par un organisme de certification et accompagné d'un certificat. Sert à évaluer l'exactitude d'une méthode analytique.

Blanc fortifié: Blanc auquel a été ajouté une quantité connue d'un ou de plusieurs composés chimiques d'intérêts. Sert à évaluer la récupération des composés d'intérêts.

Blanc de méthode: Une partie aliquote de matrice pure soumise au même processus analytique que les échantillons, du prétraitement au dosage. Sert à évaluer toutes contaminations du laboratoire.

Surrogate: Composé se comportant de façon similaire aux composés analysés et ajouté à l'échantillon avant l'analyse. Sert à évaluer la qualité de l'extraction.

LDR = Limite de détection rapportée


Réc = Récupération

(1) La récupération ou l'écart relatif (RPD) pour ce composé est en dehors des limites de contrôle, mais l'ensemble du contrôle qualité rencontre les critères d'acceptabilité pour cette analyse

Page des signatures de validation

Dossier Maxxam: B110652

Les résultats analytiques ainsi que les données de contrôle-qualité contenus dans ce rapport furent vérifiés et validés par les personnes suivantes:

DELIA BARBUL, B.Sc., Chimiste,

KATHIE QUEVILLON, B.Sc., Chimiste,

TIEN NGUYEN THI, B.Sc., Chimiste,

=====

Maxxam a mis en place des procédures qui protègent contre l'utilisation non autorisée de la signature électronique et emploie les "signataires" requis, conformément à la section 5.10.2 de la norme ISO/CEI 17025:2005(E). Veuillez vous référer à la page des signatures de validation pour obtenir les détails des validations pour chaque division.



Demande d'analyses (Sous-traitance)

De: Multilab Val-d'Or
Mme Louise Paradis
900, 5e Avenue
Val-d'Or, Québec
J9P 1B6
Téléphone : (819) 874-0350
Fax : (819) 874-0360

Maxxam
Marie-Renée Doyon
2690, Avenue Dalton
Saint-Foy (Québec)
G1P 3S4
Tél.: (418) 658-5784
Fax: (418) 658-6594

10h00
4-03-11
2-2-3

Commentaire: Faire un certificat pour chaque échantillon Merci.

Échantillon	Type d'échantillon	Date prélèvement	Nom préleveur	Paramètres demandés
Projet 12587 Échantillon Incinerator wast oil Lieu prélèvement Incinerator wast oil	Huile	01 mars 2011	J.Kataluk/P.Roy/R .Gamez	Paramètres de brûlage

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B116803

Received: 2011/04/08, 09:00

Sample Matrix: OIL
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value	1	2011/04/11	2011/04/12	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges	1	N/A	2011/04/08		
Flash Point	1	N/A	2011/04/12	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil	1	N/A	2011/04/12	SOP STL-00070/1	ASTM D6304 - 07
Metals by ICP	1	2011/04/11	2011/04/12	STL SOP-00006/10	MA.200-Met 1.2
PCB	1	2011/04/11	2011/04/11	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX)	1	2011/04/11	2011/04/12	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

Sample Matrix: WASTE WATER
Samples Received: 6

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Total Alkalinity (pH end point 4.5)	1	2011/04/08	2011/04/08	STL SOP-00038/7	SM 2320 B-Titration
Disposal Charges	6	N/A	2011/04/08		
Total Suspended Solids	5	2011/04/09	2011/04/09	STL SOP-00015/6	MA. 104 - S.S. 1.0
Metals by ICP-MS	1	2011/04/08	2011/04/08	STL SOP-00006/10	MA.200- Mét 1.2
Ammonia Nitrogen	1	2011/04/11	2011/04/11	STL SOP-00040/5	MA. 300 - N 1.1
pH	1	2011/04/08	2011/04/08	STL SOP-00038/7	MA.100- pH1.1
Total Dissolved Solids	1	2011/04/09	2011/04/09	STL SOP-00050/3	MA. 103 - S.T. 1.0
Turbidity	6	N/A	2011/04/08	STL SOP-00022/6	MA. 103 - Tur. 1.0

Your P.O. #: OP-61562
Site: MEADOWBANK SITE

Attention: Sylvain Doire

Agnico-Eagle Mines Ltd.
Meadowbank Division
375-555 Burrard Street
Vancouver, BC
CANADA V7X1M8

Report Date: 2011/04/12

CERTIFICATE OF ANALYSIS

-2-

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

KARIMA DLIMI, B.Sc., Chemist, Project manager assistant
Email: KDlimi@maxxam.ca
Phone# (514) 448-9001

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

METALS				
Arsenic (As)	mg/kg	<2	2	862039
Cadmium (Cd)	mg/kg	<1	1	862039
Chromium (Cr)	mg/kg	<1	1	862039
Lead (Pb)	mg/kg	<5	5	862039
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

CONVENTIONALS				
Flash point	Celcius	73	25	862081
Heating Value	kJ/kg	45000	2000	862124
Sulfur (S)	% p/p	0.3	0.2	862152
Water	%w/w	0.66	0.005	862527
Total Halides (TX)	mg/kg	240	100	862153
Chlorine	mg/kg	240	100	862153

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

PCB (OIL)

Maxxam ID		N27450		
Sampling Date		2011/04/05		
	Units	INCINERATEUR WASTE OIL	RDL	QC Batch

PCB				
Aroclor 1242	mg/kg	<0.5	0.5	862135
Aroclor 1248	mg/kg	<0.5	0.5	862135
Aroclor 1254	mg/kg	<0.5	0.5	862135
Aroclor 1260	mg/kg	<0.5	0.5	862135
Total PCB	mg/kg	<0.5	0.5	862135
Surrogate Recovery (%)				
Decachlorobiphenyl	%	98	N/A	862135

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

METALS (WASTE WATER)

Maxxam ID		N27455		
Sampling Date		2011/04/06		
	Units	SW5A	RDL	QC Batch

METALS ICP-MS				
Arsenic (As)	ug/L	14	1.0	861782
Copper (Cu)	ug/L	28	5.0	861782
Nickel (Ni)	ug/L	130	2.0	861782
Zinc (Zn)	ug/L	22	7.0	861782
Lead (Pb)	ug/L	4.2	1.0	861782
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

CONVENTIONAL PARAMETERS (WASTE WATER)

Maxxam ID		N27410	N27411	N27412		
Sampling Date		2011/04/06	2011/04/06	2011/04/05		
	Units	DD-WTP-01-04/06/2011	DD-WTP-IN-04/06/2011	DD-WTP-01-04/05/2011	RDL	QC Batch

CONVENTIONALS						
Turbidity	NTU	0.2	3.9	0.4	0.1	861871
Total suspended solids (TSS)	mg/L	4	5	3	2	861891

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam ID		N27413	N27414	N27455		
Sampling Date		2011/04/05	2011/04/05	2011/04/06		
	Units	DD-WTP-IN-04/05/2011	DD-TPL-01	SW5A	RDL	QC Batch

CONVENTIONALS						
Nitrogen ammonia (N-NH3)	mg/L	N/A	N/A	22	0.5	861988
pH	pH	N/A	N/A	7.77	N/A	861823
Turbidity	NTU	4.3	0.3	410	0.1	861871
Alkalinity Total (as CaCO3) pH 4.5	mg/L	N/A	N/A	130	1	861829
Total Dissolved Solids	mg/L	N/A	N/A	230	10	861885
Total suspended solids (TSS)	mg/L	5	4	N/A	2	861891

N/A = Not Applicable
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B116803
Report Date: 2011/04/12

Agnico-Eagle Mines Ltd.

Project name: MEADOWBANK SITE
Your P.O. #: OP-61562
Sampler Initials: MT

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (OIL)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

TX_O: The total is calculated only for the parameters requested.

PCB (OIL)

Please note that the results have not been corrected for QC recoveries (spiked blank and method blank) nor for the surrogates.

METALS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.

CONVENTIONAL PARAMETERS (WASTE WATER)

Please note that the results have not been corrected for QC recoveries nor for the method blank results.
Reported detection limits are multiplied by dilution factors used for sample analysis.

Results relate only to the items tested.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report

Maxxam Job Number: B116803

QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
861782 SC5	Spiked Blank	Arsenic (As)	2011/04/08		115	%
		Copper (Cu)	2011/04/08		110	%
		Nickel (Ni)	2011/04/08		112	%
		Zinc (Zn)	2011/04/08		107	%
		Lead (Pb)	2011/04/08		113	%
	Method Blank	Arsenic (As)	2011/04/08	<1.0		ug/L
		Copper (Cu)	2011/04/08	<5.0		ug/L
		Nickel (Ni)	2011/04/08	<2.0		ug/L
		Zinc (Zn)	2011/04/08	<7.0		ug/L
		Lead (Pb)	2011/04/08	<1.0		ug/L
861823 MR4	Spiked Blank	pH	2011/04/08		101	%
861829 MH1	QC STANDARD	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		94	%
	Spiked Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08		100	%
	Method Blank	Alkalinity Total (as CaCO3) pH 4.5	2011/04/08	<1		mg/L
861871 CN1	QC STANDARD	Turbidity	2011/04/08		102	%
	Method Blank	Turbidity	2011/04/08	0.1, RDL=0.1		NTU
861885 LI	Spiked Blank	Total Dissolved Solids	2011/04/09		101	%
	Spiked Blank DUP	Total Dissolved Solids	2011/04/09		101	%
	Method Blank	Total Dissolved Solids	2011/04/09	<10		mg/L
861891 LI	Spiked Blank	Total suspended solids (TSS)	2011/04/09		99	%
	Spiked Blank DUP	Total suspended solids (TSS)	2011/04/09		99	%
	Method Blank	Total suspended solids (TSS)	2011/04/09	<2		mg/L
861988 DKH	Spiked Blank	Nitrogen ammonia (N-NH3)	2011/04/11		114	%
	Method Blank	Nitrogen ammonia (N-NH3)	2011/04/11	0.03, RDL=0.02		mg/L
862039 KQ	QC STANDARD	Cadmium (Cd)	2011/04/12		72 (1)	%
		Chromium (Cr)	2011/04/12		85	%
		Lead (Pb)	2011/04/12		105	%
	Spiked Blank	Arsenic (As)	2011/04/12		103	%
		Cadmium (Cd)	2011/04/12		100	%
		Chromium (Cr)	2011/04/12		99	%
		Lead (Pb)	2011/04/12		107	%
	Method Blank	Arsenic (As)	2011/04/12	<2		mg/kg
		Cadmium (Cd)	2011/04/12	<1		mg/kg
		Chromium (Cr)	2011/04/12	<1		mg/kg
		Lead (Pb)	2011/04/12	<5		mg/kg
862081 AM6	Spiked Blank	Flash point	2011/04/12		116	%
862124 AM6	Spiked Blank	Heating Value	2011/04/12		103	%
862135 AK2	Spiked Blank	Decachlorobiphenyl	2011/04/11		90	%
		Aroclor 1242	2011/04/11		99	%
		Aroclor 1260	2011/04/11		100	%
	Method Blank	Decachlorobiphenyl	2011/04/11		79	%
		Aroclor 1242	2011/04/11	<0.5		mg/kg
		Aroclor 1248	2011/04/11	<0.5		mg/kg
		Aroclor 1254	2011/04/11	<0.5		mg/kg
		Aroclor 1260	2011/04/11	<0.5		mg/kg
		Total PCB	2011/04/11	<0.5		mg/kg
862152 AM6	Spiked Blank	Sulfur (S)	2011/04/12		86	%
	Method Blank	Sulfur (S)	2011/04/12	<0.2		% p/p
862153 AM6	Spiked Blank	Total Halides (TX)	2011/04/12		82	%
	Method Blank	Total Halides (TX)	2011/04/12	<100		mg/kg
		Chlorine	2011/04/12	<100		mg/kg
862527 AM6	Spiked Blank	Water	2011/04/12		97	%

RDL = Reportable Detection Limit

QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.

Agnico-Eagle Mines Ltd.
Attention: Sylvain Doire
Client Project #:
P.O. #: OP-61562
Project name: MEADOWBANK SITE

Quality Assurance Report (Continued)


Maxxam Job Number: B116803

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.
(1) Recovery or relative percent difference (RPD) for this parameter is outside control limits. The overall quality control for this analysis meets acceptability criteria


Validation Signature Page

Maxxam Job #: B116803

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




DELIA BARBUL, B.Sc., Chemist,




KATHIE QUEVILLON, B.Sc., Chemist,




STELIANA CALESTRU, B.Sc. Chemist,




TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Client: Agnico-Eagle Meadowbank Project			Tel 867-793-4610 x 6728 or 6747																	
Address Meadowbank Camp Baker Lake Nunavut, X0X 0A0			E-mail: Meadowbank.data@agnico-eagle																	
Sampler Martin T. Steve G			Project #: Project Manager: Sylvain Doire Martin Theriault																	
N°	Sample identification	Number of bottles	Matrix							Sampling	x Turbidity x TSS	x Cadmium x Chromium x Lead	x Chlorin x PCB x Flash point	x Arsenic x Sulfure x Moisture content	x Caloric capacity x Total halogene	x pH x Alcalinity x Turbidity	x Ammonia	x As x Cu x PB x Ni x Zn	x TDS	
			Potable w.	Waste w.	Ground w.	Surf. W.	Waste oil	Sediments	Others*											# containers
1	DD-WTP-01	1	x								04/06/2011	x								
2	DD-WTP-IN -	1	x								04/06/2011	x								
3	DD-WTP-01	1	x								04/05/2011	x								
4	DD-WTP-IN	1	x								04/05/2011	x								
5	DD-TPL-01	1	x								04/05/2011	x								
6	Incinerator waste oil	1				x					04/05/2011		x	x	x	x				
7	SW5a	4	x								04/06/2011					x	x	x	x	
8																				
9																				
10																				
11																				

Metals Legend:

** Metals 13 elements(Ag, As, Ba, Cd, Co, Cr, Cu, Sn, Mn, Mo, Ni, Pb, Zn)

*** Metals 16 elements(Al, Sb, Ag, As, Ba, Cd, Cr, Co, Cu, Mn, Mo, Ni, Pb, Se, Na, Zn)

Turnaround time:

☐ 10 working days

☐ 5 working days

☐ 72 hours

☐ 48 hours

☒ 24 hours

Maxxam quote #:

Site: Meadowbank Site

PO #:

Others:

Detection limits required / contamination level:

CCME for Surface Water (Federal)

Special instructions:

1

10° 10° 10°

LEGEND:

* C = Canisters

* W = Waste

* O = Oil

* T = Tubes ou Cartridges

Delivered by sampler: Martin Theriault

Delivered by messenger:

Delivered by:

Date 7/4/11

Date 20/10/10

Date

Time

Time 9:00 AM

Time

Received by:

Received by:

Received by Maxxam:

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13201

Sampling date: May 03, 2011
Sampling hour: N/D
Date received: May 05, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	<100 ppm	Sous-traitance\Maxxam	May 11, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	May 11, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	May 11, 2011
Heat capacity	45000 kJ/kg	Sous-traitance\Maxxam	May 11, 2011
Water content (Karl Fischer)	0.020 % v/v	Sous-traitance\Maxxam	May 11, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	May 11, 2011
Total halogen	<100 ppm	Sous-traitance\Maxxam	May 11, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	May 10, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	May 10, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	May 10, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	May 10, 2011

Reported on: May 18, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Attention: Roger Turmel

MULTILAB - VAL-D'OR
900, 5e avenue
Val-d'Or, PQ
CANADA J9P 1B9

Report Date: 2011/05/24

This report supersedes all previous reports with the same Maxxam job number

CERTIFICATE OF ANALYSIS
MAXXAM JOB #: B121926
Received: 2011/05/06, 9:30

Sample Matrix: OIL
Samples Received: 1

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Primary reference
Heating Value @	1	2011/05/13	2011/05/13	STL SOP-00059/3	MA. 108 - P.Cal. 1.1
Disposal Charges @	1	N/A	2011/05/06		
Flash Point @	1	N/A	2011/05/13	STL SOP-00058/3	MA. 108 - P.E. 1.0
Percent Water in oil @	1	N/A	2011/05/13	SOP STL-00070/1	ASTM D6304 - 07
Metals by ICP @	1	2011/05/10	2011/05/10	STL SOP-00006/10	MA.200-Met 1.2
PCB @	1	2011/05/11	2011/05/11	STL SOP-00155/3	MA. 409-BPC 1.0
Sulfur @	1	2011/05/13	2011/05/16	STL SOP-00060/2	MA. 300-Hal-Sou 1.0
Total Halides (TX) @	1	2011/05/13	2011/05/16	STL SOP-00060/2	MA. 300-Hal-Sou 1.0

(1) This test was performed by Maxxam -Ville St. Laurent

Encryption Key

Please direct all questions regarding this Certificate of Analysis to your Project Manager.

MARTINE BERGERON,
Email: MBERGERON@maxxam.ca
Phone# (418) 658-5784 Ext:245

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Job #: B121926
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: ET

METALS (OIL)

Maxxam ID		N48741		
Sampling Date		2011/05/03		
	Units	13201	RDL	QC Batch

METALS				
Arsenic (As)	mg/kg	ND	2	870706
Cadmium (Cd)	mg/kg	ND	1	870706
Chromium (Cr)	mg/kg	ND	1	870706
Lead (Pb)	mg/kg	ND	5	870706
ND = less than the reported detection limit RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B121926
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: ET

CONVENTIONAL PARAMETERS (OIL)

Maxxam ID		N48741		
Sampling Date		2011/05/03		
	Units	13201	RDL	QC Batch

CONVENTIONALS				
Flash point	Celcius	>80	25	872385
Heating Value	kJ/kg	45000	2000	872489
Sulfur (S)	% p/p	0.3	0.2	872488
Water	%w/w	0.020	0.005	872445
Chlorine	mg/kg	ND	100	872485
Bromine	mg/kg	ND	100	872485

ND = less than the reported detection limit
RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Job #: B121926
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: ET

PCB (OIL)

Maxxam ID		N48741		
Sampling Date		2011/05/03		
	Units	13201	RDL	QC Batch

PCB				
Aroclor 1242	mg/kg	ND	0.5	871314
Aroclor 1248	mg/kg	ND	0.5	871314
Aroclor 1254	mg/kg	ND	0.5	871314
Aroclor 1260	mg/kg	ND	0.5	871314
Total PCB	mg/kg	ND	0.5	871314
Surrogate Recovery (%)				
Decachlorobiphenyl	%	86	N/A	871314
ND = less than the reported detection limit N/A = Not Applicable RDL = Reportable Detection Limit QC Batch = Quality Control Batch				

Maxxam Job #: B121926
Report Date: 2011/05/24

MULTILAB - VAL-D'OR

Sampler Initials: ET

GENERAL COMMENTS

Condition of sample(s) upon receipt: GOOD

METALS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

CONVENTIONAL PARAMETERS (OIL)

Veuillez noter que les résultats n'ont pas été corrigés ni pour la récupération des échantillons de contrôle qualité, ni pour le blanc de méthode.

PCB (OIL)

Veuillez noter que les résultats n'ont été corrigés ni pour la récupération des échantillons de contrôle qualité (blanc fortifié et blanc de méthode), ni pour les surrogates.

This report supersedes all previous reports with the same Maxxam job number

Results relate only to the items tested.

MULTILAB - VAL-D'OR
Attention: Roger Turmel
Client Project #:
P.O. #:
Project name:

Quality Assurance Report

Maxxam Job Number: B121926


QA/QC Batch Num Init	QC Type	Parameter	Date Analyzed yyyy/mm/dd	Value	Recovery	Units
870706 HC	QC STANDARD	Cadmium (Cd)	2011/05/10		73	%
		Chromium (Cr)	2011/05/10		99	%
		Lead (Pb)	2011/05/10		116	%
	Spiked Blank	Arsenic (As)	2011/05/10		100	%
		Cadmium (Cd)	2011/05/10		103	%
		Chromium (Cr)	2011/05/10		101	%
	Method Blank	Lead (Pb)	2011/05/10		110	%
		Arsenic (As)	2011/05/10	ND, RDL=2		mg/kg
		Cadmium (Cd)	2011/05/10	ND, RDL=1		mg/kg
		Chromium (Cr)	2011/05/10	ND, RDL=1		mg/kg
		Lead (Pb)	2011/05/10	ND, RDL=5		mg/kg
871314 AK2	Spiked Blank	Decachlorobiphenyl	2011/05/11		100	%
		Aroclor 1242	2011/05/11		90	%
		Aroclor 1260	2011/05/11		93	%
	Method Blank	Decachlorobiphenyl	2011/05/11		96	%
		Aroclor 1242	2011/05/11	ND, RDL=0.5		mg/kg
		Aroclor 1248	2011/05/11	ND, RDL=0.5		mg/kg
		Aroclor 1254	2011/05/11	ND, RDL=0.5		mg/kg
		Aroclor 1260	2011/05/11	ND, RDL=0.5		mg/kg
		Total PCB	2011/05/11	ND, RDL=0.5		mg/kg
872385 AM6	Spiked Blank	Flash point	2011/05/13		116	%
872445 AM6	Spiked Blank	Water	2011/05/13		98	%
872485 AM6	Method Blank	Chlorine	2011/05/16	250, RDL=100		mg/kg
		Bromine	2011/05/16	ND, RDL=100		mg/kg
872488 DKH	Spiked Blank	Sulfur (S)	2011/05/16		71	%
	Method Blank	Sulfur (S)	2011/05/16	ND, RDL=0.2		% p/p
872489 AM6	Spiked Blank	Heating Value	2011/05/13		101	%

RDL = Reportable Detection Limit
QC Standard: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Spiked Blank: A blank matrix to which a known amount of the analyte has been added. Used to evaluate analyte recovery.
Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.
Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.


Validation Signature Page

Maxxam Job #: B121926


The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).




 DOMINIQUE PELLETIER, B. Sc., Chemist, Supervisor




 HHRISTINA CHORBADZHIEVA, B.Sc. Chemist,




 MADINA HAMROUNI, B.Sc., Chemist,




 TIEN NGUYEN THI, B.Sc., Chemist,

=====

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.



Demande d'analyses (Sous-traitance)

De: Multilab Val-d'Or
M Roger Turmel
900, 5e Avenue
Val-d'Or, Québec
J9P 1B6
Téléphone : (819) 874-0350
Fax : (819) 874-0360

Maxxam
Marie-Renée Doyon
2690, Avenue Dalton
Saint-Foy (Québec)
G1P 3S4
Tél.: (418) 658-5784
Fax: (418) 658-6594

Commentaire: Faire un certificat pour chaque échantillon Merci.

Échantillon	Type d'échantillon	Date prélèvement	Nom préleveur	Paramètres demandés
Projet 13201 Échantillon Incinerator waste oil Lieu prélèvement Incinerator waste oil	Huile	03 mai 2011	Env. Tech.	Paramètres de brûlage
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
				14-14-14 Diam.

09h30

6-05-11
SR

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13763

Sampling date: June 05, 2011
Sampling hour: N/D
Date received: June 08, 2011
Sampling location: Incinerator waste oil
Sampled by: Env Tech ext. 6747
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	840 ppm	Sous-traitance\Maxxam	June 13, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	June 13, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	June 13, 2011
Heat capacity	45000 kJ/kg	Sous-traitance\Maxxam	June 13, 2011
Water content (Karl Fischer)	1.4 % v/v	Sous-traitance\Maxxam	June 13, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	June 13, 2011
Total halogen	840 ppm	Sous-traitance\Maxxam	June 13, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	June 16, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	June 16, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	June 16, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	June 16, 2011

Reported on: June 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14321

Sampling date: July 12, 2011
Sampling hour: N/D
Date received: July 13, 2011
Sampling location: waste oil incinerator
Sampled by: Env. Tech.
Matrix: Oil
Sample name: waste oil incinerator

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	300 ppm	Sous-traitance\Maxxam	July 19, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	July 19, 2011
Sulfur	<0.2 %	Sous-traitance\Maxxam	July 19, 2011
Heat capacity	43000 kJ/kg	Sous-traitance\Maxxam	July 19, 2011
Water content (Karl Fischer)	0.060 % v/v	Sous-traitance\Maxxam	July 19, 2011
Flash point	2 Celsius	Sous-traitance\Maxxam	July 19, 2011
Total halogen	300 ppm	Sous-traitance\Maxxam	July 19, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	July 19, 2011
Chrome (Cr)	<2 ppm	Sous-traitance\Maxxam	July 19, 2011
Cadmium (Cd)	<2 ppm	Sous-traitance\Maxxam	July 19, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	July 19, 2011

Reported on: July 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-14857

Sampling date: August 10, 2011
Sampling hour: N/D
Date received: August 12, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	110 ppm	Sous-traitance\Maxxam	August 20, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	August 18, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	August 20, 2011
Heat capacity	47000 kJ/kg	Sous-traitance\Maxxam	August 17, 2011
Water content (Karl Fischer)	0.22 % v/v	Sous-traitance\Maxxam	August 16, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	August 19, 2011
Total halogen	110 ppm	Sous-traitance\Maxxam	August 20, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	August 18, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	August 18, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	August 18, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	August 18, 2011

Reported on: August 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15528

Sampling date: September 13, 2011
Sampling hour: N/D
Date received: September 14, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	1700 ppm	Sous-traitance\Maxxam	September 21, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	September 21, 2011
Sulfur	<0.2 %	Sous-traitance\Maxxam	September 21, 2011
Heat capacity	42000 kJ/kg	Sous-traitance\Maxxam	September 21, 2011
Water content (Karl Fischer)	0.15 % v/v	Sous-traitance\Maxxam	September 20, 2011
Flash point	58 Celsius	Sous-traitance\Maxxam	September 21, 2011
Total halogen	1700 ppm	Sous-traitance\Maxxam	September 21, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	September 22, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	September 22, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	September 22, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	September 22, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16190

Sampling date: October 11, 2011
Sampling hour: N/D
Date received: October 12, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	<100 ppm	Sous-traitance\Maxxam	October 22, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	October 18, 2011
Sulfur	<0.2 %	Sous-traitance\Maxxam	October 22, 2011
Heat capacity	2800 kJ/kg	Sous-traitance\Maxxam	October 21, 2011
Water content (Karl Fischer)	69 % v/v	Sous-traitance\Maxxam	October 14, 2011
Flash point	55 Celsius	Sous-traitance\Maxxam	October 14, 2011
Total halogen	<100 ppm	Sous-traitance\Maxxam	October 22, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	October 20, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	October 20, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	October 20, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	October 20, 2011

Reported on: October 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16965

Sampling date: November 11, 2011
Sampling hour: N/D
Date received: November 15, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	270 ppm	Sous-traitance\Maxxam	November 21, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	November 21, 2011
Sulfur	0.2 %	Sous-traitance\Maxxam	November 21, 2011
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	November 21, 2011
Water content (Karl Fischer)	0.37 % v/v	Sous-traitance\Maxxam	November 21, 2011
Flash point	61 Celsius	Sous-traitance\Maxxam	November 18, 2011
Total halogen	270 ppm	Sous-traitance\Maxxam	November 21, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	November 23, 2011
Chrome (Cr)	<1 ppm	Sous-traitance\Maxxam	November 23, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	November 23, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	November 23, 2011

Reported on: November 25, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17363

Sampling date: December 07, 2011
Sampling hour: N/D
Date received: December 08, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	2800 ppm	Sous-traitance\Maxxam	December 16, 2011
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	December 16, 2011
Sulfur	0.3 %	Sous-traitance\Maxxam	December 16, 2011
Heat capacity	32000 kJ/kg	Sous-traitance\Maxxam	December 16, 2011
Water content (Karl Fischer)	18 % v/v	Sous-traitance\Maxxam	December 13, 2011
Flash point	>80 Celsius	Sous-traitance\Maxxam	December 16, 2011
Total halogen	2800 ppm	Sous-traitance\Maxxam	December 16, 2011
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	December 21, 2011
Chrome (Cr)	5 ppm	Sous-traitance\Maxxam	December 21, 2011
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	December 21, 2011
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	December 21, 2011

Reported on: December 28, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17465

Sampling date: December 16, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	370 ppm	Sous-traitance\Maxxam	January 05, 2012
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	January 04, 2012
Sulfur	0.3 %	Sous-traitance\Maxxam	January 05, 2012
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	January 05, 2012
Water content (Karl Fischer)	2.5 % v/v	Sous-traitance\Maxxam	January 05, 2012
Flash point	>80 Celsius	Sous-traitance\Maxxam	January 05, 2012
Total halogen	370 ppm	Sous-traitance\Maxxam	January 05, 2012
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	January 04, 2012
Chrome (Cr)	2 ppm	Sous-traitance\Maxxam	January 04, 2012
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	January 04, 2012
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	January 04, 2012

Reported on: January 11, 2012

Corrected certificate, replacing the certificate V-17465 done on January 09 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-17466

Sampling date: December 19, 2011
Sampling hour: N/D
Date received: December 20, 2011
Sampling location: Incinerator waste oil
Sampled by: Env. Tech.
Matrix: Oil
Sample name: Incinerator waste oil

Parameter	Result	Method name	Date analyzed
Burning parameters		Sous-traitance\Maxxam	
Chlorine	350 ppm	Sous-traitance\Maxxam	January 05, 2012
Quantity PCB	<0.5 ppm	Sous-traitance\Maxxam	January 04, 2012
Sulfur	0.3 %	Sous-traitance\Maxxam	January 05, 2012
Heat capacity	44000 kJ/kg	Sous-traitance\Maxxam	January 05, 2012
Water content (Karl Fischer)	2.7 % v/v	Sous-traitance\Maxxam	January 05, 2012
Flash point	>80 Celsius	Sous-traitance\Maxxam	January 05, 2012
Total halogen	350 ppm	Sous-traitance\Maxxam	January 05, 2012
Lead (Pb)	<5 ppm	Sous-traitance\Maxxam	January 04, 2012
Chrome (Cr)	2 ppm	Sous-traitance\Maxxam	January 04, 2012
Cadmium (Cd)	<1 ppm	Sous-traitance\Maxxam	January 04, 2012
Arsenic (As)	<2 ppm	Sous-traitance\Maxxam	January 04, 2012

Reported on: January 11, 2012

Corrected certificate, replacing the certificate V-17466 done on January 09 2012

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13960

Sampling date: June 19, 2011
Sampling hour: N/D
Date received: June 21, 2011
Sampling location: WR-SW-1
Sampled by: P.R.
Matrix: Water
Sample name: WR-SW-1

Parameter	Result	Method name	Date analyzed
Alkalinity	16 mg CaCO ₃ /L	M-ALCA-2.0	June 21, 2011
Dissolved Aluminium (Al)	<0.01 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Silver (Ag)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Arsenic (As)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Barium (Ba)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Cadmium (Cd)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Chloride	<0.5 mg/L	Sous-traitance\Multilab Direct	June 29, 2011
Dissolved Copper (Cu)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Iron (Fe)	<0.05 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Fluoride (F)	<0.1 mg/L	Sous-traitance\Multilab Direct	June 30, 2011
Dissolved Manganese (Mn)	0.074 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Mercury (Hg)	0.0031 mg/L	Sous-traitance\Multilab Direct	June 27, 2011
Dissolved Molybdenum (Mo)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	June 22, 2011
Dissolved Nickel (Ni)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Nitrate (NO ₃)	0.18 mg N/L	Sous-traitance\Multilab Direct	June 23, 2011
Nitrite (NO ₂)	<0.01 mg N/L	Sous-traitance\Multilab Direct	June 23, 2011
Dissolved Lead (Pb)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Selenium (Se)	<0.005 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Solids	18 mg/L	M-SOLI-2.0	June 21, 2011

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13960
Sampling date: June 19, 2011
Sampling hour: N/D
Date received: June 21, 2011
Sampling location: WR-SW-1
Sampled by: P.R.
Matrix: Water
Sample name: WR-SW-1

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	<1 mg SO4/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved titanium (Ti)	<0.01 mg/L	Sous-traitance\Multilab Direct	June 28, 2011
Dissolved Zinc	0.010 mg/L	Sous-traitance\Multilab Direct	June 28, 2011

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13960
 Sampling date: June 19, 2011
 Sampling hour: N/D
 Date received: June 21, 2011
 Sampling location: WR-SW-1
 Sampled by: P.R.
 Matrix: Water
 Sample name: WR-SW-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Dissolved Aluminium (Al)	0.01 mg/L		Sous-traitance	
Dissolved Silver (Ag)	0.005 mg/L		Sous-traitance	
Dissolved Arsenic (As)	0.005 mg/L		Sous-traitance	
Dissolved Barium (Ba)	0.005 mg/L		Sous-traitance	
Dissolved Cadmium (Cd)	0.005 mg/L		Sous-traitance	
Chloride	0.5 mg/L		Sous-traitance	Oui
Dissolved Copper (Cu)	0.005 mg/L		Sous-traitance	
Dissolved Iron (Fe)	0.05 mg/L		Sous-traitance	
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Dissolved Manganese (Mn)	0.005 mg/L		Sous-traitance	
Dissolved Mercury (Hg)	0.0005 mg/L		Sous-traitance	
Dissolved Molybdenum (Mo)	0.005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Dissolved Nickel (Ni)	0.005 mg/L		Sous-traitance	
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Dissolved Lead (Pb)	0.005 mg/L		Sous-traitance	
Dissolved Selenium (Se)	0.005 mg/L		Sous-traitance	
Dissolved Solids	1 mg/L		M-SOLI-2.0	

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13960
Sampling date: June 19, 2011
Sampling hour: N/D
Date received: June 21, 2011
Sampling location: WR-SW-1
Sampled by: P.R.
Matrix: Water
Sample name: WR-SW-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Dissolved titanium (Ti)	0.01	mg/L	Sous-traitance	
Dissolved Zinc	0.005	mg/L	Sous-traitance	

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-13960
 Sampling date: June 19, 2011
 Sampling hour: N/D
 Date received: June 21, 2011
 Sampling location: WR-SW-1
 Sampled by: P.R.
 Matrix: Water
 Sample name: WR-SW-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	149	123 - 167	
Dissolved Aluminium (Al) mg/L	<0.01	DMR-0189-2011-18d	5.6	5.26 - 7.12	
Dissolved Silver (Ag) mg/L	<0.005				
Dissolved Arsenic (As) mg/L	<0.005	DMR-0189-2011-18d	0.305	0.219 - 0.347	
Dissolved Barium (Ba) mg/L	<0.005	DMR-0189-2011-18d	2.32	2.0 - 2.8	
Dissolved Cadmium (Cd) mg/L	<0.005	DMR-0189-2011-18d	0.907	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0407-2011-Cl	60.1	51.0 - 65.0	
Dissolved Copper (Cu) mg/L	<0.005	DMR-0189-2011-18d	1.43	1.05 - 1.43	
Dissolved Iron (Fe) mg/L	<0.05	DMR-0189-2011-18d	10.7	8.9 - 12.1	
Dissolved Manganese (Mn) mg/L	<0.005	DMR-0189-2011-18d	4.02	3.28 - 4.44	
Dissolved Mercury (Hg) mg/L	<0.0005	DMR-0189-2011-13	0.0080	0.0059 - 0.0093	
Dissolved Molybdenum (Mo) mg/L	<0.005	DMR-0189-2011-18d	0.628	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Dissolved Nickel (Ni) mg/L	<0.005	DMR-0189-2011-18d	1.24	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0407-2011-NO2	2.7	2.25 - 3.05	
Dissolved Lead (Pb) mg/L	<0.005	DMR-0189-2011-18d	1.00	0.8 - 1.0	
Dissolved Selenium (Se) mg/L	<0.005	DMR-0189-2011-18d	1.34	1.15 - 1.55	
Dissolved Solids mg/L					
Sulfate (SO ₄) mg SO ₄ /L	<1	DMR-0407-2011-SO4	74	63 - 77	

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-13960
Sampling date: June 19, 2011
Sampling hour: N/D
Date received: June 21, 2011
Sampling location: WR-SW-1
Sampled by: P.R.
Matrix: Water
Sample name: WR-SW-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Dissolved titanium (Ti) mg/L	<0.01					
Dissolved Zinc mg/L	<0.005	DMR-0189-2011-18d	4.78	3.83 - 5.19		

Reported on: July 04, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14651	14652
Sample name:	RSF-1	RSF-1-DUP
Sampling date:	01-08-2011	01-08-2011
Alkalinity mg CaCO ₃ /L	31	32
Aluminium (Al) mg/L	0.391	0.309
Silver (Ag) mg/L	<0.0002	<0.0002
Arsenic (As) mg/L	<0.0005	<0.0005
Barium (Ba) mg/L	0.0101	0.0097
Cadmium (Cd) mg/L	0.00036	0.00055
Chloride mg/L	1.3	1.3
Chrome (Cr) mg/L	0.0027	<0.0006
Copper (Cu) mg/L	0.0015	0.0011
Hardness mg CaCO ₃ /L	42	39
Iron (Fe) mg/L	0.94	0.51
Fluoride (F) mg/L	<0.1	<0.1
Manganese (Mn) mg/L	0.3177	0.2753
Mercury (Hg) mg/L	<0.00001	<0.00001
Molybdenum (Mo) mg/L	<0.0005	<0.0005
Ammonia (NH ₃) mg N/L	<0.05	<0.05
Nickel (Ni) mg/L	0.0186	0.0149
Nitrate (NO ₃) mg N/L	0.07	0.09
Lead (Pb) mg/L	<0.0003	<0.0003
Selenium (Se) mg/L	<0.001	<0.001

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

F-02-13

Version 2ième: 18/10/2006

Results summary

Client: **Agnico Eagle Division Meadowbank**

Company: M. Stéphane Robert

Address: General Delivery

Baker Lake Nunavut X0C 0A0

Phone: (604) 677-0689 (--)

Fax: (604) 677-0687

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Water

Lab number:	14651	14652
Sample name:	RSF-1	RSF-1-DUP
Sampling date:	01-08-2011	01-08-2011
Dissolved Solids mg/L	57	56
Sulfate (SO4) mg SO4/L	10	13
Titanium (Ti) mg/L	<0.01	<0.01
Zinc (Zn) mg/L	0.012	0.003

These results are as followed on the Certificate's analysis of the corresponding project number.

In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Results summary

Client: **Agnico Eagle Division Meadowbank**
Company: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Date received: August 02, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Detection limit		
	Valeur		
Alkalinity	2	mg CaCO ₃ /L	M-ALCA-2.0
Dissolved Solids	1	mg/L	M-SOLI-2.0

These results are as followed on the Certificate's analysis of the corresponding project number.
In case of difference between these files , the results are singed on the results summary

Reported on: August 10, 2011

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2011

Sampled by: Env. Tech.

Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alcalinité mg CaCO ₃ /L		std Alk	154	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.37	5.26 - 7.12	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.37	5.26 - 7.12	0.309 0.279
Argent (Ag) mg/L	<0.0002				<0.0002 <0.0002
Argent (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3170	0.198 - 0.368	<0.0005 0.0009
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.3170	0.198 - 0.368	
Baryum (Ba) mg/L	<0.0005	DMR-0302-11-18	2.762	2.0 - 2.8	0.0097 0.0084
Baryum (Ba) mg/L	<0.0005	DMR-0302-11-18	2.762	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.96899	0.8 - 1.0	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.96899	0.8 - 1.0	0.00055 <0.00002
Chlorure (Cl) mg/L	<0.5	DMR-0427-2011-Cl	58.0	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	4.350	3.44 - 4.66	
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	4.350	3.44 - 4.66	<0.0006 <0.0006
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.310	1.05 - 1.43	0.0011 <0.0005
Cuivre (Cu) mg/L	<0.0005	DMR-0302-11-18	1.310	1.05 - 1.43	
Dureté mg CaCO ₃ /L					
Dureté mg CaCO ₃ /L					39 38
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	11.5	8.9 - 12.1	0.51 0.48
Fer (Fe) mg/L	<0.01	DMR-0302-11-18	11.5	8.9 - 12.1	

Reported on: August 10, 2011

Lab number: 14651:14652

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2011
 Sampled by: Env. Tech.
 Matrix: Water

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Fluorures (F) mg/L	<0.1	DMR-0302-2011-F	4.0	3.57 - 4.15	
Manganèse (Mn) mg/L	<0.0005	DMR-0302-11-18	4.210	3.28 - 4.44	0.2753 0.2613
Manganèse (Mn) mg/L	<0.0005	DMR-0302-11-18	4.210	3.28 - 4.44	
Mercure (Hg) mg/L	<0.00001	Dmr-0302-2011-13	0.00636	0.0053 - 0.0099	
Molybdene (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6857	0.599 - 0.811	<0.0005 <0.0005
Molybdene (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6857	0.599 - 0.811	
NH3 mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.210	0.96 - 1.30	0.0149 0.0130
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.210	0.96 - 1.30	
Nitrates (NO3) mg N/L	<0.01				
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9270	0.8 - 1.0	<0.0003 <0.0003
Plomb (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9270	0.8 - 1.0	
Sélénium (Se) mg/L	<0.001	DMR-0302-11-18	1.23	1.15 - 1.55	
Sélénium (Se) mg/L	<0.001	DMR-0302-11-18	1.23	1.15 - 1.55	<0.001 <0.001
Solides dissous mg/L					
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	70	63 - 77	13 12
Sulfate (SO4) mg SO4/L	<1	DMR-0427-2011-SO4	70	63 - 77	
Titane (Ti) mg/L	<0.01				
Titane (Ti) mg/L	<0.01				<0.01 <0.01
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	5.01	3.83 - 5.19	0.003 0.003

Reported on: August 10, 2011
 Lab number: 14651:14652

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: Multiple

Date received: August 02, 2011
Sampled by: Env. Tech.
Matrix: Water

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	5.01	3.83 - 5.19		

Reported on: August 10, 2011
Lab number: 14651:14652

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15346

Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Alkalinity	46 mg CaCO ₃ /L	M-ALCA-2.0	September 07, 2011
Aluminium (Al)	0.184 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Arsenic (As)	0.0028 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Barium (Ba)	0.0106 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Chloride	1.8 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Copper (Cu)	0.0018 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Hardness	55 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	September 16, 2011
Iron (Fe)	1.4 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Fluoride (F)	0.13 mg/L	Sous-traitance\Multilab Direct	September 21, 2011
Manganese (Mn)	0.5629 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	September 14, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	September 12, 2011
Nickel (Ni)	0.0304 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Nitrate (NO ₃)	<0.01 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Nitrite (NO ₂)	<0.01 mg N/L	Sous-traitance\Multilab Direct	September 08, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15346

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	September 16, 2011
Dissolved Solids	92 mg/L	M-SOLI-2.0	September 07, 2011
Sulfate (SO4)	24 mg SO4/L	Sous-traitance\Multilab Direct	September 13, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	September 18, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	September 16, 2011

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15346
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Nitrite (NO ₂)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15346

Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Selenium (Se)	0.001	mg/L	Sous-traitance	Oui
Dissolved Solids	1	mg/L	M-SOLI-2.0	
Sulfate (SO4)	1	mg SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005	mg/L	Sous-traitance	
Zinc (Zn)	0.001	mg/L	Sous-traitance	Oui

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-15346
 Sampling date: September 06, 2011
 Sampling hour: N/D
 Date received: September 07, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	137	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0302-11-18	6.78	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0302-11-18	0.2924	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0302-11-18	2.331	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0302-11-18	0.90702	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0517-2011-CL	55.9	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0302-11-18	4.106	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0302-11-18	1.264	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0302-11-18	9.4	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0302-2011-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0302-11-18	3.764	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0407-2011-13	0.05610	0.0316 - 0.0588	<0.00001 <0.00001
Molybdenum (Mo) mg/L	<0.0005	DMR-0302-11-18	0.6575	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0302-11-18	1.097	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Nitrite (NO ₂) mg N/L	<0.01	DMR-0517-2011-NO2	2.6	2.25 - 3.05	
Lead (Pb) mg/L	<0.0003	DMR-0302-11-18	0.9470	0.8 - 1.0	

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-15346
Sampling date: September 06, 2011
Sampling hour: N/D
Date received: September 07, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Selenium (Se) mg/L	<0.001	DMR-0302-11-18	1.32	1.15 - 1.55		
Dissolved Solids mg/L						
Sulfate (SO4) mg SO4/L	<1	DMR-0517-2011-SO4	70	63 - 77	24	24
Thallium (Tl) mg/L	<0.005	D TI SC0187114 1000p	1085	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0302-11-18	4.63	3.83 - 5.19		

Reported on: September 23, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16063

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Alkalinity	35 mg CaCO ₃ /L	M-ALCA-2.0	October 05, 2011
Aluminium (Al)	0.119 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Arsenic (As)	0.0016 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Barium (Ba)	0.0134 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Chloride	2.9 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Chrome (Cr)	<0.0006 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Copper (Cu)	0.0012 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Hardness	67 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	October 13, 2011
Iron (Fe)	2.2 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Fluoride (F)	0.14 mg/L	Sous-traitance\Multilab Direct	October 17, 2011
Manganese (Mn)	0.6666 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	October 12, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	October 12, 2011
Nickel (Ni)	0.0559 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Nitrate (NO ₃)	0.32 mg N/L	Sous-traitance\Multilab Direct	October 06, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	October 13, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 13, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16063
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Sulfate (SO ₄)	49 mg SO ₄ /L	Sous-traitance\Multilab Direct	October 11, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	October 16, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	October 13, 2011

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16063
 Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16063

Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO ₄)	1 mg	SO ₄ /L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16063
 Sampling date: October 04, 2011
 Sampling hour: N/D
 Date received: October 05, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech.
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	151	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.94	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2957	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.326	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.87535	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0607-2011-CL	58.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	4.021	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.337	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	11.7	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	3.9	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.930	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.04445	0.0319 - 0.0593	<0.00001 <0.00001
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6744	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.224	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.43	1.15 - 1.55	

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16063
Sampling date: October 04, 2011
Sampling hour: N/D
Date received: October 05, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech.
Matrix: Water
Sample name: SW-RSF-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0607-2011-SO4	73	63 - 77		
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	982	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.96	3.83 - 5.19		

Reported on: October 20, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16683

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Alkalinity	44 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Aluminium (Al)	0.095 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Arsenic (As)	0.0007 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Barium (Ba)	0.0158 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chloride	2.6 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Chrome (Cr)	0.0026 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Copper (Cu)	0.0017 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Hardness	82 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Iron (Fe)	1.5 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Fluoride (F)	0.16 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Manganese (Mn)	1.320 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 07, 2011
Nickel (Ni)	0.0619 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Nitrate (NO ₃)	0.27 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	0.0019 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16683

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	37 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16683

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16683

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16683
 Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.29	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2856	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.249	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.87658	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.985	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.226	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.729	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03784	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6474	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.104	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16683

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77		
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	983	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.67	3.83 - 5.19		

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16684

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1-DUP
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1-DUP

Parameter	Result	Method name	Date analyzed
Alkalinity	44 mg CaCO ₃ /L	M-ALCA-2.0	November 02, 2011
Aluminium (Al)	0.096 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Silver (Ag)	<0.0002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Arsenic (As)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Barium (Ba)	0.0144 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Cadmium (Cd)	<0.00002 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Chloride	2.6 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Chrome (Cr)	0.0024 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Copper (Cu)	0.0019 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Hardness	81 mg CaCO ₃ /L	Sous-traitance\Multilab Direct	November 14, 2011
Iron (Fe)	1.3 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Fluoride (F)	0.15 mg/L	Sous-traitance\Multilab Direct	November 17, 2011
Manganese (Mn)	1.278 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Mercury (Hg)	<0.00001 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Molybdenum (Mo)	<0.0005 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Ammonia (NH ₃)	<0.05 mg N/L	Sous-traitance\Multilab Direct	November 07, 2011
Nickel (Ni)	0.0601 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Nitrate (NO ₃)	0.28 mg N/L	Sous-traitance\Multilab Direct	November 03, 2011
Lead (Pb)	<0.0003 mg/L	Sous-traitance\Multilab Direct	November 14, 2011
Selenium (Se)	<0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16684

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1-DUP
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1-DUP

Parameter	Result	Method name	Date analyzed
Sulfate (SO4)	38 mg SO4/L	Sous-traitance\Multilab Direct	November 08, 2011
Thallium (Tl)	<0.005 mg/L	Sous-traitance\Multilab Direct	November 09, 2011
Zinc (Zn)	0.001 mg/L	Sous-traitance\Multilab Direct	November 14, 2011

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16684

Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1-DUP
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1-DUP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Alkalinity	2 mg CaCO ₃ /L		M-ALCA-2.0	
Aluminium (Al)	0.002 mg/L		Sous-traitance	
Silver (Ag)	0.0002 mg/L		Sous-traitance	Oui
Arsenic (As)	0.0005 mg/L		Sous-traitance	Oui
Barium (Ba)	0.0005 mg/L		Sous-traitance	Oui
Cadmium (Cd)	0.00002 mg/L		Sous-traitance	Oui
Chloride	0.5 mg/L		Sous-traitance	Oui
Chrome (Cr)	0.0006 mg/L		Sous-traitance	Oui
Copper (Cu)	0.0005 mg/L		Sous-traitance	Oui
Hardness	1 mg CaCO ₃ /L		Sous-traitance	
Iron (Fe)	0.01 mg/L		Sous-traitance	Oui
Fluoride (F)	0.02 mg/L		Sous-traitance	Oui
Manganese (Mn)	0.0005 mg/L		Sous-traitance	Oui
Mercury (Hg)	0.00001 mg/L		Sous-traitance	Oui
Molybdenum (Mo)	0.0005 mg/L		Sous-traitance	
Ammonia (NH ₃)	0.05 mg N/L		Sous-traitance	
Nickel (Ni)	0.0005 mg/L		Sous-traitance	Oui
Nitrate (NO ₃)	0.01 mg N/L		Sous-traitance	
Lead (Pb)	0.0003 mg/L		Sous-traitance	Oui
Selenium (Se)	0.001 mg/L		Sous-traitance	Oui

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Analytical Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16684

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1-DUP
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1-DUP

Parameter	Detection limit		Method name	Accréditation
	Valeur	Unité		
Sulfate (SO4)	1 mg	SO4/L	Sous-traitance	Oui
Thallium (Tl)	0.005 mg/L		Sous-traitance	
Zinc (Zn)	0.001 mg/L		Sous-traitance	Oui

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
 Address: General Delivery
 Baker Lake Nunavut X0C 0A0
 Phone: (604) 677-0689 (--)
 Fax: (604) 677-0687

Lab number: V-16684
 Sampling date: November 01, 2011
 Sampling hour: N/D
 Date received: November 02, 2011
 Sampling location: SW-RSF-1-DUP
 Sampled by: Env. Tech
 Matrix: Water
 Sample name: SW-RSF-1-DUP

Parameter	Blank	Standard		Sample duplicate	
		Name	Result	Limit	1 2
Alkalinity mg CaCO ₃ /L		std Alk	152	123 - 167	
Aluminium (Al) mg/L	<0.006	DMR-0427-2011-18	6.29	5.26 - 7.12	
Silver (Ag) mg/L	<0.0002				
Arsenic (As) mg/L	<0.0005	DMR-0427-2011-18	0.2856	0.198 - 0.368	
Barium (Ba) mg/L	<0.0005	DMR-0427-2011-18	2.249	2.0 - 2.8	
Cadmium (Cd) mg/L	<0.00002	DMR-0427-2011-18	0.87658	0.8 - 1.0	
Chloride mg/L	<0.5	DMR-0687-2011-CL	56.6	51.0 - 65.0	
Chrome (Cr) mg/L	<0.0006	DMR-0427-2011-18	3.985	3.44 - 4.66	
Copper (Cu) mg/L	<0.0005	DMR-0427-2011-18	1.226	1.05 - 1.43	
Hardness mg CaCO ₃ /L					
Iron (Fe) mg/L	<0.01	DMR-0427-2011-18	9.5	8.9 - 12.1	
Fluoride (F) mg/L	<0.02	DMR-0517-2011-11-F	4.0	3.57 - 4.15	
Manganese (Mn) mg/L	<0.0005	DMR-0427-2011-18	3.729	3.28 - 4.44	
Mercury (Hg) mg/L	<0.00001	DMR-0517-2011-13	0.03784	0.0319 - 0.0593	
Molybdenum (Mo) mg/L	<0.0005	DMR-0427-2011-18	0.6474	0.599 - 0.811	
Ammonia (NH ₃) mg N/L	<0.05				
Nickel (Ni) mg/L	<0.0005	DMR-0427-2011-18	1.104	0.96 - 1.30	
Nitrate (NO ₃) mg N/L	<0.01				
Lead (Pb) mg/L	<0.0003	DMR-0427-2011-18	1.000	0.8 - 1.0	
Selenium (Se) mg/L	<0.001	DMR-0427-2011-18	1.42	1.15 - 1.55	

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.

Quality control Report

Company: **Agnico Eagle Division Meadowbank**

Client: M. Stéphane Robert
Address: General Delivery
Baker Lake Nunavut X0C 0A0
Phone: (604) 677-0689 (--)
Fax: (604) 677-0687

Lab number: V-16684

Sampling date: November 01, 2011
Sampling hour: N/D
Date received: November 02, 2011
Sampling location: SW-RSF-1-DUP
Sampled by: Env. Tech
Matrix: Water
Sample name: SW-RSF-1-DUP

Parameter	Blank	Standard		Limit	Sample duplicate	
		Name	Result		1	2
Sulfate (SO4) mg SO4/L	<1	DMR-0687-2011-SO4	68	63 - 77		
Thallium (Tl) mg/L	<0.005	D Tl SC0187114 1000p	983	850 - 1150		
Zinc (Zn) mg/L	<0.001	DMR-0427-2011-18	4.67	3.83 - 5.19		

Reported on: November 21, 2011

Results relate only to the sample tested.

This report shall not be reproduced except in full without the written authority of the laboratory.

All samples will be disposed of after 30 days following analysis.